Department of Computer Science and Engineering

Uttara University, Uttara, Dhaka

Assignment on Structured Programming Language

Course Code: CSE0611302
Course Title: Structured Programming Language Lab

Submitted to

Mohsin Hossain
Lecturer
Department of Computer Science and Engineering
Uttara University, Uttara, Dhaka

Submitted by

ABC
Department of Computer Science and Engineering
Uttara University
Semester: Spring-2026
Student Id: 2261091081
Semester: Spring Batch 66 (2026)

Assignment 1: Print integer, float, and char values :



Code:

```
#include<stdio.h>
int main()
{
   int age = 21;
   float height = 5.9;
   char grade = 'A';
   printf("Age: %d\n Height : %1f\n Grade: %c\n", age,height,grade);
   return 0;
}
```

Output:

```
 Age: 21
 Height : 5.900000
 Grade: A
```

GitHub Code Link: Click Here.

Assignment 2: Add two integers :



Code:

```
#include<stdio.h>
int main(){

    int a,b;
    printf("Enter Two Number : ");
    scanf("%d %d", &a, &b);
    printf("Sum = %d", a+b);
    return 0;
}
```

Output:

Enter Two Number : 5+2

Sum = 7

GitHub Code Link: Click Here.

Assignment 3: Calculate area of a circle :



Code :

```
#include<stdio.h>
int main(){
    float radius,area;
    printf("Enter radius : ");
    scanf("%f",&radius);
    area = 3.1416 * radius * radius;
    printf("Area = %2f\n", area);
    return 0;
}
```

Output:

Enter radius : 5*3

Area = 78.540001

GitHub Code Link: Click Here.

Assignment 4 : Swap two numbers :



Code :

```
#include<stdio.h>
int main(){
    int a = 10, b= 20;
    a= a + b;
    b= a - b;
    a = a - b;
    printf("After Swap : a =%d\n, b=%d\n",a,b);
    return 0;
}
```

Output:

After Swap : a =20

, b=10

GitHub Code Link: Click Here.

Assignment 5 : Find ASCII value :



Code:

```
#include <stdio.h>

int main() {

char c;

printf("Enter a character: ");

scanf("%c", &c);

printf("ASCII value of %c = %d\n", c, c);

return 0;

}
```

Output:

Enter a character: A

ASCII value of A = 65

, b=10

GitHub Code Link: Click Here.

Assignment 6 : Calculate average of three numbers :



Code :

```
#include <stdio.h>

int main() {

    float a, b, c;

    printf("Enter 3 Numbers: ");

    scanf("%f %f %f", &a, &b, &c);


    printf("Average: %.2f\n", (a + b + c) / 3);

    return 0;

}
```

Output:

Enter 3 Numbers: 2 3 4

Average: 3.00

GitHub Code Link: Click Here.

Assignment 7 : Find remainder using modulus :



Code:

```
#include<stdio.h>
int main(){
int a,b;
printf("Enter Two Number : ");
scanf("%d %d", &a,&b);
printf("Reminder = %d\n", a % b);
return 0;
}
```

Output:

Enter Two Number : 10 3

Reminder = 1

GitHub Code Link: Click Here.

Assignment 8 : Use increment and decrement operators :



Code:

```
#include <stdio.h>
int main() {
int x = 5;
printf("x++ = %d\n", x++);
printf("Now x = %d\n", x);
printf("++x = %d\n", ++x);
return 0;
}
```

Output:

```
x++ = 5
Now x = 6
++x = 7
```

GitHub Code Link: Click Here.

Assignment 9 : Demonstrate relational operators :



Code :

```
#include <stdio.h>
int main() {
int a = 10, b = 20;
printf("a > b: %d\n", a > b);
printf("a < b: %d\n", a < b);
printf("a == b: %d\n", a == b);
return 0;
}
```

Output:

a > b: 0

a < b: 1

a == b: 0

GitHub Code Link: Click Here.

Assignment 10 : Logical AND, OR, NOT :



Code :

```
#include <stdio.h>

int main() {

int a = 1, b = 0;

printf("a && b = %d\n", a && b);

printf("a || b = %d\n", a || b);

printf("!a = %d\n", !a);

return 0;

}
```

Output:

a && b = 0

a || b = 1

!a = 0

GitHub Code Link: Click Here.

Assignment 11 : Compound assignment :



Code:

```
#include<stdio.h>
int main() {
 int x = 10;
 x += 5;
 x *= 2;
 printf("x = %d\n", x);
 return 0;
}
```

OutPut:

x = 30

GitHub Code Link: Click Here.

Assignment 12 : Ternary operator :



Code:

```
#include <stdio.h>

int main() {

 int a = 15, b = 25;

 int max = (a > b) ? a : b;

 printf("Maximum = %d\n", max);

 return 0;

}
```

Output:

Maximum = 25

GitHub Code Link: Click Here.

Assignment 13 : Implicit casting :



Code:

```
#include <stdio.h>
int main() {
 int a = 10;
 float b = 3.5;
 float result = a + b;
 printf("Result = %.2f\n", result);
 return 0;
}
```

Output:

Result = 13.50

GitHub Code Link: Click Here.

Assignment 14 : Implicit casting :



Code:

```
#include <stdio.h>
int main() {
 int a = 5, b = 2;
 float result = (float)a / b;
 printf("Division = %.2f\n", result);
 return 0;
}
```

Output:

Division = 2.50

GitHub Code Link: Click Here.

Assignment 15 : Convert Celsius to Fahrenheit :



Code :

```
#include <stdio.h>
int main() {
 float celsius;
 printf("Enter Celsius: ");
 scanf("%f", &celsius);
 printf("Fahrenheit = %.2f\n", (celsius * 9 / 5) + 32);
 return 0;
}
```

Output:

Enter Celsius: 45

Fahrenheit = 113.00

GitHub Code Link: Click Here.

Assignment 16 : Integer to character :



Code:

```
#include <stdio.h>
int main() {
 int code = 65;
 char letter = (char)code;
 printf("Character: %c\n", letter);
 return 0;
}
```

Output:

Character: A

GitHub Code Link: Click Here.

Assignment 17 : Float to integer conversion:



Code:

```
#include <stdio.h>
int main() {
 float f = 5.99;
 int i = (int)f;
 printf("Float: %.2f, Int: %d\n", f, i);
 return 0;
}
```

Output:

Float: 5.99, Int: 5

GitHub Code Link: Click Here.

Assignment 18 : Total marks percentage :



Code:

```
#include <stdio.h>
int main() {
 int total = 455, subjects = 5;
 float percentage = (float)total / subjects;
 printf("Percentage = %.2f\n", percentage);
 return 0;
}
```

Output:

Percentage = 91.00

GitHub Code Link: Click Here.

Assignment 19 : Check even or odd :



Code:

```
#include <stdio.h>
int main() {
 int n;
 printf("Enter number: ");
 scanf("%d", &n);
 if (n % 2 == 0)
 printf("Even\n");
 else
 printf("Odd\n");
 return 0;
}
```

Output:

Enter number: 5

Odd

GitHub Code Link: Click Here.

Assignment 20 : Find largest of three numbers :



Code:

```
#include <stdio.h>
int main() {
 int a, b, c;
 printf("Enter three numbers: ");
 scanf("%d %d %d", &a, &b, &c);
 if (a > b && a > c)
 printf("Largest = %d\n", a);
 else if (b > c)
 printf("Largest = %d\n", b);
 else
 printf("Largest = %d\n", c);
 return 0;
}
```

Output:

Enter three numbers: 5 6 7

Largest = 7

Assignment 8 :

Assignment 9 :

Assignment 10 :