

## SESSION 17 — Job Management

```
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ jobs
[1] 840
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ |

saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ jobs
[1]+  Running                  sleep 60 &
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ |

[1]+  Running                  sleep 60 &
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ jobs -l
[1]+  840 Running              sleep 60 &
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ |

saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ ps -p 2000
  PID TTY          TIME CMD
[1]+  Done                  sleep 60
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ |

saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ fg %1
-bash: fg: %1: no such job
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ |
```

## SESSION 17 — Second Practical

```
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ ^C
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ sleep 100
^Z
[1]+  Stopped                  sleep 100
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ |

saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ jobs
[1]+  Stopped                  sleep 100
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ |

saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ bg %1
[1]+ sleep 100 &
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ |
```

## SESSION 18 — Signals

```
[1]+ sleep 100 &
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs$ mkdir Signal_Practical
cd Signal_Practical
saireddy@DESKTOP-HKQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs/Signal_Practical$ |
```

```
GNU nano 7.2
#include <stdio.h>
#include <unistd.h>
#include <signal.h>

void handler(int sig)
{
    printf("\nSignal received: %d\n", sig);
}

int main()
{
    signal(SIGINT, handler);
    signal(SIGTSTP, handler);
    signal(SIGCONT, handler);

    printf("Process PID: %d\n", getpid());
    printf("Process is running...\n");

    while (1)
    {
        printf("Running...\n");
        sleep(3);
    }

    return 0;
}
```

```
sairreddy@DESKTOP-HWQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs/Signal_Practical$ nano signal.c  
[1]+ Done          sleep 100      (wd: ~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs/  
(wd now: ~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs/Signal_Practical)  
sairreddy@DESKTOP-HWQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs/Signal_Practical$ gcc signal.c -o signal  
sairreddy@DESKTOP-HWQRL9G:~/MultiPipe_Practical/Input_Redirection/Combined_Redirection/Background_Jobs/Signal_Practical$ ./signal  
  
Process PID: 878  
Process is running...  
Running...  
Running...  
Running...  
Running...  
^Z  
Signal received: 20  
Running...  
Running...  
Running...  
Running...  
Running...  
Running...  
Running...  
Running...  
Running...  
  
Running...  
Running...  
Running...  
Running...  
Running...  
Running...
```