

# XML

vs. JSON, YAML, TOML, etc.

YEGOR BUGAYENKO

Lecture #7 out of 16

80 minutes

The slidedeck was presented by the author in this [YouTube Video](#)

All visual and text materials presented in this slidedeck are either originally made by the author or taken from public Internet sources, such as web sites. Copyright belongs to their respected authors.

Extensible Markup Language (XML)

XSD, XPath, XSLT, XQuery, etc.

JavaScript Object Notation (JSON)

YAML, TOML, CSV

Books, Venues, Call-to-Action

Chapter #1:

# Extensible Markup Language (XML)

[ [XML](#) Namespaces Escaping Formats ]

## Library in XML

```
<?xml version="1.0" encoding="UTF-8"?>
<!--
  * SPDX-FileCopyrightText: Copyright (c) 2021 Yegor Bugayenko
  * SPDX-License-Identifier: MIT
-->
<library>
  <book id="42">
    <author>David West</author>
    <title>Object Thinking</title>
  </book>
  <book id='43'>
    <author>Martin Fowler</author>
    <title>Refactoring</title>
  </book>
</library>
```

## Namespaces

```
<?xml version="1.0" encoding="UTF-8"?>
<!--
  * SPDX-FileCopyrightText: Copyright (c) 2021 Yegor Bugayenko
  * SPDX-License-Identifier: MIT
-->
<library xmlns="https://innopolis.university/ssd16"
  xmlns:a="https://www.amazon.com"
  xmlns:t="https://www.twitter.com">
  <book id="42">
    <a:dp>0134757599</a:dp>
    <t:author>@martinfowler</t:author>
    <author>Martin Fowler</author>
    <title>Refactoring</title>
  </book>
</library>
```


## Escaping

```
<?xml version="1.0" encoding="UTF-8"?>
<!--
  * SPDX-FileCopyrightText: Copyright (c) 2021 Yegor Bugayenko
  * SPDX-License-Identifier: MIT
-->
<formulas>
  <f title='Fibonacci&apos;s'> <!-- Fibonacci's -->
    <e>if x &lt; 2 return x</e> <!-- if x < 2 return x -->
    <e>else return f(x-1) + f(x-2)</e>
  </f>
</formulas>
```

[ XML Namespaces Escaping [Formats](#) ]

## XML Based Formats/Protocols

SOAP, RSS, Atom, SVG, XHTML, HTML5,  
Open Office XML, XMPP,  
SyncML, RDF, XMI, XMIR :)



[https://en.wikipedia.org/wiki/Category:XML-based\\_standards](https://en.wikipedia.org/wiki/Category:XML-based_standards) →

Chapter #2:

XSD, XPath, XSLT, XQuery, etc.



## XML Schema Definition (XSD)

```
<?xml version="1.0" encoding="UTF-8"?>
<!--
  * SPDX-FileCopyrightText: Copyright (c) 2021 Yegor Bugayenko
  * SPDX-License-Identifier: MIT
-->
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:complexType name="book">
    <xs:sequence>
      <xs:element name="author" minOccurs="1" maxOccurs="1"/>
      <xs:element name="title" minOccurs="1" maxOccurs="1"/>
    </xs:sequence>
    <xs:attribute name="id" type="xs:decimal"/>
  </xs:complexType>
  <xs:element name="library">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="book" type="book" minOccurs="0"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:schema>
```

## XML Path Language (XPath)

```
<library><book id=42><author>David West</..></..></..>
```

```
/library/book[@id='42']
```

```
//book[@id='42']
```

```
//book[first()]
```

```
//book[author='David West']
```

```
//book[author[text()='David West']]
```

## XSL Transformations (XSLT)

```
<?xml version="1.0" encoding="UTF-8"?>
<!--
  * SPDX-FileCopyrightText: Copyright (c) 2021 Yegor Bugayenko
  * SPDX-License-Identifier: MIT
-->
<xsl:stylesheet version="2.0"
  xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
  <xsl:template match="book">
    <item>
      <xsl:value-of select="title"/>
      <xsl:text> by </xsl:text>
      <xsl:value-of select="title"/>
    </item>
  </xsl:template>
  <xsl:template match="node()|@*>
    <xsl:copy>
      <xsl:apply-templates select="node()|@*" />
    </xsl:copy>
  </xsl:template>
</xsl:stylesheet>
```

Chapter #3:

# JavaScript Object Notation (JSON)

## JSON for the Library

```
[  
  {  
    "author": "David West",  
    "id": 42,  
    "title": "Object Thinking"  
  },  
  {  
    "author": "Martin Fowler",  
    "id": 43,  
    "title": "Refactoring"  
  }  
]
```



<https://www.yegor256.com/2015/11/16/json-vs-xml.html> →

## JSON to JavaScript Object and Backwards

```
var a = JSON.parse('{"age": 25}').age;
```

```
JSON.stringify({age: 25});
```

Chapter #4:

**YAML, TOML, CSV**

## Yet Another Markup Language (YAML)

```
# SPDX-FileCopyrightText: Copyright (c) 2021 Yegor Bugayenko
# SPDX-License-Identifier: MIT
---
library:
- id: 42
  author: David West
  title: Object Thinking
- id: 43
  author: Martin Fowler
  title: Refactoring
```




[ YAML [TOML](#) CSV ]

## TOML

```
[library.a]
  id = 42
  author = "David West"
  title = "Object Thinking"
[library.b]
  id = 43
  author = "Martin Fowler"
  title = "Refactoring"
```

## Comma-Separated Values (CSV)


```
Id,Author,Title
42,David West,Object Thinking
43,"Martin Fowler","Refactoring"
```




[https://en.wikipedia.org/wiki/List\\_of\\_file\\_formats](https://en.wikipedia.org/wiki/List_of_file_formats) ➞

Chapter #5:

## Books, Venues, Call-to-Action



“XML in a Nutshell, Third Edition”  
by ELLIOTTE RUSTY HAROLD ET AL.



“Learning XSLT: A Hands-On  
Introduction to XSLT and XPath”  
by MICHAEL JAMES FITZGERALD

## Call to Action:

In your application, make sure your data is represented in XML, at least in one place, and being transformed by XSLT.

Design your own data format.

## Still unresolved issues:

- How to map XML/JSON to objects?
- How to print object to XML/JSON?
- How to create a common binary format?
- How to restore the popularity of XSLT?

# Bibliography