

Network Price List 2013-2014



Effective from 1 July 2013 to 30 June 2014 (Prices exclude GST)

Tariff Class	Tariff Code	Tariff Name	DLF	Network Access Charge	Network Energy Prices							Network Capacity Prices	
					Non-ToU				ToU			Peak	Peak
					Flat	Block 1	Block 2	Block 3	Peak	Shoulder	Off-peak		
				c/day	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kW/day	c/kVA/day
Low Voltage	EA010	Residential Inclining Block	1.0644	38.9500		12.9150	15.3750	19.4750					
	EA025	Residential ToU	1.0555	51.2500					26.1375	5.1455	2.6240		
	EA030	Controlled load 1	1.0644	3.2390	2.1506								
	EA040	Controlled load 2	1.0644	12.5255	5.3281								
	EA050	Small Business Inclining Block	1.0558	123.0000		11.5210	20.2335						
	EA225	Small Business ToU	1.0558	123.0000					21.1150	6.5485	2.0500		
	EA302	LV 40-160 MWh (System)	1.0558	563.7500					14.1245	6.4370	3.8745	33.8250	
	EA305	LV 160-750 MWh (System)	1.0558	1,640.0000					11.1110	5.9860	2.9110		33.8250
	EA310	LV > 750 MWh (System)	1.0558	2,048.9750					11.2853	5.9553	2.8803		33.8250
	EA325	LV Connection (Standby) <i>Closed</i>	1.0558	2,048.9750					7.6875	5.7400	2.0500		
High Voltage	EA360	HV Connection (Standby) <i>Closed</i>	1.0366	1,845.0000					8.0258	4.7458	1.7630		
	EA370	HV Connection (System)	1.0366	4,100.0000					8.6510	5.3710	2.3883		17.7325
	EA380	HV Connection (Substation)	1.0190	4,100.0000					7.4928	5.3403	1.7733		17.7325
Sub-transmission	EA390	ST Connection	1.0125	5,125.0000					4.8278	3.3928	2.0090		5.6785
Unmetered	EA401	Public Lighting	1.0826		8.9115								
	EA402	Constant Unmetered	1.0600		10.8898								
	EA403	EnergyLight	1.0826		8.0915								

Network Price List 2013-2014



Effective from 1 July 2013 to 30 June 2014 (Prices include GST)

Tariff Class	Tariff Code	Tariff Name	DLF	Network Access Charge	Network Energy Prices							Network Capacity Prices	
					Non-ToU				ToU			Peak	
					Flat	Block 1	Block 2	Block 3	Peak	Shoulder	Off-peak	Peak	Peak
					c/day	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kW/day	c/kVA/day
Low Voltage	EA010	Residential Inclining Block	1.0644	42.8450		14.2065	16.9125	21.4225					
	EA025	Residential ToU	1.0555	56.3750					28.7513	5.6601	2.8864		
	EA030	Controlled load 1	1.0644	3.5629	2.3657								
	EA040	Controlled load 2	1.0644	13.7781	5.8610								
	EA050	Small Business Inclining Block	1.0558	135.3000		12.6731	22.2569						
	EA225	Small Business ToU	1.0558	135.3000					23.2265	7.2034	2.2550		
	EA302	LV 40-160 MWh (System)	1.0558	620.1250					15.5370	7.0807	4.2620	37.2075	
	EA305	LV 160-750 MWh (System)	1.0558	1,804.0000					12.2221	6.5846	3.2021		37.2075
	EA310	LV > 750 MWh (System)	1.0558	2,253.8725					12.4138	6.5508	3.1683		37.2075
High Voltage	EA325	LV Connection (Standby) Closed	1.0558	2,253.8725					8.4563	6.3140	2.2550		
	EA360	HV Connection (Standby) Closed	1.0366	2,029.5000					8.8283	5.2203	1.9393		
	EA370	HV Connection (System)	1.0366	4,510.0000					9.5161	5.9081	2.6271		19.5058
Sub-transmission	EA380	HV Connection (Substation)	1.0190	4,510.0000					8.2420	5.8743	1.9506		19.5058
	EA390	ST Connection	1.0125	5,637.5000					5.3105	3.7320	2.2099		6.2464
Unmetered	EA401	Public Lighting	1.0826		9.8027								
	EA402	Constant Unmetered	1.0600		11.9788								
	EA403	EnergyLight	1.0826		8.9007								

Network Price List 2013-2014



Ausgrid's current price list and other pricing information, including submissions and expected trends, can be found on our website at: www.ausgrid.com.au/network_prices

Correspondence regarding pricing should be sent to:

Manager Network Regulation
Ausgrid
GPO Box 4009
Sydney NSW 2001

Explanatory Notes

Supply Voltages Ausgrid reserves the right to determine the voltage at which supply shall be made available to any particular customer. The general voltage levels referred to in the price list are:

Low Voltage (LV)	nominally 240/415 V
High Voltage (HV)	nominally 5, 6.6, 11 or 22 kV
Sub-transmission (ST)	33 kV and above

Distribution Loss Factors (DLFs) These represent the electrical energy lost in the transport of electricity over the distribution network. The factors are calculated by Distribution Network Service Providers (DNSPs) in accordance with the methodology in clause 3.6 of the National Electricity Rules. DLFs are used by the Australian Energy Market Operator (AEMO) in the market settlement to adjust the electrical energy attributed to each retailer at each transmission connection point.

DLFs are also used by retailers directly for reconciliation with their purchasing against customer billing processes. Network prices apply to metered (or estimated) customer consumption and therefore prices are not directly affected by these loss factors.

Interest Payable on Network Use of System Charges

Ausgrid may charge retailers interest on all overdue Network Use of System Charge accounts in accordance with Market Operation Rule (Network Use of System Agreements) No. 2 of 2001 made under s.63C of the Electricity Supply Act 1995.

"Qualifying" for particular Network Prices This indicates that Ausgrid reserves the right to determine and approve the application of particular Network Prices to individual customers and/or groups of customers in its network area.

Network Price Changes The Network Price for a specific customer installation is determined by a number of factors including the customer's load, supply voltage, metering and/or the connection point configuration. Applications to change a network price should be made on a Network Price Application Form and if approved, will apply from the start of the next billing period following the date of receipt of the price change application.

Daylight Saving Daylight Saving time applies to all Ausgrid Network Prices.

Metering A customer's metering installation must have a meter which is capable of measuring the relevant electrical components of energy and demand before a given default price can be applied. If a customer or retailer would like an alternative meter to be installed they may be required to pay a contribution towards its cost.

NSW Solar Bonus Scheme Payments In weekly B2B invoices, Ausgrid will credit retailers for their customers who have generation facilities and are eligible under the NSW Solar Bonus Scheme. The credit will be 20 cents or 60 cents per kWh depending on the conditions contained within the NSW Electricity Supply Act 1995 and the supporting regulations. Ineligible customers will not receive payments.

Types of Network Charges

Network Access Charge (NAC) This is a fixed charge (\$/day) applied to each energised connection point at which energy or demand is recorded. A separate NAC may be applied to each connection point and their associated metering point(s) as determined by Ausgrid.

Non-ToU Rates The Non Time of Use charge (c/kWh) is applied to the total energy determined from an energy only meter. A step pricing structure applies to selected non-ToU energy charges as follows:

- **EA010** - a three step pricing structure applies. Step 1 applies to the first 1000kWh per 91 days. Step 2 applies to consumption greater than 1000kWh and less than 2000kWh per 91 days. Step 3 applies to all consumption in excess of Step 2.
- **EA050** - a two step pricing structure applies. Step 1 applies to the first 2500kWh per 91 days. Step 2 applies to all consumption in excess of Step 1.

Time of Use (ToU) Rates All meters capable of recording the time electricity is used throughout the day will be charged according to Peak, Shoulder and Off Peak time periods.

The following time periods apply for ToU tariffs EA025 and EA225:

Peak	2pm – 8pm on working weekdays
Shoulder	7am – 2pm and 8pm – 10pm on working weekdays 7am – 10pm on weekends and public holidays
Off Peak	All other times

All other ToU tariffs have the following time periods applied:

Peak	2pm - 8pm on working weekdays
Shoulder	7am – 2pm and 8pm – 10pm on working weekdays
Off Peak	All other times

Capacity Charges Capacity charges are applied to the maximum half hourly kW or kVA power reading that occurred at a customer's connection point over the 12 months prior to the bill being calculated.

The chargeable kW or kVA reading can only occur in peak times which are from 2pm to 8pm on working weekdays. The capacity charge is in cents per day and is calculated on the number of days in the billing period.

One capacity charge is applied at each connection point. Coincident or summated capacity charges from multiple connection points are not permitted without the written approval of the Manager Network Regulation.

Controlled Load Controlled load is applicable to electricity which is separately metered and controlled by Ausgrid. It is used for operating storage water heaters, thermal storage space heaters, and other approved fixed wired appliances.

Network Price List 2013-2014



Explanation of Network Tariffs

EA010 Residential Inclining Block Available to existing premises where electricity use is principally for private domestic purposes and there is a single register, energy only meter installed (known as a Type 6 meter as per the National Electricity Rules). A private domestic dwelling is a house, flat, home unit, town house or similar qualifying residential premises.

EA025 Residential ToU Available to existing premises where electricity use is principally for private domestic purposes and there is interval metering (Type 5 meter or better as per the National Electricity Rules). A private domestic dwelling is a house, flat, home unit, town house or similar qualifying residential premises.

EA030 Controlled Load 1 is the tariff for electricity supply that is usually available for six hours between 10pm and 7am each day.

EA040 Controlled Load 2 is the tariff for electricity supply that is usually available for sixteen hours (including more than 6 hours between 8pm and 7am and more than 4 hours between 7am and 5pm) each day.

Ausgrid reserves the right to vary the switching times of any controlled loads at its discretion. Controlled Load prices can only apply when a correctly connected and operative load control device is controlled by Ausgrid. Ausgrid's load control relay must not be electrically bypassed or removed without the written approval of the Manager Network Regulation. If the Load Control relay is incorporated into the meter, that meter must not be removed without Ausgrid's approval.

EA050 Small Business Inclining Block Only available to existing low voltage supplies to premises used for any non-domestic purpose where an existing single register energy only meter is installed (known as a Type 6 metering installation as per the National Electricity Rules).

EA225 Small Business ToU Applicable to low voltage electricity supplied to non-domestic premises where the consumption is below 40MWh per annum. This price is available to customers who have interval metering (Type 5 meter or better as per the National Electricity Rules).

EA302 LV 40-160 MWh (System) For customers with low voltage electricity supplied for business purposes, where the consumption is between 40MWh and 160MWh per annum, and a Type 5 or better meter as per the National Electricity Rules.

EA305 LV 160-750 MWh (System) For customers where low voltage electricity is supplied to premises for any purpose where the consumption is between 160MWh and 750MWh per annum and have a Type 4 or better meter as per the National Electricity Rules.

EA310, EA370, EA380, and EA390 Customers with a load of 750MWh per annum or above will automatically be charged the EA310, EA370 or EA390 network prices depending on the voltage of their installation. To obtain the HV substation price (EA380) customers must make an application on a Network Price Application Form with supporting documentation to Ausgrid.

All customer tariffs for usage above 160MWh per year (EA305 to EA390) include a daily kVA capacity charge (excluding the stand-by rates). Large energy users may achieve significant cost savings by correcting the power factor of their electrical installation in order to minimise the kVA capacity charge.

EA325 LV Connection (Standby) and EA360 HV Connection (Standby) These tariffs are for network connections that do not normally have a load yet increase the infrastructure requirements on the upstream electricity network. These tariffs are closed.

EA401 Public Lighting Available for LV metered and unmetered supplies as determined by Ausgrid and the AEMO in accordance with Chapter 7 of the National Electricity Rules. Connections are likely to have a similar usage profile to public lighting and have some form of on/off control. The form of on/off control may be photoelectric cell, timer, ripple or other control.

EA402 Constant Unmetered Available for LV unmetered supplies as determined by Ausgrid and the AEMO in accordance with Chapter 7 of the National Electricity Rules. This excludes sites deemed to have a profile similar to public lighting. Connections are likely to be small customer installations located in public places, e.g. bus stop shelters, public conveniences, floodlights, and public telephones.

CRNP (above 10 MW or 40 GWh pa) Ausgrid calculates a Cost Reflective Network Price (CRNP) specific to an individual large customer's connection to the network. To receive a CRNP price at a given connection point a customer must have a measured demand greater than or equal to 10MW or consume more than 40GWh of electricity per annum. The CRNP price takes into account the customer's utilisation of the network assets.