

Electricity Distribution

Annual Tariff Report 2007

Annual Tariff Report 2007

Issue/Amendment Status

Issue Number	Date	Description	Author	Approved by

Disclaimer

This template is for generating internal and external document belonging to SP AusNet and may or may not contain all available information on the subject matter this document purports to address. The information contained in this document is subject to review and SP AusNet may amend this document at any time. Amendments will be indicated in the Amendment Table, but SP AusNet does not undertake to keep this document up to date.

To the maximum extent permitted by law, SP AusNet makes no representation or warranty (express or implied) as to the accuracy, reliability, or completeness of the information contained in this document, or its suitability for any intended purpose. SP AusNet (which, for the purposes of this disclaimer, includes all of its related bodies corporate, its officers, employees, contractors, agents and consultants, and those of its related bodies corporate) shall have no liability for any loss or damage (be it direct or indirect, including liability by reason of negligence or negligent misstatement) for any statements, opinions, information or matter (expressed or implied) arising out of, contained in, or derived from, or for any omissions from, the information in this document.

Contact

This document is the responsibility of Regulatory and Business Strategy, SP AusNet. Please contact the indicated owner of the document with any inquiries.

Thomas Hallam
SP AusNet
Level 31, 2 Southbank Boulevard
Melbourne Victoria 3006
Ph: (03) 9695 6000

Annual Tariff Report 2007

Table of Contents

1	Current Tariffs.....	4
1.1	Electricity distribution	4
1.2	Victorian electricity industry regulatory arrangements.....	4
1.3	Victorian Electricity Industry Pricing Arrangements.....	5
1.4	The Annual Network Tariff Report	5
1.5	Tariffs: DUoS, TUoS, NUoS, Excluded Services & Prescribed Metering Charges.....	6
1.6	Tariffs	6
1.7	2007 Network Tariff Description	9
1.8	Parent tariff categories.....	30
1.9	Combination Tariffs.....	30
1.10	Closed Tariffs.....	30
1.11	Forthcoming changes in network tariffs.....	30
1.12	Upper and lower bounds	31
1.13	Pricing and future investment requirements.....	31
1.14	Re-assignments that have occurred and will take place, including a rationale	31
2	Usage/Quantity Information	35
2.1	Details on quantities (usage and customer numbers)	35
2.2	Future Network constraints.....	35
3	Annual Adjustment Variables	35
3.1	Effect on individual tariffs components	36
3.2	Impact of Network Tariffs.....	37
4	Attachments.....	38

Annual Tariff Report 2007

1 Current Tariffs

1.1 Electricity distribution

SPI Electricity Pty Ltd holds a licence to distribute electricity in eastern Victoria; the supply area extends from the outer eastern suburbs of Melbourne to the New South Wales border in the north east of the state. A map of the area is provided in Attachment 1. SPI Electricity Pty Ltd now trades under the name SP AusNet.

SP AusNet manages and maintains the electricity network aiming to deliver electricity to customers within the area in line with industry best practice. The primary source of funding for a range of prescribed services that SP AusNet undertakes is the revenue obtained from Network Tariffs.

1.2 Victorian electricity industry regulatory arrangements

Generation and electricity retailing are both competitive markets in Victoria. The efficient regulation and transparent pricing of monopoly transmission and distribution network services support and facilitate these competitive market sectors.

The move to create a competitive electricity market began with the 1991 Industry Commission Report on the Electricity Industry. In the intervening period, Federal and State Governments have worked to restructure the electricity industry and establish effective competition in electricity markets.

The National Electricity Market commenced in December 1998 and included the eastern mainland states of Victoria, New South Wales, Queensland, the Australian Capital Territory ('ACT') and South Australia. The National Electricity Market is governed by a set of market rules contained in the National Electricity Rules ('the Rules').

The Victorian Government has introduced competition in the state electricity retail market. Full retail competition was extended to all customers on 1 January 2002, allowing customers to choose their energy retail suppliers and has led to the deregulation of the retail electricity price. The Victorian government has determined regulated default retail prices that act as a 'safety net' for customers who elect not to participate in the competitive market and remain with their host retail supplier.

The Victorian electricity industry has undergone major structural change with the introduction of generation and retail sales competition. This has involved:

- The establishment and privatisation of SP AusNet and four other electricity distributors;
- The restructuring of each utility into separate retail and network service activities;
- The establishment of a privatised transmission owner;
- The establishment of a government owned transmission operator;
- The creation of privatised generation companies; and
- The introduction of the National Electricity Market and full retail competition.

These structural changes are a key component of competition reforms designed to offer customers substantial efficiency improvements, a choice of retail suppliers of energy, better customer service and a wider variety of innovative energy services.

As a holder of a Victorian Distribution Licence, SP AusNet's prices and the terms and conditions under which electricity is distributed are regulated by the Essential Services Commission ('the Commission').

Annual Tariff Report 2007

The Commission administers various regulatory instruments that establish the responsibilities of the Victorian distributors. These instruments consist of Acts of the Victorian Parliament; Orders made by the Governor in Council; Determinations made by the Commission; Guidelines published by the Commission; the National Electricity Rules; the System Code; the Electricity Distribution Code; the Energy Retail Code; the Electricity Customer Metering Code; the Public Lighting Code; and the Electricity Customer Transfer Code.

1.3 Victorian Electricity Industry Pricing Arrangements

Under the above regulatory instruments, the Commission regulates SP AusNet's electricity distribution revenues and tariffs. The Commission has established basic pricing principles that SP AusNet must adhere to. These are:

- Tariffs for each customer should generate revenue in excess of the avoidable cost to service the customer - avoidable costs are those costs that a distributor would avoid if a customer were to cease taking supply or significantly reduce their supply requirements. Where a customer does not already take supply, the avoidable costs would be those associated with the establishment of a connection and then maintaining the additional supply capacity;
- Tariffs for each customer should generate revenue less than the cost of providing the service on a stand-alone basis to the customer - stand-alone cost is the cost of a distributor supplying a customer in isolation from other customers, i.e. the existing costs of a distribution business less those costs which would be avoided by not supplying all other customers; and
- Tariffs for each customer should signal the impact of additional (peak) usage on future investment costs. This introduces a forward-looking element to be considered.

In addition, a side constraint is placed on individual tariffs called the tariff rebalancing constraint. This states that no tariff shall rise by more than 2 per cent above the movement in CPI after allowing for the movement in the S-Factor and Licence fee adjustments.

1.4 The Annual Network Tariff Report

SP AusNet has produced this Network Tariff Report in response to the Commission's Final Decision under Volume 1, Section 12.1.2 of the 2006 – 2010 Electricity Distribution Price Review.

The purpose of this report is to enable distribution customers to understand the basis for the tariff policies adopted by SP AusNet and to communicate changes in tariffs.

Customers receive an electricity bill that contains the following elements:

- Distribution and transmission charges;
- Energy charges; and
- Retail charges.

This report addresses only the distribution and transmission components of a customers' electricity bill and includes the following:

- a) The distribution and transmission tariffs charged by the distributor;
- b) A discussion of the policy framework and tariff principles adopted by the distributor in framing the structures and level of its tariffs;
- c) An explanation of the basis on which the distributor has determined the appropriate breakdown between fixed and variable charges;
- d) The rationale for the introduction of any new tariffs, or the withdrawal of tariffs;

Annual Tariff Report 2007

- e) An explanation of how the distributor has had regard to the consideration of upper and lower bounds in determining its distribution tariffs;
- f) The extent to which the tariff structures adopted provide efficient consumption signals to distribution customers;
- g) The methodology adopted for allocating transmission-related costs to distribution customers through its transmission tariffs; and
- h) An estimate of the average annual distribution and transmission charge (in \$) for each combination of distribution and transmission tariff.

1.5 Tariffs: DUoS, TUoS, NUoS, Excluded Services & Prescribed Metering Charges

SP AusNet levies Network Tariffs on customers supplied with electricity within its Distribution Area outlined in Schedule 2 of its Distribution Licence as varied on 14 January 2005. This report applies from 1 January 2007 to 31 December 2007 and is applicable to all customers in SP AusNet distribution area

The approved tariffs for 2007 are presented as follows:

■ Distribution Tariffs (DUoS)	Attachment 2
■ Transmission Tariffs (TUoS)	Attachment 3
■ Network Tariffs (NUoS)	Attachment 4
■ Tariff Assignment & Contract Demand Rules	Attachment 5
■ Standard Services (Excluded Services)	Attachment 6
■ Prescribed Metering Charges	Attachment 7

1.6 Tariffs

1.6.1 Tariff categories

SP AusNet has the following Tariff Categories for network tariffs:

Low Voltage	Customers taking supply at less than 1000 Volts
Small	Customers using up to 160MWh a year
Medium	Customers using over 160MWh a year and up to 400MWh a year
Large	Customers using over 400MWh a year
High Voltage	Customers taking supply at greater than 1,000 Volts and up to 22,000 Volts
Sub Transmission	Customers taking supply at greater than 22,000 Volts

1.6.2 SP AusNet Tariffs

SP AusNet currently has the following approved Tariffs. Schedules setting out the current rates for each of these tariffs are attached to this document.

Annual Tariff Report 2007

Low Voltage Small Customer Tariffs < 160 MWh usage per year

Tariff Code	Tariff Type
NEE11	Residential Single rate
NEE12	Business Single rate
NEE13	Residential Single rate and Dedicated Circuit
NEE14	Residential Single rate & Dedicated Circuit with afternoon boost
NEE15	Residential Single rate & Dedicated Circuit 8pm to 8am
NEE16	Business Single rate & Dedicated Circuit
NEE17	Business Single rate & Dedicated Circuit with afternoon boost
NEE18	Business Single rate & Dedicated Circuit 8pm to 8am
NEE20	Residential two rate five day
NEE21	Small Business two rate five day
NEE23	Photovoltaic two rate 5 day
NEE30	Dedicated Circuit
NEE31	Dedicated Circuit with afternoon boost
NEE32	Dedicated Circuit 8pm to 8am

Low Voltage Medium Customer Tariffs > 160 MWh and < 400 MWh usage per year

Tariff Code	Tariff Type
NEE40	Single Rate
NEE41	Single Rate and Dedicated Circuit
NEE42	Single Rate and Dedicated Circuit with afternoon boost
NEE43	Single Rate and Dedicated Circuit 8pm to 8am
NEE51	Two rate 5 day
NEE52	Unmetered supplies
NEE54	Two rate 5 day interruptible
NEE55	Seasonal single rate
NEE56	Demand multirate
NEE60	Two rate 7 day

Annual Tariff Report 2007

Low Voltage Large Customer Tariffs > 400 MWh

Tariff Code	Tariff Type
NEE71	Two rate 5 Day demand > 150kVA & < 750 MWh
NEE72	Two rate 5 Day demand > 280kVA & > 750 MWh
NEE74	Two rate 5 Day
NEE75	Multi rate 5 Day demand > 150kVA & < 750 MWh
NEE76	Multi rate 5 Day demand > 280kVA & > 750 MWh
NEE77	Multi rate 5 Day demand > 550kVA & > 2 GWh
NEE78	Multi rate 5 Day demand > 850kVA & > 4 GWh

High Voltage Customer Tariffs (6.6kV, 11kV & 22kV)

Tariff Code	Tariff Type
NEE81	Two rate 5 Day demand supplied at > 1kV
NEE82	Traction Two rate 5 Day demand supplied at > 1kV
NEE83	Multi rate 5 Day demand supplied at > 1kV

Sub Transmission Customer Tariffs (66kV)

Tariff Code	Tariff Type
NEE91	Two rate 5 Day demand supplied at 66kV
NEE93	Two rate 5 day tariff supply to Latrobe Valley mines.
NEE94	Two rate 5 Day demand supplied at 66kV
NEE95	Two rate 5 Day demand supplied at 66kV

Annual Tariff Report 2007

1.7 2007 Network Tariff Description

1.7.1 Small Low Voltage Tariffs (Nominal Voltage < 1000 Volts), < 50 kVA & < 160MWh

1.7.1.1. Residential Tariffs

NEE11 – Small Residential Block Tariff

This Network Tariff applies only to residential customers who consume less than 160 MWh per annum. The minimum meter requirement for a customer on this tariff is a basic type 6 single register meter.

The Small Residential Block tariff consists of a standing charge and a block usage rate. The first block applies to all usage less than 1,020 kWh per quarter. The second block rate is higher than the first block rate and applies to all usage greater than 1,020 kWh per quarter. The consumption level of 1,020 kWh for the first block was based on the original retail Maximum Uniform Tariff GD/GR.


The two-part block tariff is targeted to allocating more of the demand-related costs to customers with larger annual energy consumption. The higher usage rate for the second block provides a pricing signal to these higher usage customers that relates to the increased demand these customers place on the network at peak times.

NEE11 - Small single rate

	Very Low	Low	Average	High	Very High
Energy	1.45 MWh	3.39 MWh	4.85 MWh	6.30 MWh	8.24 MWh
Existing	\$ 97.48	\$ 195.44	\$ 268.92	\$ 342.39	\$ 440.36
Proposed	\$ 106.64	\$ 216.83	\$ 299.48	\$ 382.12	\$ 492.31
Change	9.41%	10.95%	11.36%	11.60%	11.80%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user

NEE11 - Small single rate



Annual Tariff Report 2007

NEE20 – Small Residential Two Rate

The Small Residential two-rate tariff was originally based on the retail Maximum Uniform Tariff GH/GL for residential customers. These customers require, as a minimum, a basic type 6 dual register with an electronic timeswitch, capable of switching all load to off-peak overnight and at weekends.


The two-rate tariff provides customers with incentives to manage load, and is the optimum tariff for small residential customers who are able to move a high proportion of energy consumption to off-peak times over night and on weekends.

NEE20 - Small two rate

	Very Low	Low	Average	High	Very High
Energy	2.48 MWh	5.78 MWh	8.26 MWh	10.74 MWh	14.04 MWh
Existing	\$ 143.77	\$ 261.86	\$ 350.42	\$ 438.99	\$ 557.08
Proposed	\$ 156.02	\$ 288.84	\$ 388.46	\$ 488.08	\$ 620.90
Change	8.52%	10.31%	10.86%	11.18%	11.46%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE20 - Small two rate



NEE23 – Photovoltaic Tariff

This tariff applies to small customers with grid-connected photovoltaic cells less than or equal to 2kW. Prior to 2003, these customers were placed on a standard network tariff and received payment for the electricity they generated equal to the price that was paid for electricity consumed, that is, export energy equally offset the energy consumed. The diversity of tariffs applied to these customers and offset arrangements created billing and administrative difficulties. NEE23 was been introduced to formalise photovoltaic cell billing arrangements and reduce administrative complexity.

Photovoltaic cells customers continue to receive an equal offset for electricity generation, as well as an additional payment for excess generation during summer peak periods (1 November – 30 March).


Annual Tariff Report 2007

NEE23 - Photovoltaic

	Very Low	Low	Average	High	Very High
Energy	1.25 MWh	2.91 MWh	4.16 MWh	5.41 MWh	7.07 MWh
Existing	\$ 138.18	\$ 196.02	\$ 239.40	\$ 282.78	\$ 340.62
Proposed	\$ 138.94	\$ 193.00	\$ 233.54	\$ 274.09	\$ 328.15
Change	0.55%	-1.54%	-2.44%	-3.07%	-3.66%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE23 - Photovoltaic



1.7.1.2. Dedicated Supplies (Storage Water and Space Heating)

SP AusNet has three network tariffs for dedicated supplies. These tariffs are available for controlled loads such as storage water heating and space heating for residential and small business purposes only.

NEE30 – Small Dedicated Circuit (closed to new entrants)

This small dedicated circuit tariff applies to customers with off-peak hot water heating between 11pm and 7am each day. The minimum meter requirements are a basic type 6 single register meter switched by timing device, or a basic type 6 dual register meter with second register switched by timing device.


NEE30 - Small dedicated circuit

	Very Low	Low	Average	High	Very High
Energy	0.81 MWh	1.88 MWh	2.69 MWh	3.49 MWh	4.57 MWh
Existing	\$ 25.99	\$ 47.83	\$ 64.22	\$ 80.61	\$ 102.45
Proposed	\$ 27.25	\$ 51.58	\$ 69.82	\$ 88.07	\$ 112.40
Change	4.85%	7.82%	8.72%	9.26%	9.71%

Annual Tariff Report 2007

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE30 - Small dedicated circuit



NEE31 – Small Dedicated Circuit Afternoon Boost (closed to new entrants)

The Small Dedicated Circuit Afternoon Boost tariff applies to customers with off-peak space heating, with or without off peak hot water. This tariff has an afternoon heating boost for three hours in addition to heating between 11pm and 7am each day.


The minimum meter requirements are a basic type 6 single register meter switched by timing device, or a basic type 6 dual register meter with second register switched by timing device.

NEE31 - Small dedicated circuit - afternoon boost

	Very Low	Low	Average	High	Very High
Energy	2.02 MWh	4.72 MWh	6.75 MWh	8.77 MWh	11.47 MWh
Existing	\$ 40.86	\$ 88.94	\$ 125.00	\$ 161.06	\$ 209.14
Proposed	\$ 48.06	\$ 100.13	\$ 139.19	\$ 178.25	\$ 230.32
Change	17.61%	12.58%	11.35%	10.67%	10.13%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE31 - Small dedicated circuit - afternoon boost



Annual Tariff Report 2007

NEE32 – Dedicated Circuit 8pm to 8am (closed to new entrants)

The Small Dedicated Circuit 8pm to 8am tariff was introduced in 2001 and allows SP AusNet to heat hot water for six to eight hours at any time between 8pm and 8am. This may be in two heating blocks of three to four hours. This arrangement allows SP AusNet to manage peak loads better, and is helpful in reducing peak constraint in rural areas. The minimum meter requirements are a basic type 6 single register meter switched by timing device, or a basic type 6 dual register meter with second register switched by timing device.


SP AusNet has over 160,000 customers with dedicated circuits for off peak water heating and space heating requirements. Many of these customers are in rural areas, where there are limited alternative energy supplies. As a result, the SP AusNet local network experiences high levels of demand when these appliances switch on for their overnight heating. By introducing the Dedicated Circuit 8pm to 8am tariff, which has a twelve hour period available for heating, SP AusNet will have the flexibility to vary these switching times without impacting on the customers heating needs. In return for allowing SP AusNet this flexibility, customers will in turn receive the benefit of lower charges that are the result of being able to defer some capital investment.

NEE32 - Dedicated circuit 8 to 8

	Very Low 0.85 MWh	Low 1.98 MWh	Average 2.83 MWh	High 3.68 MWh	Very High 4.82 MWh
Energy					
Existing	\$ 25.21	\$ 46.02	\$ 61.63	\$ 77.24	\$ 98.05
Proposed	\$ 24.98	\$ 46.28	\$ 62.25	\$ 78.23	\$ 99.53
Change	-0.93%	0.55%	1.00%	1.27%	1.50%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE32 - Dedicated circuit 8 to 8



NEE13 – Small Residential Block Tariff & Dedicated Circuit (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Residential Block tariff and Dedicated Circuit tariffs. The rates and metering requirements are the same as the individual tariffs. It was introduced to assist in the contestable market.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE11 and NEE30

Annual Tariff Report 2007

NEE14 – Small Residential Block Tariff & Dedicated Circuit Afternoon Boost (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Residential Block tariff and Dedicated Circuit Afternoon Boost tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE11 and NEE31.

NEE15 – Small Residential Block Tariff & Dedicated Circuit 8am to 8pm (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Residential Block tariff and Dedicated Circuit 8pm to 8am tariffs. The rates and metering requirements are the same as the individual tariffs. It was introduced to assist in the contestable market.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE11 and NEE32.

1.7.1.3. Small Business Tariffs

NEE12 – Small Business Block Tariff

The Small Business block Tariff has been designed for SP AusNet's small business customers with annual usage of less than 160MWh, and who have, as a minimum, a basic type 6 single register meter.

The Small Business Block tariff has lower energy charges for the first block, which applies to the first 1,020 kWh per quarter, to reflect the lower contribution these small business customers make to peak demand. As consumption increases the contribution to peak demand also increases. By having a higher rate for the second block (all consumption greater than 1,020 kWh), SP AusNet is able to recover the higher costs associated with greater peak demand on the system, and provide appropriate pricing signals to customers.


NEE12 - Small business single rate

	Very Low	Low	Average	High	Very High
Energy	1.81 MWh	4.23 MWh	6.04 MWh	7.85 MWh	10.26 MWh
Existing	\$ 152.62	\$ 308.11	\$ 424.73	\$ 541.35	\$ 696.85
Proposed	\$ 166.40	\$ 340.27	\$ 470.68	\$ 601.08	\$ 774.95
Change	9.03%	10.44%	10.82%	11.03%	11.21%

Annual Tariff Report 2007

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE12 - Small business single rate



NEE21 – Small Business two rate

SP AusNet has over 26,000 small business customers who are on the Small Business two-rate tariff. Customers on this tariff require, as a minimum, a basic type 6 dual register meter with an electronic timeswitch, capable of switching all load to off-peak overnight and at weekends.


The Small Business Tariff was opened in 2001 and is intended for businesses that use less than 160MWh per annum. These businesses tend to operate seven days a week and have a high proportion of overnight and weekend consumption. The Small Business tariff was opened to facilitate appropriate pricing to reflect the demand characteristics of these customers.

NEE21 - Small business two rate

	Very Low	Low	Average	High	Very High
Energy	7.33 MWh	17.09 MWh	24.42 MWh	31.74 MWh	41.51 MWh
Existing	\$ 593.08	\$ 1,175.86	\$ 1,612.95	\$ 2,050.03	\$ 2,632.81
Proposed	\$ 610.69	\$ 1,208.95	\$ 1,657.64	\$ 2,106.33	\$ 2,704.58
Change	2.97%	2.81%	2.77%	2.75%	2.73%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE21 - Small business two rate



Annual Tariff Report 2007

NEE16 – Small Business Block Tariff & Dedicated Circuit (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Business Block tariff and Dedicated Circuit tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE12 and NEE30.

NEE17 – Small Business Block Tariff & Dedicated Circuit Afternoon Boost (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Business Block tariff and Dedicated Circuit Afternoon Boost tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE12 and NEE31.

NEE18 – Small Business Single Rate & Dedicated Circuit 8am to 8pm (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Business Block tariff and Dedicated Circuit 8am to 8pm tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE12 and NEE32.

1.7.2 Medium Customer Tariffs > 50 kVA & < 150 kVA and > 160MWh & < 400MWh

Medium customers are customers that consume between 160MWh and 400MWh per annum, with a maximum demand less than 150 kVA. Examples of this customer class are medium sized commercial and light industrial businesses.

NEE40 – Medium Single Rate Tariff (closed to new entrants)

The Medium Single Rate tariff is applicable to business and industrial customers that consume between 160MWh and 400MWh per annum. The minimum meter requirements are a basic type 6 single register meter. This network tariff is most suitable for business customers with little overnight or weekend usage.


NEE40 - Medium single rate

	Very Low 3.30 MWh	Low 7.70 MWh	Average 11.00 MWh	High 14.30 MWh	Very High 18.70 MWh
Energy					
Existing	\$ 261.09	\$ 564.42	\$ 791.91	\$ 1,019.41	\$ 1,322.73
Proposed	\$ 287.63	\$ 624.75	\$ 877.58	\$ 1,130.41	\$ 1,467.52
Change	10.16%	10.69%	10.82%	10.89%	10.95%

Annual Tariff Report 2007

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE40 - Medium single rate



NEE41 – Medium Business Single Rate & Dedicated Circuit (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Medium Business Single Rate tariff and Dedicated Circuit tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

This network tariff is most suitable for business customers with little overnight or weekend usage, and customers with off-peak hot water services between 11pm and 7am each day.

The metering requirements are basic type 6 dual register meter, with one register capable of being switched for the dedicated circuit.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE40 and NEE30.

NEE42 – Medium Business Single Rate & Dedicated Circuit Afternoon Boost (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Medium Business Single Rate tariff and Dedicated Circuit Afternoon Boost tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

This network tariff is most suitable for business customers with little overnight or weekend usage, and customers with off-peak load and off-peak space heating services between 11pm and 7am each day.

The metering requirements are basic type 6 dual register meter, with one register capable of being switched for the dedicated circuit.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE40 and NEE31.

NEE43 – Medium Business Single Rate & Dedicated Circuit 8am to 8pm (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Medium Business Single Rate tariff and Dedicated Circuit 8am to 8pm tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

Annual Tariff Report 2007

This network tariff is most suitable for business customers with little overnight or weekend usage, and customers with off-peak load and off-peak hot water heating services between 8pm and 8am each day.

The metering requirements are basic type 6 dual register meter, with one register capable of being switched for the dedicated circuit.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE40 and NEE32.

NEE51 – Medium Two Rate 5-day (closed to new entrants)

The Medium Two Rate 5-day tariff is suitable for businesses with some overnight or weekend usage. Customers benefit from off-peak evening prices and weekend prices.


Customers on this tariff require, as a minimum, a basic type 6 dual register meter with an electronic timeswitch, capable of switching all load to off-peak overnight and at weekends.

NEE51 - Medium two rate 5 day

	Very Low	Low	Average	High	Very High
Energy	34.46 MWh	80.40 MWh	114.85 MWh	149.31 MWh	195.25 MWh
Existing	\$ 2,236.55	\$ 5,114.62	\$ 7,273.17	\$ 9,431.72	\$ 12,309.79
Proposed	\$ 2,466.20	\$ 5,646.48	\$ 8,031.68	\$ 10,416.88	\$ 13,597.15
Change	10.27%	10.40%	10.43%	10.45%	10.46%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE51 - Medium two rate 5 day



NEE52 – Unmetered Supplies

The unmetered supplies tariff applies to approved supplies up to 50 watts, public lighting, traffic control system and other nominated installations.

There is no physical meter for this tariff. Contestable metrology procedures apply to public lighting installations and deemed loads for all other installations to determine usage.


Annual Tariff Report 2007

NEE52 - Unmetered

	Very Low	Low	Average	High	Very High
Energy	0.23 MWh	0.53 MWh	0.76 MWh	0.98 MWh	1.29 MWh
Existing	\$ 9.89	\$ 23.08	\$ 32.97	\$ 42.86	\$ 56.04
Proposed	\$ 10.94	\$ 25.52	\$ 36.45	\$ 47.39	\$ 61.97
Change	10.58%	10.58%	10.58%	10.58%	10.58%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE52 - Unmetered



NEE54 – Small & Medium two rate 5 day Interruptible

SP AusNet has over 13,000 customers on medium tariffs. These customers represent a significant portion of SP AusNet load in the rural network where there are a number of emerging supply constraints. Where these customers are able to allow SP AusNet to switch off a portion of their load for short periods of time during times of high local demand the benefit will be passed on to these customers through lower network charges. The maximum decrease in charges has been set at 30% of the peak energy charge that currently applies to Network Tariffs NEE56. To be compliant with the rebalancing constraint the discount on this tariff has been established at a higher level than would be expected in the long term. An interval meter will be required to move onto this tariff.


NEE54 - Medium two rate 5 day interruptible

	Very Low	Low	Average	High	Very High
Energy	32.71 MWh	76.33 MWh	109.05 MWh	141.76 MWh	185.38 MWh
Existing	\$ 1,698.06	\$ 3,920.53	\$ 5,587.39	\$ 7,254.24	\$ 9,476.72
Proposed	\$ 2,564.06	\$ 4,545.21	\$ 6,031.08	\$ 7,516.94	\$ 9,498.09
Change	51.00%	15.93%	7.94%	3.62%	0.23%

Annual Tariff Report 2007

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE54 - Medium two rate 5 day interruptible



NEE55 – Snowfields Tariff

The Snowfields tariff was introduced in 2002. It applies to customers in specified alpine regions with off-peak (non-winter) consumption, that consume less than 400MWh per annum with maximum demand less than 150kVA.

The Snowfields tariff has been designed to reflect customer usage patterns in the alpine regions. The peak period is from the 1st of May to 30th September each year, and the off-peak period applies to all other times. The Snowfield tariff provides opportunities for tourism and businesses in alpine regions to expand during traditional low-season periods at reduced energy rates.

Customers in alpine regions who use off-peak electricity will benefit from a significantly reduced off-peak charge.

The minimum metering requirement is a basic type 6 single register meter.

As there is only one customer presently on network tariff NEE55, it is not considered appropriate to include an impact analysis.

NEE56 – Medium Demand Multi-rate Tariff

This tariff was introduced in 2003 and is applicable to all customers with metering installations capable of recording kVA, as required for all new customers consuming greater than 160 MWh per annum. The structure of this tariff ensures that customers are charged appropriately for the network unavoidable costs associated with these customers and, through the introduction of a shoulder rate, gives pricing signals that more appropriately capture the system load profile of SP AusNet's network.


NEE56 - Medium demand multi-rate

	Very Low	Low	Average	High	Very High
Energy	88.11 MWh	205.60 MWh	293.71 MWh	381.82 MWh	499.30 MWh
Existing	\$ 6,636.97	\$ 13,511.86	\$ 18,668.02	\$ 23,824.19	\$ 30,699.08
Proposed	\$ 6,883.97	\$ 14,008.19	\$ 19,351.36	\$ 24,694.52	\$ 31,818.75
Change	3.72%	3.67%	3.66%	3.65%	3.65%

Annual Tariff Report 2007

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE56 - Medium demand multi-rate



NEE60 – Medium Two Rate 7-day Tariff (closed to new entrants)

Medium two rate 7-day tariff is most suited to 5-day operational businesses. The peak charge applies between 7pm and 11am, Monday to Sunday.


The minimum metering requirements is a basic type 6 dual register, with standard time switching capacity.

NEE60 - Medium two rate 7 day

	Very Low	Low	Average	High	Very High
Energy	6.13 MWh	14.31 MWh	20.44 MWh	26.57 MWh	34.75 MWh
Existing	\$ 593.21	\$ 1,254.55	\$ 1,750.56	\$ 2,246.57	\$ 2,907.91
Proposed	\$ 586.38	\$ 1,233.03	\$ 1,718.01	\$ 2,202.99	\$ 2,849.64
Change	-1.15%	-1.72%	-1.86%	-1.94%	-2.00%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE60 - Medium two rate 7 day



Annual Tariff Report 2007

1.7.3 Large Low Voltage Customer Tariffs > 150 kVA and > 400MWh

Large customers are those customers who consume more than 400 MWh per annum, or a demand of greater than 150 kVA. Examples of large customers are large industrial sites, commercial buildings, and large public owned enterprises.

NEE71 – LV Large < 750 MWh Tariff (closed to new entrants)

NEE71 - LV Large < 750 MWh tariff applies to all large customers who either consume between 400 and 750 MWh per annum and more than 150 kVA, or less than 280 kVA and more than 750 MWh.


The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NEE71 - LV Large <750 kVA

	Very Low	Low	Average	High	Very High
Energy	210.00 MWh	490.00 MWh	699.99 MWh	909.99 MWh	1,189.99 MWh
Existing	\$ 14,396.97	\$ 29,796.13	\$ 41,345.50	\$ 52,894.87	\$ 68,294.03
Proposed	\$ 14,885.59	\$ 30,782.64	\$ 42,705.43	\$ 54,628.21	\$ 70,525.27
Change	3.39%	3.31%	3.29%	3.28%	3.27%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE71 - LV Large <750 kVA



NEE72 – LV Large > 750 MWh Tariff (closed to new entrants)

NEE72 - LV Large > 750 MWh tariff applies to customers who consume more than 280 kVA per annum and more than 750 MWh per annum.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.


NEE72 - LV Large > 750 kVA

	Very Low	Low	Average	High	Very High
Energy	369.77 MWh	862.80 MWh	1,232.57 MWh	1,602.34 MWh	2,095.37 MWh
Existing	\$ 20,566.03	\$ 44,190.60	\$ 61,909.02	\$ 79,627.45	\$ 103,252.02
Proposed	\$ 21,270.63	\$ 45,681.06	\$ 63,988.89	\$ 82,296.71	\$ 106,707.15
Change	3.43%	3.37%	3.36%	3.35%	3.35%

Annual Tariff Report 2007

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE72 - LV Large > 750 kVA



NEE74 – LV Large Two Rate 5-day Tariff (closed to new entrants)

The LV Large two rate 5-day tariff is for network customers who consume between 400 MWh and 750 MWh, and who were originally on the franchise retail maximum uniform tariff DH/DL.


No comparison is given for 'Very Low' consumption, as this would be below the minimum consumption for network tariff NEE74.

NEE74 - Large two rate 5 day

	Very Low	Low	Average	High	Very High
Energy	192.24 MWh	448.57 MWh	640.81 MWh	833.05 MWh	1,089.38 MWh
Existing	\$ 14,486.32	\$ 33,652.61	\$ 48,027.33	\$ 62,402.05	\$ 81,568.34
Proposed	\$ 15,984.66	\$ 37,144.74	\$ 53,014.79	\$ 68,884.84	\$ 90,044.92
Change	10.34%	10.38%	10.38%	10.39%	10.39%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE74 - Large two rate 5 day



Annual Tariff Report 2007

NEE75 – LV Large Multi-rate <750 MWh Tariff

NEE75 was introduced in 2003 and applies to all large customers who either consume between 400 and 750 MWh per annum and more than 150 kVA, or less than 280 kVA and more than 750 MWh. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.


The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NEE75 - Large multi-rate <750MWh

	Very Low	Low	Average	High	Very High
Energy	182.51 MWh	425.86 MWh	608.37 MWh	790.89 MWh	1,034.24 MWh
Existing	\$ 11,068.98	\$ 22,030.82	\$ 30,252.20	\$ 38,473.58	\$ 49,435.42
Proposed	\$ 12,152.39	\$ 24,405.18	\$ 33,594.77	\$ 42,784.36	\$ 55,037.15
Change	9.79%	10.78%	11.05%	11.20%	11.33%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE75 - Large multi-rate <750MWh



NEE76 – LV Large Multi-rate >750 MWh Tariff

NEE76 was introduced in 2003 and applies to all large customers who consume more than 280 kVA per annum and more than 750 MWh per annum. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.


The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NEE76 - Large multi-rate >750MWh

	Very Low	Low	Average	High	Very High
Energy	233.24 MWh	544.22 MWh	777.46 MWh	1,010.69 MWh	1,321.68 MWh
Existing	\$ 11,837.36	\$ 23,823.71	\$ 32,813.47	\$ 41,803.23	\$ 53,789.57
Proposed	\$ 12,946.47	\$ 26,258.04	\$ 36,241.71	\$ 46,225.39	\$ 59,536.95
Change	9.37%	10.22%	10.45%	10.58%	10.68%

Annual Tariff Report 2007

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.



NEE77 – LV Large Multi-rate > 550kVA and > 2 GWh Tariff


NEE77 will be introduced in 2007 and applies to all large customers who consume more than 2 GWh per annum with a minimum demand of 550 kVA per annum. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NEE77 - Large multi-rate >2000 MWh

	Very Low	Low	Average	High	Very High
Energy	878.08 MWh	2,048.86 MWh	2,926.94 MWh	3,805.02 MWh	4,975.80 MWh
Existing	\$ 43,790.88	\$ 98,381.92	\$ 139,325.21	\$ 180,268.49	\$ 234,859.53
Proposed	\$ 41,271.57	\$ 92,349.94	\$ 130,658.72	\$ 168,967.49	\$ 220,045.86
Change	-5.75%	-6.13%	-6.22%	-6.27%	-6.31%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.



Annual Tariff Report 2007

NEE78 – LV Large Multi-rate > 850kVA & > 4 GWh Tariff

NEE78 will be introduced in 2007 and applies to all large customers who consume more than 4 GWh per annum with a minimum demand of 850 kVA per annum. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.


The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NEE78 - Large multi-rate >4000 MWh

	Very Low	Low	Average	High	Very High
Energy	1,774.73 MWh	4,141.05 MWh	5,915.78 MWh	7,690.52 MWh	10,056.83 MWh
Existing	\$ 84,478.48	\$ 193,319.64	\$ 274,950.52	\$ 356,581.39	\$ 465,422.56
Proposed	\$ 75,056.18	\$ 171,180.69	\$ 243,274.07	\$ 315,367.45	\$ 411,491.96
Change	-11.15%	-11.45%	-11.52%	-11.56%	-11.59%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE78 - Large multi-rate >4000 MWh



1.7.4 High Voltage Tariffs (Nominal Voltage > 1000 Volts)

NEE81 – High Voltage Tariff

The High Voltage Demand tariff applies to high voltage customers such as large processors, manufacturers, and refineries. These customers receive supply at 6.6 kV or above, and have a maximum demand of at least 1.15 MVA.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.


NEE81 - HV kVA

	Very Low	Low	Average	High	Very High
Energy	2,867.68 MWh	6,691.25 MWh	9,558.93 MWh	12,426.61 MWh	16,250.19 MWh
Existing	\$ 74,041.11	\$ 168,781.79	\$ 239,837.30	\$ 310,892.80	\$ 405,633.48
Proposed	\$ 77,550.94	\$ 176,971.39	\$ 251,536.73	\$ 326,102.07	\$ 425,522.53
Change	4.74%	4.85%	4.88%	4.89%	4.90%

Annual Tariff Report 2007

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE81 - HV kVA



NEE82 – Traction Tariff


NEE82 was introduced in 2003 and includes a shoulder rate that reflects daily usage patterns. All High Voltage traction sites were reassigned to this tariff.

NEE82 - Traction

	Very Low	Low	Average	High	Very High
Energy	1,165.43 MWh	2,719.33 MWh	3,884.76 MWh	5,050.19 MWh	6,604.10 MWh
Existing	\$ 42,151.61	\$ 94,372.96	\$ 133,538.97	\$ 172,704.98	\$ 224,926.33
Proposed	\$ 43,678.05	\$ 97,934.65	\$ 138,627.10	\$ 179,319.54	\$ 233,576.14
Change	3.62%	3.77%	3.81%	3.83%	3.85%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE82 - Traction



Annual Tariff Report 2007

NEE83 – Small High Voltage Demand Tariff


This tariff applies to HV (NEE81) customers who have only small levels of consumption and demand. Assignment to this tariff is limited to customers with low load and energy requirements.

NEE83 - Small HV

	Very Low	Low	Average	High	Very High
Energy	723.86 MWh	1,689.00 MWh	2,412.86 MWh	3,136.71 MWh	4,101.86 MWh
Existing	\$ 35,307.50	\$ 78,403.36	\$ 110,725.25	\$ 143,047.15	\$ 186,143.01
Proposed	\$ 35,007.07	\$ 77,702.36	\$ 109,723.83	\$ 141,745.29	\$ 184,440.58
Change	-0.85%	-0.89%	-0.90%	-0.91%	-0.91%

The chart below shows 2007 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE83 - Small HV



1.7.5 Sub-transmission Customer Tariffs

SP AusNet has only a small number of customers taking supply directly from the sub-transmission system. These customers are very diverse in terms of their location, the size of their load and their annual energy use. In recognition of this diversity, SP AusNet has developed a pricing methodology that is based on customer's size and distance from Terminal Stations.

NEE91 – Sub-transmission Tariff

NEE91 – Sub-transmission tariff applies to customers who have a maximum demand less than 25000kVa and less than 20 km's from the terminal station.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

Annual Tariff Report 2007

NEE94 – Sub-transmission >25000kVA <20km from Terminal Station

This network tariff recognises that customers with very high load and usage located less than 20km from a Terminal Station impose a lower cost per kVA and kWh than do those with either lower load and usage or longer lines required to supply them. The 20km limit was chosen, as it is consistent with other market definitions of long and short sub-transmission lines.

NEE95 – Sub-transmission <25000kVA >20km from Terminal Station


SP AusNet owns and operates an extensive sub-transmission system in South west Gippsland and East Gippsland out of Morwell West Terminal Station and in North East Victoria out of Glenrowan Terminal Station, Mount Beauty Terminal Station and Thomastown Terminal Station. The urban network in the outer eastern suburbs of Melbourne is also quite extensive. Sub-transmission customers require a significant portion of these line assets to be held in reserve for their use. Furthermore, if high voltage customers transfer to sub-transmission supply they reduce the utilisation of significant portions of zone substation investment in these areas. SP AusNet has introduced this tariff in recognition of the higher costs associated with supplying remote sub-transmission customers as opposed to those that are relatively close to a Terminal Station.

The impact of 2004 and 2007 sub-transmission tariffs on customers is shown below as a single average.¹

All 90s

	Very Low	Low	Average	High	Very High
Energy	23,925.73 MWh	55,826.69 MWh	79,752.42 MWh	103,678.14 MWh	135,579.11 MWh
Existing	\$ 181,994.75	\$ 401,305.61	\$ 565,788.75	\$ 730,271.90	\$ 949,582.76
Proposed	\$ 213,012.66	\$ 473,680.74	\$ 669,181.80	\$ 864,682.86	\$ 1,125,350.93
Change	17.04%	18.03%	18.27%	18.41%	18.51%

All 90s



¹ A single average is given for subtransmission customers as further disaggregated information may be commercially sensitive.

Annual Tariff Report 2007

1.8 Parent tariff categories

Category	Parent	Sub Class 1	Sub Class 2
Small Customers	NEE10 ^②	NEE11	
	NEE20		
	NEE30 ^①	NEE31 ^①	
		NEE32 ^①	
Medium Customers	NEE40 ^①	NEE12	
	NEE51 ^①	NEE21	
		NEE56	
	NEE60 ^①	NEE74 ^①	
Large Customers	NEE70 ^②	NEE71 ^①	NEE75
		NEE72 ^①	NEE76
			NEE77
			NEE78
High Voltage	NEE80 ^②	NEE81	NEE82
			NEE83
Sub transmission	NEE90 ^②	NEE91	NEE92
			NEE94

1.9 Combination Tariffs

Tariffs	NEE11	NEE12	NEE40
NEE30	NEE13 ^①	NEE16 ^①	NEE41 ^①
NEE31	NEE14 ^①	NEE17 ^①	NEE42 ^①
NEE32	NEE15 ^①	NEE18 ^①	NEE43 ^①

①

Closed to new entrants

②

Closed and customers transferred

1.10 Closed Tariffs

Tariffs Closed & Customers Transferred - SP AusNet has not closed any tariffs in 2007

Tariffs Closed to New Entrants - SP AusNet has not closed any tariffs in 2007

1.11 Forthcoming changes in network tariffs

SP AusNet has introduced two new tariffs for large customers in 2007. Tariff NEE77 and Tariff NEE78 provide these customers with an opportunity to shift to a more cost reflective tariff. The introduction of these tariffs furthers SP AusNet's intention to make tariffs more cost reflective for the individual tariff groups (in this case reducing the cost burden for large customers) as outlined in SP AusNet's Strategy Report.

Annual Tariff Report 2007

In addition, SP AusNet has changed and simplified the basis of Tariff NEE54 from an energy only Tariff with a complex discount for interruptability to an energy and demand tariff with a simplified discount for interruptability on the demand charge. This has been done because the previous tariff's complexity appeared to limit the uptake by customers (no uptake to date). SP AusNet retains the right to only accept customers onto this tariff in areas where supply constraints are an issue.

Interval meters will allow SP AusNet to capture more information, allowing SP AusNet to create more cost reflective and sophisticated tariffs. This is a process was due to start in 2006, however, it is now not expected that it will start until 2008. The start has been delayed because of the review initiated by the Department of Infrastructure. This review is still to be finalised.

1.12 Upper and lower bounds

SP AusNet has modelled the tariffs based on long run marginal costs and allocated costs to tariff classes based on each classes' contribution to network maximum demand.

1.13 Pricing and future investment requirements

Time of use charges. Peak prices are higher than off peak charges as most of the future investment requirement is caused by peak usage.

SP AusNet's new tariffs will associate the variable tariff component with the pertinent variable costs of consumption. These costs will, where possible, have regard to the long run marginal costs consumption. When consumption is priced at long run marginal cost only efficient consumption occurs.

It is of course immensely difficult to accurately measure the long run marginal costs of consumption. These are in a state of constant flux, and are affected by both short and long run factors, they are reliant on accurate consumption forecasts, accurate costing of capital and labour costs, accurate knowledge of the timing of required capital investments costs and perfect information of future technological advances.

For this reason a certain amount of pragmatism is required in the allocation of variable costs to the variable tariff components. SP AusNet has undertaken a comprehensive allocation of variable costs between customer groups, tariffs, and tariff components, whilst having regard also to the long run marginal costs of consumption changes.

The fixed component of a customer's total bill is driven by those costs that do not vary with levels of consumption.

1.14 Re-assignments that have occurred and will take place, including a rationale




SP AusNet does not intend to undertake any Re-assignments for the forthcoming period (1st January 2006 –31st December 2006). Any long term re-assignments plan beyond this period can be found SP AusNet's Tariff Strategy Report.

1.14.1 Power Factor Correction


When a customer takes action in order to correct their power factor, SP AusNet will immediately reduce their demand charge to what is expected with the new power factor correction. The savings for the client are substantial and SP AusNet benefits from a more efficient use of the network.

Annual Tariff Report 2007

The following charts give the details on kVAR installed, dollar savings and customers.




Annual Tariff Report 2007





1.14.1.1. Other load and demand management

1.14.2 Demand Reset under 12 month notice Period

Customers who manage the level of demand are entitled to apply for a demand reset, but a 12 month waiting period applies. Clients have made substantial savings over the years as the charts below show.



Annual Tariff Report 2007



Annual Tariff Report 2007

2 Usage/Quantity Information

2.1 Details on quantities (usage and customer numbers)

SP AusNet has provided information regarding customer numbers and energy usage as requested by the regulator. This information can be found on the tariff submission available on the ESC's website.

2.2 Future Network constraints

SP AusNet produces a Distribution System Planning Report, which outlines SP AusNet's plans to meet predicted demand for electricity and to improve reliability for customers. This report is available on SP AusNet's website at www.sp-ausnet.com.au

3 Annual Adjustment Variables

In 2007, SP AusNet increased distribution tariffs by 4% on average. The maximum increase on any tariff was 8.8%. The changes were made up of the following:

Price Variation Elements	Percentage
CPI	3.9%
X Factor	2.5%
S Factor	2.3146%

CPI: September Quarter of All Groups, Weighted Average of eight capital cities;

X Factor: Approved price path for regulatory period 2006-2010;

S Factor: Incentive mechanism on reliability that rewards (or penalises) distributors on the basis of performance against target.

Annual Tariff Report 2007


3.1 Effect on individual tariffs components

Proposed tariff	Percentage Change		
	DUos	TUos	Total
NEE11 - Small single rate	8.83%	24.16%	10.20%
NEE12 - Small business single rate	8.81%	24.17%	9.76%
NEE20 - Small two rate	8.82%	24.13%	9.79%
NEE21 - Small business two rate	0.45%	24.12%	2.70%
NEE23 - Photovoltaic	-5.99%	24.14%	-2.51%
NEE30 - Small dedicated circuit	6.39%	24.05%	8.02%
NEE31 - Small dedicated circuit - afternoon boost	8.81%	24.26%	10.19%
NEE32 - Dedicated circuit 8 to 8	-2.85%	24.27%	0.99%
NEE40 - Medium single rate	8.83%	24.12%	9.76%
NEE51 - Medium two rate 5 day	8.83%	24.13%	9.44%
NEE54 - Medium two rate 5 day interruptible	8.83%	0.00%	7.36%
NEE55 - Snowfields	-9.98%	24.12%	-6.06%
NEE56 - Medium demand multi-rate	0.86%	24.09%	3.53%
NEE60 - Medium two rate 7 day	-4.38%	24.11%	-1.89%
NEE52 - Unmetered	8.83%	24.15%	9.57%
NEE71 - LV Large <750 kVA	0.26%	24.21%	3.18%
NEE72 - LV Large > 750 kVA	-0.01%	24.09%	3.25%
NEE74 - Large two rate 5 day	8.83%	24.09%	9.41%
NEE75 - Large multi-rate <750MWh	8.82%	24.09%	9.95%
NEE76 - Large multi-rate >750MWh	8.82%	24.11%	9.46%
NEE77 - Large multi-rate >2000 MWh	-11.35%	24.03%	-6.63%
NEE78 - Large multi-rate >4000 MWh	-17.65%	24.03%	-13.02%
NEE81 - HV kVA	-1.27%	24.02%	4.65%
NEE82 - Traction	-1.00%	24.06%	3.67%
NEE83 - Small HV	-4.47%	24.03%	-0.91%
NEE91 - ST kVA	-1.87%	23.99%	12.60%
NEE93 - Latrobe Generators kVA	-5.05%	24.08%	7.73%
NEE94 - Subtransmission demand	-2.45%	24.06%	13.57%
NEE95 - Subtransmission demand	-1.12%	24.02%	9.98%

Annual Tariff Report 2007

3.2 Impact of Network Tariffs

The following section provides a brief description of how SP AusNet has evaluated the impact on Network Tariffs as set out in section 1.5 where a comparison of the impact of changes between 2004 and 2006 Network Tariffs has been made. SP AusNet has made an evaluation of the impact by using five usage levels – very low, low, average, high and very high. Average consumption is calculated by dividing energy by the number of customers.² The remaining usage levels are calculated by applying a percentage, as shown below, to the average rate.



To assess the impact of demand tariffs, a demand level was estimated according to the calculated consumption level in proportion to totals for the network tariff concerned. The demand charge used is the highest of either the calculated amount or the minimum demand for the tariff.


It should be noted that the calculated charges are based on SP AusNet customers and therefore are not comparable to the charges applicable to similar network tariffs for other Distribution Businesses.

² Energy and customer numbers used relate to 2003, which are consistent with those submitted to the Essential Services Commission as part of the 2005 Network Tariff Submission.

Annual Tariff Report 2007

4 Attachments

Attachment 1



Annual Tariff Report 2007

Schedule of Distribution Use of System Tariffs

Small Customer Tariffs

Applies to < 90kVA & < 160 MWh/pa

NEE11	Small Residential single rate		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 24.00
	Energy – First 1020/Quarter	c/kWh	4.322
	Energy – Balance	c/kWh	4.980
NEE12	Small Business single rate		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 36.00
	Energy – First 1020/Quarter	c/kWh	5.525
	Energy – Balance	c/kWh	6.365
NEE13	Small Residential single rate & Dedicated Circuit (closed to new entrants)		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 33.00
	Energy – First 1020/Quarter	c/kWh	4.322
	Energy – Balance	c/kWh	4.980
	Off Peak Energy	c/kWh	1.873
NEE14	Small Residential single rate & Dedicated Circuit – afternoon boost (closed to new entrants)		
	<i>Franchise Tariffs GD,GR & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 33.00
	Energy – First 1020/Quarter	c/kWh	4.322
	Energy – Balance	c/kWh	4.980
	Off Peak Energy	c/kWh	1.550
NEE15	Small Residential single rate & Dedicated circuit 8 to 8 (closed to new entrants)		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 33.00
	Energy – First 1020/Quarter	c/kWh	4.322
	Energy – Balance	c/kWh	4.980
	Off Peak Energy	c/kWh	1.495
NEE16	Small Business single rate & Dedicated Circuit (closed to new entrants)		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 45.00
	Energy – First 1020/Quarter	c/kWh	5.525
	Energy – Balance	c/kWh	6.365
	Off Peak Energy	c/kWh	1.873

Annual Tariff Report 2007

Schedule of Distribution Use of System Tariffs

NEE17	<i>Small Business single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 45.00
	Energy – First 1020/Quarter	c/kWh	5.525
	Energy – Balance	c/kWh	6.365
	Off Peak Energy	c/kWh	1.550
NEE18	<i>Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 45.00
	Energy – First 1020/Quarter	c/kWh	5.525
	Energy – Balance	c/kWh	6.365
	Off Peak Energy	c/kWh	1.495
NEE20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 56.40
	Peak Energy	c/kWh	6.450
	Off Peak Energy	c/kWh	1.602
NEE21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 162.00
	Peak Energy	c/kWh	7.815
	Off Peak Energy	c/kWh	2.109
NEE23	<i>Photovoltaic</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Summer demand – 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 98.40
	Peak Energy	c/kWh	3.550
	Off Peak Energy	c/kWh	1.110
	Summer peak payment	c/kWh	3.202
NEE30	<i>Dedicated circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 9.00
	Off Peak Energy	c/kWh	1.873

Annual Tariff Report 2007

Schedule of Distribution Use of System Tariffs

NEE31	<i>Dedicated circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs J,J6,JT,J8</i>		
	Off Peak – 3 hours per afternoon 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 9.00
	Off Peak Energy	c/kWh	1.550
NEE32	<i>Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 9.00
	Off Peak Energy	c/kWh	1.495
NEE40	<i>Medium single rate (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 34.80
	Energy - All Consumption	c/kWh	6.500
NEE41	<i>Medium single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 43.80
	Peak Energy	c/kWh	6.500
	Off Peak Energy	c/kWh	1.873
NEE42	<i>Medium single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 43.80
	Peak Energy	c/kWh	6.500
	Off Peak Energy	c/kWh	1.550
NEE43	<i>Medium single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 43.80
	Peak Energy	c/kWh	6.500
	Off Peak Energy	c/kWh	1.495

Annual Tariff Report 2007

Schedule of Distribution Use of System Tariffs

Medium Customer Tariffs

Applies to > 50kVA & > 160 MWh/pa and < 400 MWh/pa

NEE51	Medium two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 81.00
	Peak Energy	c/kWh	8.464
	Off Peak Energy	c/kWh	2.831
NEE52	Unmetered supplies		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Peak Energy	c/kWh	6.359
	Off Peak Energy	c/kWh	3.341
NEE54	Medium Demand multi-rate Interruptible		
	Available as an alternative to NEE21, NEE51 or NEE56 in locations SPI Networks interruptability infrastructure is established. Further conditions available from SPI Networks Pty Ltd		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 1,078.20
	Peak Energy	c/kWh	2.805
	Shoulder Energy	c/kWh	2.244
	Off Peak Energy	c/kWh	2.130
	Contract Demand	\$/kVA pa	28.111
	Minimum Demand 50 kVA		
NEE55	Snowfields		
	Peak Times – 1 May to 30 September		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 40.20
	Peak Energy	c/kWh	6.007
	Off Peak Energy	c/kWh	0.475
NEE56	Medium demand multi-rate		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 1,540.80
	Peak Energy	c/kWh	4.027
	Shoulder Energy	c/kWh	3.226
	Off Peak Energy	c/kWh	3.036
	Contract Demand	\$/kVA pa	40.158
	Minimum Demand 50 kVA		
NEE60	Medium two rate 7 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Sunday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 101.40
	Peak Energy	c/kWh	8.120
	Off Peak Energy	c/kWh	3.677

Annual Tariff Report 2007

Schedule of Distribution Use of System Tariffs

Large Customer Tariffs

Applies to > 150kVA & > 400 MWh/pa

NEE71	Large demand - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,962.80
	Peak Energy	c/kWh	3.615
	Off Peak Energy	c/kWh	2.179
	Contract Demand	\$/kVA pa	44.621
	Minimum Demand 150kVA		
NEE72	Large demand - > 280kVA & > 750MWh/pa (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,962.80
	Peak Energy	c/kWh	2.840
	Off Peak Energy	c/kWh	1.663
	Contract Demand	\$/kVA pa	52.440
	Minimum Demand 280kVA		
NEE74	Large two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 114.61
	Peak Energy	c/kWh	10.720
	Off Peak Energy	c/kWh	2.487
NEE75	Large demand multi-rate - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	SHOULDER TIMES – 10:00AM TO 4:00PM MONDAY – FRIDAY		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,962.80
	Peak Energy	c/kWh	3.119
	Shoulder Energy	c/kWh	2.495
	Off Peak Energy	c/kWh	2.144
	Contract Demand	\$/kVA pa	44.621
	Minimum Demand 150kVA		
NEE76	Large demand multi-rate - > 280kVA & > 750MWh/pa		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday– Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,962.80
	Peak Energy	c/kWh	2.751
	Shoulder Energy	c/kWh	2.200
	Off Peak Energy	c/kWh	1.500
	Contract Demand	\$/kVA pa	52.440
	Minimum Demand 280kVA		

Annual Tariff Report 2007

Schedule of Distribution Use of System Tariffs

NEE77	<i>Large demand multi-rate - > 550kVA & > 2000MWh/pa</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday –Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,962.80
	Peak Energy	c/kWh	2.063
	Shoulder Energy	c/kWh	1.650
	Off Peak Energy	c/kWh	1.125
	Contract Demand	\$/kVA pa	63.000
	Minimum Demand 550kVA		

NEE78	<i>Large demand multi-rate - > 850kVA & > 4000MWh/pa</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday –Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,962.80
	Peak Energy	c/kWh	1.444
	Shoulder Energy	c/kWh	1.155
	Off Peak Energy	c/kWh	0.787
	Contract Demand	\$/kVA pa	71.000
	Minimum Demand 850kVA		

Annual Tariff Report 2007

Schedule of Distribution Use of System Tariffs

High Voltage Tariffs

Applies to 22,000 Volt supplies

NEE81	High Voltage demand		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,985.60
	Peak Energy	c/kWh	0.534
	Off Peak Energy	c/kWh	0.338
	Contract Demand	\$/kVA pa	51.460
	Minimum Demand 1150kVA		
NEE82	Traction		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday –Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,985.60
	Peak Energy	c/kWh	0.674
	Shoulder Energy	c/kWh	0.501
	Off Peak Energy	c/kWh	0.356
	Contract Demand	\$/kVA pa	47.910
	Minimum Demand 1150kVA		
NEE83	Small High Voltage demand		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday –Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,985.60
	Peak Energy	c/kWh	5.985
	Shoulder Energy	c/kWh	4.788
	Off Peak Energy	c/kWh	0.404
	Contract Demand	\$/kVA pa	12.000
	Minimum Demand 150kVA		

Annual Tariff Report 2007

Schedule of Distribution Use of System Tariffs

Subtransmission Tariffs

Applies to 66,000 Volt supplies

NEE91	<i>Subtransmission demand - <25000kVA and < 20km from Terminal Station</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 17,511.60
	Peak Energy	c/kWh	0.214
	Off Peak Energy	c/kWh	0.009
	Contract Demand	\$/kVA pa	8.520
	Minimum Demand 10500kVA		
NEE94	<i>Subtransmission demand - >25000kVA and < 20km from Terminal Station</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 17,511.60
	Peak Energy	c/kWh	0.202
	Off Peak Energy	c/kWh	0.030
	Contract Demand	\$/kVA pa	5.340
	Minimum Demand 25000kVA		
NEE95	<i>Subtransmission demand - <25000kVA and > 20km from Terminal Station</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 17,511.60
	Peak Energy	c/kWh	0.217
	Off Peak Energy	c/kWh	0.029
	Contract Demand	\$/kVA pa	7.840
	Minimum Demand 10500kVA		

Annual Tariff Report 2007

Schedule of Transmission Use of System Tariffs

Small Customer Tariffs

Applies to < 90kVA & < 160 MWh/pa

NEE11	Small Residential single rate		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.120
	Energy – Balance	c/kWh	1.177
NEE12	Small Business single rate		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.105
	Energy – Balance	c/kWh	1.161
NEE13	Small Residential single rate & Dedicated Circuit (closed to new entrants)		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.120
	Energy – Balance	c/kWh	1.177
	Off Peak Energy	c/kWh	0.392
NEE14	Small Residential single rate & Dedicated Circuit – afternoon boost (closed to new entrants)		
	<i>Franchise Tariffs GD,GR & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.120
	Energy – Balance	c/kWh	1.177
	Off Peak Energy	c/kWh	0.379
NEE15	Small Residential single rate & Dedicated circuit 8 to 8 (closed to new entrants)		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.120
	Energy – Balance	c/kWh	1.177
	Off Peak Energy	c/kWh	0.384
NEE16	Small Business single rate & Dedicated Circuit (closed to new entrants)		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.105
	Energy – Balance	c/kWh	1.161
	Off Peak Energy	c/kWh	0.392

Annual Tariff Report 2007

Schedule of Transmission Use of System Tariffs

NEE17	<i>Small Business single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.105
	Energy – Balance	c/kWh	1.161
	Off Peak Energy	c/kWh	0.379
NEE18	<i>Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.105
	Energy – Balance	c/kWh	1.161
	Off Peak Energy	c/kWh	0.384
NEE20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.938
	Off Peak Energy	c/kWh	0.570
NEE21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.983
	Off Peak Energy	c/kWh	0.576
NEE23	<i>Photovoltaic</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Summer demand – 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.958
	Off Peak Energy	c/kWh	0.595
	Summer peak payment	c/kWh	-
NEE30	<i>Dedicated circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.392

Annual Tariff Report 2007

Schedule of Transmission Use of System Tariffs

NEE31	<i>Dedicated circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs J,J6,JT,J8</i>		
	Off Peak – 3 hours per afternoon 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.379
NEE32	<i>Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.384
NEE40	<i>Medium single rate (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy - All Consumption	c/kWh	1.163
NEE41	<i>Medium single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.163
	Off Peak Energy	c/kWh	0.392
NEE42	<i>Medium single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.163
	Off Peak Energy	c/kWh	0.379
NEE43	<i>Medium single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.163
	Off Peak Energy	c/kWh	0.384

Annual Tariff Report 2007

Schedule of Transmission Use of System Tariffs

Medium Customer Tariffs

Applies to > 50kVA & > 160 MWh/pa and < 400 MWh/pa

NEE51	Medium two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.999
	Off Peak Energy	c/kWh	0.580
NEE52	Unmetered supplies		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Peak Energy	c/kWh	0.772
	Off Peak Energy	c/kWh	0.560
NEE54	Medium Demand multi-rate Interruptible		
	Available as an alternative to NEE21, NEE51 or NEE56 in locations SPI Networks interruptability infrastructure is established. Further conditions available from SPI Networks Pty Ltd		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.523
	Shoulder Energy	c/kWh	0.261
	Off Peak Energy	c/kWh	0.453
	Contract Demand	\$/kVA pa	-
	Minimum Demand 50 kVA		
NEE55	Snowfields		
	Peak Times – 1 May to 30 September		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.999
	Off Peak Energy	c/kWh	0.575
NEE56	Medium demand multi-rate		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.149
	Shoulder Energy	c/kWh	1.149
	Off Peak Energy	c/kWh	0.623
	Contract Demand	\$/kVA pa	-
	Minimum Demand 50 kVA		
NEE60	Medium two rate 7 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Sunday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.066
	Off Peak Energy	c/kWh	0.586

Annual Tariff Report 2007

Schedule of Transmission Use of System Tariffs

Large Customer Tariffs

Applies to > 150kVA & > 400 MWh/pa

NEE71	Large demand - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.163
	Off Peak Energy	c/kWh	0.587
	Contract Demand	\$/kVA pa	-
	Minimum Demand 150kVA		
NEE72	Large demand - > 280kVA & > 750MWh/pa (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.062
	Off Peak Energy	c/kWh	0.586
	Contract Demand	\$/kVA pa	-
	Minimum Demand 280kVA		
NEE74	Large two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.211
	Off Peak Energy	c/kWh	0.576
NEE75	Large demand multi-rate - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.118
	Shoulder Energy	c/kWh	1.118
	Off Peak Energy	c/kWh	0.587
	Contract Demand	\$/kVA pa	-
	Minimum Demand 150kVA		
NEE76	Large demand multi-rate - > 280kVA & > 750MWh/pa		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.559
	Shoulder Energy	c/kWh	0.559
	Off Peak Energy	c/kWh	0.552
	Contract Demand	\$/kVA pa	-
	Minimum Demand 280kVA		

Annual Tariff Report 2007

Schedule of Transmission Use of System Tariffs

NEE77 *Large demand multi-rate - > 550kVA & > 2000MWh/pa*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Peak Energy	c/kWh	1.062
-------------	-------	-------

Shoulder Energy	c/kWh	1.062
-----------------	-------	-------

Off Peak Energy	c/kWh	0.585
-----------------	-------	-------

Contract Demand	\$/kVA pa	-
-----------------	-----------	---

Minimum Demand 550kVA

NEE78 *Large demand multi-rate - > 850kVA & > 4000MWh/pa*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Peak Energy	c/kWh	1.062
-------------	-------	-------

Shoulder Energy	c/kWh	1.062
-----------------	-------	-------

Off Peak Energy	c/kWh	0.585
-----------------	-------	-------

Contract Demand	\$/kVA pa	-
-----------------	-----------	---

Minimum Demand 850kVA

Annual Tariff Report 2007**Schedule of Transmission Use of System Tariffs****High Voltage Tariffs**

Applies to 22,000 Volt supplies

NEE81	High Voltage demand	
	Peak Times – 7:00AM to 11:00PM Monday – Friday	
	Off Peak – All other times	
	Standing Charge	\$/customer pa \$ 0.00
	Peak Energy	c/kWh 0.902
	Off Peak Energy	c/kWh 0.575
	Contract Demand	\$/kVA pa -
	Minimum Demand 1150kVA	
NEE82	Traction	
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday	
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday	
	Off Peak – All other times	
	Standing Charge	\$/customer pa \$ 0.00
	Peak Energy	c/kWh 0.948
	Shoulder Energy	c/kWh 0.948
	Off Peak Energy	c/kWh 0.584
	Contract Demand	\$/kVA pa -
	Minimum Demand 1150kVA	
NEE83	Small High Voltage demand	
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday	
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday	
	Off Peak – All other times	
	Standing Charge	\$/customer pa \$ 0.00
	Peak Energy	c/kWh 0.893
	Shoulder Energy	c/kWh 0.893
	Off Peak Energy	c/kWh 0.450
	Contract Demand	\$/kVA pa -
	Minimum Demand 150kVA	

Annual Tariff Report 2007

Schedule of Transmission Use of System Tariffs

Subtransmission Tariffs

Applies to 66,000 Volt supplies

NEE91	Subtransmission demand - <25000kVA and < 20km from Terminal Station		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.847
	Off Peak Energy	c/kWh	0.564
	Contract Demand	\$/kVA pa	-
	Minimum Demand 10500kVA		
NEE94	Subtransmission demand - >25000kVA and < 20km from Terminal Station		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.819
	Off Peak Energy	c/kWh	0.568
	Contract Demand	\$/kVA pa	-
	Minimum Demand 25000kVA		
NEE95	Subtransmission demand - <25000kVA and > 20km from Terminal Station		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.876
	Off Peak Energy	c/kWh	0.580
	Contract Demand	\$/kVA pa	-
	Minimum Demand 10500kVA		

Annual Tariff Report 2007**Schedule of Network Use of System Tariffs****Small Customer Tariffs**

Applies to < 90kVA & < 160 MWh/pa

NEE11	Small Residential single rate		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 24.00
	Energy – First 1020/Quarter	c/kWh	5.442
	Energy – Balance	c/kWh	6.157
NEE12	Small Business single rate		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 36.00
	Energy – First 1020/Quarter	c/kWh	6.630
	Energy – Balance	c/kWh	7.526
NEE13	Small Residential single rate & Dedicated Circuit (closed to new entrants)		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 33.00
	Energy – First 1020/Quarter	c/kWh	5.442
	Energy – Balance	c/kWh	6.157
	Off Peak Energy	c/kWh	2.265
NEE14	Small Residential single rate & Dedicated Circuit – afternoon boost (closed to new entrants)		
	<i>Franchise Tariffs GD,GR & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 33.00
	Energy – First 1020/Quarter	c/kWh	5.442
	Energy – Balance	c/kWh	6.157
	Off Peak Energy	c/kWh	1.929
NEE15	Small Residential single rate & Dedicated circuit 8 to 8 (closed to new entrants)		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 33.00
	Energy – First 1020/Quarter	c/kWh	5.442
	Energy – Balance	c/kWh	6.157
	Off Peak Energy	c/kWh	1.879
NEE16	Small Business single rate & Dedicated Circuit (closed to new entrants)		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 45.00
	Energy – First 1020/Quarter	c/kWh	6.630
	Energy – Balance	c/kWh	7.526
	Off Peak Energy	c/kWh	2.265

Annual Tariff Report 2007

Schedule of Network Use of System Tariffs

NEE17	<i>Small Business single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 45.00
	Energy – First 1020/Quarter	c/kWh	6.630
	Energy – Balance	c/kWh	7.526
	Off Peak Energy	c/kWh	1.929
NEE18	<i>Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 45.00
	Energy – First 1020/Quarter	c/kWh	6.630
	Energy – Balance	c/kWh	7.526
	Off Peak Energy	c/kWh	1.879
NEE20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 56.40
	Peak Energy	c/kWh	7.388
	Off Peak Energy	c/kWh	2.172
NEE21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 162.00
	Peak Energy	c/kWh	8.798
	Off Peak Energy	c/kWh	2.685
NEE23	<i>Photovoltaic</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Summer demand – 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 98.40
	Peak Energy	c/kWh	4.508
	Off Peak Energy	c/kWh	1.705
	Summer peak payment	c/kWh	3.202
NEE30	<i>Dedicated circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 9.00
	Off Peak Energy	c/kWh	2.265

Annual Tariff Report 2007

Schedule of Network Use of System Tariffs

NEE31	<i>Dedicated circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs J,J6,JT,J8</i>		
	Off Peak – 3 hours per afternoon 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 9.00
	Off Peak Energy	c/kWh	1.929
NEE32	<i>Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 9.00
	Off Peak Energy	c/kWh	1.879
NEE40	<i>Medium single rate (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 34.80
	Energy - All Consumption	c/kWh	7.663
NEE41	<i>Medium single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 43.80
	Peak Energy	c/kWh	7.663
	Off Peak Energy	c/kWh	2.265
NEE42	<i>Medium single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 43.80
	Peak Energy	c/kWh	7.663
	Off Peak Energy	c/kWh	1.929
NEE43	<i>Medium single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 43.80
	Peak Energy	c/kWh	7.663
	Off Peak Energy	c/kWh	1.879

Annual Tariff Report 2007**Schedule of Network Use of System Tariffs****Medium Customer Tariffs**

Applies to > 50kVA & > 160 MWh/pa and < 400 MWh/pa

NEE51	Medium two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 81.00
	Peak Energy	c/kWh	9.463
	Off Peak Energy	c/kWh	3.411
NEE52	Unmetered supplies		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Peak Energy	c/kWh	7.131
	Off Peak Energy	c/kWh	3.901
NEE54	Medium Demand multi-rate Interruptible		
	Available as an alternative to NEE21, NEE51 or NEE56 in locations SPI Networks interruptability infrastructure is established. Further conditions available from SPI Networks Pty Ltd		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 1,078.20
	Peak Energy	c/kWh	3.328
	Shoulder Energy	c/kWh	2.505
	Off Peak Energy	c/kWh	2.583
	Contract Demand	\$/kVA pa	28.111
	Minimum Demand 50 kVA		
NEE55	Snowfields		
	Peak Times – 1 May to 30 September		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 40.20
	Peak Energy	c/kWh	7.006
	Off Peak Energy	c/kWh	1.050
NEE56	Medium demand multi-rate		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 1,540.80
	Peak Energy	c/kWh	5.176
	Shoulder Energy	c/kWh	4.375
	Off Peak Energy	c/kWh	3.659
	Contract Demand	\$/kVA pa	40.158
	Minimum Demand 50 kVA		
NEE60	Medium two rate 7 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Sunday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 101.40
	Peak Energy	c/kWh	9.186
	Off Peak Energy	c/kWh	4.263

Annual Tariff Report 2007

Schedule of Network Use of System Tariffs

Large Customer Tariffs

Applies to > 150kVA & > 400 MWh/pa

NEE71	Large demand - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,962.80
	Peak Energy	c/kWh	4.778
	Off Peak Energy	c/kWh	2.766
	Contract Demand	\$/kVA pa	44.621
	Minimum Demand 150kVA		
NEE72	Large demand - > 280kVA & > 750MWh/pa (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,962.80
	Peak Energy	c/kWh	3.902
	Off Peak Energy	c/kWh	2.249
	Contract Demand	\$/kVA pa	52.440
	Minimum Demand 280kVA		
NEE74	Large two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 114.61
	Peak Energy	c/kWh	11.931
	Off Peak Energy	c/kWh	3.063
NEE75	Large demand multi-rate - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,962.80
	Peak Energy	c/kWh	4.237
	Shoulder Energy	c/kWh	3.613
	Off Peak Energy	c/kWh	2.731
	Contract Demand	\$/kVA pa	44.621
	Minimum Demand 150kVA		
NEE76	Large demand multi-rate - > 280kVA & > 750MWh/pa		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,962.80
	Peak Energy	c/kWh	3.310
	Shoulder Energy	c/kWh	2.759
	Off Peak Energy	c/kWh	2.052
	Contract Demand	\$/kVA pa	52.440
	Minimum Demand 280kVA		

Annual Tariff Report 2007

Schedule of Network Use of System Tariffs

NEE77 Large demand multi-rate - > 550kVA & > 2000MWh/pa

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 2,962.80
-----------------	----------------	-------------

Peak Energy	c/kWh	3.125
-------------	-------	-------

Shoulder Energy	c/kWh	2.712
-----------------	-------	-------

Off Peak Energy	c/kWh	1.710
-----------------	-------	-------

Contract Demand	\$/kVA pa	63.000
-----------------	-----------	--------

Minimum Demand 550kVA

NEE78 Large demand multi-rate - > 850kVA & > 4000MWh/pa

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 2,962.80
-----------------	----------------	-------------

Peak Energy	c/kWh	2.506
-------------	-------	-------

Shoulder Energy	c/kWh	2.217
-----------------	-------	-------

Off Peak Energy	c/kWh	1.372
-----------------	-------	-------

Contract Demand	\$/kVA pa	71.000
-----------------	-----------	--------

Minimum Demand 850kVA

Annual Tariff Report 2007

Schedule of Network Use of System Tariffs

High Voltage Tariffs

Applies to 22,000 Volt supplies

NEE81	High Voltage demand		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,985.60
	Peak Energy	c/kWh	1.436
	Off Peak Energy	c/kWh	0.913
	Contract Demand	\$/kVA pa	51.460
	Minimum Demand 1150kVA		
NEE82	Traction		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,985.60
	Peak Energy	c/kWh	1.622
	Shoulder Energy	c/kWh	1.449
	Off Peak Energy	c/kWh	0.940
	Contract Demand	\$/kVA pa	47.910
	Minimum Demand 1150kVA		
NEE83	Small High Voltage demand		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,985.60
	Peak Energy	c/kWh	6.878
	Shoulder Energy	c/kWh	5.681
	Off Peak Energy	c/kWh	0.854
	Contract Demand	\$/kVA pa	12.000
	Minimum Demand 150kVA		

Annual Tariff Report 2007

Schedule of Network Use of System Tariffs

Subtransmission Tariffs

Applies to 66,000 Volt supplies

NEE91 Subtransmission demand - <25000kVA and < 20km from Terminal Station

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 17,511.60
-----------------	----------------	--------------

Peak Energy	c/kWh	1.061
-------------	-------	-------

Off Peak Energy	c/kWh	0.573
-----------------	-------	-------

Contract Demand	\$/kVA pa	8.520
-----------------	-----------	-------

Minimum Demand 10500kVA

NEE94 Subtransmission demand - >25000kVA and < 20km from Terminal Station

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 17,511.60
-----------------	----------------	--------------

Peak Energy	c/kWh	1.021
-------------	-------	-------

Off Peak Energy	c/kWh	0.598
-----------------	-------	-------

Contract Demand	\$/kVA pa	5.340
-----------------	-----------	-------

Minimum Demand 25000kVA

NEE95 Subtransmission demand - <25000kVA and > 20km from Terminal Station

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 17,511.60
-----------------	----------------	--------------

Peak Energy	c/kWh	1.093
-------------	-------	-------

Off Peak Energy	c/kWh	0.609
-----------------	-------	-------

Contract Demand	\$/kVA pa	7.840
-----------------	-----------	-------

Minimum Demand 10500kVA

Annual Tariff Report 2007

Rules Applying to Reassignment of Network Tariffs

Provisions relating to the assignment of distribution customers to distribution tariffs can be found under section 2.1 of the Essential Services Commission Electricity Distribution Price Review 2006 – 2010, Final Decision Volume II Price Determination.

As part of its 2002 Network Tariff Submission, SP AusNet requested the Essential Services Commission to approve a tariff condition that customers seeking tariff reassignment must remain on the reassigned tariff for a minimum 12-month period. This request was approved and a 12-month timeframe now applies to all tariff reassignment requests, with exceptions made at SP AusNet's discretion. For example, SP AusNet may waive this requirement where it can be demonstrated that to not do so would result in unreasonable penalties or impose hardship on a customer.

This condition prevents customers changing tariffs to take advantage of seasonal variations in prices according to their individual load, thereby bypassing payment that reflects use of the distribution network over a full 12-month cycle.

Rules for Determining a Customers Maximum Demand

For the purposes of determining a customer's Maximum Demand for Network Tariffs the following rules apply:

Definitions:

"Maximum Demand" means the demand determined in accordance with paragraphs (1) and (2) below which is made available by a Distributor for use by a customer at the Supply Point and is the basis for setting maximum demand charges to be paid by the customer to the Distributor each billing period. The Maximum demand is measured in kilo volt amps (kVA) and is calculated as the energy consumption recorded over the demand integration period divided by the demand integration period in hours. The demand integration period is 30 minutes. The Maximum Demand for a Supply Point is always more than or equal to the minimum chargeable demand applicable to the tariff, as specified in the Distribution Tariff Schedule (Attachment 1).

The formula for determining kVA is:

$$kVA = \sqrt{(KW^2 + kVAR^2)}$$

Where:

kW = kilo watts recorded over a 30 minute period

KVAR = kilo volt amp reactive recorded over a 30 minute period.

1. Initial Selection of Maximum Demand

(a) Supply Points not previously supplied under a contract demand tariff:

If a customer requests a supply of electricity under a demand metered Network Tariff, then an initial level of Maximum Demand must be agreed between the customer and SP AusNet as set out below:

- (i) **For existing Supply Points:** during the third month of supply, the customer and SP AusNet must negotiate a Maximum Demand to apply for the following 12 months having regard to:

Annual Tariff Report 2007

- (A) the minimum chargeable demand applicable to the relevant Distribution Tariff as set out in the schedule of Distribution Tariffs (Attachment 1).
 - (B) the actual highest metered maximum demand recorded since supply commenced.
- (ii) For new Supply Points: the customer and SP AusNet must negotiate a Maximum Demand to apply for a minimum of the following 12 months having regard to:
 - (A) the minimum chargeable demand applicable to the relevant Distribution Tariff as set out in the schedule of Distribution Tariffs (Attachment 1).
 - (B) the expected maximum demand of the relevant Supply Point.

(b) Supply Points previously supplied under a demand tariff

The records of metered demand for the customer in respect of the relevant Supply Point for the preceding 12 months must be examined. The Maximum Demand, for the customer in respect of the relevant Supply Point, is the highest of:

- (i) the maximum recorded demand that occurred in the preceding 12 month period; and
- (ii) the minimum chargeable demand applicable to the relevant Distribution Tariff (as specified in Attachment 1); and
- (iii) the contract demand under the previous tariff.

Where (i) is the highest and the customer satisfies SP AusNet that the maximum recorded demand was due to an unusual situation that is unlikely to recur, then the customer and SP AusNet must negotiate a Maximum Demand to apply for a minimum of the following 12 months having regard to:

- (i) the minimum chargeable demand applicable to the relevant Distribution Tariff as set out in Attachment 1; and
- (ii) the expected maximum demand of the relevant Supply Point.

2. Changes to Maximum Demand**(a) Increases in Maximum Demand**

- (i) Where a customer requires an increase in Maximum Demand at a Supply Point, the customer must make a written request to SP AusNet. The increased level of Contract Demand shall apply from the requested date or as near as possible thereafter, subject to any required work being completed by SP AusNet.
- (ii) Temporary increases in Maximum Demand may be made available by SP AusNet to the customer in respect of the relevant Supply Point to cover specific, short-term needs, such as the commissioning of new plant, subject to:
 - (A) a minimum of one month's written notice from the customer; and
 - (B) prior agreement from the local DB (which agreement will be conditional upon the necessary capacity being available in SP AusNet Distribution System).

(b) Temporary Increases in Maximum Demand

Temporary increases in Maximum Demand will:

- (i) be defined in terms of "additional demand" for a specific period;
- (ii) apply for one full billing period, except in the case of commissioning of new plant, in which case the duration of the temporary increase may be extended for the duration of the commissioning;
- (iii) be charged at the standard Maximum Demand price; and
- (iv) be limited to once occurrence in any 12 month period unless otherwise agreed by the local DB.

Annual Tariff Report 2007

(c) Reduction in Maximum Demand

- (i) Where a customer requires a reduction in Maximum Demand at Supply Point, the customer must give 12 months written notice of this requirement. If SP AusNet agrees to reduce the Maximum Demand to any level down to the level sought by the customer, SP AusNet must notify the customer in writing within the 12-month notice period of a new Maximum Demand. The new Maximum Demand is to be applied from the reading date following the reading date that falls at the end of that 12-month notice period.

However, following installation by the customer of load management equipment approved by SP AusNet or the implementation of a demand management initiative approved by SP AusNet, the 12-month notice period may be reduced at the discretion of SP AusNet.

- (ii) If, in the 12 months following any reduction in Maximum Demand under sub-paragraph (i), the reduced Maximum Demand is exceeded, then the demand so recorded becomes the Maximum Demand applicable from the time of the reduction. This shall not apply to temporary increases in demand negotiated under clause 2(a)(ii).

(d) Changes following Maximum Demand being exceeded

In the event that the metered maximum demand in a billing period exceeds the Maximum Demand for that customer in respect of the relevant Supply Point;

- (i) a new Maximum Demand is established equal to the metered demand in that billing period;
- (ii) the new Maximum Demand shall apply for at least 12 months unless an exemption is obtained under sub-paragraph (iii) below;
- (iii) If the new Maximum Demand is established as a result of a fault in the customer's electrical installation in respect of the relevant Supply Point, then SP AusNet may reduce the Maximum Demand back to the previous level after 3 months, provided:
- (A) SP AusNet receives a written application for such a reduction from the customer within 30 days of billing following the fault; and
- (B) SP AusNet is satisfied that:
- (I) the fault has been diagnosed; and
- (II) action has been taken to avoid a recurrence of that or similar faults; and
- (iv) Where the capacity of SP AusNet Distribution System is inadequate to make supply available at a higher rate on a continuous basis, SP AusNet may advise the customer that the new Maximum Demand will apply only for the billing period in which it was established, pending augmentation of SP AusNet Distribution System and renegotiation of a revised Maximum Demand. The maximum demand thereafter is limited to the available capacity of SP AusNet Distribution System, as determined by SP AusNet, by suitable load limiting equipment installed by the customer to the satisfaction of SP AusNet.

3. Multiple Supplies

Where SP AusNet provides multiple supplies, including alternative supplies to a customer in respect of a particular Supply Point, each supply shall be separately metered and billed under the Network Tariff selected by the customer for each supply. However, where such multiple supplies are taken from and metered at a single Supply Point they are to be treated as a single supply for Network Tariff and billing purposes.

Annual Tariff Report 2007

Prescribed Metering Services

Metering Data Services

Quarterly Read Meter			
	Fixed Charge	\$/meter/pa	\$ 19.76
Monthly Read Meter			
	Fixed Charge	\$/meter/pa	\$ 57.59
Un Metered Supplies			
	Fixed Charge	\$/NMI/pa	\$ 240.32
	Fixed Charge	\$/Light/pa	\$ 1.28

Meter Provision

>160 MWH A YEAR	Multi Phase Direct Connected Meter		
	Fixed Charge	\$/meter/pa	\$ 162.00
	Multi Phase Current Transformer Connected Meter		
	Fixed Charge	\$/meter/pa	\$ 279.60
<160 MWH A YEAR	Single Phase Single Element Meter (Non Off Peak)		
	Fixed Charge	\$/meter/pa	\$ 3.71
	Single Phase Two Element Meter With Contactor (Off Peak)		
	Fixed Charge	\$/meter/pa	\$ 8.24
	Multi Phase Direct Connected Meter		
	Fixed Charge	\$/meter/pa	\$ 48.98
	Multi Phase Current Transformer Connected Meter		
	Fixed Charge	\$/meter/pa	\$ 46.72

Note:

The above charges apply to all customers using less than 160,000 kWh a year and first tier customers with annual usage greater than 160,000 kWh that elect not to take a contestable meter option offered by their Retailer. The charges will be applied on a per meter basis in the following manner:

1. Where a site is > 160 MW, a > 160 MWh Multi Phase CT Connected Meter Provisioning tariff will be applied on a per meter basis.
2. For < 160 MWh sites:
 - a. Which have Multi-phase connections with CT equipment, a Multi Phase CT Connected Meter Provisioning tariff will be applied on a per meter basis.
 - b. Which have Multi-phase connections with a Direct Connection, a Multi Phase, Direct Connected tariff will be applied on a per meter basis.
 - c. With only one meter, which is a Single-phase, single register connection a Single Phase Non Off Peak Meter Provisioning tariff will be applied.
 - d. With Single-phase connections that do not receive a Single Phase Non Off Peak Meter tariff, a Single Phase Off Peak Meter tariff will be applied.

Note that if a site fits the criteria for more than one of the < 160 MW tariffs, all applicable tariffs may be applied.

The Meter Provisioning charges will be calculated by applying a daily rate to the time period covered in the related NUoS bill. These charges will be visible in the detailed Billing file, provided on a monthly basis. The charges will be presented in the "600" line structure.

- The "Quantity" field in this structure will reflect the number of days being charged for. In a situation where there are multiple Multi-Phase meters being charged under the same tariff, the "quantity" will be the number of days multiplied by the number of meters.
- The "EventDate" field will reflect the "EndDate" presented in the NUoS record.

These charges are applicable from 1-Jan-2006, and bills for periods that commence before this date will be pro-rated to ensure the charges are only for this period forward.