

Electricity Distribution

Annual Tariff Report 2008

Annual Tariff Report 2008

Issue/Amendment Status

Issue Number	Date	Description	Author	Approved by
7	20/12/2007	Updated with 2008 tariffs	Kate Jdanova	Eric Howie

Disclaimer

This template is for generating internal and external document belonging to SP AusNet and may or may not contain all available information on the subject matter this document purports to address. The information contained in this document is subject to review and SP AusNet may amend this document at any time. Amendments will be indicated in the Amendment Table, but SP AusNet does not undertake to keep this document up to date.

To the maximum extent permitted by law, SP AusNet makes no representation or warranty (express or implied) as to the accuracy, reliability, or completeness of the information contained in this document, or its suitability for any intended purpose. SP AusNet (which, for the purposes of this disclaimer, includes all of its related bodies corporate, its officers, employees, contractors, agents and consultants, and those of its related bodies corporate) shall have no liability for any loss or damage (be it direct or indirect, including liability by reason of negligence or negligent misstatement) for any statements, opinions, information or matter (expressed or implied) arising out of, contained in, or derived from, or for any omissions from, the information in this document.

Contact

This document is the responsibility of Regulatory and Business Strategy, SP AusNet. Please contact the indicated owner of the document with any inquiries.

Eric Howie
SP AusNet
Level 31, 2 Southbank Boulevard
Melbourne Victoria 3006
Ph: (03) 9695 6000

Annual Tariff Report 2008

Table of Contents

1	Current Tariffs	4
1.1	Electricity distribution	4
1.2	Victorian electricity industry regulatory arrangements	4
1.3	Victorian Electricity Industry Pricing Arrangements	5
1.4	The Annual Network Tariff Report	5
1.5	Tariffs: DUoS, TUoS, NUoS, Excluded Services & Prescribed Metering Charges	6
1.6	Tariffs	7
1.7	2008 Network Tariff Description	10
1.8	Parent tariff categories	38
1.9	Combination Tariffs	38
1.10	Closed Tariffs	38
1.11	Forthcoming changes in network tariffs	39
1.12	Upper and lower bounds	39
1.13	Pricing and future investment requirements	39
1.14	Re-assignments that have occurred and will take place, including a rationale	39
2	Usage/Quantity Information	42
2.1	Details on quantities (usage and customer numbers)	42
2.2	Future Network constraints	42
3	Annual Adjustment Variables	42
3.1	Effect on individual tariffs components	44
3.2	Impact of Network Tariffs	45
4	Attachments	46
	Supply Area	46
	Schedule of Distribution Use of System Tariffs	47
	Schedule of Transmission Use of System Tariffs	58
	Schedule of Network Use of System Tariffs	69
	Rules Applying to Assignment and Reassignment of Network Tariffs	78
	Rules for Determining a Customers Maximum Demand	78

Annual Tariff Report 2008

1 Current Tariffs

1.1 Electricity distribution

SPI Electricity Pty Ltd holds a licence to distribute electricity in eastern Victoria; the supply area extends from the outer eastern suburbs of Melbourne to the New South Wales border in the north east of the state. A map of the area is provided in Attachment 1. SPI Electricity Pty Ltd now trades under the name SP AusNet.

SP AusNet manages and maintains the electricity network aiming to deliver electricity to customers within the area in line with industry best practice. The primary source of funding for a range of prescribed services that SP AusNet undertakes is the revenue obtained from Network Tariffs.

1.2 Victorian electricity industry regulatory arrangements

Generation and electricity retailing are both competitive markets in Victoria. The efficient regulation and transparent pricing of monopoly transmission and distribution network services support and facilitate these competitive market sectors.

The move to create a competitive electricity market began with the 1991 Industry Commission Report on the Electricity Industry. In the intervening period, Federal and State Governments have worked to restructure the electricity industry and establish effective competition in electricity markets.

The National Electricity Market commenced in December 1998 and included the eastern mainland states of Victoria, New South Wales, Queensland, the Australian Capital Territory ('ACT') and South Australia. The National Electricity Market is governed by a set of market rules contained in the National Electricity Rules ('the Rules').

The Victorian Government has introduced competition in the state electricity retail market. Full retail competition was extended to all customers on 1 January 2002, allowing customers to choose their energy retail suppliers and has led to the deregulation of the retail electricity price. The Victorian government has determined regulated default retail prices that act as a 'safety net' for customers who elect not to participate in the competitive market and remain with their host retail supplier.

The Victorian electricity industry has undergone major structural change with the introduction of generation and retail sales competition. This has involved:

- The establishment and privatisation of SP AusNet and four other electricity distributors;
- The restructuring of each utility into separate retail and network service activities;
- The establishment of a privatised transmission owner;
- The establishment of a government owned transmission operator;
- The creation of privatised generation companies; and
- The introduction of the National Electricity Market and full retail competition.

Annual Tariff Report 2008

These structural changes are a key component of competition reforms designed to offer customers substantial efficiency improvements, a choice of retail suppliers of energy, better customer service and a wider variety of innovative energy services.

As a holder of a Victorian Distribution Licence, SP AusNet's prices and the terms and conditions under which electricity is distributed are regulated by the Essential Services Commission ('the Commission').

The Commission administers various regulatory instruments that establish the responsibilities of the Victorian distributors. These instruments consist of Acts of the Victorian Parliament; Orders made by the Governor in Council; Determinations made by the Commission; Guidelines published by the Commission; the National Electricity Rules; the System Code; the Electricity Distribution Code; the Energy Retail Code; the Electricity Customer Metering Code; the Public Lighting Code; and the Electricity Customer Transfer Code.

1.3 Victorian Electricity Industry Pricing Arrangements

Under the above regulatory instruments, the Commission regulates SP AusNet's electricity distribution revenues and tariffs. The Commission has established basic pricing principles that SP AusNet must adhere to. These are:

- Tariffs for each customer should generate revenue in excess of the avoidable cost to service the customer - avoidable costs are those costs that a distributor would avoid if a customer were to cease taking supply or significantly reduce their supply requirements. Where a customer does not already take supply, the avoidable costs would be those associated with the establishment of a connection and then maintaining the additional supply capacity;
- Tariffs for each customer should generate revenue less than the cost of providing the service on a stand-alone basis to the customer - stand-alone cost is the cost of a distributor supplying a customer in isolation from other customers, i.e. the existing costs of a distribution business less those costs which would be avoided by not supplying all other customers; and
- Tariffs for each customer should signal the impact of additional (peak) usage on future investment costs. This introduces a forward-looking element to be considered.

In addition, a side constraint is placed on individual tariffs called the tariff rebalancing constraint. This states that no tariff shall rise by more than 2 per cent above the movement in CPI after allowing for the movement in the S-Factor and Licence fee adjustments.

1.4 The Annual Network Tariff Report

SP AusNet has produced this Network Tariff Report in response to the Commission's Final Decision under Volume 1, Section 12.1.2 of the 2006 – 2010 Electricity Distribution Price Review.

The purpose of this report is to enable distribution customers to understand the basis for the tariff policies adopted by SP AusNet and to communicate changes in tariffs.

Customers receive an electricity bill that contains the following elements:

- Distribution and transmission charges;

Annual Tariff Report 2008

- Energy charges; and
- Retail charges.

This report addresses only the distribution and transmission components of a customers' electricity bill and includes the following:

The distribution and transmission tariffs charged by the distributor;

A discussion of the policy framework and tariff principles adopted by the distributor in framing the structures and level of its tariffs;

An explanation of the basis on which the distributor has determined the appropriate breakdown between fixed and variable charges;

The rationale for the introduction of any new tariffs, or the withdrawal of tariffs;

An explanation of how the distributor has had regard to the consideration of upper and lower bounds in determining its distribution tariffs;

The extent to which the tariff structures adopted provide efficient consumption signals to distribution customers;

The methodology adopted for allocating transmission-related costs to distribution customers through its transmission tariffs; and

An estimate of the average annual distribution and transmission charge (in \$) for each combination of distribution and transmission tariff.

1.5 Tariffs: DUoS, TUoS, NUoS, Excluded Services & Prescribed Metering Charges

SP AusNet levies Network Tariffs on customers supplied with electricity within its Distribution Area outlined in Schedule 2 of its Distribution Licence as varied on 14 January 2005. This report applies from 1 January 2008 to 31 December 2008 and is applicable to all customers in SP AusNet distribution area

The approved tariffs for 2008 are presented as follows:

- Distribution Tariffs (DUoS) Attachment 2
- Transmission Tariffs (TUoS) Attachment 3
- Network Tariffs (NUoS) Attachment 4
- Tariff Assignment & Contract Demand Rules Attachment 5
- Standard Services (Excluded Services) Attachment 6
- Prescribed Metering Charges Attachment 7

Annual Tariff Report 2008

1.6 Tariffs

1.6.1 Tariff categories

SP AusNet has the following Tariff Categories for network tariffs:

Low Voltage	Customers taking supply at less than 1000 Volts
Small	Customers using up to 160MWh a year
Medium	Customers using over 160MWh a year and up to 400MWh a year
Large	Customers using over 400MWh a year
High Voltage	Customers taking supply at greater than 1,000 Volts and up to 22,000 Volts
Sub Transmission	Customers taking supply at greater than 22,000 Volts

1.6.2 SP AusNet Tariffs

SP AusNet currently has the following approved Tariffs. Schedules setting out the current rates for each of these tariffs are attached to this document.

Low Voltage Small Customer Tariffs < 160 MWh usage per year

Tariff Code	Tariff Type
NEE11	Residential Single rate
NEN11	Residential Single rate – embedded network connection
NEE12	Business Single rate
NEN12	Residential Single rate – embedded network connection
NEE13	Residential Single rate and Dedicated Circuit
NEN13	Residential Single rate and Dedicated Circuit – embedded network connection
NEE14	Residential Single rate & Dedicated Circuit with afternoon boost
NEN14	Residential Single rate & Dedicated Circuit with afternoon boost – embedded network connection
NEE15	Residential Single rate & Dedicated Circuit 8pm to 8am
NEN15	Residential Single rate & Dedicated Circuit 8pm to 8am – embedded network connection
NEE16	Business Single rate & Dedicated Circuit
NEN16	Business Single rate & Dedicated Circuit – embedded network connection
NEE17	Business Single rate & Dedicated Circuit with afternoon boost

Annual Tariff Report 2008

NEN17	Business Single rate & Dedicated Circuit with afternoon boost – embedded network connection
NEE18	Business Single rate & Dedicated Circuit 8pm to 8am
NEN18	Business Single rate & Dedicated Circuit 8pm to 8am – embedded network connection
NEE20	Residential two rate five day
NEN20	Residential two rate five day – embedded network connection
NEE21	Small Business two rate five day
NEN21	Small Business two rate five day – embedded network connection
NEE23	Photovoltaic two rate 5 day
NEE30	Dedicated Circuit
NEE31	Dedicated Circuit with afternoon boost
NEE32	Dedicated Circuit 8pm to 8am

Annual Tariff Report 2008

Low Voltage Medium Customer Tariffs > 160 MWh and < 400 MWh usage per year

Tariff Code	Tariff Type
NEE40	Single Rate
NEE41	Single Rate and Dedicated Circuit
NEE42	Single Rate and Dedicated Circuit with afternoon boost
NEE43	Single Rate and Dedicated Circuit 8pm to 8am
NEE51	Two rate 5 day
NEE52	Unmetered supplies
NEE54	Two rate 5 day interruptible
NEE55	Seasonal single rate
NEE56	Demand multirate
NEN56	Demand multirate – embedded network connection
NEE60	Two rate 7 day

Low Voltage Large Customer Tariffs > 400 MWh

Tariff Code	Tariff Type
NEE71	Two rate 5 Day demand > 150kVA & < 750 MWh
NEE72	Two rate 5 Day demand > 280kVA & > 750 MWh
NEE74	Two rate 5 Day
NEE75	Multi rate 5 Day demand > 150kVA & < 750 MWh
NEE76	Multi rate 5 Day demand > 280kVA & > 750 MWh
NEE77	Multi rate 5 Day demand > 550kVA & > 2 GWh
NEE78	Multi rate 5 Day demand > 850kVA & > 4 GWh

High Voltage Customer Tariffs (6.6kV, 11kV & 22kV)

Tariff Code	Tariff Type
NEE81	Two rate 5 Day demand supplied at > 1kV
NEE82	Traction Two rate 5 Day demand supplied at > 1kV
NEE83	Multi rate 5 Day demand supplied at > 1kV

Annual Tariff Report 2008

Sub Transmission Customer Tariffs (66kV)

Tariff Code	Tariff Type
NEE91	Two rate 5 Day demand supplied at 66kV
NEE93	Two rate 5 day tariff supply to Latrobe Valley mines.
NEE94	Two rate 5 Day demand supplied at 66kV
NEE95	Two rate 5 Day demand supplied at 66kV

1.7 2008 Network Tariff Description

1.7.1 Small Low Voltage Tariffs (Nominal Voltage < 1000 Volts), < 50 kVA & < 160MWh

1.7.1.1. Residential Tariffs

NEE11 – Small Residential Block Tariff

NEN11 – Small Residential Block Tariff Embedded Network Connection

These Network Tariffs apply only to residential customers who consume less than 160 MWh per annum. The minimum meter requirement for a customer on this tariff is a basic type 6 single register meter.

The Small Residential Block tariff consists of a standing charge and a block usage rate. The first block applies to all usage less than 1,020 kWh per quarter. The second block rate is higher than the first block rate and applies to all usage greater than 1,020 kWh per quarter. The consumption level of 1,020 kWh for the first block was based on the original retail Maximum Uniform Tariff GD/GR.

The two-part block tariff is targeted to allocating more of the demand-related costs to customers with larger annual energy consumption. The higher usage rate for the second block provides a pricing signal to these higher usage customers that relates to the increased demand these customers place on the network at peak times.


NEE11 - Small single rate

	Very Low	Low	Average	High	Very High
Energy	1.51 MWh	3.52 MWh	5.02 MWh	6.53 MWh	8.54 MWh
Existing	\$ 109.85	\$ 224.31	\$ 310.16	\$ 396.01	\$ 510.48
Proposed	\$ 101.85	\$ 216.32	\$ 302.17	\$ 388.03	\$ 502.50
Change	-7.28%	-3.56%	-2.58%	-2.02%	-1.56%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2008

NEE11 - Small single rate




NEN11 has been introduced in 2008 and applies to residential customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

NEN11 - Small single rate

	Very Low	Low	Average	High	Very High
Energy	1.13 MWh	2.63 MWh	3.76 MWh	4.88 MWh	6.38 MWh
Existing	\$ 88.20	\$ 173.80	\$ 238.00	\$ 302.19	\$ 387.79
Proposed	\$ 66.95	\$ 136.22	\$ 188.17	\$ 240.11	\$ 309.38
Change	-24.09%	-21.62%	-20.94%	-20.54%	-20.22%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEN11 - Small single rate



Annual Tariff Report 2008

NEE20 – Small Residential Two Rate

NEN20 – Small Residential Two Rate Embedded Network Connection

The Small Residential two-rate tariff was originally based on the retail Maximum Uniform Tariff GH/GL for residential customers. These customers require, as a minimum, a basic type 6 dual register with an electronic timeswitch, capable of switching all load to off-peak overnight and at weekends.


The two-rate tariff provides customers with incentives to manage load, and is the optimum tariff for small residential customers who are able to move a high proportion of energy consumption to off-peak times over night and on weekends.

NEE20 - Small two rate

	Very Low	Low	Average	High	Very High
Energy	2.54 MWh	5.93 MWh	8.48 MWh	11.02 MWh	14.41 MWh
Existing	\$ 159.93	\$ 297.96	\$ 401.49	\$ 505.02	\$ 643.06
Proposed	\$ 145.81	\$ 290.88	\$ 399.68	\$ 508.49	\$ 653.56
Change	-8.83%	-2.38%	-0.45%	0.69%	1.63%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE20 - Small two rate



NEN20 has been introduced in 2008 and applies to residential customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.


NEN20 - Small two rate

	Very Low	Low	Average	High	Very High
Energy	1.90 MWh	4.44 MWh	6.34 MWh	8.24 MWh	10.78 MWh
Existing	\$ 133.85	\$ 237.11	\$ 314.55	\$ 392.00	\$ 495.26
Proposed	\$ 106.16	\$ 199.71	\$ 269.87	\$ 340.03	\$ 433.58
Change	-20.68%	-15.77%	-14.20%	-13.26%	-12.45%

Annual Tariff Report 2008

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEN20 - Small two rate



NEE23 – Photovoltaic Tariff

This tariff applies to small customers with grid-connected photovoltaic cells less than or equal to 2kW. Prior to 2003, these customers were placed on a standard network tariff and received payment for the electricity they generated equal to the price that was paid for electricity consumed, that is, export energy equally offset the energy consumed. The diversity of tariffs applied to these customers and offset arrangements created billing and administrative difficulties. NEE23 was introduced to formalise photovoltaic cell billing arrangements and reduce administrative complexity.

Photovoltaic cells customers continue to receive an equal offset for electricity generation, as well as an additional payment for excess generation during summer peak periods (1 November – 30 March).


NEE23 - Photovoltaic

	Very Low	Low	Average	High	Very High
Energy	1.94 MWh	4.53 MWh	6.48 MWh	8.42 MWh	11.01 MWh
Existing	\$ 153.16	\$ 226.17	\$ 280.93	\$ 335.69	\$ 408.70
Proposed	\$ 135.57	\$ 205.67	\$ 258.24	\$ 310.81	\$ 380.91
Change	-11.48%	-9.06%	-8.08%	-7.41%	-6.80%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2008

NEE23 - Photovoltaic



1.7.1.2. Dedicated Supplies (Storage Water and Space Heating)

SP AusNet has three network tariffs for dedicated supplies. These tariffs are available for controlled loads such as storage water heating and space heating for residential and small business purposes only.

NEE30 – Small Dedicated Circuit (closed to new entrants)

This small dedicated circuit tariff applies to customers with off-peak hot water heating between 11pm and 7am each day. The minimum meter requirements are a basic type 6 single register meter switched by timing device, or a basic type 6 dual register meter with second register switched by timing device.


NEE30 - Small dedicated circuit

	Very Low	Low	Average	High	Very High
Energy	0.77 MWh	1.79 MWh	2.56 MWh	3.33 MWh	4.35 MWh
Existing	\$ 26.40	\$ 49.60	\$ 67.00	\$ 84.40	\$ 107.60
Proposed	\$ 23.09	\$ 44.53	\$ 60.62	\$ 76.70	\$ 98.15
Change	-12.55%	-10.21%	-9.52%	-9.11%	-8.78%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2008

NEE30 - Small dedicated circuit



NEE31 – Small Dedicated Circuit Afternoon Boost (closed to new entrants)

The Small Dedicated Circuit Afternoon Boost tariff applies to customers with off-peak space heating, with or without off peak hot water. This tariff has an afternoon heating boost for three hours in addition to heating between 11pm and 7am each day.


The minimum meter requirements are a basic type 6 single register meter switched by timing device, or a basic type 6 dual register meter with second register switched by timing device.

NEE31 - Small dedicated circuit - afternoon boost

	Very Low	Low	Average	High	Very High
Energy	2.17 MWh	5.06 MWh	7.23 MWh	9.39 MWh	12.28 MWh
Existing	\$ 50.81	\$ 106.57	\$ 148.38	\$ 190.20	\$ 245.95
Proposed	\$ 45.67	\$ 97.23	\$ 135.90	\$ 174.58	\$ 226.14
Change	-10.12%	-8.76%	-8.41%	-8.21%	-8.05%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE31 - Small dedicated circuit - afternoon boost



Annual Tariff Report 2008

NEE32 – Dedicated Circuit 8pm to 8am (closed to new entrants)

The Small Dedicated Circuit 8pm to 8am tariff was introduced in 2001 and allows SP AusNet to heat hot water for six to eight hours at any time between 8pm and 8am. This may be in two heating blocks of three to four hours. This arrangement allows SP AusNet to manage peak loads better, and is helpful in reducing peak constraint in rural areas. The minimum meter requirements are a basic type 6 single register meter switched by timing device, or a basic type 6 dual register meter with second register switched by timing device.


SP AusNet has over 160,000 customers with dedicated circuits for off peak water heating and space heating requirements. Many of these customers are in rural areas, where there are limited alternative energy supplies. As a result, the SP AusNet local network experiences high levels of demand when these appliances switch on for their overnight heating. By introducing the Dedicated Circuit 8pm to 8am tariff, which has a twelve hour period available for heating, SP AusNet will have the flexibility to vary these switching times without impacting on the customers heating needs. In return for allowing SP AusNet this flexibility, customers will in turn receive the benefit of lower charges that are the result of being able to defer some capital investment.

NEE32 - Dedicated circuit 8 to 8

	Very Low	Low	Average	High	Very High
Energy	0.77 MWh	1.80 MWh	2.57 MWh	3.34 MWh	4.36 MWh
Existing	\$ 23.47	\$ 42.76	\$ 57.23	\$ 71.69	\$ 90.98
Proposed	\$ 20.69	\$ 38.94	\$ 52.63	\$ 66.32	\$ 84.58
Change	-11.84%	-8.92%	-8.02%	-7.49%	-7.04%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE32 - Dedicated circuit 8 to 8



Annual Tariff Report 2008

NEE13 – Small Residential Block Tariff & Dedicated Circuit**NEN13 – Small Residential Block Tariff & Dedicated Circuit Embedded Network Connection
(both closed to new entrants)**

This tariff was introduced in 2002. It is a combination of the Small Residential Block tariff and Dedicated Circuit tariffs. The rates and metering requirements are the same as the individual tariffs. It was introduced to assist in the contestable market.

NEN13 has been introduced in 2008 and applies to residential customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of these network tariffs on customers is equivalent to the impact of Network Tariffs NEE11 & NEE30 and NEN11 & NEE30

NEE14 – Small Residential Block Tariff & Dedicated Circuit Afternoon Boost (closed to new entrants)**NEN14 – Small Residential Block Tariff & Dedicated Circuit Embedded Network Connection
(both closed to new entrants)**

This tariff was introduced in 2002. It is a combination of the Small Residential Block tariff and Dedicated Circuit Afternoon Boost tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

NEN14 has been introduced in 2008 and applies to residential customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of these network tariffs on customers is equivalent to the impact of Network Tariffs NEE11 & NEE31 and NEN11 & NEE31.

NEE15 – Small Residential Block Tariff & Dedicated Circuit 8am to 8pm**NEN15 – Small Residential Block Tariff & Dedicated Circuit 8am to 8pm Embedded Network Connection
(closed to new entrants)**

This tariff was introduced in 2002. It is a combination of the Small Residential Block tariff and Dedicated Circuit 8pm to 8am tariffs. The rates and metering requirements are the same as the individual tariffs. It was introduced to assist in the contestable market.

NEN15 has been introduced in 2008 and applies to residential customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of these network tariffs on customers is equivalent to the impact of Network Tariffs NEE11 & NEE32 and NEN11 & NEE32.

Annual Tariff Report 2008

1.7.1.3. Small Business Tariffs

NEE12 – Small Business Block Tariff

NEN12 – Small Business Block Tariff Embedded Network Connection

The Small Business block Tariff has been designed for SP AusNet's small business customers with annual usage of less than 160MWh, and who have, as a minimum, a basic type 6 single register meter.


The Small Business Block tariff has lower energy charges for the first block, which applies to the first 1,020 kWh per quarter, to reflect the lower contribution these small business customers make to peak demand. As consumption increases the contribution to peak demand also increases. By having a higher rate for the second block (all consumption greater than 1,020 kWh), SP AusNet is able to recover the higher costs associated with greater peak demand on the system, and provide appropriate pricing signals to customers.

NEE12 - Small business single rate

	Very Low	Low	Average	High	Very High
	1.94 MWh	4.53 MWh	6.47 MWh	8.41 MWh	11.00 MWh
Energy					
Existing	\$ 176.13	\$ 362.96	\$ 503.09	\$ 643.22	\$ 830.05
Proposed	\$ 165.34	\$ 356.45	\$ 499.79	\$ 643.13	\$ 834.24
Change	-6.13%	-1.79%	-0.66%	-0.01%	0.50%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE12 - Small business single rate



NEN12 has been introduced in 2008 and applies to small business customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.


Annual Tariff Report 2008

NEN12 - Small business single rate

	Very Low	Low	Average	High	Very High
Energy	1.94 MWh	4.53 MWh	6.47 MWh	8.41 MWh	11.00 MWh
Existing	\$ 176.13	\$ 362.97	\$ 503.09	\$ 643.22	\$ 830.06
Proposed	\$ 134.07	\$ 284.84	\$ 397.91	\$ 510.98	\$ 661.74
Change	-23.88%	-21.53%	-20.91%	-20.56%	-20.28%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEN12 - Small business single rate



NEE21 – Small Business two rate

NEN21 – Small Business two rate Embedded Network Connection

SP AusNet has over 26,000 small business customers who are on the Small Business two-rate tariff. Customers on this tariff require, as a minimum, a basic type 6 dual register meter with an electronic timeswitch, capable of switching all load to off-peak overnight and at weekends.

The Small Business Tariff was opened in 2001 and is intended for businesses that use less than 160MWh per annum. These businesses tend to operate seven days a week and have a high proportion of overnight and weekend consumption. The Small Business tariff was opened to facilitate appropriate pricing to reflect the demand characteristics of these customers.


NEE21 - Small business two rate

	Very Low	Low	Average	High	Very High
Energy	7.73 MWh	18.03 MWh	25.75 MWh	33.48 MWh	43.78 MWh
Existing	\$ 636.94	\$ 1,270.19	\$ 1,745.12	\$ 2,220.06	\$ 2,853.31
Proposed	\$ 561.27	\$ 1,222.96	\$ 1,719.22	\$ 2,215.49	\$ 2,877.18
Change	-11.88%	-3.72%	-1.48%	-0.21%	0.84%

Annual Tariff Report 2008

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE21 - Small business two rate




NEN21 has been introduced in 2008 and applies to small business customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

NEN21 - Small business two rate

	Very Low	Low	Average	High	Very High
Energy	7.73 MWh	18.03 MWh	25.75 MWh	33.48 MWh	43.78 MWh
Existing	\$ 636.94	\$ 1,270.20	\$ 1,745.14	\$ 2,220.09	\$ 2,853.34
Proposed	\$ 471.69	\$ 1,015.27	\$ 1,422.95	\$ 1,830.64	\$ 2,374.22
Change	-25.95%	-20.07%	-18.46%	-17.54%	-16.79%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEN21 - Small business two rate



Annual Tariff Report 2008

NEE16 – Small Business Block Tariff & Dedicated Circuit**NEN16 – Small Business Block Tariff & Dedicated Circuit Embedded Network Connection****(both closed to new entrants)**

This tariff was introduced in 2002. It is a combination of the Small Business Block tariff and Dedicated Circuit tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

NEN16 has been introduced in 2008 and applies to small business customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of these network tariffs on customers is equivalent to the impact of Network Tariffs NEE12 & NEE30 and NEN12 & NEE30.

NEE17 – Small Business Block Tariff & Dedicated Circuit Afternoon Boost**(closed to new entrants)**

This tariff was introduced in 2002. It is a combination of the Small Business Block tariff and Dedicated Circuit Afternoon Boost tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

NEN17 has been introduced in 2008 and applies to small business customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of these network tariffs on customers is equivalent to the impact of Network Tariffs NEE12 & NEE31 and NEN12 & NEE31.

NEE18 – Small Business Single Rate & Dedicated Circuit 8am to 8pm**(closed to new entrants)**

This tariff was introduced in 2002. It is a combination of the Small Business Block tariff and Dedicated Circuit 8am to 8pm tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

NEN18 has been introduced in 2008 and applies to small business customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE12 & NEE32 and NEN12 & NEE32.

Annual Tariff Report 2008

1.7.2 Medium Customer Tariffs > 50 kVA & < 150 kVa and > 160MWh & < 400MWh

Medium customers are customers that consume between 160MWh and 400MWh per annum, with a maximum demand less than 150 kVA. Examples of this customer class are medium sized commercial and light industrial businesses.

NEE40 – Medium Single Rate Tariff (closed to new entrants)


The Medium Single Rate tariff is applicable to business and industrial customers that consume between 160MWh and 400MWh per annum. The minimum meter requirements are a basic type 6 single register meter. This network tariff is most suitable for business customers with little overnight or weekend usage.

NEE40 - Medium single rate

	Very Low	Low	Average	High	Very High
Energy	3.46 MWh	8.08 MWh	11.55 MWh	15.01 MWh	19.63 MWh
Existing	\$ 300.29	\$ 654.28	\$ 919.76	\$ 1,185.25	\$ 1,539.24
Proposed	\$ 297.98	\$ 663.28	\$ 937.26	\$ 1,211.24	\$ 1,576.54
Change	-0.77%	1.38%	1.90%	2.19%	2.42%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE40 - Medium single rate



NEE41 – Medium Business Single Rate & Dedicated Circuit (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Medium Business Single Rate tariff and Dedicated Circuit tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

This network tariff is most suitable for business customers with little overnight or weekend usage, and customers with off-peak hot water services between 11pm and 7am each day.

Annual Tariff Report 2008

The metering requirements are basic type 6 dual register meter, with one register capable of being switched for the dedicated circuit.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE40 and NEE30.

**NEE42 – Medium Business Single Rate & Dedicated Circuit Afternoon Boost
(closed to new entrants)**

This tariff was introduced in 2002. It is a combination of the Medium Business Single Rate tariff and Dedicated Circuit Afternoon Boost tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

This network tariff is most suitable for business customers with little overnight or weekend usage, and customers with off-peak load and off-peak space heating services between 11pm and 7am each day.

The metering requirements are basic type 6 dual register meter, with one register capable of being switched for the dedicated circuit.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE40 and NEE31.

**NEE43 – Medium Business Single Rate & Dedicated Circuit 8am to 8pm
(closed to new entrants)**

This tariff was introduced in 2002. It is a combination of the Medium Business Single Rate tariff and Dedicated Circuit 8am to 8pm tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

This network tariff is most suitable for business customers with little overnight or weekend usage, and customers with off-peak load and off-peak hot water heating services between 8pm and 8am each day.

The metering requirements are basic type 6 dual register meter, with one register capable of being switched for the dedicated circuit.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE40 and NEE32.

NEE51 – Medium Two Rate 5-day (closed to new entrants)

The Medium Two Rate 5-day tariff is suitable for businesses with some overnight or weekend usage. Customers benefit from off-peak evening prices and weekend prices.

Customers on this tariff require, as a minimum, a basic type 6 dual register meter with an electronic timeswitch, capable of switching all load to off-peak overnight and at weekends.


Annual Tariff Report 2008

NEE51 - Medium two rate 5 day

	Very Low	Low	Average	High	Very High
Energy	35.77 MWh	83.46 MWh	119.23 MWh	155.00 MWh	202.70 MWh
Existing	\$ 2,550.19	\$ 5,842.45	\$ 8,311.65	\$ 10,780.84	\$ 14,073.10
Proposed	\$ 2,538.23	\$ 5,835.88	\$ 8,309.11	\$ 10,782.34	\$ 14,079.98
Change	-0.47%	-0.11%	-0.03%	0.01%	0.05%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE51 - Medium two rate 5 day



NEE52 – Unmetered Supplies

The unmetered supplies tariff applies to approved supplies up to 50 watts, public lighting, traffic control system and other nominated installations.

There is no physical meter for this tariff. Contestable metrology procedures apply to public lighting installations and deemed loads for all other installations to determine usage.


NEE52 - Unmetered

	Very Low	Low	Average	High	Very High
Energy	0.23 MWh	0.53 MWh	0.76 MWh	0.99 MWh	1.29 MWh
Existing	\$ 11.39	\$ 26.59	\$ 37.98	\$ 49.38	\$ 64.57
Proposed	\$ 11.59	\$ 27.05	\$ 38.64	\$ 50.23	\$ 65.68
Change	1.73%	1.73%	1.73%	1.73%	1.73%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2008

NEE52 - Unmetered



NEE54 – Small & Medium two rate 5 day Interruptible

SP AusNet has over 13,000 customers on medium tariffs. These customers represent a significant portion of SP AusNet load in the rural network where there are a number of emerging supply constraints. Where these customers are able to allow SP AusNet to switch off a portion of their load for short periods of time during times of high local demand the benefit will be passed on to these customers through lower network charges. The maximum decrease in charges has been set at 30% of the peak energy charge that currently applies to Network Tariffs NEE56. To be compliant with the rebalancing constraint the discount on this tariff has been established at a higher level than would be expected in the long term. An interval meter will be required to move onto this tariff.


NEE54 - Medium two rate 5 day interruptible

	Very Low	Low	Average	High	Very High
Energy	85.98 MWh	200.62 MWh	286.61 MWh	372.59 MWh	487.23 MWh
Existing	\$ 4,553.74	\$ 9,187.79	\$ 12,663.32	\$ 16,138.86	\$ 20,772.91
Proposed	\$ 4,152.78	\$ 8,623.14	\$ 11,975.92	\$ 15,328.70	\$ 19,799.06
Change	-8.81%	-6.15%	-5.43%	-5.02%	-4.69%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2008

NEE54 - Medium two rate 5 day interruptible



NEE55 – Snowfields Tariff

The Snowfields tariff was introduced in 2002. It applies to customers in specified alpine regions with off-peak (non-winter) consumption, that consume less than 400MWh per annum with maximum demand less than 150kVA.

The Snowfields tariff has been designed to reflect customer usage patterns in the alpine regions. The peak period is from the 1st of May to 30th September each year, and the off-peak period applies to all other times. The Snowfield tariff provides opportunities for tourism and businesses in alpine regions to expand during traditional low-season periods at reduced energy rates.

Customers in alpine regions who use off-peak electricity will benefit from a significantly reduced off-peak charge.

The minimum metering requirement is a basic type 6 single register meter.

As there is only two customers presently on network tariff NEE55, it is not considered appropriate to include an impact analysis.

NEE56 – Medium Demand Multi-rate Tariff

NEN56 – Medium Demand Multi-rate Tariff

This tariff was introduced in 2003 and is applicable to all customers with metering installations capable of recording kVA, as required for all new customers consuming greater than 160 MWh per annum. The structure of this tariff ensures that customers are charged appropriately for the network unavoidable costs associated with these customers and, through the introduction of a shoulder rate, gives pricing signals that more appropriately capture the system load profile of SP AusNet's network.


NEE56 - Medium demand multi-rate

	Very Low	Low	Average	High	Very High
Energy	86.00 MWh	200.66 MWh	286.65 MWh	372.65 MWh	487.31 MWh
Existing	\$ 6,819.67	\$ 13,858.17	\$ 19,137.04	\$ 24,415.91	\$ 31,454.41
Proposed	\$ 6,556.48	\$ 13,831.78	\$ 19,288.26	\$ 24,744.73	\$ 32,020.04
Change	-3.86%	-0.19%	0.79%	1.35%	1.80%

Annual Tariff Report 2008

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE56 - Medium demand multi-rate



NEN56 has been introduced in 2008 and applies to customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.


NEN56 - Medium demand multi-rate

	Very Low	Low	Average	High	Very High
Energy	85.86 MWh	200.34 MWh	286.21 MWh	372.07 MWh	486.55 MWh
Existing	\$ 6,811.46	\$ 13,839.00	\$ 19,109.66	\$ 24,380.32	\$ 31,407.86
Proposed	\$ 6,134.78	\$ 12,847.83	\$ 17,882.61	\$ 22,917.39	\$ 29,630.44
Change	-9.93%	-7.16%	-6.42%	-6.00%	-5.66%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2008

NEN56 - Medium demand multi-rate



NEE60 – Medium Two Rate 7-day Tariff (closed to new entrants)

Medium two rate 7-day tariff is most suited to 5-day operational businesses. The peak charge applies between 7pm and 11am, Monday to Sunday.


The minimum metering requirements is a basic type 6 dual register, with standard time switching capacity.

NEE60 - Medium two rate 7 day

	Very Low	Low	Average	High	Very High
Energy	5.98 MWh	13.96 MWh	19.94 MWh	25.92 MWh	33.90 MWh
Existing	\$ 574.24	\$ 1,204.69	\$ 1,677.53	\$ 2,150.37	\$ 2,780.83
Proposed	\$ 555.89	\$ 1,210.40	\$ 1,701.29	\$ 2,192.17	\$ 2,846.69
Change	-3.20%	0.47%	1.42%	1.94%	2.37%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE60 - Medium two rate 7 day



Annual Tariff Report 2008

1.7.3 Large Low Voltage Customer Tariffs > 150 kVA and > 400MWh

Large customers are those customers who consume more than 400 MWh per annum, or a demand of greater than 150 kVA. Examples of large customers are large industrial sites, commercial buildings, and large public owned enterprises.

NEE71 – LV Large < 750 MWh Tariff (closed to new entrants)

NEE71 - LV Large < 750 MWh tariff applies to all large customers who either consume between 400 and 750 MWh per annum and more than 150 kVA, or less than 280 kVA and more than 750 MWh.


The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NEE71 - LV Large <750 kVA

	Very Low	Low	Average	High	Very High
Energy	211.28 MWh	492.99 MWh	704.27 MWh	915.56 MWh	1,197.26 MWh
Existing	\$ 14,928.23	\$ 30,882.15	\$ 42,847.58	\$ 54,813.02	\$ 70,766.93
Proposed	\$ 14,190.52	\$ 30,204.55	\$ 42,215.07	\$ 54,225.60	\$ 70,239.63
Change	-4.94%	-2.19%	-1.48%	-1.07%	-0.75%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE71 - LV Large <750 kVA



NEE72 – LV Large > 750 MWh Tariff (closed to new entrants)

NEE72 - LV Large > 750 MWh tariff applies to customers who consume more than 280 kVA per annum and more than 750 MWh per annum.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.


Annual Tariff Report 2008

NEE72 - LV Large > 750 kVA

	Very Low	Low	Average	High	Very High
Energy	619.05 MWh	1,444.45 MWh	2,063.50 MWh	2,682.54 MWh	3,507.94 MWh
Existing	\$ 33,748.53	\$ 74,796.16	\$ 105,581.88	\$ 136,367.61	\$ 177,415.24
Proposed	\$ 31,789.82	\$ 71,269.59	\$ 100,879.41	\$ 130,489.23	\$ 169,968.99
Change	-5.80%	-4.71%	-4.45%	-4.31%	-4.20%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE72 - LV Large > 750 kVA



NEE74 – LV Large Two Rate 5-day Tariff (closed to new entrants)

The LV Large two rate 5-day tariff is for network customers who consume between 400 MWh and 750 MWh, and who were originally on the franchise retail maximum uniform tariff DH/DL.

No comparison is given for 'Very Low' consumption, as this would be below the minimum consumption for network tariff NEE74.


NEE74 - Large two rate 5 day

	Very Low	Low	Average	High	Very High
Energy	193.09 MWh	450.54 MWh	643.62 MWh	836.71 MWh	1,094.16 MWh
Existing	\$ 16,153.83	\$ 37,539.45	\$ 53,578.66	\$ 69,617.88	\$ 91,003.50
Proposed	\$ 15,821.33	\$ 36,816.17	\$ 52,562.30	\$ 68,308.44	\$ 89,303.28
Change	-2.06%	-1.93%	-1.90%	-1.88%	-1.87%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2008

NEE74 - Large two rate 5 day



NEE75 – LV Large Multi-rate <750 MWh Tariff

NEE75 was introduced in 2003 and applies to all large customers who either consume between 400 and 750 MWh per annum and more than 150 kVA, or less than 280 kVA and more than 750 MWh. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.


NEE75 - Large multi-rate <750MWh

	Very Low	Low	Average	High	Very High
Energy	184.26 MWh	429.95 MWh	614.21 MWh	798.47 MWh	1,044.16 MWh
Existing	\$ 12,413.22	\$ 25,013.77	\$ 34,464.19	\$ 43,914.60	\$ 56,515.16
Proposed	\$ 11,967.52	\$ 25,017.54	\$ 34,805.06	\$ 44,592.58	\$ 57,642.61
Change	-3.59%	0.02%	0.99%	1.54%	1.99%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2008

NEE75 - Large multi-rate <750MWh



NEE76 – LV Large Multi-rate >750 MWh Tariff

NEE76 was introduced in 2003 and applies to all large customers who consume more than 280 kVA per annum and more than 750 MWh per annum. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.


The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NEE76 - Large multi-rate >750MWh

	Very Low	Low	Average	High	Very High
Energy	141.05 MWh	329.12 MWh	470.17 MWh	611.22 MWh	799.29 MWh
Existing	\$ 8,971.72	\$ 16,983.62	\$ 22,992.54	\$ 29,001.46	\$ 37,013.36
Proposed	\$ 8,413.55	\$ 16,724.95	\$ 22,958.50	\$ 29,192.05	\$ 37,503.45
Change	-6.22%	-1.52%	-0.15%	0.66%	1.32%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE76 - Large multi-rate >750MWh



Annual Tariff Report 2008

NEE77 – LV Large Multi-rate > 550kVA and > 2 GWh Tariff

NEE77 was introduced in 2007 and applies to all large customers who consume more than 2 GWh per annum with a minimum demand of 550 kVA per annum. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.


The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NEE77 - Large multi-rate >2000 MWh

	Very Low	Low	Average	High	Very High
Energy	532.63 MWh	1,242.81 MWh	1,775.45 MWh	2,308.08 MWh	3,018.26 MWh
Existing	\$ 25,492.28	\$ 55,531.59	\$ 78,061.08	\$ 100,590.56	\$ 130,629.87
Proposed	\$ 25,263.71	\$ 56,042.00	\$ 79,125.71	\$ 102,209.42	\$ 132,987.71
Change	-0.90%	0.92%	1.36%	1.61%	1.80%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE77 - Large multi-rate >2000 MWh



NEE78 – LV Large Multi-rate > 850kVA & > 4 GWh Tariff

NEE78 was introduced in 2007 and applies to all large customers who consume more than 4 GWh per annum with a minimum demand of 850 kVA per annum. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.


Annual Tariff Report 2008

NEE78 - Large multi-rate >4000 MWh

	Very Low	Low	Average	High	Very High
Energy	1,078.73 MWh	2,517.04 MWh	3,595.77 MWh	4,674.51 MWh	6,112.82 MWh
Existing	\$ 45,383.97	\$ 101,945.53	\$ 144,366.71	\$ 186,787.88	\$ 243,349.44
Proposed	\$ 45,559.72	\$ 103,399.35	\$ 146,779.07	\$ 190,158.79	\$ 247,998.42
Change	0.39%	1.43%	1.67%	1.80%	1.91%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE78 - Large multi-rate >4000 MWh



1.7.4 High Voltage Tariffs (Nominal Voltage > 1000 Volts)

NEE81 – High Voltage Tariff

The High Voltage Demand tariff applies to high voltage customers such as large processors, manufacturers, and refineries. These customers receive supply at 6.6 kV or above, and have a maximum demand of at least 1.15 MVA.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.


NEE81 - HV kVA

	Very Low	Low	Average	High	Very High
Energy	3,054.04 MWh	7,126.09 MWh	10,180.13 MWh	13,234.17 MWh	17,306.22 MWh
Existing	\$ 81,435.46	\$ 186,035.28	\$ 264,485.14	\$ 342,935.00	\$ 447,534.81
Proposed	\$ 77,741.10	\$ 178,489.23	\$ 254,050.33	\$ 329,611.43	\$ 430,359.57
Change	-4.54%	-4.06%	-3.95%	-3.89%	-3.84%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2008

NEE81 - HV kVA



NEE82 – Traction Tariff


NEE82 was introduced in 2003 and includes a shoulder rate that reflects daily usage patterns. All High Voltage traction sites were reassigned to this tariff.

NEE82 - Traction

	Very Low	Low	Average	High	Very High
Energy	1,224.74 MWh	2,857.73 MWh	4,082.48 MWh	5,307.22 MWh	6,940.21 MWh
Existing	\$ 43,997.83	\$ 98,680.81	\$ 139,693.05	\$ 180,705.28	\$ 235,388.26
Proposed	\$ 41,729.28	\$ 94,461.65	\$ 134,010.92	\$ 173,560.20	\$ 226,292.57
Change	-5.16%	-4.28%	-4.07%	-3.95%	-3.86%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE82 - Traction



Annual Tariff Report 2008

NEE83 – Small High Voltage Demand Tariff


This tariff applies to HV (NEE81) customers who have only small levels of consumption and demand. Assignment to this tariff is limited to customers with low load and energy requirements.

NEE83 - Small HV

	Very Low	Low	Average	High	Very High
Energy	339.52 MWh	792.21 MWh	1,131.73 MWh	1,471.25 MWh	1,923.94 MWh
Existing	\$ 19,714.36	\$ 42,019.38	\$ 58,748.14	\$ 75,476.90	\$ 97,781.91
Proposed	\$ 18,370.05	\$ 39,956.77	\$ 56,146.82	\$ 72,336.86	\$ 93,923.59
Change	-6.82%	-4.91%	-4.43%	-4.16%	-3.95%

The chart below shows 2008 DUoS and TUoS charges as a proportion of the network charge for an average user.

NEE83 - Small HV



1.7.5 Sub-transmission Customer Tariffs

SP AusNet has only a small number of customers taking supply directly from the sub-transmission system. These customers are very diverse in terms of their location, the size of their load and their annual energy use. In recognition of this diversity, SP AusNet has developed a pricing methodology that is based on customer's size and distance from Terminal Stations.

NEE91 – Sub-transmission Tariff

NEE91 – Sub-transmission tariff applies to customers who have a maximum demand less than 25000kVa and less than 20 km's from the terminal station.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

Annual Tariff Report 2008

NEE94 – Sub-transmission >25000kVA <20km from Terminal Station

This network tariff recognises that customers with very high load and usage located less than 20km from a Terminal Station impose a lower cost per kVA and kWh than do those with either lower load and usage or longer lines required to supply them. The 20km limit was chosen, as it is consistent with other market definitions of long and short sub-transmission lines.

NEE95 – Sub-transmission <25000kVA >20km from Terminal Station


SP AusNet owns and operates an extensive sub-transmission system in South west Gippsland and East Gippsland out of Morwell West Terminal Station and in North East Victoria out of Glenrowan Terminal Station, Mount Beauty Terminal Station and Thomastown Terminal Station. The urban network in the outer eastern suburbs of Melbourne is also quite extensive. Sub-transmission customers require a significant portion of these line assets to be held in reserve for their use. Furthermore, if high voltage customers transfer to sub-transmission supply they reduce the utilisation of significant portions of zone substation investment in these areas. SP AusNet has introduced this tariff in recognition of the higher costs associated with supplying remote sub-transmission customers as opposed to those that are relatively close to a Terminal Station.

The impact of 2004 and 2008 sub-transmission tariffs on customers is shown below as a single average.¹

All 90s

	Very Low	Low	Average	High	Very High
Energy	23,594.65 MWh	55,054.17 MWh	78,648.82 MWh	102,243.46 MWh	133,702.99 MWh
Existing	\$ 210,587.91	\$ 468,022.98	\$ 661,099.29	\$ 854,175.60	\$ 1,111,610.67
Proposed	\$ 204,874.33	\$ 459,373.43	\$ 650,247.75	\$ 841,122.08	\$ 1,095,621.18
Change	-2.71%	-1.85%	-1.64%	-1.53%	-1.44%

All 90s



¹ A single average is given for subtransmission customers as further disaggregated information may be commercially sensitive.

Annual Tariff Report 2008

1.8 Parent tariff categories

Category	Parent	Sub Class 1	Sub Class 2
Small Customers	NEE10 [⌋]	NEE11	NEN11
	NEE20	NEN20	
	NEE30 [⌋]	NEE31 [⌋]	
		NEE32 [⌋]	
Medium Customers	NEE40 [⌋]	NEE12	NEN12
	NEE51 [⌋]	NEE21	NEN21
		NEE56	NEN56
		NEE74 [⌋]	
	NEE60 [⌋]		
Large Customers	NEE70 [⌋]	NEE71 [⌋]	NEE75
		NEE72 [⌋]	NEE76
			NEE77
			NEE78
High Voltage	NEE80 [⌋]	NEE81	NEE82
			NEE83
Sub transmission	NEE90 [⌋]	NEE91	NEE92
			NEE94

1.9 Combination Tariffs

Tariffs	NEE11	NEE12	NEE40
NEE30	NEE13 [⌋]	NEE16 [⌋]	NEE41 [⌋]
NEE31	NEE14 [⌋]	NEE17 [⌋]	NEE42 [⌋]
NEE32	NEE15 [⌋]	NEE18 [⌋]	NEE43 [⌋]

Tariffs	NEN11	NEN12
NEE30	NEN13 [×]	NEN16 [×]
NEE31	NEN14 [×]	NEN17 [×]
NEE32	NEN15 [×]	NEN18 [×]

[⌋] Closed to new entrants
[⌋] Closed and customers transferred

1.10 Closed Tariffs

Tariffs Closed & Customers Transferred - SP AusNet has not closed any tariffs in 2008

Tariffs Closed to New Entrants - SP AusNet has not closed any tariffs in 2008

Annual Tariff Report 2008

1.11 Forthcoming changes in network tariffs

SP AusNet has introduced five new tariffs for customers taking supply from a low voltage network owned and maintained by a third party in 2008. Tariffs NEN11, NEN12, NEN20, NEN21 and NEN56 provide these customers with an opportunity to shift to a more cost reflective tariff. The introduction of these tariffs furthers SP AusNet's intention to make tariffs more cost reflective for the individual tariff groups. These tariffs will reduce the cost burden for a number of small and medium customers that are connected to a third party (embedded) network as outlined in SP AusNet's Strategy Report.

Interval meters will allow SP AusNet to capture more information, allowing SP AusNet to create more cost reflective and sophisticated tariffs. This is a process was due to start in 2006, however, it is now not expected that it will start until 2009. The start has been delayed because of the review initiated by the Department of Infrastructure. This review is still to be finalised.

1.12 Upper and lower bounds

SP AusNet has modelled the tariffs based on long run marginal costs and allocated costs to tariff classes based on each classes' contribution to network maximum demand.

1.13 Pricing and future investment requirements

Time of use charges. Peak prices are higher than off peak charges as most of the future investment requirement is caused by peak usage.

SP AusNet's new tariffs will associate the variable tariff component with the pertinent variable costs of consumption. These costs will, where possible, have regard to the long run marginal costs consumption. When consumption is priced at long run marginal cost only efficient consumption occurs.

It is of course immensely difficult to accurately measure the long run marginal costs of consumption. These are in a state of constant flux, and are affected by both short and long run factors, they are reliant on accurate consumption forecasts, accurate costing of capital and labour costs, accurate knowledge of the timing of required capital investments costs and perfect information of future technological advances.

For this reason a certain amount of pragmatism is required in the allocation of variable costs to the variable tariff components. SP AusNet has undertaken a comprehensive allocation of variable costs between customer groups, tariffs, and tariff components, whilst having regard also to the long run marginal costs of consumption changes.

The fixed component of a customer's total bill is driven by those costs that do not vary with levels of consumption.

1.14 Re-assignments that have occurred and will take place, including a rationale



SP AusNet does not intend to undertake any mandatory re-assignments for the forthcoming period (1st January 2008 –31st December 2008). Any long term re-assignments plan beyond this period can be found SP AusNet's Tariff Strategy Report.

Annual Tariff Report 2008



1.14.1 Power Factor Correction

When a customer takes action in order to correct their power factor, SP AusNet will immediately reduce their demand charge to what is expected with the new power factor correction. The savings for the client are substantial and SP AusNet benefits from a more efficient use of the network.

The following charts give the details on kVAR installed, dollar savings and customers.



Annual Tariff Report 2008



1.14.1.1. Other load and demand management

1.14.2 Demand Reset under 12 month notice Period

Customers who manage the level of demand are entitled to apply for a demand reset, but a 12 month waiting period applies.

Annual Tariff Report 2008

2 Usage/Quantity Information

2.1 Details on quantities (usage and customer numbers)

SP AusNet has provided information regarding customer numbers and energy usage as requested by the regulator. The following table summarises the number of customers and annual usage by network tariff.

Network Tariff	2006 Actual		2007 Estimate		2008 Forecast	
	Customers	GWh	Customers	GWh	Customers	GWh
NEE11 - Small single rate	467,379	2,341,226	474,618	2,360,783	474,854	2,406,168
NEN11 - Small single rate	-	-	-	-	4,914	18,626
NEE12 - Small business single rate	27,721	179,370	27,945	183,836	25,502	171,550
NEN12 - Small business single rate	-	-	-	-	2,834	19,061
NEE20 - Small two rate	47,811	404,214	49,853	427,033	52,562	455,618
NEN20 - Small two rate	-	-	-	-	544	3,529
NEE21 - Small business two rate	26,784	689,729	26,994	712,460	24,622	664,576
NEN21 - Small business two rate	-	-	-	-	2,736	73,842
NEE23 - Photovoltaic	86	554	87	585	87	596
NEE30 - Small dedicated circuit	133,141	340,920	134,458	343,734	134,458	349,758
NEE31 - Small dedicated circuit - afternoon boost	19,665	142,090	19,866	138,483	19,866	140,915
NEE32 - Dedicated circuit 8 to 8	1,150	2,952	1,162	2,988	1,162	3,040
NEE40 - Medium single rate	3,049	35,207	3,053	35,912	3,053	36,738
NEE51 - Medium two rate 5 day	4,672	557,094	4,666	565,403	4,641	575,372
NEE54 - Medium two rate 5 day interruptible	-	-	1	287	1	287
NEE55 - Snowfields *	N/A	N/A	N/A	N/A	N/A	N/A
NEE56 - Medium demand multi-rate	179	51,232	233	58,451	314	75,100
NEN56 - Medium demand multi-rate	-	-	-	-	35	8,344
NEE60 - Medium two rate 7 day	8,116	161,837	8,163	166,501	8,238	171,859
NEE52 - Unmetered	-	75,938	80	77,140	80	78,914
NEE71 - LV Large <750 kVA	334	235,071	292	179,530	202	119,364
NEE72 - LV Large > 750 kVA	242	500,376	186	276,143	67	31,843
NEE74 - Large two rate 5 day	28	18,333	28	18,472	28	18,897
NEE75 - Large multi-rate <750MWh	117	71,608	163	128,877	259	191,715
NEE76 - Large multi-rate >750MWh	41	19,446	54	31,965	81	45,328
NEE77 - Large multi-rate >2000 MWh	116	206,013	152	338,674	226	480,256
NEE78 - Large multi-rate >4000 MWh	44	156,979	57	258,074	85	365,962
NEE8x - High Voltage	86	688,457	87	710,570	88	735,979
NEE9x - Subtransmission & Latrobe Valley Generators	11	519,110	11	529,509	11	541,372

* Data not published to ensure customer confidentiality

2.2 Future Network constraints

SP AusNet produces a Distribution System Planning Report, which outlines SP AusNet's plans to meet predicted demand for electricity and to improve reliability for customers. This report is available on SP AusNet's website at www.sp-ausnet.com.au

3 Annual Adjustment Variables

In 2008, SP AusNet has reduced distribution tariffs by 2.28% on average. The maximum increase on any tariff is 2.23%. The changes are made up of the following:

Annual Tariff Report 2008

Price Variation Elements	Percentage
CPI	1.9%
X Factor	2.5%
S Factor	(1.5801%)
L Factor	0.02%

CPI: September Quarter of All Groups, Weighted Average of eight capital cities;

X Factor: Approved price path for regulatory period 2006-2010;

S Factor: Incentive mechanism on reliability that rewards (or penalises) distributors on the basis of performance against target.

L Factor Adjustment for variation in Distribution Licence fee

Annual Tariff Report 2008


3.1 Effect on individual tariffs components

Proposed tariff	Percentage Change		
	DUos	TUos	Total
NEE11 - Small single rate	-2.25%	-4.01%	-2.64%
NEN11 - Small single rate	-25.65%	0.52%	-26.48%
NEE12 - Small business single rate	-0.62%	-0.87%	-0.66%
NEN12 - Small business single rate	-24.39%	-0.67%	-26.43%
NEE20 - Small two rate	-0.34%	-1.07%	-0.45%
NEN20 - Small two rate	-16.42%	-0.81%	-16.56%
NEE21 - Small business two rate	-1.54%	-1.10%	-1.51%
NEN21 - Small business two rate	-20.91%	-0.32%	-22.64%
NEE23 - Photovoltaic	-9.56%	-1.40%	-8.79%
NEE30 - Small dedicated circuit	-10.03%	-6.63%	-10.52%
NEE31 - Small dedicated circuit - afternoon boost	-9.83%	-2.11%	-9.18%
NEE32 - Dedicated circuit 8 to 8	-9.37%	-1.56%	-8.72%
NEE40 - Medium single rate	2.01%	1.29%	1.87%
NEE51 - Medium two rate 5 day	0.12%	-1.18%	-0.03%
NEE54 - Medium two rate 5 day interruptible	-6.62%	5.81%	-5.74%
NEE55 - Snowfields	2.16%	5.80%	2.66%
NEE56 - Medium demand multi-rate	1.11%	-1.11%	0.78%
NEN56 - Medium demand multi-rate	-7.31%	-1.07%	-6.86%
NEE60 - Medium two rate 7 day	1.58%	0.11%	1.40%
NEE52 - Unmetered	1.88%	0.67%	1.70%
NEE71 - LV Large <750 MWh	-1.63%	-0.61%	-1.50%
NEE72 - LV Large > 750 MWh	-5.24%	-0.61%	-4.66%
NEE74 - Large two rate 5 day	-2.15%	0.07%	-1.93%
NEE75 - Large multi-rate <750MWh	1.19%	-0.08%	0.98%
NEE76 - Large multi-rate >750MWh	-0.91%	5.79%	-0.15%
NEE77 - Large multi-rate >2000 MWh	1.78%	-0.38%	1.35%
NEE78 - Large multi-rate >4000 MWh	2.23%	-0.42%	1.64%
NEE81 - HV kVA	-5.06%	-1.23%	-4.11%
NEE82 - Traction	-5.35%	0.05%	-4.24%
NEE83 - Small HV	-6.03%	5.81%	-4.63%
NEE91 - ST kVA	-6.18%	-0.09%	-2.06%
NEE94 - Subtransmission demand	-4.71%	-0.89%	-2.86%
NEE95 - Subtransmission demand	-5.17%	-0.54%	-1.79%
	-6.33%	-0.83%	-3.85%

Annual Tariff Report 2008

3.2 Impact of Network Tariffs

The following section provides a brief description of how SP AusNet has evaluated the impact on Network Tariffs as set out in section 1.5 where a comparison of the impact of changes between 2007 and 2008 Network Tariffs has been made. SP AusNet has made an evaluation of the impact by using five usage levels – very low, low, average, high and very high. Average consumption is calculated by dividing energy by the number of customers.² The remaining usage levels are calculated by applying a percentage, as shown below, to the average rate.



To assess the impact of demand tariffs, a demand level was estimated according to the calculated consumption level in proportion to totals for the network tariff concerned. The demand charge used is the highest of either the calculated amount or the minimum demand for the tariff.


It should be noted that the calculated charges are based on SP AusNet customers and therefore are not comparable to the charges applicable to similar network tariffs for other Distribution Businesses.

² Energy and customer numbers used relate to 2006, which are consistent with those submitted to the Essential Services Commission as part of the 2008 Network Tariff Submission.

Annual Tariff Report 2008

4 Attachments

Attachment 1



Annual Tariff Report 2008

Schedule of Distribution Use of System Tariffs

Small Customer Tariffs

Applies to < 90kVA & < 160 MWh/pa

NEE11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 16.00
	Energy – First 1020/Quarter	c/kWh	4.340
	Energy – Balance	c/kWh	5.076
NEN11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 15.00
	Energy – First 1020/Quarter	c/kWh	3.255
	Energy – Balance	c/kWh	3.840
NEE12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 22.00
	Energy – First 1020/Quarter	c/kWh	5.720
	Energy – Balance	c/kWh	6.530
NEN12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 21.00
	Energy – First 1020/Quarter	c/kWh	4.290
	Energy – Balance	c/kWh	4.900
NEE13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 23.00
	Energy – First 1020/Quarter	c/kWh	4.340
	Energy – Balance	c/kWh	5.076
	Off Peak Energy	c/kWh	1.728
NEN13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 22.00
	Energy – First 1020/Quarter	c/kWh	3.255
	Energy – Balance	c/kWh	3.840
	Off Peak Energy	c/kWh	1.728

Annual Tariff Report 2008

Schedule of Distribution Use of System Tariffs

NEE14 *Small Residential single rate & Dedicated Circuit – afternoon boost (closed to new entrants)**Franchise Tariffs GD,GR & J,J6,JT,J8*

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 23.00
Energy – First 1020/Quarter	c/kWh	4.340
Energy – Balance	c/kWh	5.076
Off Peak Energy	c/kWh	1.413

NEN14 *Small Residential single rate & Dedicated Circuit – afternoon boost (closed**Franchise Tariffs GD,GR & J,J6,JT,J8*

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 22.00
Energy – First 1020/Quarter	c/kWh	3.255
Energy – Balance	c/kWh	3.840
Off Peak Energy	c/kWh	1.413

NEE15 *Small Residential single rate & Dedicated circuit 8 to 8 (closed to new**Franchise Tariffs GD,GR & Y6,YT,Y8*

Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 23.00
Energy – First 1020/Quarter	c/kWh	4.340
Energy – Balance	c/kWh	5.076
Off Peak Energy	c/kWh	1.400

NEN15 *Small Residential single rate & Dedicated circuit 8 to 8 (closed to new**Franchise Tariffs GD,GR & Y6,YT,Y8*

Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 22.00
Energy – First 1020/Quarter	c/kWh	3.255
Energy – Balance	c/kWh	3.840
Off Peak Energy	c/kWh	1.400

NEE16 *Small Business single rate & Dedicated Circuit (closed to new entrants)**Franchise Tariffs B,E,G,N & Y6,YT,Y8*

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 29.00
Energy – First 1020/Quarter	c/kWh	5.720
Energy – Balance	c/kWh	6.530
Off Peak Energy	c/kWh	1.728

Annual Tariff Report 2008

Schedule of Distribution Use of System Tariffs

NEN16 Small Business single rate & Dedicated Circuit (closed to new entrants)

Franchise Tariffs B,E,G,N & Y6,YT,Y8

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 28.00
Energy – First 1020/Quarter	c/kWh	4.290
Energy – Balance	c/kWh	4.900
Off Peak Energy	c/kWh	1.728

NEE17 Small Business single rate & Dedicated Circuit – afternoon boost (closed to

Franchise Tariffs B,E,G,N & J,J6,JT,J8

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 29.00
Energy – First 1020/Quarter	c/kWh	5.720
Energy – Balance	c/kWh	6.530
Off Peak Energy	c/kWh	1.413

NEN17 Small Business single rate & Dedicated Circuit – afternoon boost (closed to

Franchise Tariffs B,E,G,N & J,J6,JT,J8

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 28.00
Energy – First 1020/Quarter	c/kWh	4.290
Energy – Balance	c/kWh	4.900
Off Peak Energy	c/kWh	1.413

NEE18 Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)

Franchise Tariffs B,E,G,N & Y6,YT,Y8

Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 29.00
Energy – First 1020/Quarter	c/kWh	5.720
Energy – Balance	c/kWh	6.530
Off Peak Energy	c/kWh	1.400

NEN18 Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)

Franchise Tariffs B,E,G,N & Y6,YT,Y8

Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 28.00
Energy – First 1020/Quarter	c/kWh	4.290
Energy – Balance	c/kWh	4.900
Off Peak Energy	c/kWh	1.400

Annual Tariff Report 2008

Schedule of Distribution Use of System Tariffs

NEE20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 37.00
	Peak Energy	c/kWh	6.660
	Off Peak Energy	c/kWh	1.820
NEN20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 36.00
	Peak Energy	c/kWh	4.995
	Off Peak Energy	c/kWh	1.842
NEE21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 65.00
	Peak Energy	c/kWh	8.080
	Off Peak Energy	c/kWh	2.420
NEN21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 64.00
	Peak Energy	c/kWh	6.060
	Off Peak Energy	c/kWh	2.400
NEE23	<i>Photovoltaic</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Summer demand – 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 83.00
	Peak Energy	c/kWh	3.370
	Off Peak Energy	c/kWh	1.057
	Summer peak payment	c/kWh	3.051

Annual Tariff Report 2008

Schedule of Distribution Use of System Tariffs

NEE30	<i>Dedicated circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.00
	Off Peak Energy	c/kWh	1.728
NEE31	<i>Dedicated circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs J,J6,JT,J8</i>		
	Off Peak – 3 hours per afternoon 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.00
	Off Peak Energy	c/kWh	1.413
NEE32	<i>Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.00
	Off Peak Energy	c/kWh	1.400
NEE40	<i>Medium single rate (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 24.00
	Energy - All Consumption	c/kWh	6.730
NEE41	<i>Medium single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 31.00
	Peak Energy	c/kWh	6.730
	Off Peak Energy	c/kWh	1.728
NEE42	<i>Medium single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 31.00
	Peak Energy	c/kWh	6.730
	Off Peak Energy	c/kWh	1.413
NEE43	<i>Medium single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 31.00
	Peak Energy	c/kWh	6.730
	Off Peak Energy	c/kWh	1.400

Annual Tariff Report 2008

Schedule of Distribution Use of System Tariffs

Medium Customer Tariffs

Applies to > 50kVA & > 160 MWh/pa and < 400 MWh/pa

NEE51 Medium two rate 5 Day (closed to new entrants)

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 65.00
-----------------	----------------	----------

Peak Energy	c/kWh	8.820
-------------	-------	-------

Off Peak Energy	c/kWh	2.395
-----------------	-------	-------

NEE52 Unmetered supplies

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Peak Energy	c/kWh	5.654
-------------	-------	-------

Off Peak Energy	c/kWh	3.830
-----------------	-------	-------

NEE54 Medium Demand multi-rate Interruptible

Available as an alternative to NEE21, NEE51 or NEE56 in locations SPI Networks interruptability infrastructure is established. Further conditions available from SPI Networks Pty Ltd

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 800.00
-----------------	----------------	-----------

Peak Energy	c/kWh	2.680
-------------	-------	-------

Shoulder Energy	c/kWh	2.140
-----------------	-------	-------

Off Peak Energy	c/kWh	2.030
-----------------	-------	-------

Contract Demand	\$/kVA pa	26.790
-----------------	-----------	--------

Minimum Demand 50 kVA

NEE55 Snowfields

Peak Times – 1 May to 30 September

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 24.00
-----------------	----------------	----------

Peak Energy	c/kWh	6.142
-------------	-------	-------

Off Peak Energy	c/kWh	0.526
-----------------	-------	-------

Annual Tariff Report 2008

Schedule of Distribution Use of System Tariffs

NEE56 *Medium demand multi-rate*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 1,100.00
-----------------	----------------	-------------

Peak Energy	c/kWh	5.540
-------------	-------	-------

Shoulder Energy	c/kWh	3.054
-----------------	-------	-------

Off Peak Energy	c/kWh	2.582
-----------------	-------	-------

Contract Demand	\$/kVA pa	38.270
-----------------	-----------	--------

Minimum Demand 50 kVA

NEN56 *Medium demand multi-rate*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 1,100.00
-----------------	----------------	-------------

Peak Energy	c/kWh	4.627
-------------	-------	-------

Shoulder Energy	c/kWh	2.459
-----------------	-------	-------

Off Peak Energy	c/kWh	2.581
-----------------	-------	-------

Contract Demand	\$/kVA pa	38.270
-----------------	-----------	--------

Minimum Demand 50 kVA

NEE60 *Medium two rate 7 Day (closed to new entrants)*

Peak Times – 7:00AM to 11:00PM Monday – Sunday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 65.00
-----------------	----------------	----------

Peak Energy	c/kWh	8.360
-------------	-------	-------

Off Peak Energy	c/kWh	4.150
-----------------	-------	-------

Annual Tariff Report 2008

Schedule of Distribution Use of System Tariffs

Large Customer Tariffs

Applies to > 150kVA & > 400 MWh/pa

NEE71	Large demand - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	3.630
	Off Peak Energy	c/kWh	2.420
	Contract Demand	\$/kVA pa	42.520
	Minimum Demand 150kVA		
NEE72	Large demand - > 280kVA & > 750MWh/pa (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	2.840
	Off Peak Energy	c/kWh	1.414
	Contract Demand	\$/kVA pa	49.970
	Minimum Demand 280kVA		
NEE74	Large two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 75.20
	Peak Energy	c/kWh	10.720
	Off Peak Energy	c/kWh	2.114
NEE75	Large demand multi-rate - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	2.863
	Shoulder Energy	c/kWh	2.377
	Off Peak Energy	c/kWh	2.466
	Contract Demand	\$/kVA pa	49.080
	Minimum Demand 150kVA		

Annual Tariff Report 2008

Schedule of Distribution Use of System Tariffs

NEE76	<i>Large demand multi-rate - > 280kVA & > 750MWh/pa</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	2.495
	Shoulder Energy	c/kWh	2.096
	Off Peak Energy	c/kWh	1.725
	Contract Demand	\$/kVA pa	57.680
	Minimum Demand 280kVA		
NEE77	<i>Large demand multi-rate - > 550kVA & > 2000MWh/pa</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	1.966
	Shoulder Energy	c/kWh	1.572
	Off Peak Energy	c/kWh	1.072
	Contract Demand	\$/kVA pa	69.300
	Minimum Demand 550kVA		
NEE78	<i>Large demand multi-rate - > 850kVA & > 4000MWh/pa</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	1.205
	Shoulder Energy	c/kWh	1.100
	Off Peak Energy	c/kWh	0.750
	Contract Demand	\$/kVA pa	78.100
	Minimum Demand 850kVA		

High Voltage Tariffs

Applies to 22,000 Volt supplies

NEE81	<i>High Voltage demand</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	0.509
	Off Peak Energy	c/kWh	0.322
	Contract Demand	\$/kVA pa	49.040
	Minimum Demand 1150kVA		

Annual Tariff Report 2008

Schedule of Distribution Use of System Tariffs

NEE82	<i>Traction</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	0.642
	Shoulder Energy	c/kWh	0.477
	Off Peak Energy	c/kWh	0.339
	Contract Demand	\$/kVA pa	45.650
	Minimum Demand 1150kVA		

NEE83	<i>Small High Voltage demand</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	5.703
	Shoulder Energy	c/kWh	4.562
	Off Peak Energy	c/kWh	0.385
	Contract Demand	\$/kVA pa	11.430
	Minimum Demand 150kVA		

Subtransmission Tariffs

Applies to 66,000 Volt supplies

NEE91	<i>Subtransmission demand - <25000kVA and < 20km from Terminal Station</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 14,000.00
	Peak Energy	c/kWh	0.204
	Off Peak Energy	c/kWh	0.009
	Contract Demand	\$/kVA pa	8.120
	Minimum Demand 10500kVA		

NEE94	<i>Subtransmission demand - >25000kVA and < 20km from Terminal Station</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 14,000.00
	Peak Energy	c/kWh	0.192
	Off Peak Energy	c/kWh	0.029
	Contract Demand	\$/kVA pa	5.090
	Minimum Demand 25000kVA		

NEE95	<i>Subtransmission demand - <25000kVA and > 20km from Terminal Station</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 14,000.00
	Peak Energy	c/kWh	0.207
	Off Peak Energy	c/kWh	0.028
	Contract Demand	\$/kVA pa	7.470
	Minimum Demand 10500kVA		

Annual Tariff Report 2008

Schedule of Transmission Use of System Tariffs

Small Customer Tariffs

Applies to < 90kVA & < 160 MWh/pa

NEE11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.060
	Energy – Balance	c/kWh	1.157
NEN11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.141
	Energy – Balance	c/kWh	1.156
NEE12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.122
	Energy – Balance	c/kWh	1.137
NEN12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.121
	Energy – Balance	c/kWh	1.141
NEE13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.060
	Energy – Balance	c/kWh	1.157
	Off Peak Energy	c/kWh	0.366
NEN13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.141
	Energy – Balance	c/kWh	1.156
	Off Peak Energy	c/kWh	0.366

Annual Tariff Report 2008

Schedule of Transmission Use of System Tariffs

NEE14 Small Residential single rate & Dedicated Circuit – afternoon boost (closed)*Franchise Tariffs GD,GR & J,J6,JT,J8*

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy – First 1020/Quarter	c/kWh	1.060
Energy – Balance	c/kWh	1.157
Off Peak Energy	c/kWh	0.371

NEN14 Small Residential single rate & Dedicated Circuit – afternoon boost (closed)*Franchise Tariffs GD,GR & J,J6,JT,J8*

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy – First 1020/Quarter	c/kWh	1.141
Energy – Balance	c/kWh	1.156
Off Peak Energy	c/kWh	0.371

NEE15 Small Residential single rate & Dedicated circuit 8 to 8 (closed to new)*Franchise Tariffs GD,GR & Y6,YT,Y8*

Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy – First 1020/Quarter	c/kWh	1.060
Energy – Balance	c/kWh	1.157
Off Peak Energy	c/kWh	0.378

NEN15 Small Residential single rate & Dedicated circuit 8 to 8 (closed to new)*Franchise Tariffs GD,GR & Y6,YT,Y8*

Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy – First 1020/Quarter	c/kWh	1.141
Energy – Balance	c/kWh	1.156
Off Peak Energy	c/kWh	0.378

NEE16 Small Business single rate & Dedicated Circuit (closed to new entrants)*Franchise Tariffs B,E,G,N & Y6,YT,Y8*

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy – First 1020/Quarter	c/kWh	1.122
Energy – Balance	c/kWh	1.137
Off Peak Energy	c/kWh	0.366

Annual Tariff Report 2008

Schedule of Transmission Use of System Tariffs

NEN16	<i>Small Business single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.121
	Energy – Balance	c/kWh	1.141
	Off Peak Energy	c/kWh	0.366
NEE17	<i>Small Business single rate & Dedicated Circuit – afternoon boost (closed to</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.122
	Energy – Balance	c/kWh	1.137
	Off Peak Energy	c/kWh	0.371
NEN17	<i>Small Business single rate & Dedicated Circuit – afternoon boost (closed to</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.121
	Energy – Balance	c/kWh	1.141
	Off Peak Energy	c/kWh	0.371
NEE18	<i>Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.122
	Energy – Balance	c/kWh	1.137
	Off Peak Energy	c/kWh	0.378
NEN18	<i>Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.121
	Energy – Balance	c/kWh	1.141
	Off Peak Energy	c/kWh	0.378

Annual Tariff Report 2008

Schedule of Transmission Use of System Tariffs

NEE20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.947
	Off Peak Energy	c/kWh	0.553
NEN20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.952
	Off Peak Energy	c/kWh	0.553
NEE21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.985
	Off Peak Energy	c/kWh	0.553
NEN21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.996
	Off Peak Energy	c/kWh	0.553
NEE23	<i>Photovoltaic</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Summer demand – 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.994
	Off Peak Energy	c/kWh	0.553
	Summer peak payment	c/kWh	-

Annual Tariff Report 2008

Schedule of Transmission Use of System Tariffs

NEE30	<i>Dedicated circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.366
NEE31	<i>Dedicated circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs J,J6,JT,J8</i>		
	Off Peak – 3 hours per afternoon 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.371
NEE32	<i>Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.378
NEE40	<i>Medium single rate (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy - All Consumption	c/kWh	1.178
NEE41	<i>Medium single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.178
	Off Peak Energy	c/kWh	0.366
NEE42	<i>Medium single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.178
	Off Peak Energy	c/kWh	0.371
NEE43	<i>Medium single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.178
	Off Peak Energy	c/kWh	0.378

Annual Tariff Report 2008

Schedule of Transmission Use of System Tariffs

Medium Customer Tariffs

Applies to > 50kVA & > 160 MWh/pa and < 400 MWh/pa

NEE51	Medium two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.002
	Off Peak Energy	c/kWh	0.553
NEE52	Unmetered supplies		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Peak Energy	c/kWh	0.798
	Off Peak Energy	c/kWh	0.553
NEE54	Medium Demand multi-rate Interruptible		
	Available as an alternative to NEE21, NEE51 or NEE56 in locations SPI Networks interruptability infrastructure is established. Further conditions available from SPI Networks Pty Ltd		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.535
	Shoulder Energy	c/kWh	0.271
	Off Peak Energy	c/kWh	0.500
	Contract Demand	\$/kVA pa	-
	Minimum Demand 50 kVA		
NEE55	Snowfields		
	Peak Times – 1 May to 30 September		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.062
	Off Peak Energy	c/kWh	0.586

Annual Tariff Report 2008

Schedule of Transmission Use of System Tariffs

NEE56 *Medium demand multi-rate*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Peak Energy	c/kWh	1.165
-------------	-------	-------

Shoulder Energy	c/kWh	1.185
-----------------	-------	-------

Off Peak Energy	c/kWh	0.553
-----------------	-------	-------

Contract Demand	\$/kVA pa	-
-----------------	-----------	---

Minimum Demand 50 kVA

NEN56 *Medium demand multi-rate*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Peak Energy	c/kWh	1.166
-------------	-------	-------

Shoulder Energy	c/kWh	1.185
-----------------	-------	-------

Off Peak Energy	c/kWh	0.553
-----------------	-------	-------

Contract Demand	\$/kVA pa	-
-----------------	-----------	---

Minimum Demand 50 kVA

NEE60 *Medium two rate 7 Day (closed to new entrants)*

Peak Times – 7:00AM to 11:00PM Monday – Sunday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Peak Energy	c/kWh	1.079
-------------	-------	-------

Off Peak Energy	c/kWh	0.553
-----------------	-------	-------

Annual Tariff Report 2008

Schedule of Transmission Use of System Tariffs

Large Customer Tariffs

Applies to > 150kVA & > 400 MWh/pa

NEE71	Large demand - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.177
	Off Peak Energy	c/kWh	0.553
	Contract Demand	\$/kVA pa	-
	Minimum Demand 150kVA		
NEE72	Large demand - > 280kVA & > 750MWh/pa (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.076
	Off Peak Energy	c/kWh	0.553
	Contract Demand	\$/kVA pa	-
	Minimum Demand 280kVA		
NEE74	Large two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.228
	Off Peak Energy	c/kWh	0.553
NEE75	Large demand multi-rate - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.132
	Shoulder Energy	c/kWh	1.152
	Off Peak Energy	c/kWh	0.553
	Contract Demand	\$/kVA pa	-
	Minimum Demand 150kVA		

Annual Tariff Report 2008

Schedule of Transmission Use of System Tariffs

NEE76	<i>Large demand multi-rate - > 280kVA & > 750MWh/pa</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.623
	Shoulder Energy	c/kWh	0.594
	Off Peak Energy	c/kWh	0.553
	Contract Demand	\$/kVA pa	-
	Minimum Demand 280kVA		
NEE77	<i>Large demand multi-rate - > 550kVA & > 2000MWh/pa</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.073
	Shoulder Energy	c/kWh	1.092
	Off Peak Energy	c/kWh	0.553
	Contract Demand	\$/kVA pa	-
	Minimum Demand 550kVA		
NEE78	<i>Large demand multi-rate - > 850kVA & > 4000MWh/pa</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.074
	Shoulder Energy	c/kWh	1.093
	Off Peak Energy	c/kWh	0.553
	Contract Demand	\$/kVA pa	-
	Minimum Demand 850kVA		

High Voltage Tariffs

Applies to 22,000 Volt supplies

NEE81	<i>High Voltage demand</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.903
	Off Peak Energy	c/kWh	0.553
	Contract Demand	\$/kVA pa	-
	Minimum Demand 1150kVA		

Annual Tariff Report 2008

Schedule of Transmission Use of System Tariffs

NEE82	<i>Traction</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.961
	Shoulder Energy	c/kWh	0.978
	Off Peak Energy	c/kWh	0.553
	Contract Demand	\$/kVA pa	-
	Minimum Demand 1150kVA		
NEE83	<i>Small High Voltage demand</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.897
	Shoulder Energy	c/kWh	0.872
	Off Peak Energy	c/kWh	0.553
	Contract Demand	\$/kVA pa	-
	Minimum Demand 150kVA		

Subtransmission Tariffs

Applies to 66,000 Volt supplies

NEE91	<i>Subtransmission demand - <25000kVA and < 20km from Terminal Station</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.858
	Off Peak Energy	c/kWh	0.553
	Contract Demand	\$/kVA pa	-
	Minimum Demand 10500kVA		
NEE94	<i>Subtransmission demand - >25000kVA and < 20km from Terminal Station</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.828
	Off Peak Energy	c/kWh	0.553
	Contract Demand	\$/kVA pa	-
	Minimum Demand 25000kVA		

Annual Tariff Report 2008

Schedule of Transmission Use of System Tariffs

NEE95 *Subtransmission demand - <25000kVA and > 20km from Terminal Station*

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
Peak Energy	c/kWh	0.888
Off Peak Energy	c/kWh	0.553
Contract Demand	\$/kVA pa	-
Minimum Demand 10500kVA		

Annual Tariff Report 2008

Schedule of Network Use of System Tariffs

Small Customer Tariffs

Applies to < 90kVA & < 160 MWh/pa

NEE11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 16.00
	Energy – First 1020/Quarter	c/kWh	5.400
	Energy – Balance	c/kWh	6.233
NEN11	<i>Small Residential single rate embedded network</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 15.00
	Energy – First 1020/Quarter	c/kWh	4.396
	Energy – Balance	c/kWh	4.996
NEE12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 22.00
	Energy – First 1020/Quarter	c/kWh	6.842
	Energy – Balance	c/kWh	7.667
NEN12	<i>Small Business single rate embedded network</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 21.00
	Energy – First 1020/Quarter	c/kWh	5.411
	Energy – Balance	c/kWh	6.041
NEE13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 23.00
	Energy – First 1020/Quarter	c/kWh	5.400
	Energy – Balance	c/kWh	6.233
	Off Peak Energy	c/kWh	2.094
NEN13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 22.00
	Energy – First 1020/Quarter	c/kWh	4.396
	Energy – Balance	c/kWh	4.996
	Off Peak Energy	c/kWh	2.094

Annual Tariff Report 2008

Schedule of Network Use of System Tariffs

NEE14	<i>Small Residential single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 23.00
	Energy – First 1020/Quarter	c/kWh	5.400
	Energy – Balance	c/kWh	6.233
	Off Peak Energy	c/kWh	1.784
NEN14	<i>Small Residential single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 22.00
	Energy – First 1020/Quarter	c/kWh	4.396
	Energy – Balance	c/kWh	4.996
	Off Peak Energy	c/kWh	1.784
NEE15	<i>Small Residential single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 23.00
	Energy – First 1020/Quarter	c/kWh	5.400
	Energy – Balance	c/kWh	6.233
	Off Peak Energy	c/kWh	1.778
NEN15	<i>Small Residential single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 22.00
	Energy – First 1020/Quarter	c/kWh	4.396
	Energy – Balance	c/kWh	4.996
	Off Peak Energy	c/kWh	1.778
NEE16	<i>Small Business single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 29.00
	Energy – First 1020/Quarter	c/kWh	6.842
	Energy – Balance	c/kWh	7.667
	Off Peak Energy	c/kWh	2.094

Annual Tariff Report 2008

Schedule of Network Use of System Tariffs

NEN16 Small Business single rate & Dedicated Circuit (closed to new entrants)*Franchise Tariffs B,E,G,N & Y6,YT,Y8*

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 28.00
Energy – First 1020/Quarter	c/kWh	5.411
Energy – Balance	c/kWh	6.041
Off Peak Energy	c/kWh	2.094

NEE17 Small Business single rate & Dedicated Circuit – afternoon boost (closed to*Franchise Tariffs B,E,G,N & J,J6,JT,J8*

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 29.00
Energy – First 1020/Quarter	c/kWh	6.842
Energy – Balance	c/kWh	7.667
Off Peak Energy	c/kWh	1.784

NEN17 Small Business single rate & Dedicated Circuit – afternoon boost (closed to*Franchise Tariffs B,E,G,N & J,J6,JT,J8*

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 28.00
Energy – First 1020/Quarter	c/kWh	5.411
Energy – Balance	c/kWh	6.041
Off Peak Energy	c/kWh	1.784

NEE18 Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)*Franchise Tariffs B,E,G,N & Y6,YT,Y8*

Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 29.00
Energy – First 1020/Quarter	c/kWh	6.842
Energy – Balance	c/kWh	7.667
Off Peak Energy	c/kWh	1.778

NEN18 Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)*Franchise Tariffs B,E,G,N & Y6,YT,Y8*

Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 28.00
Energy – First 1020/Quarter	c/kWh	5.411
Energy – Balance	c/kWh	6.041
Off Peak Energy	c/kWh	1.778

Annual Tariff Report 2008

Schedule of Network Use of System Tariffs

NEE20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 37.00
	Peak Energy	c/kWh	7.607
	Off Peak Energy	c/kWh	2.373
NEN20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 36.00
	Peak Energy	c/kWh	5.947
	Off Peak Energy	c/kWh	2.395
NEE21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 65.00
	Peak Energy	c/kWh	9.065
	Off Peak Energy	c/kWh	2.973
NEN21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 64.00
	Peak Energy	c/kWh	7.056
	Off Peak Energy	c/kWh	2.953
NEE23	<i>Photovoltaic</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Summer demand – 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 83.00
	Peak Energy	c/kWh	4.364
	Off Peak Energy	c/kWh	1.610
	Summer peak payment	c/kWh	3.051
NEE30	<i>Dedicated circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.00
	Off Peak Energy	c/kWh	2.094

Annual Tariff Report 2008

Schedule of Network Use of System Tariffs

NEE31	<i>Dedicated circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs J,J6,JT,J8</i>		
	Off Peak – 3 hours per afternoon 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.00
	Off Peak Energy	c/kWh	1.784
NEE32	<i>Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.00
	Off Peak Energy	c/kWh	1.778
NEE40	<i>Medium single rate (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 24.00
	Energy - All Consumption	c/kWh	7.908
NEE41	<i>Medium single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 31.00
	Peak Energy	c/kWh	7.908
	Off Peak Energy	c/kWh	2.094
NEE42	<i>Medium single rate & Dedicated Circuit – afternoon boost (closed to new</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 31.00
	Peak Energy	c/kWh	7.908
	Off Peak Energy	c/kWh	1.784
NEE43	<i>Medium single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 31.00
	Peak Energy	c/kWh	7.908
	Off Peak Energy	c/kWh	1.778

Annual Tariff Report 2008

Schedule of Network Use of System Tariffs

Medium Customer Tariffs

Applies to > 50kVA & > 160 MWh/pa and < 400 MWh/pa

NEE51	Medium two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 65.00
	Peak Energy	c/kWh	9.822
	Off Peak Energy	c/kWh	2.948
NEE52	Unmetered supplies		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Peak Energy	c/kWh	6.452
	Off Peak Energy	c/kWh	4.383
NEE54	Medium Demand multi-rate Interruptible		
	Available as an alternative to NEE21, NEE51 or NEE56 in locations SPI Networks interruptability infrastructure is established. Further conditions available from SPI Networks Pty Ltd		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 800.00
	Peak Energy	c/kWh	3.215
	Shoulder Energy	c/kWh	2.411
	Off Peak Energy	c/kWh	2.530
	Contract Demand	\$/kVA pa	26.790
	Minimum Demand 50 kVA		
NEE55	Snowfields		
	Peak Times – 1 May to 30 September		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	7.204
	Off Peak Energy	c/kWh	1.112

Annual Tariff Report 2008

Schedule of Network Use of System Tariffs

NEE56 *Medium demand multi-rate*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 1,100.00
-----------------	----------------	-------------

Peak Energy	c/kWh	6.705
-------------	-------	-------

Shoulder Energy	c/kWh	4.239
-----------------	-------	-------

Off Peak Energy	c/kWh	3.135
-----------------	-------	-------

Contract Demand	\$/kVA pa	38.270
-----------------	-----------	--------

Minimum Demand 50 kVA

NEN56 *Medium demand multi-rate*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 1,100.00
-----------------	----------------	-------------

Peak Energy	c/kWh	5.793
-------------	-------	-------

Shoulder Energy	c/kWh	3.644
-----------------	-------	-------

Off Peak Energy	c/kWh	3.134
-----------------	-------	-------

Contract Demand	\$/kVA pa	38.270
-----------------	-----------	--------

Minimum Demand 50 kVA

NEE60 *Medium two rate 7 Day (closed to new entrants)*

Peak Times – 7:00AM to 11:00PM Monday – Sunday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 65.00
-----------------	----------------	----------

Peak Energy	c/kWh	9.439
-------------	-------	-------

Off Peak Energy	c/kWh	4.703
-----------------	-------	-------

Annual Tariff Report 2008

Schedule of Network Use of System Tariffs

Large Customer Tariffs

Applies to > 150kVA & > 400 MWh/pa

NEE71	Large demand - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	4.807
	Off Peak Energy	c/kWh	2.973
	Contract Demand	\$/kVA pa	42.520
	Minimum Demand 150kVA		
NEE72	Large demand - > 280kVA & > 750MWh/pa (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	3.916
	Off Peak Energy	c/kWh	1.967
	Contract Demand	\$/kVA pa	49.970
	Minimum Demand 280kVA		
NEE74	Large two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 75.20
	Peak Energy	c/kWh	11.948
	Off Peak Energy	c/kWh	2.667
NEE75	Large demand multi-rate - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	3.995
	Shoulder Energy	c/kWh	3.529
	Off Peak Energy	c/kWh	3.019
	Contract Demand	\$/kVA pa	49.080
	Minimum Demand 150kVA		

Annual Tariff Report 2008

Schedule of Network Use of System Tariffs

NEE76	<i>Large demand multi-rate - > 280kVA & > 750MWh/pa</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	3.118
	Shoulder Energy	c/kWh	2.690
	Off Peak Energy	c/kWh	2.278
	Contract Demand	\$/kVA pa	57.680
	Minimum Demand 280kVA		
NEE77	<i>Large demand multi-rate - > 550kVA & > 2000MWh/pa</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	3.039
	Shoulder Energy	c/kWh	2.664
	Off Peak Energy	c/kWh	1.625
	Contract Demand	\$/kVA pa	69.300
	Minimum Demand 550kVA		
NEE78	<i>Large demand multi-rate - > 850kVA & > 4000MWh/pa</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	2.279
	Shoulder Energy	c/kWh	2.193
	Off Peak Energy	c/kWh	1.303
	Contract Demand	\$/kVA pa	78.100
	Minimum Demand 850kVA		

High Voltage Tariffs

Applies to 22,000 Volt supplies

NEE81	<i>High Voltage demand</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	1.412
	Off Peak Energy	c/kWh	0.875
	Contract Demand	\$/kVA pa	49.040
	Minimum Demand 1150kVA		

Annual Tariff Report 2008

Schedule of Network Use of System Tariffs

NEE82	<i>Traction</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	1.603
	Shoulder Energy	c/kWh	1.455
	Off Peak Energy	c/kWh	0.892
	Contract Demand	\$/kVA pa	45.650
	Minimum Demand 1150kVA		

NEE83	<i>Small High Voltage demand</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 2,180.00
	Peak Energy	c/kWh	6.600
	Shoulder Energy	c/kWh	5.434
	Off Peak Energy	c/kWh	0.938
	Contract Demand	\$/kVA pa	11.430
	Minimum Demand 150kVA		

Subtransmission Tariffs

Applies to 66,000 Volt supplies

NEE91	<i>Subtransmission demand - <25000kVA and < 20km from Terminal Station</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 14,000.00
	Peak Energy	c/kWh	1.062
	Off Peak Energy	c/kWh	0.562
	Contract Demand	\$/kVA pa	8.120
	Minimum Demand 10500kVA		

NEE94	<i>Subtransmission demand - >25000kVA and < 20km from Terminal Station</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 14,000.00
	Peak Energy	c/kWh	1.020
	Off Peak Energy	c/kWh	0.582
	Contract Demand	\$/kVA pa	5.090
	Minimum Demand 25000kVA		

NEE95	<i>Subtransmission demand - <25000kVA and > 20km from Terminal Station</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 14,000.00
	Peak Energy	c/kWh	1.095
	Off Peak Energy	c/kWh	0.581
	Contract Demand	\$/kVA pa	7.470
	Minimum Demand 10500kVA		

Annual Tariff Report 2008

Rules Applying to Assignment and Reassignment of Network Tariffs

Provisions relating to the assignment of distribution customers to distribution tariffs can be found under section 2.1 of the Essential Services Commission Electricity Distribution Price Review 2006 – 2010, Final Decision Volume II Price Determination.

SP AusNet assigns the initial Network Tariff for a new connection on the basis of the customers Average Daily Load (ADL) as advised by the customer's retailer. For sites requiring a temporary supply in a permanent position both the ADL for the permanent load and the Temporary Load should be provided and a request made for a Tariff assignment for the Temporary Load. Except in the case of Temporary supplies the initial Tariff assignment should remain in place for a minimum of 12 months.

As part of its 2002 Network Tariff Submission, SP AusNet requested the Essential Services Commission to approve a tariff condition that customers seeking tariff reassignment must remain on the reassigned tariff for a minimum 12-month period. This request was approved and a 12-month timeframe now applies to all tariff reassignment requests, with exceptions made at SP AusNet's discretion. For example, SP AusNet may waive this requirement where it can be demonstrated that to not do so would result in unreasonable penalties or impose hardship on a customer.

This condition prevents customers changing tariffs to take advantage of seasonal variations in prices according to their individual load, thereby bypassing payment that reflects use of the distribution network over a full 12-month cycle.

Rules for Determining a Customers Maximum Demand

For the purposes of determining a customer's Maximum Demand for Network Tariffs the following rules apply:

1. Definitions:

"Maximum Demand" means the demand determined in accordance with paragraphs (1) and (2) below which is made available by a Distributor for use by a customer at the Supply Point and is the basis for setting maximum demand charges to be paid by the customer to the Distributor each billing period. The Maximum demand is measured in kilo volt amps (kVA) and is calculated as the energy consumption recorded over the demand integration period divided by the demand integration period in hours. The demand integration period is 30 minutes. The Maximum Demand for a Supply Point is always more than or equal to the minimum chargeable demand applicable to the tariff, as specified in the Distribution Tariff Schedule (Attachment 1).

The formula for determining kVA is:

$$kVA = \sqrt{(KW^2 + kVAR^2)}$$

Where:

kW = kilo watts recorded over a 30 minute period

KVAR = kilo volt amp reactive recorded over a 30 minute period.

Annual Tariff Report 2008

2. Initial Selection of Maximum Demand**(a) Supply Points not previously supplied under a contract demand tariff:**

If a customer requests a supply of electricity under a demand metered Network Tariff, then an initial level of Maximum Demand must be agreed between the customer and SP AusNet as set out below:

For existing Supply Points: during the third month of supply, the customer and SP AusNet must negotiate a Maximum Demand to apply for the following 12 months having regard to:

the minimum chargeable demand applicable to the relevant Distribution Tariff as set out in the schedule of Distribution Tariffs (Attachment 1).

the actual highest metered maximum demand recorded since supply commenced.

For new Supply Points: the customer and SP AusNet must negotiate a Maximum Demand to apply for a minimum of the following 12 months having regard to:

the minimum chargeable demand applicable to the relevant Distribution Tariff as set out in the schedule of Distribution Tariffs (Attachment 1).

the expected maximum demand of the relevant Supply Point.

(b) Supply Points previously supplied under a demand tariff

The records of metered demand for the customer in respect of the relevant Supply Point for the preceding 12 months must be examined. The Maximum Demand, for the customer in respect of the relevant Supply Point, is the highest of:

the maximum recorded demand that occurred in the preceding 12 month period; and

the minimum chargeable demand applicable to the relevant Distribution Tariff (as specified in Attachment 1); and

the contract demand under the previous tariff.

Where (i) is the highest and the customer satisfies SP AusNet that the maximum recorded demand was due to an unusual situation that is unlikely to recur, then the customer and SP AusNet must negotiate a Maximum Demand to apply for a minimum of the following 12 months having regard to:

the minimum chargeable demand applicable to the relevant Distribution Tariff as set out in Attachment 1; and

the expected maximum demand of the relevant Supply Point.

3. Changes to Maximum Demand**(a) Increases in Maximum Demand**

(i) Where a customer requires an increase in Maximum Demand at a Supply Point, the customer must make a written request to SP AusNet. The increased level of Contract Demand shall apply from the requested date or as near as possible thereafter, subject to any required work being completed by SP AusNet.

Annual Tariff Report 2008

(ii) Temporary increases in Maximum Demand may be made available by SP AusNet to the customer in respect of the relevant Supply Point to cover specific, short-term needs, such as the commissioning of new plant, subject to:

(A) a minimum of one month's written notice from the customer; and

(B) prior agreement from the local DB (which agreement will be conditional upon the necessary capacity being available in SP AusNet Distribution System).

(b) Temporary Increases in Maximum Demand

Temporary increases in Maximum Demand will:

(i) be defined in terms of "additional demand" for a specific period;

(ii) apply for one full billing period, except in the case of commissioning of new plant, in which case the duration of the temporary increase may be extended for the duration of the commissioning;

(iii) be charged at the standard Maximum Demand price; and

(iv) be limited to once occurrence in any 12 month period unless otherwise agreed by the local DB.

(c) Reduction in Maximum Demand

(i) Where a customer requires a reduction in Maximum Demand at Supply Point, the customer must give 12 months written notice of this requirement. If SP AusNet agrees to reduce the Maximum Demand to any level down to the level sought by the customer, SP AusNet must notify the customer in writing within the 12-month notice period of a new Maximum Demand. The new Maximum Demand is to be applied from the reading date following the reading date that falls at the end of that 12-month notice period.

However, following installation by the customer of load management equipment approved by SP AusNet or the implementation of a demand management initiative approved by SP AusNet, the 12-month notice period may be reduced at the discretion of SP AusNet.

(ii) If, in the 12 months following any reduction in Maximum Demand under sub-paragraph (i), the reduced Maximum Demand is exceeded, then the demand so recorded becomes the Maximum Demand applicable from the time of the reduction. This shall not apply to temporary increases in demand negotiated under clause 2(a)(ii).

(d) Changes following Maximum Demand being exceeded

In the event that the metered maximum demand in a billing period exceeds the Maximum Demand for that customer in respect of the relevant Supply Point;

(i) a new Maximum Demand is established equal to the metered demand in that billing period;

(ii) the new Maximum Demand shall apply for at least 12 months unless an exemption is obtained under sub-paragraph (iii) below;

(iii) If the new Maximum Demand is established as a result of a fault in the customer's electrical installation in respect of the relevant Supply Point, then SP AusNet may reduce the Maximum Demand back to the previous level after 3 months, provided:

(A) SP AusNet receives a written application for such a reduction from the customer within 30 days of billing following the fault; and

Annual Tariff Report 2008

(B) SP AusNet is satisfied that:

the fault has been diagnosed; and

action has been taken to avoid a recurrence of that or similar faults; and

(iv) Where the capacity of SP AusNet Distribution System is inadequate to make supply available at a higher rate on a continuous basis, SP AusNet may advise the customer that the new Maximum Demand will apply only for the billing period in which it was established, pending augmentation of SP AusNet Distribution System and renegotiation of a revised Maximum Demand. The maximum demand thereafter is limited to the available capacity of SP AusNet Distribution System, as determined by SP AusNet, by suitable load limiting equipment installed by the customer to the satisfaction of SP AusNet.

4. Multiple Supplies

Where SP AusNet provides multiple supplies, including alternative supplies to a customer in respect of a particular Supply Point, each supply shall be separately metered and billed under the Network Tariff selected by the customer for each supply. However, where such multiple supplies are taken from and metered at a single Supply Point they are to be treated as a single supply for Network Tariff and billing purposes.

Annual Tariff Report 2008

Prescribed Metering Services

Metering Data Services

Quarterly Read Meter			
	Fixed Charge	\$/meter/pa	\$ 24.15
Monthly Read Meter			
	Fixed Charge	\$/meter/pa	\$ 70.39
Un Metered Supplies			
	Fixed Charge	\$/NMI/pa	\$ 255.00
	Fixed Charge	\$/Light/pa	\$ 1.296

Meter Provision

>160 MWH A YEAR	Multi Phase Direct Connected Meter		
	Fixed Charge	\$/meter/pa	\$ 165.00
	Multi Phase Current Transformer Connected Meter		
	Fixed Charge	\$/meter/pa	\$ 285.00
<160 MWH A YEAR	Single Phase Single Element Meter (Non Off Peak)		
	Fixed Charge	\$/meter/pa	\$ 4.54
	Single Phase Two Element Meter With Contactor (Off Peak)		
	Fixed Charge	\$/meter/pa	\$ 10.07
	Multi Phase Direct Connected Meter		
	Fixed Charge	\$/meter/pa	\$ 59.88
	Multi Phase Current Transformer Connected Meter		
	Fixed Charge	\$/meter/pa	\$ 57.48

Note:

The above charges apply to all customers using less than 160,000 kWh a year and first tier customers with annual usage greater than 160,000 kWh that elect not to take a contestable meter option offered by their Retailer. The charges will be applied on a per meter basis in the following manner:

Where a site is > 160 MW, a > 160 MWh Multi Phase CT Connected Meter Provisioning tariff will be applied on a per meter basis.

For < 160 MWh sites:

Which have Multi-phase connections with CT equipment, a Multi Phase CT Connected Meter Provisioning tariff will be applied on a per meter basis.

Which have Multi-phase connections with a Direct Connection, a Multi Phase, Direct Connected tariff will be applied on a per meter basis.

With only one meter, which is a Single-phase, single register connection a Single Phase Non Off Peak Meter Provisioning tariff will be applied.

With Single-phase connections that do not receive a Single Phase Non Off Peak Meter tariff, a Single Phase Off Peak Meter tariff will be applied.

Note that if a site fits the criteria for more than one of the < 160 MW tariffs, all applicable tariffs may be applied.

Annual Tariff Report 2008

Prescribed Metering Services

The Meter Provisioning charges will be calculated by applying a daily rate to the time period covered in the related NUoS bill. These charges will be visible in the detailed Billing file, provided on a monthly basis. The charges will be presented in the "600" line structure.

- The "Quantity" field in this structure will reflect the number of days being charged for. In a situation where there are multiple Multi-Phase meters being charged under the same tariff, the "quantity" will be the number of days multiplied by the number of meters.
- The "EventDate" field will reflect the "EndDate" presented in the NUoS record.