

Electricity Distribution

Annual Tariff Report 2012

Annual Tariff Report 2012

Issue/Amendment Status

Issue Number	Date	Description	Author	Approved by
11	31/10/2011	Updated for 2012 Tariffs	Eric Howie	Tom Hallam
10	22/11/2010	Updated for 2011 Tariffs	Eric Howie	Tom Hallam
9	4/11/2009	Updated for 2010 Tariffs	Eric Howie	Tom Hallam
8	3/11/2008	Updated for 2009 Tariffs	Eric Howie	Patrick Murphy
7	31/10/2007	Updated for 2008 Tariffs	Eric Howie	Patrick Murphy
6	01/11/2006	Updated for 2007 Tariffs	Tom Hallam	Patrick Murphy

Disclaimer

This template is for generating internal and external document belonging to SP AusNet and may or may not contain all available information on the subject matter this document purports to address.

The information contained in this document is subject to review and SP AusNet may amend this document at any time. Amendments will be indicated in the Amendment Table, but SP AusNet does not undertake to keep this document up to date.

To the maximum extent permitted by law, SP AusNet makes no representation or warranty (express or implied) as to the accuracy, reliability, or completeness of the information contained in this document, or its suitability for any intended purpose. SP AusNet (which, for the purposes of this disclaimer, includes all of its related bodies corporate, its officers, employees, contractors, agents and consultants, and those of its related bodies corporate) shall have no liability for any loss or damage (be it direct or indirect, including liability by reason of negligence or negligent misstatement) for any statements, opinions, information or matter (expressed or implied) arising out of, contained in, or derived from, or for any omissions from, the information in this document.

Contact

This document is the responsibility of Regulatory and Business Strategy, SP AusNet. Please contact the indicated owner of the document with any inquiries.

Eric Howie
 SP AusNet
 Level 31, 2 Southbank Boulevard
 Melbourne Victoria 3006
 Ph: (03) 9695 6000

Annual Tariff Report 2012

Table of Contents

1	Current Tariffs.....	4
1.1	Electricity distribution	4
1.2	Victorian electricity industry regulatory arrangements.....	4
1.3	National Electricity Rules Pricing Arrangements	5
1.4	The Annual Network Tariff Report	5
1.5	Tariffs: DUoS, TUoS, NUoS, Excluded Services & Prescribed Metering Charges.....	6
1.6	Tariffs	6
1.7	2012 Network Tariff Description - Existing Tariffs	10
1.8	Parent tariff categories.....	41
1.9	Combination Tariffs.....	42
1.10	Closed Tariffs.....	42
1.11	Forthcoming changes in network tariffs.....	42
2	Efficient Pricing bounds.....	45
2.1	Pricing and future investment requirements.....	45
3	Tariff Management in 2012.....	46
3.1	Re-assignments that have occurred and will take place, including a rationale	46
4	Usage/Quantity Information	49
4.1	Details on quantities (usage and customer numbers)	49
4.2	Future Network constraints.....	49
5	Annual Adjustment Variables	50
5.1	Effect on individual tariffs components	51
5.2	Impact of Network Tariffs.....	52
6	Attachments.....	53
6.1	SP AusNet Supply Area	53
6.2	Schedule of Distribution Use of System Tariffs	54
6.3	Schedule of Transmission Use of System Tariffs.....	69
6.4	Schedule of Jurisdictional Use of System Tariffs	83
6.5	Schedule of Network Use of System Tariffs.....	97
6.6	Rules Applying to the Assignment and Reassignment of Network Tariffs.....	112
6.7	Rules for Determining a Customers Maximum Demand	112
6.8	Schedule of Prescribed Metering Services	116
6.9	Alternative Control & Quoted Services	118

Annual Tariff Report 2012

1 Current Tariffs

1.1 Electricity distribution

SPI Electricity Pty Ltd holds a licence to distribute electricity in eastern Victoria; the supply area extends from the outer eastern suburbs of Melbourne to the New South Wales border in the north east of the state. A map of the area is provided in Attachment 6.1. SPI Electricity Pty Ltd trades under the name SP AusNet.

SP AusNet manages and maintains the electricity network aiming to deliver electricity to customers within the area in line with industry best practice. The primary source of funding for a range of prescribed services that SP AusNet undertakes is the revenue obtained from Network Tariffs.

1.2 Victorian electricity industry regulatory arrangements

Generation and electricity retailing are both competitive markets in Victoria. The efficient regulation and transparent pricing of monopoly transmission and distribution network services support and facilitate these competitive market sectors.

The move to create a competitive electricity market began with the 1991 Industry Commission Report on the Electricity Industry. In the intervening period, Federal and State Governments have worked to restructure the electricity industry and establish effective competition in electricity markets.

The National Electricity Market commenced in December 1998 and includes the eastern states of Victoria, New South Wales, Queensland, the Australian Capital Territory ('ACT') and South Australia and Tasmania. The National Electricity Market is governed by a set of market rules contained in the National Electricity Rules ('the Rules'). These rules are available on the Australian Energy Market Commission (AEMC) web site at <http://www.aemc.gov.au/>.

The Victorian Government has introduced competition in the state electricity retail market. Full retail competition was extended to all customers on 1 January 2002, allowing customers to choose their energy retail suppliers and has led to the deregulation of the retail electricity price. The Victorian government has determined that retailers must publish Standing Offer Tariffs that act as a 'safety net' for customers from 1 January 2009 following the cessation of the default retail prices on 31 December 2008.

The Victorian electricity industry has undergone major structural change with the introduction of generation and retail sales competition. This has involved:

- The establishment and privatisation of SP AusNet and four other electricity distributors;
- The restructuring of each utility into separate retail and network service activities;
- The establishment of a privatised transmission owner;
- The establishment of a government owned transmission operator;
- The creation of privatised generation companies; and
- The introduction of the National Electricity Market and full retail competition;
- The transfer of responsibility for energy networks regulation from the Victorian Essential Services Commission to the Australian Energy Regulator

These structural changes are a key component of competition reforms designed to offer customers substantial efficiency improvements, a choice of retail suppliers of energy, better customer service and a wider variety of innovative energy services.

Annual Tariff Report 2012

As a holder of a Victorian Distribution Licence, SP AusNet's prices and the terms and conditions under which electricity is distributed were regulated by the Essential Services Commission ('the Commission') up until 31 December 2008. From 1 January 2009 the economic regulation of the Victorian energy distribution is performed by the Australian Energy Regulator (AER).

The AER is required to carry out its regulatory duties with reference to a range of regulatory instruments that establish the responsibilities of the Victorian distributors. These instruments consist of Acts of the Commonwealth and Victorian Parliaments; Orders made by the Governor in Council; Determinations made by the Commission; Guidelines published by the Commission; the National Electricity Rules; the System Code; the Electricity Distribution Code; the Energy Retail Code; the Electricity Customer Metering Code; the Public Lighting Code; and the Electricity Customer Transfer Code.

1.3 National Electricity Rules Pricing Arrangements

Under the above regulatory instruments, the AER now regulates SP AusNet's electricity distribution revenues and tariffs. The National Electricity Rules (the Rules) that the AER administers establish basic pricing principles that SP AusNet must adhere to. These are outlined in Chapter 6 of the Rules in particular 6.18.5 states:

6.18.5 Pricing principles

- (a) For each tariff class, the revenue expected to be recovered should lie on or between:
 - (1) an upper bound representing the stand alone cost of serving the customers who belong to that class; and
 - (2) a lower bound representing the avoidable cost of not serving those customers.
- (b) A tariff, and if it consists of 2 or more charging parameters, each charging parameter for a tariff class:
 - (1) must take into account the long run marginal cost for the service or, in the case of a charging parameter, for the element of the service to which the charging parameter relates; and
 - (2) must be determined having regard to:
 - (i) transaction costs associated with the tariff or each charging parameter; and
 - (ii) whether customers of the relevant tariff class are able or likely to respond to price signals.
- (c) If, however, as a result of the operation of paragraph (b), the *Distribution Network Service Provider* may not recover the expected revenue, the provider must adjust its tariffs so as to ensure recovery of expected revenue with minimum distortion to efficient patterns of consumption.

In addition, a side constraint is placed on individual tariffs called the tariff rebalancing constraint. This states that no tariff class shall rise by more than 2 per cent above the movement in CPI after allowing for the movement in the X-Factor, S-Factor, Licence fee adjustments and any pass-through amounts. Further detail on how SP AusNet complies with these requirements is set out in Section 2.

1.4 The Annual Network Tariff Report

SP AusNet has produced this Network Tariff Report in as part of the requirement under the Rules to produce a pricing proposal that sets out, among other things, details on tariff classes, pricing and charging parameters for each tariff class details on how transmission and jurisdictional scheme amounts are passed on to customers.

The purpose of this report is to enable distribution customers to understand the basis for the tariff policies adopted by SP AusNet and to communicate changes in tariffs. Customers receive an electricity bill that contains the following elements:

Annual Tariff Report 2012

- Distribution and transmission charges;
- Energy charges; and
- Retail charges.

This report addresses only the distribution and transmission components of a customers' electricity bill and includes the following:

- The distribution and transmission tariffs charged by the distributor;
- A discussion of the policy framework and tariff principles adopted by the distributor in framing the structures and level of its tariffs;
- An explanation of the basis on which the distributor has determined the appropriate breakdown between fixed and variable charges;
- The rationale for the introduction of any new tariffs, or the withdrawal of tariffs;
- An explanation of how the distributor has had regard to the consideration of upper and lower bounds in determining its distribution tariffs;
- The extent to which the tariff structures adopted provide efficient consumption signals to distribution customers;
- The methodology adopted for allocating transmission-related costs to distribution customers through its transmission tariffs; and
- An estimate of the average annual distribution and transmission charge (in \$) for each combination of distribution and transmission tariff.

1.5 Tariffs: DUoS, TUoS, NUoS, Excluded Services & Prescribed Metering Charges

SP AusNet levies Network Tariffs on customers supplied with electricity within its Distribution Area outlined in Schedule 2 of its Distribution Licence as varied on 14 January 2005. This report applies from 1 January 2012 to 31 December 2012 and is applicable to all customers in SP AusNet distribution area

The approved tariffs for 2012 are presented as follows:

- Distribution Tariffs (DUoS) Attachment 6.2
- Transmission Tariffs (TUoS) Attachment 6.3
- Jurisdictional Scheme Tariffs (JS) Attachment 6.4
- Network Tariffs (NUoS) Attachment 6.5
- Tariff Assignment Attachment 6.6
- Maximum Demand Rules Attachment 6.7
- Prescribed Metering Charges Attachment 6.8
- Alternative Control Services Attachment 6.9

1.6 Tariffs

1.6.1 Tariff classes

SP AusNet has the following Tariff Classes for network tariffs:

Low Voltage	Customers taking supply at less than 1000 Volts
Small Residential	Residential Customers using up to 160MWh a year
Small Business	Business Customers using up to 160MWh a year
Medium	Business Customers using > 160MWh a year and up to 400MWh a year
Large 1	Business Customers using > 400MWh a year and up to 750MWh a year
Large 2	Business Customers using > 750MWh a year and up to 2GWh a year
Large 3	Business Customers using > 2GWh a year and up to 4GWh a year
Large 4	Business Customers using over 4GWh a year
High Voltage	Customers taking supply between 1,000 Volts and 22,000 Volts
High Voltage 1	Customers taking a low volume of supply at high voltage

Annual Tariff Report 2012

High Voltage 2	Customers taking high volume supply at high voltage
High Voltage 3	Customers taking supply at high voltage for traction supplies
Sub Transmission	Customers taking supply at greater than 22,000 Volts
Extra High Voltage 1	Customers taking <25MVA supply <20kM from a terminal station
Extra High Voltage 2	Customers taking >25MVA supply <20kM from a terminal station
Extra High Voltage 3	Customers taking <25MVA supply >20kM from a terminal station
Extra High Voltage 4	Customers taking supply in Latrobe Valley coal production mines

Annual Tariff Report 2012

1.6.2 SP AusNet Tariffs

SP AusNet currently has the following approved Tariffs. Schedules setting out the current rates for each of these tariffs are attached to this document. All times are in Australian Eastern Standard Time, ie: not Australian Daylight Savings Time.

Low Voltage Small Customer Tariffs < 160 MWh usage per year

Tariff Code	Tariff Type
NEE11	Residential Single rate
NSP11	Residential - Interval metered Time of Use
NEN11	Residential Single rate – embedded network connection
NEE12	Business Single rate
NSP12	Business - Interval metered Time of Use
NEN12	Residential Single rate – embedded network connection
NEE13	Residential Single rate and Dedicated Circuit
NEN13	Residential Single rate and Dedicated Circuit – embedded network connection
NEE14	Residential Single rate & Dedicated Circuit with afternoon boost
NEN14	Residential Single rate & Dedicated Circuit with afternoon boost – embedded network connection
NEE15	Residential Single rate & Dedicated Circuit 8pm to 8am
NEN15	Residential Single rate & Dedicated Circuit 8pm to 8am – embedded network connection
NEE16	Business Single rate & Dedicated Circuit
NEN16	Business Single rate & Dedicated Circuit – embedded network connection
NEE17	Business Single rate & Dedicated Circuit with afternoon boost
NEN17	Business Single rate & Dedicated Circuit with afternoon boost – embedded network connection
NEE18	Business Single rate & Dedicated Circuit 8pm to 8am
NEN18	Business Single rate & Dedicated Circuit 8pm to 8am – embedded network connection
NEE20	Residential two rate five day
NSP20	Residential - Interval metered Time of Use
NEN20	Residential two rate five day – embedded network connection
NEE21	Small Business two rate five day
NSP21	Business - Interval metered Time of Use
NEN21	Small Business two rate five day – embedded network connection
NEE23	Photovoltaic two rate 5 day
NSP23	Photovoltaic - Interval metered Time of Use

Annual Tariff Report 2012

NEE24	Residential two rate five day – Off Peak 8pm to 8am Monday – Friday and all weekend
NEE25	Small Business two rate five day – Off Peak 8pm to 8am Monday – Friday and all weekend
NSP26	Residential – Low peak rate Interval metered Time of Use
NSP27	Business - Low peak rate Interval metered Time of Use
NEE30	Dedicated Circuit
NSP30	Dedicated Circuit - Interval metered Time of Use
NEE31	Dedicated Circuit with afternoon boost
NSP31	Dedicated Circuit with afternoon boost - Interval metered Time of Use
NEE32	Dedicated Circuit 8pm to 8am
NSP32	Dedicated Circuit 8pm to 8am - Interval metered Time of Use

Low Voltage Medium Customer Tariffs > 160 MWh and < 400 MWh usage per year

Tariff Code	Tariff Type
NEE40	Single Rate
NEE41	Single Rate and Dedicated Circuit
NEE42	Single Rate and Dedicated Circuit with afternoon boost
NEE43	Single Rate and Dedicated Circuit 8pm to 8am
NEE51	Two rate 5 day
NEE52	Unmetered supplies
NEE54	Two rate 5 day interruptible
NEE55	Snowfield Seasonal single rate
NSP55	Snowfield Seasonal - Interval metered Time of Use
NSP56	Critical Peak Demand multirate > 50 kVA & < 400 MWh
NEN56	Demand multirate – embedded network connection
NEE60	Two rate 7 day

Low Voltage Large Customer Tariffs > 400 MWh

Tariff Code	Tariff Type
NEE74	Two rate 5 Day
NSP75	Critical Peak Demand multirate > 150kVA & < 750 MWh
NSP76	Critical Peak Demand multirate > 280kVA & > 750 MWh
NSP77	Critical Peak Demand multirate > 550kVA & > 2 GWh
NSP78	Critical Peak Demand multirate > 850kVA & > 4 GWh

Annual Tariff Report 2012

High Voltage Customer Tariffs (6.6kV, 11kV & 22kV)

Tariff Code	Tariff Type
NSP81	Critical Peak Two rate 5 Day demand supplied at > 1kV
NSP82	Critical Peak Traction Two rate 5 Day demand supplied at > 1kV
NSP83	Critical Peak Multi rate 5 Day demand supplied at > 1kV

Sub Transmission Customer Tariffs (66kV)

Tariff Code	Tariff Type
NSP91	Critical Peak Two rate 5 Day demand supplied at 66kV
NEE93	Two rate 5 day tariff supply to Latrobe Valley mines.
NSP94	Critical Peak Two rate 5 Day demand supplied at 66kV
NSP95	Critical Peak Two rate 5 Day demand supplied at 66kV

1.7 2012 Network Tariff Description - Existing Tariffs

1.7.1 Existing Tariffs

1.7.1.1. Small Low Voltage Tariffs (Nominal Voltage < 1000 Volts), < 50 kVA & < 160MWh

1.7.1.2. Residential Tariffs

NEE11 – Small Residential Block Tariff

NEN11 – Small Residential Block Tariff Embedded Network Connection

These Network Tariffs apply only to residential customers who consume less than 160 MWh per annum. The minimum meter requirement for a customer on this tariff is a basic type 6 single register meter.

The Small Residential Block tariff consists of a standing charge and a block usage rate. The first block applies to all usage less than 1,020 kWh per quarter. The second block rate is higher than the first block rate and applies to all usage greater than 1,020 kWh per quarter. The consumption level of 1,020 kWh for the first block was based on the original retail Maximum Uniform Tariff GD/GR.


The two-part block tariff is targeted to allocating more of the demand-related costs to customers with larger annual energy consumption. The higher usage rate for the second block provides a pricing signal to these higher usage customers relating to the increased demand these customers place on the network at peak times.

Annual Tariff Report 2012

NEE11

	Base Case	Very Low	Low	Average	High	Very High
Energy	5.18 MWh	1.55 MWh	3.62 MWh	5.18 MWh	6.73 MWh	8.80 MWh
Existing	\$ 391.77	\$ 120.05	\$ 275.32	\$ 391.77	\$ 508.23	\$ 663.49
Proposed	\$ 474.61	\$ 148.78	\$ 334.97	\$ 474.61	\$ 614.25	\$ 800.43
Change	21.14%	23.93%	21.66%	21.14%	20.86%	20.64%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.




NEN11 was introduced in 2008 and applies to residential customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

NEN11

	Base Case	Very Low	Low	Average	High	Very High
Energy	5.18 MWh	1.55 MWh	3.62 MWh	5.18 MWh	6.73 MWh	8.80 MWh
Existing	\$ 298.21	\$ 91.98	\$ 209.83	\$ 298.21	\$ 386.60	\$ 504.44
Proposed	\$ 354.11	\$ 112.25	\$ 250.46	\$ 354.11	\$ 457.77	\$ 595.97
Change	18.75%	22.04%	19.36%	18.75%	18.41%	18.15%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NEE20 – Small Residential Two Rate

NEN20 – Small Residential Two Rate Embedded Network Connection

The Small Residential two-rate tariff was originally based on the retail Maximum Uniform Tariff GH/GL for residential customers. These customers require, as a minimum, a basic type 6 dual register with an electronic time switch, capable of switching all load to off-peak overnight and at weekends.


Annual Tariff Report 2012

The two-rate tariff provides customers with incentives to manage load, and is the optimum tariff for small residential customers who are able to move a high proportion of energy consumption to off-peak times over night and on weekends.

NEE20

	Base Case	Very Low	Low	Average	High	Very High
Energy	8.51 MWh	2.55 MWh	5.96 MWh	8.51 MWh	11.07 MWh	14.47 MWh
Existing	\$ 541.52	\$ 175.06	\$ 384.47	\$ 541.52	\$ 698.58	\$ 907.99
Proposed	\$ 617.84	\$ 201.45	\$ 439.39	\$ 617.84	\$ 796.29	\$ 1,034.22
Change	14.09%	15.08%	14.29%	14.09%	13.99%	13.90%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.




NEN20 was introduced in 2008 and applies to residential customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

NEN20

	Base Case	Very Low	Low	Average	High	Very High
Energy	8.51 MWh	2.55 MWh	5.96 MWh	8.51 MWh	11.07 MWh	14.47 MWh
Existing	\$ 436.77	\$ 143.63	\$ 311.14	\$ 436.77	\$ 562.40	\$ 729.91
Proposed	\$ 514.73	\$ 170.52	\$ 367.21	\$ 514.73	\$ 662.24	\$ 858.93
Change	17.85%	18.72%	18.02%	17.85%	17.75%	17.68%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



Annual Tariff Report 2012

NEE23 – Photovoltaic Tariff


This tariff applies to small customers with grid-connected photovoltaic cells less than or equal to 5kW. Prior to 2003, these customers were placed on a standard network tariff and received payment for the electricity they generated equal to the price that was paid for electricity consumed, that is, export energy equally offset the energy consumed. The diversity of tariffs applied to these customers and offset arrangements created billing and administrative difficulties. NEE23 was introduced to formalise photovoltaic cell billing arrangements and reduce administrative complexity.

Photovoltaic cell customers continue to receive an equal offset for electricity generation, as well as an additional payment for excess generation during summer peak periods (1 November – 31 March).

NEE23

	Base Case	Very Low	Low	Average	High	Very High
Energy	4.92 MWh	1.47 MWh	3.44 MWh	4.92 MWh	6.39 MWh	8.36 MWh
Existing	\$ 271.93	\$ 103.42	\$ 199.71	\$ 271.93	\$ 344.15	\$ 440.45
Proposed	\$ 430.16	\$ 169.87	\$ 318.60	\$ 430.16	\$ 541.71	\$ 690.44
Change	58.18%	64.25%	59.53%	58.18%	57.40%	56.76%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NEE24 – Small Residential Two Rate Off Peak 8pm to 8am Monday – Friday and all weekend

This tariff was introduced in 2009 to enable SP AusNet to provide switching that allows the heating of controlled loads (water and space heating) for six hours at any time between 8pm and 8am. This may be in two heating blocks of three hours. This arrangement allows SP AusNet to manage peak loads better, and is helpful in reducing peak constraints in rural areas. The minimum meter requirements is a basic type 6 dual register meter with second register switched by timing device.


SP AusNet has over 50,000 small residential customers with controlled loads for off peak water heating and space heating requirements. Many of these customers are in rural areas, where there are limited alternative energy supplies. As a result, the SP AusNet local network experiences high levels of demand when these appliances switch on for their overnight heating. By introducing the two rate 5 day 8pm to 8am tariff, which has a twelve hour period available for heating, SP AusNet will have the flexibility to vary these switching times without impacting on the customers heating needs. In return for allowing SP AusNet this flexibility, customers will in turn receive the benefit of lower charges that are the result of being able to defer some capital investment.

Annual Tariff Report 2012

NEE24

	Base Case	Very Low	Low	Average	High	Very High
Energy	4.99 MWh	1.50 MWh	3.49 MWh	4.99 MWh	6.48 MWh	8.48 MWh
Existing	\$ 279.87	\$ 96.56	\$ 201.31	\$ 279.87	\$ 358.43	\$ 463.18
Proposed	\$ 417.04	\$ 155.77	\$ 305.07	\$ 417.04	\$ 529.02	\$ 678.31
Change	49.01%	61.32%	51.54%	49.01%	47.59%	46.45%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



1.7.1.3. Dedicated Circuit Supplies (Storage Water and Space Heating)

SP AusNet has three network tariffs for dedicated supplies. These tariffs are available for controlled loads such as storage water heating and space heating for residential and small business purposes only.


NEE30 – Small Dedicated Circuit (closed to new entrants)

This small dedicated circuit tariff applies to customers with off-peak hot water heating between 11pm and 7am each day. The minimum meter requirements are a basic type 6 single register meter switched by timing device, or a basic type 6 dual register meter with second register switched by timing device.

NEE30

	Base Case	Very Low	Low	Average	High	Very High
Energy	2.11 MWh	0.63 MWh	1.47 MWh	2.11 MWh	2.74 MWh	3.58 MWh
Existing	\$ 59.94	\$ 23.02	\$ 44.12	\$ 59.94	\$ 75.76	\$ 96.86
Proposed	\$ 69.90	\$ 26.01	\$ 51.09	\$ 69.90	\$ 88.71	\$ 113.78
Change	16.61%	12.98%	15.80%	16.61%	17.09%	17.48%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



Annual Tariff Report 2012

NEE31 – Small Dedicated Circuit Afternoon Boost (closed to new entrants)


The Small Dedicated Circuit Afternoon Boost tariff applies to customers with off-peak space heating, with or without off peak hot water. This tariff has an afternoon heating boost for three hours in addition to heating between 11pm and 7am each day.

The minimum meter requirements are a basic type 6 single register meter switched by timing device, or a basic type 6 dual register meter with second register switched by timing device.

NEE31

	Base Case	Very Low	Low	Average	High	Very High
Energy	5.72 MWh	1.72 MWh	4.01 MWh	5.72 MWh	7.44 MWh	9.73 MWh
Existing	\$ 134.59	\$ 45.42	\$ 96.37	\$ 134.59	\$ 172.80	\$ 223.76
Proposed	\$ 161.60	\$ 53.52	\$ 115.28	\$ 161.60	\$ 207.92	\$ 269.68
Change	20.07%	17.84%	19.62%	20.07%	20.32%	20.52%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NEE32 – Dedicated Circuit 8pm to 8am (closed to new entrants)

The Small Dedicated Circuit 8pm to 8am tariff was introduced in 2001 and allows SP AusNet to heat hot water for six to eight hours at any time between 8pm and 8am. This may be in two heating blocks of three to four hours. This arrangement allows SP AusNet to manage peak loads better, and is helpful in reducing peak constraint in rural areas. The minimum meter requirements are a basic type 6 single register meter switched by timing device, or a basic type 6 dual register meter with second register switched by timing device.


SP AusNet has over 160,000 customers with dedicated circuits for off peak water heating and space heating requirements. Many of these customers are in rural areas, where there are limited alternative energy supplies. As a result, the SP AusNet local network experiences high levels of demand when these appliances switch on for their overnight heating. By introducing the Dedicated Circuit 8pm to 8am tariff, which has a twelve hour period available for heating, SP AusNet will have the flexibility to vary these switching times without impacting on the customers heating needs. In return for allowing SP AusNet this flexibility, customers will in turn receive the benefit of lower charges that are the result of being able to defer some capital investment.

Annual Tariff Report 2012

NEE32

	Base Case	Very Low	Low	Average	High	Very High
Energy	1.77 MWh	0.53 MWh	1.24 MWh	1.77 MWh	2.30 MWh	3.00 MWh
Existing	\$ 46.22	\$ 18.91	\$ 34.51	\$ 46.22	\$ 57.92	\$ 73.53
Proposed	\$ 54.55	\$ 21.41	\$ 40.35	\$ 54.55	\$ 68.76	\$ 87.70
Change	18.03%	13.22%	16.90%	18.03%	18.70%	19.27%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NEE13 – Small Residential Block Tariff & Dedicated Circuit

NEN13 – Small Residential Block Tariff & Dedicated Circuit Embedded Network Connection (both closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Residential Block tariff and Dedicated Circuit tariffs. The rates and metering requirements are the same as the individual tariffs. It was introduced to assist in the contestable market.

NEN13 was introduced in 2008 and applies to residential customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of these network tariffs on customers is equivalent to the impact of Network Tariffs NEE11 & NEE30 and NEN11 & NEE30

NEE14 – Small Residential Block Tariff & Dedicated Circuit Afternoon Boost

NEN14 – Small Residential Block Tariff & Dedicated Circuit Embedded Network Connection (both closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Residential Block tariff and Dedicated Circuit Afternoon Boost tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

NEN14 was introduced in 2008 and applies to residential customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of these network tariffs on customers is equivalent to the impact of Network Tariffs NEE11 & NEE31 and NEN11 & NEE31.

Annual Tariff Report 2012

NEE15 – Small Residential Block Tariff & Dedicated Circuit 8pm to 8am

NEN15 – Small Residential Block Tariff & Dedicated Circuit 8pm to 8am Embedded Network Connection (both closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Residential Block tariff and Dedicated Circuit 8pm to 8am tariffs. The rates and metering requirements are the same as the individual tariffs. It was introduced to assist in the contestable market.

NEN15 was introduced in 2008 and applies to residential customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of these network tariffs on customers is equivalent to the impact of Network Tariffs NEE11 & NEE32 and NEN11 & NEE32.

1.7.1.4. Small Business Tariffs

NEE12 – Small Business Block Tariff

NEN12 – Small Business Block Tariff Embedded Network Connection


The Small Business block Tariff has been designed for SP AusNet's small business customers with annual usage of less than 160MWh, and who have, as a minimum, a basic type 6 single register meter.

The Small Business Block tariff has lower energy charges for the first block, which applies to the first 1,020 kWh per quarter, to reflect the lower contribution these small business customers make to peak demand. As consumption increases the contribution to peak demand also increases. By having a higher rate for the second block (all consumption greater than 1,020 kWh), SP AusNet is able to recover the higher costs associated with greater peak demand on the system, and provide appropriate pricing signals to customers.

NEE12

	Base Case	Very Low	Low	Average	High	Very High
Energy	7.73 MWh	2.32 MWh	5.41 MWh	7.73 MWh	10.05 MWh	13.14 MWh
Existing	\$ 782.37	\$ 237.23	\$ 548.74	\$ 782.37	\$ 1,016.00	\$ 1,327.51
Proposed	\$ 1,031.91	\$ 315.84	\$ 725.02	\$ 1,031.91	\$ 1,338.79	\$ 1,747.97
Change	31.90%	33.14%	32.13%	31.90%	31.77%	31.67%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.




Annual Tariff Report 2012

NEN12 was introduced in 2008 and applies to small business customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

NEN12

	Base Case	Very Low	Low	Average	High	Very High
Energy	7.73 MWh	2.32 MWh	5.41 MWh	7.73 MWh	10.05 MWh	13.14 MWh
Existing	\$ 542.67	\$ 165.32	\$ 380.95	\$ 542.67	\$ 704.39	\$ 920.01
Proposed	\$ 606.29	\$ 187.84	\$ 426.96	\$ 606.29	\$ 785.63	\$ 1,024.75
Change	11.72%	13.62%	12.08%	11.72%	11.53%	11.38%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NEE21 – Small Business two rate

NEN21 – Small Business two rate Embedded Network Connection

SP AusNet has over 26,000 small business customers who are on the Small Business two-rate tariff. Customers on this tariff require, as a minimum, a basic type 6 dual register meter with an electronic time switch, capable of switching all load to off-peak overnight and at weekends.


The Small Business Tariff was opened in 2001 and is intended for businesses that use less than 160MWh per annum. These businesses tend to operate seven days a week and have a high proportion of overnight and weekend consumption. The Small Business tariff was opened to facilitate appropriate pricing to reflect the demand characteristics of these customers.

NEE21

	Base Case	Very Low	Low	Average	High	Very High
Energy	27.69 MWh	8.31 MWh	19.38 MWh	27.69 MWh	35.99 MWh	47.07 MWh
Existing	\$ 2,401.25	\$ 731.30	\$ 1,685.56	\$ 2,401.25	\$ 3,116.95	\$ 4,071.21
Proposed	\$ 2,687.30	\$ 833.91	\$ 1,892.99	\$ 2,687.30	\$ 3,481.61	\$ 4,540.69
Change	11.91%	14.03%	12.31%	11.91%	11.70%	11.53%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2012




NEN21 was introduced in 2008 and applies to small business customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

NEN21

	Base Case	Very Low	Low	Average	High	Very High
Energy	53.13 MWh	15.94 MWh	37.19 MWh	53.13 MWh	69.07 MWh	90.32 MWh
Existing	\$ 3,807.08	\$ 1,153.05	\$ 2,669.64	\$ 3,807.08	\$ 4,944.53	\$ 6,461.12
Proposed	\$ 5,301.81	\$ 1,621.69	\$ 3,724.62	\$ 5,301.81	\$ 6,879.01	\$ 8,981.93
Change	39.26%	40.64%	39.52%	39.26%	39.12%	39.02%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NEE25 – Small Business Two Rate Off-Peak 8pm to 8am Monday – Friday and all weekend

This tariff was introduced in 2009 to enable SP AusNet to provide switching that allows the heating of controlled loads (water and space heating) for six hours at any time between 8pm and 8am. This may be in two heating blocks of three hours. This arrangement allows SP AusNet to manage peak loads better, and is helpful in reducing peak constraints in rural areas. The minimum meter requirements is a basic type 6 dual register meter with second register switched by timing device.


SP AusNet has almost 30,000 small business customers with controlled loads for off peak water heating and space heating requirements. Many of these customers are in rural areas, where there are limited alternative energy supplies. As a result, the SP AusNet local network experiences high levels of demand when these appliances switch on for their overnight heating. By introducing the two rate 5 day 8pm to 8am tariff, which has a twelve hour period available for heating, SP AusNet will have the flexibility to vary these switching times without impacting on the customers heating needs. In return for allowing SP AusNet this flexibility, customers will in turn receive the benefit of lower charges that are the result of being able to defer some capital investment.

Annual Tariff Report 2012

NEE25

	Base Case	Very Low	Low	Average	High	Very High
Energy	4.15 MWh	1.25 MWh	2.91 MWh	4.15 MWh	5.40 MWh	7.06 MWh
Existing	\$ 259.04	\$ 88.63	\$ 186.01	\$ 259.04	\$ 332.07	\$ 429.45
Proposed	\$ 378.16	\$ 141.17	\$ 276.59	\$ 378.16	\$ 479.73	\$ 615.15
Change	45.99%	59.27%	48.70%	45.99%	44.47%	43.24%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NEE16 – Small Business Block Tariff & Dedicated Circuit

NEN16 – Small Business Block Tariff & Dedicated Circuit Embedded Network Connection (both closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Business Block tariff and Dedicated Circuit tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

NEN16 was introduced in 2009 and applies to small business customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of these network tariffs on customers is equivalent to the impact of Network Tariffs NEE12 & NEE30 and NEN12 & NEE30.

NEE17 – Small Business Block Tariff & Dedicated Circuit Afternoon Boost (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Business Block tariff and Dedicated Circuit Afternoon Boost tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

NEN17 was introduced in 2009 and applies to small business customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of these network tariffs on customers is equivalent to the impact of Network Tariffs NEE12 & NEE31 and NEN12 & NEE31.

Annual Tariff Report 2012

NEE18 – Small Business Single Rate & Dedicated Circuit 8pm to 8am (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Small Business Block tariff and Dedicated Circuit 8am to 8pm tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

NEN18 was introduced in 2009 and applies to small business customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE12 & NEE32 and NEN12 & NEE32.

1.7.1.5. Medium Customer Tariffs > 50 kVA & < 150 kVa and > 160MWh & < 400MWh

Medium customers are customers that consume between 160MWh and 400MWh per annum, with a maximum demand less than 150 kVA. Examples of this customer class are medium sized commercial and light industrial businesses.


NEE40 – Medium Single Rate Tariff (closed to new entrants)

The Medium Single Rate tariff is applicable to business and industrial customers that consume between 160MWh and 400MWh per annum. The minimum meter requirements are a basic type 6 single register meter. This network tariff is most suitable for business customers with little overnight or weekend usage.

NEE40

	Base Case	Very Low	Low	Average	High	Very High
Energy	15.28 MWh	4.58 MWh	10.70 MWh	15.28 MWh	19.87 MWh	25.98 MWh
Existing	\$ 1,602.72	\$ 507.70	\$ 1,133.43	\$ 1,602.72	\$ 2,072.02	\$ 2,697.75
Proposed	\$ 1,768.08	\$ 574.10	\$ 1,256.37	\$ 1,768.08	\$ 2,279.78	\$ 2,962.05
Change	10.32%	13.08%	10.85%	10.32%	10.03%	9.80%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



Annual Tariff Report 2012

NEE41 – Medium Business Single Rate & Dedicated Circuit (closed to new entrants)

This tariff was introduced in 2002. It is a combination of the Medium Business Single Rate tariff and Dedicated Circuit tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

This network tariff is most suitable for business customers with little overnight or weekend usage, and customers with off-peak hot water services between 11pm and 7am each day.

The metering requirements are basic type 6 dual register meter, with one register capable of being switched for the dedicated circuit.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE40 and NEE30.

**NEE42 – Medium Business Single Rate & Dedicated Circuit Afternoon Boost
(closed to new entrants)**

This tariff was introduced in 2002. It is a combination of the Medium Business Single Rate tariff and Dedicated Circuit Afternoon Boost tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

This network tariff is most suitable for business customers with little overnight or weekend usage, and customers with off-peak load and off-peak space heating services between 11pm and 7am each day.

The metering requirements are basic type 6 dual register meter, with one register capable of being switched for the dedicated circuit.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE40 and NEE31.

**NEE43 – Medium Business Single Rate & Dedicated Circuit 8am to 8pm
(closed to new entrants)**

This tariff was introduced in 2002. It is a combination of the Medium Business Single Rate tariff and Dedicated Circuit 8am to 8pm tariffs. The rates and metering requirements are the same as the individual tariffs. This tariff was introduced to assist in the contestable market.

This network tariff is most suitable for business customers with little overnight or weekend usage, and customers with off-peak load and off-peak hot water heating services between 8pm and 8am each day.

The metering requirements are basic type 6 dual register meter, with one register capable of being switched for the dedicated circuit.

The impact of this network tariff on customers is equivalent to the impact of Network Tariffs NEE40 and NEE32.

NEE51 – Medium Two Rate 5-day (closed to new entrants)

The Medium Two Rate 5-day tariff is suitable for businesses with some overnight or weekend usage. Customers benefit from off-peak evening prices and weekend prices.


Annual Tariff Report 2012

Customers on this tariff require, as a minimum, a basic type 6 dual register meter with an electronic time switch, capable of switching all load to off-peak overnight and at weekends.

NEE51

	Base Case	Very Low	Low	Average	High	Very High
Energy	115.18 MWh	34.55 MWh	80.63 MWh	115.18 MWh	149.74 MWh	195.81 MWh
Existing	\$ 10,549.83	\$ 3,222.91	\$ 7,409.72	\$ 10,549.83	\$ 13,689.94	\$ 17,876.76
Proposed	\$ 11,505.03	\$ 3,526.27	\$ 8,085.56	\$ 11,505.03	\$ 14,924.50	\$ 19,483.79
Change	9.05%	9.41%	9.12%	9.05%	9.02%	8.99%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NEE52 – Unmetered Supplies

The unmetered supplies tariff applies to approved supplies up to 50 watts, public lighting, traffic control system and other nominated installations.


There is no physical meter for this tariff. Contestable metrology procedures apply to public lighting installations and deemed loads for all other installations to determine usage.

NEE52

	Base Case	Very Low	Low	Average	High	Very High
Energy	0.68 MWh	0.20 MWh	0.47 MWh	0.68 MWh	0.88 MWh	1.15 MWh
Existing	\$ 44.51	\$ 13.35	\$ 31.15	\$ 44.51	\$ 57.86	\$ 75.66
Proposed	\$ 151.57	\$ 115.47	\$ 136.10	\$ 151.57	\$ 167.05	\$ 187.68
Change	240.58%	764.86%	336.88%	240.58%	188.73%	148.06%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2012



NEE55 – Snowfields Tariff

The Snowfields tariff was introduced in 2002. It applies to customers in specified alpine regions with off-peak (non-winter) consumption, that consume less than 400MWh per annum with maximum demand less than 150kVA.

The Snowfields tariff has been designed to reflect customer usage patterns in the alpine regions. The peak period is from the 1st of May to 30th September each year, and the off-peak period applies to all other times. The Snowfield tariff provides opportunities for tourism and businesses in alpine regions to expand during traditional low-season periods at reduced energy rates.

Customers in alpine regions who use off-peak electricity will benefit from a significantly reduced off-peak charge.

The minimum metering requirement is a basic type 6 single register meter.

As there is only two customers presently on network tariff NEE55, it is not considered appropriate to include an impact analysis.

NSP56 – Critical Peak Demand Medium Demand Multi-rate Tariff

NEN56 – Medium Demand Multi-rate Tariff


This tariff was introduced in 2003 and is applicable to all customers with metering installations capable of recording kVA, as required for all new customers consuming greater than 160 MWh per annum. The structure of this tariff ensures that customers are charged appropriately for the network unavoidable costs associated with these customers and, through the introduction of a shoulder rate, gives pricing signals that more appropriately capture the system load profile of SP AusNet's network.

NSP56

	Base Case	Very Low	Low	Average	High	Very High
Energy	277.55 MWh	83.26 MWh	194.28 MWh	277.55 MWh	360.81 MWh	471.83 MWh
Existing	\$ 17,497.55	\$ 6,226.18	\$ 12,666.96	\$ 17,497.55	\$ 22,328.13	\$ 28,768.91
Proposed	\$ 19,320.43	\$ 7,083.48	\$ 14,076.02	\$ 19,320.43	\$ 24,564.84	\$ 31,557.39
Change	10.42%	13.77%	11.12%	10.42%	10.02%	9.69%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2012




NEN56 was introduced in 2009 and applies to customers taking supply from a low voltage network owned and maintained by a third party. The third party network must be connected to the SP AusNet network with no low voltage (415v/240v) assets beyond the HV to LV transformer.

NEN56

	Base Case	Very Low	Low	Average	High	Very High
Energy	236.99 MWh	71.10 MWh	165.89 MWh	236.99 MWh	308.09 MWh	402.88 MWh
Existing	\$ 13,653.37	\$ 5,072.93	\$ 9,976.04	\$ 13,653.37	\$ 17,330.70	\$ 22,233.80
Proposed	\$ 18,295.04	\$ 6,775.86	\$ 13,358.25	\$ 18,295.04	\$ 23,231.83	\$ 29,814.21
Change	34.00%	33.57%	33.90%	34.00%	34.05%	34.09%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NEE60 – Medium Two Rate 7-day Tariff (closed to new entrants)

Medium two rate 7-day tariff is most suited to 5-day operational businesses. The peak charge applies between 7am and 11pm, Monday to Sunday.


The minimum metering requirements is a basic type 6 dual register, with standard time switching capacity.

NEE60

	Base Case	Very Low	Low	Average	High	Very High
Energy	18.68 MWh	5.60 MWh	13.07 MWh	18.68 MWh	24.28 MWh	31.75 MWh
Existing	\$ 2,080.31	\$ 682.05	\$ 1,481.06	\$ 2,080.31	\$ 2,679.56	\$ 3,478.56
Proposed	\$ 2,273.76	\$ 810.09	\$ 1,646.47	\$ 2,273.76	\$ 2,901.05	\$ 3,737.44
Change	9.30%	18.77%	11.17%	9.30%	8.27%	7.44%

Annual Tariff Report 2012

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



1.7.1.6. Large Low Voltage Customer Tariffs > 150 kVA and > 400MWh

Large customers are those customers who consume more than 400 MWh per annum, or a demand of greater than 150 kVA. Examples of large customers are large industrial sites, commercial buildings, and large public owned enterprises.

NEE74 – LV Large Two Rate 5-day Tariff (closed to new entrants)


The LV Large two rate 5-day tariff is for network customers who consume between 400 MWh and 750 MWh, and who were originally on the franchise retail maximum uniform tariff DH/DL.

No comparison is given for 'Very Low' consumption, as this would be below the minimum consumption for network tariff NEE74.

NEE74

	Base Case	Very Low	Low	Average	High	Very High
Energy	720.39 MWh	216.12 MWh	504.27 MWh	720.39 MWh	936.50 MWh	1,224.66 MWh
Existing	\$ 65,439.19	\$ 19,698.96	\$ 45,836.23	\$ 65,439.19	\$ 85,042.14	\$ 111,179.42
Proposed	\$ 69,237.35	\$ 20,908.40	\$ 48,524.94	\$ 69,237.35	\$ 89,949.75	\$ 117,566.29
Change	5.80%	6.14%	5.87%	5.80%	5.77%	5.74%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NSP75 – Critical Peak Demand LV Large Multi-rate <750 MWh Tariff

This tariff was introduced in 2011 and applies to all large customers who either consume between 400 and 750 MWh per annum and a connection capacity greater than 150 kVA, or less than 280 kVA

Annual Tariff Report 2012


and more than 750 MWh. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NSP75

	Base Case	Very Low	Low	Average	High	Very High
Energy	610.32 MWh	183.10 MWh	427.23 MWh	610.32 MWh	793.42 MWh	1,037.55 MWh
Existing	\$ 25,312.94	\$ 9,530.08	\$ 18,548.86	\$ 25,312.94	\$ 32,077.02	\$ 41,095.80
Proposed	\$ 30,633.43	\$ 11,388.45	\$ 22,385.58	\$ 30,633.43	\$ 38,881.28	\$ 49,878.41
Change	21.02%	19.50%	20.68%	21.02%	21.21%	21.37%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NSP76 – Critical Peak Demand Multi-rate >750 MWh Tariff

This tariff was introduced in 2011 and applies to all large customers who consume more than 750MWh per annum and a connection capacity greater than 280kVA. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.


The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NSP76

	Base Case	Very Low	Low	Average	High	Very High
Energy	1,576.20 MWh	472.86 MWh	1,103.34 MWh	1,576.20 MWh	2,049.06 MWh	2,679.55 MWh
Existing	\$ 54,518.85	\$ 18,291.86	\$ 38,993.00	\$ 54,518.85	\$ 70,044.71	\$ 90,745.85
Proposed	\$ 67,796.13	\$ 22,537.26	\$ 48,399.47	\$ 67,796.13	\$ 87,192.79	\$ 113,055.00
Change	24.35%	23.21%	24.12%	24.35%	24.48%	24.58%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2012



NSP77 – Critical Peak Demand LV Large Multi-rate > 550kVA and > 2 GWh Tariff


This tariff was introduced in 2011 and applies to all large customers who consume more than 2 GWh per annum with a connection capacity greater than 550kVA. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NSP77

	Base Case	Very Low	Low	Average	High	Very High
Energy	2,429.80 MWh	728.94 MWh	1,700.86 MWh	2,429.80 MWh	3,158.74 MWh	4,130.66 MWh
Existing	\$ 60,970.87	\$ 20,227.46	\$ 43,509.41	\$ 60,970.87	\$ 78,432.33	\$ 101,714.28
Proposed	\$ 77,695.64	\$ 25,507.11	\$ 55,329.13	\$ 77,695.64	\$ 100,062.16	\$ 129,884.17
Change	27.43%	26.10%	27.17%	27.43%	27.58%	27.70%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NSP78 – Critical Peak Demand LV Large Multi-rate > 850kVA & > 4 GWh Tariff

This tariff was introduced in 2007 and applies to all large customers who consume more than 4 GWh per annum with a connection capacity greater than 850kVA. It includes a shoulder component, aimed at giving pricing signals that more appropriately capture the system load profile of SP AusNet's network.


Annual Tariff Report 2012

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NSP78

	Base Case	Very Low	Low	Average	High	Very High
Energy	5,884.19 MWh	1,765.26 MWh	4,118.93 MWh	5,884.19 MWh	7,649.45 MWh	10,003.12 MWh
Existing	\$ 117,015.66	\$ 37,040.90	\$ 82,740.76	\$ 117,015.66	\$ 151,290.56	\$ 196,990.43
Proposed	\$ 152,337.16	\$ 47,899.57	\$ 107,578.20	\$ 152,337.16	\$ 197,096.13	\$ 256,774.76
Change	30.19%	29.32%	30.02%	30.19%	30.28%	30.35%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



1.7.1.7. High Voltage Tariffs (Nominal Voltage > 1000 Volts)

NSP81 – Critical Peak Demand High Voltage Tariff

The High Voltage Demand tariff applies to high voltage customers such as large processors, manufacturers, and refineries. These customers receive supply at 6.6 kV or above, and have a connection capacity greater than 1.15 MVA.


The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NSP81

	Base Case	Very Low	Low	Average	High	Very High
Energy	10,965.15 MWh	3,289.55 MWh	7,675.61 MWh	10,965.15 MWh	14,254.70 MWh	18,640.76 MWh
Existing	\$ 163,222.38	\$ 50,902.91	\$ 115,085.47	\$ 163,222.38	\$ 211,359.30	\$ 275,541.85
Proposed	\$ 217,439.81	\$ 67,430.36	\$ 153,150.05	\$ 217,439.81	\$ 281,729.57	\$ 367,449.25
Change	33.22%	32.47%	33.08%	33.22%	33.29%	33.36%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.

Annual Tariff Report 2012




NSP82 – Critical Peak Demand Traction Tariff

NSP82 was introduced in 2011 and includes a shoulder rate that reflects daily usage patterns. All High Voltage traction sites are assigned to this tariff.

NSP82

	Base Case	Very Low	Low	Average	High	Very High
Energy	4,585.51 MWh	1,375.65 MWh	3,209.86 MWh	4,585.51 MWh	5,961.17 MWh	7,795.37 MWh
Existing	\$ 75,553.35	\$ 24,602.21	\$ 53,717.15	\$ 75,553.35	\$ 97,389.56	\$ 126,504.50
Proposed	\$ 99,060.53	\$ 31,916.58	\$ 70,284.55	\$ 99,060.53	\$ 127,836.51	\$ 166,204.48
Change	31.11%	29.73%	30.84%	31.11%	31.26%	31.38%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NSP83 – Critical Peak Demand Small High Voltage Demand Tariff


This tariff applies to HV (NSP81) customers who have only small levels of consumption and demand. Assignment to this tariff is limited to customers with low load and energy requirements but need to be connected to the High Voltage network.

Annual Tariff Report 2012

NSP83

	Base Case	Very Low	Low	Average	High	Very High
Energy	388.82 MWh	116.65 MWh	272.18 MWh	388.82 MWh	505.47 MWh	661.00 MWh
Existing	\$ 20,759.34	\$ 8,164.00	\$ 15,361.34	\$ 20,759.34	\$ 26,157.34	\$ 33,354.68
Proposed	\$ 23,092.88	\$ 9,126.28	\$ 17,107.20	\$ 23,092.88	\$ 29,078.56	\$ 37,059.47
Change	11.24%	11.79%	11.37%	11.24%	11.17%	11.11%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



1.7.1.8. Sub-transmission Customer Tariffs

SP AusNet has only a small number of customers taking supply directly from the sub-transmission system. These customers are very diverse in terms of their location, the size of their load and their annual energy use. In recognition of this diversity, SP AusNet has developed a pricing methodology that is based on customer's size and distance from Terminal Stations.

NSP91 – Critical Peak Demand Sub-transmission Tariff

NSP91 – Sub-transmission tariff applies to customers who have a maximum demand less than 25000kVa and less than 20 km's from the terminal station.

The minimum metering requirement is an interval meter, capable of measuring kWh and kVA integrated over a 30-minute period.

NSP94 – Sub-transmission >25000kVA <20km from Terminal Station

This network tariff recognises that customers with very high load and usage located less than 20km from a Terminal Station impose a lower cost per kVA and kWh than do those with either lower load and usage or longer lines required to supply them. The 20km limit was chosen, as it is consistent with other market definitions of long and short sub-transmission lines.

NSP95 – Sub-transmission <25000kVA >20km from Terminal Station

SP AusNet owns and operates an extensive sub-transmission system in South west Gippsland and East Gippsland out of Morwell West Terminal Station and in North East Victoria out of Glenrowan Terminal Station, Mount Beauty Terminal Station and Thomastown Terminal Station. The urban network in the outer eastern suburbs of Melbourne is also quite extensive. Sub-transmission customers require a significant portion of these line assets to be held in reserve for their use. Furthermore, if high voltage customers transfer to sub-transmission supply they reduce the utilisation

Annual Tariff Report 2012


of significant portions of zone substation investment in these areas. SP AusNet has introduced this tariff in recognition of the higher costs associated with supplying remote sub-transmission customers as opposed to those that are relatively close to a Terminal Station.

The impact of 2011 and 2012 sub-transmission tariffs on customers is shown below as a single average.¹

All 90s

	Base Case	Very Low	Low	Average	High	Very High
Energy	53,103.27 MWh	15,930.98 MWh	37,172.29 MWh	53,103.27 MWh	69,034.25 MWh	90,275.56 MWh
Existing	\$ 554,467.76	\$ 166,360.49	\$ 388,136.07	\$ 554,467.76	\$ 720,799.44	\$ 942,575.02
Proposed	\$ 867,473.65	\$ 272,669.06	\$ 612,557.40	\$ 867,473.65	\$ 1,122,389.91	\$ 1,462,278.25
Change	56.45%	63.90%	57.82%	56.45%	55.71%	55.14%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



1.7.2 New Time of Use Tariffs for Interval meters

In 2010 SP AusNet introduced a range of new tariffs to apply to those customers that have an Interval meter installed under the Victorian Governments mandated Advanced Metering Infrastructure program. SP AusNet continues to work with the Victorian Government on this program and has agreed to abide by the government's moratorium on the introduction of these tariffs. No customers have been assigned to these tariffs in 2011 and no customers will only be assigned to them during 2012 if the Victorian government's moratorium on these tariffs is lifted.

1.7.2.1 Time of Use Tariff

SP AusNet has introduced Time of Use Tariffs for residential and small commercial customers from 2010.

The following table outlines SP AusNet's proposed tariff structure in detail.

¹ A single average is given for subtransmission customers as further disaggregated information may be commercially sensitive.

Annual Tariff Report 2012

Table 1: SP AusNet's Proposed Time of Use Tariff

All times are in Australian Eastern Standard Time, ie: not Australian Daylight Savings Time

LV Tariffs (<160MWh)	
Tariff Component	Proposed Tariff
Summer Peak Demand Period	2pm-6pm weekdays between December and March, with the price broadly based on an estimate of SP AusNet's LRM of supply.
Summer Shoulder Period	The 'shoulder' period consumption will be based on energy consumed between 12pm-2pm and 6pm-8pm weekdays between December and March, with the price being broadly based on a ratio of average utilisation during this period on peak demand days (eg: around 85%) multiplied by the summer peak demand charge.
Winter Peak Demand Period	4pm-8pm weekdays in Winter (June-August), with the price being broadly reflective of the ratio of winter peak day demand to summer peak day demand multiplied by the summer peak demand charge.
Off Peak Charge	An off-peak charge will be applied to all other usage.
Standing Charge	A different standing charge will be maintained between different groups of customers (eg: residential and small commercial) to ensure overall revenue is retained within upper and lower bounds.

SP AusNet notes that from an allocative efficiency perspective, it is likely that the most efficient marginal price signal would involve a variable price signal that: targets demand (as opposed to energy) on certain critical peak demand days, and which varies by a customers' location.

The former is a reflection of the fact that it is demand during a certain small number of peak periods that is the primary driver of network augmentation, whilst the latter is a reflection of the fact that different parts of the system will have different existing levels of 'spare capacity', different growth rates in peak demand, different forward looking augmentation costs, all of which lead to the long run marginal cost of supply differing between different regions. Therefore, any cost reflective variable price signal should, in theory, reflect these different location based characteristics.

As noted above, SP AusNet is not proposing to introduce such a tariff, as it believes that:

- Residential and small commercial customers are more likely to better understand and therefore respond to Energy charges as opposed to Demand based charges²;
- There is likely to be a nexus between a customers maximum energy and their demand (eg: a customer that has a high maximum demand during peak periods is also likely to have high energy consumption during the periods), and therefore the overall allocation of costs to different customers should be fair, despite the absence of a demand based charge for this customer group;
- An energy based tariff is more consistent with the Government's Carbon Pollution Reduction Scheme, which is seeking to incentivise customers to reduce their overall energy consumption, as opposed to just their demand at certain peak periods; and
- Disaggregating charges by location for this customer class is inconsistent with current implied definitions of equity and fairness.


²It is noted that in discussions with Retailers on this proposed tariff structure, Retailers supported the focus on energy as opposed to demand.

Annual Tariff Report 2012

In lieu of the above, granular pricing structure, SP AusNet's proposed energy based Time of Use tariffs are designed to best reflect the system utilisation during peak periods, without having to disaggregate that price signal by either peak day demand, or by location.

The following figure diagrammatically illustrates how SP AusNet's proposed Time of Use tariff will vary across the time of day, relative to its peak summer and winter day utilisation.

Figure 1.1 Time of Use Tariff



As can be seen from the above graph, the time of use tariff is broadly designed to mimic system utilisation, with times of high system utilisation being reflected in higher prices, whereas times of lower system utilisation are reflected in lower prices.

The two key components underpinning the tariff are the:

- 1) Summer System Utilisation; and
- 2) Winter System Utilisation.

These are outlined in more detail below.

1.7.2.2 Summer System Utilisation


The 'Summer Peak Demand' line in the graph above depicts the Summer Peak Day Utilisation in 2008. It does this by graphing the demand at each half hour of the day, as a proportion of the overall maximum demand reached on that day. For example, at 7am on the 2008 maximum day, demand was only 60% of the total maximum demand that was reached on that day, whilst at 3pm, demand reached 95.36% of the maximum demand that was reached that day. What this shows is that during the 2008 maximum peak demand day, there is a clear peak in the mid afternoon - around 4.30pm - and that demand was at least 90% of the overall peak demand for around 3 hours either side of this peak demand. Outside of this period, demand was below 90% of the overall peak demand and the

Annual Tariff Report 2012

further away from this peak demand period, the lower the overall % of the peak demand is consumed.


It is noted that this profile of demand is not only consistent across years, but also, consistent on other summer days when utilisation is high. The former is illustrated in the figure below, which graphs the average, maximum and minimum demand of the last 5 peak summer days (2003-2008) for each half hour, as a percentage of the peak day in that year. As can be seen, the profile of consumption, even when looking at the extremes (maximum/minimum), is very consistent across years.

Figure 1.2 Average, Maximum and Minimum Utilisation for the last 5 Peak Summer Days



This profile is similar across the top 10 peak summer days.

Figure 1.3 Top 10 Summer Days – 2008



Annual Tariff Report 2012

Interestingly, the 5th ranked day has a materially different profile to other 'peak days', with a peak in the morning and a gradual reduction in usage across the remainder of the day. This is due to the following reasons:

There was an incredibly hot overnight temperature (the minimum for this day was 23.6c, the day after the hottest day of the year);


A very high maximum temperature of 37.3C occurred relatively early in the day; and
There was a significant reduction in temperature post 11.30am (it was only 24.2C in Melbourne at 3pm).

This illustrates the impact that temperature has on demand, and moreover, the impact on demand from having successive hot days, with demand at 10.30am being around 200MW greater than the previous maximum recorded that year.

1.7.2.3. Winter System Utilisation

As shown previously in Figure 1.1, the 'Winter Peak 2008' utilisation has been utilised to support the development of a winter peak energy price. It is noted that the 2008 Winter Peak Energy profile contained in that graph is very consistent with that which has been experienced historically. In particular, the winter peak virtually always occurs around 6pm, whilst there is always a significant increase ramp up and ramp down in demand two hours either side of this time period,

Figure 1.4 Historical Winter Peak Day Demand Profile



Annual Tariff Report 2012

1.7.2.4. Rationale for Time of Use Periods

Collectively, SP AusNet has used this data, along with other relevant data including historical temperatures, to design its Time of Use tariff. The following table summarise the rationale supporting each of SP AusNet's Time of Use tariff components.

LV Tariffs (<160MWh)	
Tariff Component	Proposed Tariff
Summer Peak Period (2pm-6pm)	As illustrated in Figure 1.2 and Figure 1.3, demand on the system averages ~95% of the Maximum Demand on the system peak day, therefore, SP AusNet considers there to be a high probability that the system could peak at anytime within this period; and SP AusNet assessed the benefits and risks associated with adopting a more constrained peak period (eg: 4pm-5pm). In conclusion, SP AusNet considered that adopting a more constrained peak period may lead customers to marginally shift consumption to just before or after this period resulting in the creation of a new peak.
Shoulder Period (12pm-2pm and 6pm-8pm weekdays between Dec and March)	Whilst the information contained in Figure 1.1 indicates that the defined shoulder period does not currently represent system MD (usage on average is between 85% and 95% of total MD), SP AusNet considered there to still be a significant probability that these periods could include the MD, particularly if the peak to shoulder price ratio is high; SP AusNet considers that the adoption of a shoulder period ensures consistency between the summer peak demand price and the shoulder and winter prices (as both of the latter prices are broadly based on their relative % of overall summer MD * the peak summer price);and SP AusNet considered that without a shoulder period, the peak demand period may have to be widened, which in turn mutes its cost reflectivity and the ability for customers to respond to the price signal.
Weekdays Only and inclusion of March period	The last 7 system peak day demand's occurred on a weekday, furthermore, conceptually, SP AusNet considered there to be a very low probability of its system peaking on a weekend due to the significant contribution made to overall demand by industrial and commercial customer's, whose consumption is materially lower on weekends; The 2008 peak demand day occurred in March, whilst four of the top 10 peak summer days in 2008 occurred in March as well; and The average maximum temperature, which is a key driver of demand on the system, has, over the last 7 years, been broadly consistent between March and the 3 summer months (97% of the December average, and 90% of January / February average).
Winter Peak Period (4pm-8pm weekdays in Winter)	SP AusNet considered it prudent to retain a Winter Peak Price signal, as the ratio of winter peak demand to summer peak demand is still relatively high – at around 84% in 2008 – which SP AusNet considers may result in there being a slight probability that the overall system may peak in winter (eg: cold winter, mild summer); and The peak period time is different for the winter charge, relative to the summer charge, as winter peaks occur around 6pm (as opposed to 4.30pm in summer), with utilisation being very peaky 2 hours either side of this peak.

Annual Tariff Report 2012

Off period Peak period (all other usage)	SP AusNet considers that it is virtually impossible for its distribution system to peak outside of these periods. For example: By 8pm in summer, a disproportionate amount of commercial and industrial facilities are likely to be shut, therefore, without their load, it is unlikely that the system peak could ever occur; Air-conditioning usage will always be greater in the afternoon (post 12pm) compared to the morning on the peak day, with other usage remaining relatively constant; Usage outside of the defined winter peak period is low, when compared with overall system peak utilisation in winter (btw 45%-70%), and moreover, it would be virtually impossible for a winter peak to occur in this period due to the drivers underpinning the peak period (eg: people coming home and turning on their heaters); and The extent of usage during periods where mild weather conditions prevail, such as those that occur in Spring and Autumn, is such that a system peak is unlikely to be reached.
---	--

Finally, SP AusNet has had particular regard for the Pricing Principles outlined in Clause 6.18.5 of the NERs when developing its indicative tariff levels contained within this Proposal, despite the fact that it will be SP AusNet's Pricing Proposal that will be required to demonstrate compliance with these Pricing Principles. In particular:

SP AusNet's variable energy prices (provided as indicative prices in this Proposal) are based on the outputs of its LRMC model, which uses the 'average incremental cost' approach to determine the LRMC by both:

- location, and
- Sub transmission, HV and LV networks.

SP AusNet's indicative prices maintain existing revenue splits between customer classes, which ensure that tariff revenues are retained below existing upper bound limits for each customer class; and SP AusNet has considered the impact on end customers' ability to respond to the price signal. In particular, it has chosen not to adopt any form of demand tariff for smaller customers at this time, due to the likely complexity of such a tariff for this customer segment. This was supported by a number of Retailers during one-on-one sessions held within them to discuss SP AusNet's proposed distribution network tariffs. In addition, SP AusNet considers that the AML rollout and other industry changes are already placing a significant information burden upon customers during the next regulatory period – the addition of a demand tariff will only add to this burden and lead to potential customer confusion.

1.7.2.5. Residential Tariffs

NSP11, NSP30 & NSP20 – Small Residential - Interval metered Time of Use

These Network Tariffs apply only to residential customers who consume less than 160 MWh per annum. The minimum meter requirement for a customer on this tariff is an advanced interval single element meter, "smart meter".


The tariff consists of a standing charge and seasonal and daily time of use. The summer peak rate applies to energy consumed on weekdays between 2:00pm and 6:00pm during the months of January to March and December each year. The summer shoulder rate applies to energy consumed on weekdays between 12:00pm and 2:00pm and 6:00pm to 8:00pm during the months of January to March and December each year. The winter peak rate applies to energy consumed on weekdays between 4:00pm and 8:00pm during the months of July to August each year. Energy consumed at all other times is off peak.

Annual Tariff Report 2012

NSP11/30,20

	Base Case	Very Low	Low	Average	High	Very High
Energy	5.27 MWh	1.58 MWh	3.69 MWh	5.27 MWh	6.85 MWh	8.95 MWh
Existing	\$ 841.13	\$ 270.82	\$ 596.71	\$ 841.13	\$ 1,085.54	\$ 1,411.43
Proposed	\$ 897.12	\$ 279.22	\$ 632.30	\$ 897.12	\$ 1,161.94	\$ 1,515.02
Change	6.66%	3.10%	5.97%	6.66%	7.04%	7.34%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.




NSP30, NSP31 & NSP32 – Small Residential - Interval metered Time of Use

These Network Tariffs apply to residential and business customers who consume less than 160 MWh per annum. The minimum meter requirement for a customer on this tariff is an advanced interval two element meter, “smart meter” where the second element applies to a dedicated circuit that is switched by SP AusNet and that is required to be separately measured to other off peak load. The tariff consists of a standing charge and an off peak time of use only component. All energy consumed is off peak.

NSP30,31,32

	Base Case	Very Low	Low	Average	High	Very High
Energy	3.20 MWh	0.96 MWh	2.24 MWh	3.20 MWh	4.16 MWh	5.44 MWh
Existing	\$ 246.05	\$ 94.81	\$ 181.23	\$ 246.05	\$ 310.86	\$ 397.28
Proposed	\$ 264.89	\$ 94.59	\$ 191.90	\$ 264.89	\$ 337.88	\$ 435.20
Change	7.66%	-0.24%	5.89%	7.66%	8.69%	9.54%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



Annual Tariff Report 2012

1.7.2.6. Business Tariffs

NSP12, NSP30 & NSP 21– Small Business - Interval metered Time of Use


These Network Tariffs apply only to business customers who consume less than 160 MWh per annum. The minimum meter requirement for a customer on this tariff is an advanced interval single element meter, “smart meter”.

The tariff consists of a standing charge and seasonal and daily time of use. The summer peak rate applies to energy consumed on weekdays between 2:00pm and 6:00pm during the months of January to March and December each year. The summer shoulder rate applies to energy consumed on weekdays between 12:00pm and 2:00pm and 6:00pm to 8:00pm during the months of January to March and December each year. The winter peak rate applies to energy consumed on weekdays between 4:00pm and 8:00pm during the months of July to August each year. Energy consumed at all other times is off peak.

NSP12/30,21

	Base Case	Very Low	Low	Average	High	Very High
Energy	12.51 MWh	3.75 MWh	8.75 MWh	12.51 MWh	16.26 MWh	21.26 MWh
Existing	\$ 2,351.53	\$ 720.58	\$ 1,652.55	\$ 2,351.53	\$ 3,050.51	\$ 3,982.48
Proposed	\$ 2,538.70	\$ 788.49	\$ 1,788.61	\$ 2,538.70	\$ 3,288.78	\$ 4,288.90
Change	7.96%	9.42%	8.23%	7.96%	7.81%	7.69%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



NSP55 – Snowfield Seasonal - Interval metered Time of Use

These Network Tariffs apply only to residential customers who consume less than 160 MWh per annum. The minimum meter requirement for a customer on this tariff is an advanced interval single element meter, “smart meter”.


The tariff consists of a standing charge and seasonal and daily time of use. The summer peak rate applies to energy consumed on weekdays between 2:00pm and 6:00pm during the months of January to March and December each year. The summer shoulder rate applies to energy consumed on weekdays between 12:00pm and 2:00pm and 6:00pm to 8:00pm during the months of January to March and December each year. The winter peak rate applies to energy consumed on weekdays between 4:00pm and 8:00pm during the months of July to August each year. Energy consumed at all other times is off peak.

Annual Tariff Report 2012

NSP55

	Base Case	Very Low	Low	Average	High	Very High
Energy	0.00 MWh	0.00 MWh	0.00 MWh	0.00 MWh	0.00 MWh	0.00 MWh
Existing	\$ 31.20	\$ 31.20	\$ 31.20	\$ 31.20	\$ 31.20	\$ 31.20
Proposed	\$ 31.20	\$ 31.20	\$ 31.20	\$ 31.20	\$ 31.20	\$ 31.20
Change	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%

The chart below shows 2012 DUoS and TUoS charges as a proportion of the network charge for an average user.



1.8 Parent tariff categories

Category	Parent	Sub Class 1	Sub Class 2
Small Customers	NEE10	NEE11	NSP11 NEN11
	NEE20	NSP20	NEN20
	NEE30 ^①	NSP30	
		NEE31 ^①	NSP31
		NEE32 ^①	NSP32
Medium Customers	NEE40 ^①	NEE12	NEN12
	NEE51 ^①	NEE21	NEN21
		NEE56 ^②	NSP56
			NEN56
		NEE74 ^①	
Large Customers	NEE60 ^①		
	NEE70 ^②	NEE71 ^②	NEE75 ^② NSP75
		NEE72 ^②	NEE76 ^② NSP76
			NEE77 ^② NSP77
			NEE78 ^② NSP78
High Voltage	NEE80 ^②	NEE81 ^②	NEE82 ^② NSP82
			NEE83 ^② NSP83
Sub transmission	NEE90 ^②	NEE91	NSP91 ^②
			NEE92 ^② NSP92
			NEE94 ^② NSP94

Annual Tariff Report 2012

1.9 Combination Tariffs

Tariffs	NEE11	NEE12	NEE40
NEE30	NEE13 ①	NEE16 ①	NEE41 ①
NEE31	NEE14 ①	NEE17 ①	NEE42 ①
NEE32	NEE15 ①	NEE18 ①	NEE43 ①

Number of Tariffs	48
Number of Combination Tariffs	9
Total Number of Tariffs	57

Tariffs	NEN11	NEN12
NEE30	NEN13 ①	NEN16 ①
NEE31	NEN14 ①	NEN17 ①
NEE32	NEN15 ①	NEN18 ①

Tariffs	NSP11	NSP12
NSP30	NSP13 ①	NSP16 ①
NSP31	NSP14 ①	NSP17 ①
NSP32	NSP15 ①	NSP18 ①



Closed to new entrants



Closed and customers transferred

1.10 Closed Tariffs

Tariffs Closed & Customers Transferred - SP AusNet has not closed and transferred customers for any tariffs in 2012

Tariffs Closed to New Entrants - SP AusNet has not closed any tariffs to new entrants in 2012

1.11 Forthcoming changes in network tariffs

1.11.1 Small Residential & Business tariffs

SP AusNet introduced two new tariffs for customers taking supply from the low voltage network in 2011. Tariffs NSP26 and NSP27 provide customers an alternative to the high peak prices during summer and winter on Network tariff NSP11, NSP20, NSP12 and NSP21 that were introduced in 2010. These new tariffs use the same periods to ensure customers have a price signal that is consistent with the times SP AusNet's network is experiencing extreme demands but with a moderated price.

SP AusNet has 540,000 small residential and 70,000 small and medium sized Industrial & Commercial customers to whom these tariffs may apply once the Advanced Interval Metering roll-out is completed. The interval meters will allow SP AusNet to capture more information, which in turn will allow the creation of more cost reflective and sophisticated tariffs. This process was due to start in 2006 and is now underway with the meters being installed, SP AusNet has now established tariffs for this metering infrastructure, the tariffs provide retailers with advance information on tariff structures and indicative rates. During 2012 SP AusNet will continue to abide by the moratorium on these tariffs

Annual Tariff Report 2012

that was instigated by the Victorian Government in 2010, as a result no customers will be placed on these tariffs until the moratorium expires

In 2008 SP AusNet introduced five new tariffs for customers taking supply from a low voltage network owned and maintained by a third party. Tariffs NEN11, NEN12, NEN20, NEN21 and NEN56 provide these customers with an opportunity to shift to a more cost reflective tariff. The introduction of these tariffs furthers SP AusNet's intention to make tariffs more cost reflective for the individual tariff groups.

1.11.2 Large Business tariffs

Prior to 2011 SP AusNet levied an 'anytime' demand tariff upon customers consuming >160MWh. This tariff was based on the maximum anytime demand recorded by that customer, and this demand is only re-set if the customer:

- records a higher maximum demand, thus leading to a higher KVA being used to set tariffs from that point forward, or
- seeks a demand adjustment to reflect their revised energy consumption characteristics.

The key drawback associated with the existing tariff structure is that a customer is charged a 'Demand' tariff on their peak 'demand', even though that demand may not be co-incident with when SP AusNet's system is at its peak. For example, demand overnight on a weekend during a mild weather period was charged the same 'Demand rate' as if it had occurred late in the afternoon on a day of peak demand during summer.

From 2011, SP AusNet has introduced a 'Critical Peak Demand Price' for those customers that consume >160MWh per year.

The following table outlines the key components of these tariffs.

Table 2: SP AusNet's Critical Peak Demand Tariff

>160MWh (large LV, HV and Sub-transmission customers)	
Tariff Component	Proposed Tariff
Capacity Charge	1. Low Voltage Capacity charge based on the nameplate rating of the transformer supplying the customer's installation. For sites where the transformer is not dedicated to the customer installation the charge will be established as the portion of the transformer that is allocated to the customer's requirements. 2. High Voltage & Sub transmission Capacity based on the rating of the cabling and switchgear that makes the customer connection point.
Critical Peak Demand Charge	The demand charge will be based on the average of customer's maximum kVA recorded on the 5 nominated peak demand weekdays during the Defined Critical Peak Demand Period.
Defined Critical Peak Demand Period	Days must be during the period of December to March, and the days will be nominated and communicated to customers with a minimum of one business days notice. The period during which the demand is to be measured only includes between 2pm-6pm on the nominated day. The 5 maximum's are averaged and used as the basis for the demand charge for the 12 month period from April to March.
Energy Charge	Peak, Off Peak or Peak, Shoulder & Off Peak similar to existing charges

Annual Tariff Report 2012

Standing Charge	Fixed annual charge, similar to existing charges
-----------------	--

As indicated above, the key reasons for replacing the current anytime demand tariff with this Capacity charge and Critical Peak Demand charge are that it:

- better targets the demand that is driving system capacity constraints, as it focuses only on Demand during peak times of the peak day:
- overcomes the current inequities whereby a customer is charged a 'Demand' tariff on their peak 'demand', even though that demand is not contributing to the overall system peak, and therefore, is not contributing to SP AusNet's future augmentation costs,
- is easier for customers to respond to, as they only have to alter their consumption for between 1 to 5 days, and for 4 hours within those days, to get a benefit, whereas the current tariff requires a permanent step down in electricity consumption, which provides more scope for customers to change their consumption in response to the price signal (eg: use of back up generation on those days, changed hours of operation on those days), and
- is clearly tied to 'past' peak demand, therefore there are less costs associated with administering this tariff as demand adjustments for existing customers are not required (although there will be some increased costs in communicating this tariff, the net effect having been included in this Proposal).

SP AusNet will be communicating the nominated days to customers and their respective Retailers concurrently, at least one business day in advance. In addition, SP AusNet will use a longer range weather forecast to flag with customers the possible nomination of a day up to a week in advance. This will not represent a firm commitment; rather, it would provide customers with advance notice of the possible nomination of a certain day, which in turn will allow them to make some preparations in advance. The final nomination would still occur at least 1 business day prior to the nominated day. SP AusNet notes that this 'advance communication' stems from a suggestion that was made by a Retailer at one of the one-on-one retailer forums that SP AusNet held with all key Retailers to discuss its proposed new tariffs.

SP AusNet will communicate this nominated day via any electronic form of notification such as SMS and email.

Annual Tariff Report 2012

2 Efficient Pricing bounds

The National Electricity Rules require distribution business to set prices for each customer class within efficient pricing bounds. In particular Clause 6.18.5 states:

- (a) For each *tariff class*, the revenue expected to be recovered should lie on or between:
- (1) an upper bound representing the stand alone cost of serving the customers who belong to that class; and
 - (2) a lower bound representing the avoidable cost of not serving those customers.

With regard to the upper bound to ensure that each tariff class is charged a rate that does not exceed the stand alone cost SP AusNet uses a total cost of supply model. This model takes the optimised replacement costs of the network assets and network operating and maintenance costs. These costs are then allocated to the network voltage levels and to determine the total costs of supply at each voltage level. Each tariff classes contribution to these costs is determined by their load profiles and their contribution to the network load profile. These costs are then broken down into the cost per kWh for each tariff class and measured against the set tariffs to ensure that the tariff class does not recover more than its cost to supply and thereby ensure that the prices are not above the stand alone cost to serve.

With regard to the lower bound SP AusNet uses a long run marginal cost model to ensure that the tariffs for each customer class are greater than the long run marginal costs of supply. This model allocates costs to each tariff class based on the classes' contribution to network maximum demand at the relevant voltage level and for all higher voltage levels. The marginal costs are then summed to determine the minimum average rate required for each tariff class.

2.1 Pricing and future investment requirements

Time of use charges: Peak prices are higher than off peak charges as most of the future investment requirement is caused by peak usage.

SP AusNet's new tariffs will associate the variable tariff component with the pertinent variable costs of consumption. These costs will, where possible, have regard to the long run marginal costs consumption. When consumption is priced at long run marginal cost only efficient consumption occurs.

It is of course immensely difficult to accurately measure the long run marginal costs of consumption. These are in a state of constant flux, and are affected by both short and long run factors, they are reliant on accurate consumption forecasts, accurate costing of capital and labour costs, accurate knowledge of the timing of required capital investments costs and perfect information of future technological advances.

For this reason a certain amount of pragmatism is required in the allocation of variable costs to the variable tariff components. SP AusNet has undertaken a comprehensive allocation of variable costs between customer groups, tariffs, and tariff components, whilst having regard also to the long run marginal costs of consumption changes.

The fixed component of a customer's total bill is driven by those costs that do not vary with levels of consumption.

Annual Tariff Report 2012

3 Tariff Management in 2012**3.1 Re-assignments that have occurred and will take place, including a rationale**

SP AusNet does not intend to undertake any mandatory re-assignments for the forthcoming period (1st January 2012 –31st December 2012). Network Tariffs NEE24 and NEE25 have been introduced to assist with the management of the network in some rural areas where peak demands occur overnight. Customers may be re-assigned to these tariffs to enable SP AusNet to spread the switching of off peak controlled loads, in these circumstances customers that have their tariff re-assigned will be notified, and if the tariff assignment is not appropriate SP AusNet will allow the customer to remain on their current tariff.

3.1.1 Tariff Reassignments

Where customers load and/or connection characteristics change they may become entitled to a tariff reassignment. SP AusNet does not mandatorily make these reassignments where only the load has changed as we do not have adequate information to be assured that the change is not temporary. Where a customer or their retailer believes that the customer's load has changed such that they should be placed on an alternative tariff they should request that SP AusNet to make the reassignment. Where a reassignment is approved SP AusNet requires the customer to remain on that tariff for a minimum of twelve months.

In some cases SP AusNet may have more than one tariff applicable to a customers load and connection characteristics. In these cases the customer or the retailer may elect to have the customer reassigned to an alternative tariff provided that it is not closed to new customers.

During 2011 SP AusNet has made 130 tariff reassignments for customers where their load characteristics have changed.



3.1.2 Power Factor Correction

When a customer takes action in order to correct their power factor the benefits will occur in a lower Critical Peak Demand the following summer. This will result in lower Critical Peak demand charges in following years with no need for SP AusNet to immediately reduce their demand charge.



In some circumstances where the customer is able to release the capacity for SP AusNet to supply other customers SP AusNet may be able to give consideration to a reduction in the Capacity to what is expected with the new power factor correction. The savings for the client are substantial and SP AusNet benefits from a more efficient use of the network.

The following charts give the details on kVAR installed, dollar savings and customers. No customers have reported the installation of power factor correction in 2011.

Annual Tariff Report 2012



Annual Tariff Report 2012



3.1.3 Other load and demand management

Customers have not made any requests to reduce their demand following the installation of any other forms of load management equipment or the implementation of any demand management initiative during 2011.

3.1.4 Demand Reset

With the introduction of Critical Peak Demand tariffs SP AusNet no longer has any need to reset a customer's demand. Critical Peak Demand is measured over the summer period each year and customers that manage their demand under these tariffs will have their demand charges adjusted from April each year. Following the implementation of these tariffs in 2011 Customers responded to SP AusNet's notifications with demand reductions that totalled 392.5MVA.

Annual Tariff Report 2012

4 Usage/Quantity Information

4.1 Details on quantities (usage and customer numbers)

The following table sets out customer number and annual energy use details by tariff for each active tariff. Tariffs that will not have customers assigned up to and during the forecast period are not shown.

Network Tariff	2010 Actual		2011 Estimate		2012 Forecast	
	Customers	GWh	Customers	GWh	Customers	GWh
NEE11 - Small single rate	487,538	2,524,692	490,818	2,414,134	502,168	2,564,619
NEN11 - Small single rate	1	5	-	-	1	5
NEE12 - Small business single rate	28,064	216,873	28,247	218,750	28,521	235,108
NEN12 - Small business single rate	1	8	-	-	1	8
NEE20 - Small two rate	53,121	452,295	53,995	444,957	54,198	455,896
NEN20 - Small two rate	1	9	-	-	1	8
NEE21 - Small business two rate	28,606	792,013	28,579	779,050	29,556	849,761
NEN21 - Small business two rate	0	26	1	61	1	61
NEE23 - Photovoltaic	7,879	38,737	16,927	84,218	16,881	87,691
NEE24 - Small rate 5 day 8 to 8	3,140	15,657	2,934	22,218	3,539	40,751
NEE25 - Small business rate 5 day 8 to 8	4	18	4	44	4	44
NEE30 - Small dedicated circuit	119,959	252,554	117,807	239,322	115,143	237,043
NEE31 - Small dedicated circuit - afternoon boost	18,285	104,642	17,862	88,911	17,621	89,148
NEE32 - Dedicated circuit 8 to 8	4,777	8,433	4,723	8,778	4,947	8,070
NEE40 - Medium single rate	2,248	34,347	2,194	33,505	1,949	32,075
NEE51 - Medium two rate 5 day	3,913	450,729	3,795	411,797	3,514	394,351
NEE54 - Medium two rate 5 day interruptible	-	-	-	-	-	-
NEE55 - Snowfields *	-	-	-	-	-	-
NSP56/NEE56 - Medium demand multi-rate	564	156,484	617	181,230	743	151,982
NEN56 - Medium demand multi-rate	0	79	2	244	2	244
NEE60 - Medium two rate 7 day	7,001	130,753	6,882	123,050	6,494	114,170
NEE52 - Unmetered	-	67,720	-	68,023	1	70,666
NEE71 - LV Large <750 kVA	-	-	-	-	-	-
NEE72 - LV Large > 750 kVA	-	-	-	-	-	-
NEE74 - Large two rate 5 day	24	16,970	21	14,803	21	15,396
NSP75/NEE75 - Large multi-rate <750MWh	566	345,335	594	448,598	594	394,708
NSP76/NEE76 - Large multi-rate >750MWh	433	683,127	427	1,330,012	466	684,969
NSP77/NEE77 - Large multi-rate >2000 MWh	63	153,420	74	159,612	78	214,414
NSP78/NEE78 - Large multi-rate >4000 MWh	28	165,503	38	184,662	35	197,430
NSP8x/NEE8x - High Voltage	88	721,673	85	684,331	91	697,959
NSP9x/NEE9x - Subtransmission & Latrobe Valley Generator	6	529,324	13	590,714	13	546,929

4.2 Future Network constraints

SP AusNet produces a Distribution System Planning Report, which outlines SP AusNet's plans to meet predicted demand for electricity and to improve reliability for customers. This report is available on SP AusNet's website at www.sp-ausnet.com.au

Annual Tariff Report 2012

5 Annual Adjustment Variables

In 2012, SP AusNet has increased distribution tariffs by 7.64% on average. The maximum increase on any tariff class is 9.79%. The changes are made up of the following:

Price Variation Elements	Percentage
CPI	3.52%
X Factor	-4.0%
S Factor	0.0%
L Factor	-0.02%

CPI:	September Quarter of All Groups, Weighted Average of eight capital cities;
X Factor:	Approved price path for regulatory period 2012;
S Factor:	Incentive mechanism on reliability that rewards (or penalises) distributors on the basis of performance against target.
L Factor	Adjustment for variation in Distribution Licence fee

Annual Tariff Report 2012

5.1 Effect on individual tariffs components


Proposed tariff	Percentage Change			
	DUos	TUos	JST	Total
NEE11 - Small single rate	11.24%	60.62%	640.85%	17.43%
NSP11 - Small single rate time of use	0.00%	61.98%	430.32%	9.83%
NEN11 - Small single rate	0.00%	84.33%	640.85%	15.75%
NEE12 - Small business single rate	24.53%	70.39%	575.11%	24.16%
NSP12 - Small business single rate time of use	0.000%	61.90%	376.43%	8.34%
NEN12 - Small business single rate	-2.75%	70.57%	577.64%	10.40%
NEE20 - Small two rate	0.00%	75.90%	466.82%	12.27%
NSP20 - Small two rate time of use	0.00%	61.98%	6451.92%	10.21%
NSP26			366.32%	
NEN20 - Small two rate	0.00%	75.49%	461.94%	15.05%
NEE21 - Small business two rate	1.87%	73.26%	396.66%	10.60%
NSP21 - Small business two rate time of use	0.00%	61.41%	379.96%	8.44%
NSP27			397.95%	
NEN21 - Small business two rate	31.11%	74.33%	327.28%	28.16%
NEE23 - Photovoltaic	42.18%	71.62%	1006.65%	36.75%
NSP23 - Photovoltaic time of use	0.00%	61.56%	402.43%	11.42%
NEE24 - Small rate 5 day 8 to 8	33.33%	67.97%	1059.19%	32.86%
NEE25 - Small business rate 5 day 8 to 8	30.33%	60.53%	1218.18%	31.11%
NEE30 - Small dedicated circuit	0.00%	60.59%	306.67%	14.17%
NSP30 - Small dedicated circuit time of use	0.00%	60.68%	283.33%	13.77%
NEE31 - Small dedicated circuit - afternoon boost	0.00%	60.68%	308.33%	16.63%
NSP31 - Small dedicated circuit - afternoon boost time of use	0.00%	60.68%	283.33%	16.18%
NEE32 - Dedicated circuit 8 to 8	0.00%	60.68%	303.28%	15.19%
NSP32 - Dedicated circuit 8 to 9 time of use	0.00%	60.68%	277.05%	14.75%
NEE40 - Medium single rate	0.00%	81.19%	543.74%	9.30%
NEE51 - Medium two rate 5 day	0.00%	73.03%	281.30%	8.26%
NEE55 - Snowfields	0.00%	78.05%	284.77%	10.18%
NSP56	2.32%	60.57%	-36.80%	9.43%
NEN56 - Medium demand multi-rate	29.33%	60.60%	-26.34%	25.37%
NEE60 - Medium two rate 7 day	0.00%	60.59%	846.32%	8.51%
NEE52 - Unmetered	9.79%	66.71%	236.20%	16.48%
NEE74 - Large two rate 5 day	0.00%	60.58%	-76.13%	5.49%
NSP75	11.02%	60.58%	-71.51%	17.37%
NSP76	13.84%	60.60%	-88.96%	19.58%
NSP77	12.31%	60.58%	-92.87%	21.53%
NSP78	9.42%	60.57%	-97.05%	23.19%
NSP81	0.48%	60.57%	-98.42%	24.93%
NSP82	0.90%	60.60%	-96.21%	23.73%
NSP83	1.62%	60.56%	-55.61%	10.11%
NSP91	0.00%	60.58%	-99.40%	30.16%
NSP94	0.00%	60.56%	-99.90%	30.77%
NSP95	0.00%	60.56%	-99.50%	30.18%

Note: Percentage changes based on 2010 volumes and customer numbers.

Annual Tariff Report 2012

5.2 Impact of Network Tariffs

The following section provides a brief description of how SP AusNet has evaluated the impact on Network Tariffs as set out in section 1.5 where a comparison of the impact of changes between 2011 and 2012 Network Tariffs has been made. SP AusNet has made an evaluation of the impact by using five usage levels – very low, low, average, high and very high. Average consumption is calculated by dividing energy by the number of customers.³ The remaining usage levels are calculated by applying a percentage, as shown below, to the average rate.



To assess the impact of demand tariffs, a demand level was estimated according to the calculated consumption level in proportion to totals for the network tariff concerned. The demand charge used is the highest of either the calculated amount or the minimum demand for the tariff.


It should be noted that the calculated charges are based on SP AusNet customers and therefore are not comparable to the charges applicable to similar network tariffs for other Distribution Businesses.

³ Energy and customer numbers used relate to 2010, which are consistent with those submitted to the Australian Energy Regulator as part of the 2012 Network Tariff Submission.

Annual Tariff Report 2012

6 Attachments

6.1 SP AusNet Supply Area



Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

6.2 Schedule of Distribution Use of System Tariffs

Small Customer Tariffs

Applies to < 90kVA & < 160 MWh/ pa

NEE11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 4.14
	Energy – First 1020/Quarter	c/kWh	7.769
	Energy – Balance	c/kWh	6.630
NEN11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 3.60
	Energy – First 1020/Quarter	c/kWh	5.013
	Energy – Balance	c/kWh	4.331
NSP11	<i>Small Residential interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 3.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.715
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	25.375
	Off Peak - all other times	c/kWh	1.939
NEE12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 3.96
	Energy – First 1020/Quarter	c/kWh	12.381
	Energy – Balance	c/kWh	10.821
NEN12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 3.50
	Energy – First 1020/Quarter	c/kWh	5.300
	Energy – Balance	c/kWh	6.042
NSP12	<i>Small Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 15.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.715
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	25.375
	Off Peak - all other times	c/kWh	3.362

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

NEE13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 11.34
	Energy – First 1020/Quarter	c/kWh	7.769
	Energy – Balance	c/kWh	6.630
	Off Peak Energy	c/kWh	1.973
NEN13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 10.80
	Energy – First 1020/Quarter	c/kWh	5.013
	Energy – Balance	c/kWh	4.331
	Off Peak Energy	c/kWh	1.973
NSP13	<i>Small Residential single rate & Dedicated Circuit interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 10.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.715
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	25.375
	Off Peak - all other times	c/kWh	1.939
	Off Peak - dedicated Circuit	c/kWh	1.973
NEE14	<i>Small Residential single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 11.34
	Energy – First 1020/Quarter	c/kWh	7.769
	Energy – Balance	c/kWh	6.630
	Off Peak Energy	c/kWh	1.698
NEN14	<i>Small Residential single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 10.80
	Energy – First 1020/Quarter	c/kWh	5.013
	Energy – Balance	c/kWh	4.331
	Off Peak Energy	c/kWh	1.698

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

NSP14	<i>Small Residential single rate & Dedicated Circuit - afternoon boost interval</i>		
	Standing Charge	\$/customer pa	\$ 10.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.715
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	25.375
	Off Peak - all other times	c/kWh	1.939
	Off Peak - dedicated Circuit	c/kWh	1.698
NEE15	<i>Small Residential single rate & Dedicated circuit 8 to 8 (closed to new Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak - 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 11.34
	Energy - First 1020/Quarter	c/kWh	7.769
	Energy - Balance	c/kWh	6.630
	Off Peak Energy	c/kWh	1.681
NEN15	<i>Small Residential single rate & Dedicated circuit 8 to 8 (closed to new Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak - 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 10.80
	Energy - First 1020/Quarter	c/kWh	5.013
	Energy - Balance	c/kWh	4.331
	Off Peak Energy	c/kWh	1.681
NSP15	<i>Small Residential single rate & Dedicated circuit 8 to 8 interval meter time</i>		
	Standing Charge	\$/customer pa	\$ 10.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.715
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	25.375
	Off Peak - all other times	c/kWh	1.939
	Off Peak - dedicated Circuit	c/kWh	1.681
NEE16	<i>Small Business single rate & Dedicated Circuit (closed to new entrants) Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak - 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 11.16
	Energy - First 1020/Quarter	c/kWh	12.381
	Energy - Balance	c/kWh	10.821
	Off Peak Energy	c/kWh	1.973

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

NEN16	<i>Small Business single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak - 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 10.70
	Energy - First 1020/Quarter	c/kWh	5.300
	Energy - Balance	c/kWh	6.042
	Off Peak Energy	c/kWh	1.973
NSP16	<i>Small Business single rate & Dedicated Circuit interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 22.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.715
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	25.375
	Off Peak - all other times	c/kWh	3.362
	Off Peak - dedicated Circuit	c/kWh	1.973
NEE17	<i>Small Business single rate & Dedicated Circuit - afternoon boost (closed to</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak - 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 11.16
	Energy - First 1020/Quarter	c/kWh	12.381
	Energy - Balance	c/kWh	10.821
	Off Peak Energy	c/kWh	1.698
NEN17	<i>Small Business single rate & Dedicated Circuit - afternoon boost (closed to</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak - 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 10.70
	Energy - First 1020/Quarter	c/kWh	5.300
	Energy - Balance	c/kWh	6.042
	Off Peak Energy	c/kWh	1.698
NSP17	<i>Small Business single rate & Dedicated Circuit - afternoon boost interval</i>		
	Standing Charge	\$/customer pa	\$ 22.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.715
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	25.375
	Off Peak - all other times	c/kWh	3.362
	Off Peak - dedicated Circuit	c/kWh	1.698

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

NEE18	<i>Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 11.16
	Energy – First 1020/Quarter	c/kWh	12.381
	Energy – Balance	c/kWh	10.821
	Off Peak Energy	c/kWh	1.681
NEN18	<i>Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 10.70
	Energy – First 1020/Quarter	c/kWh	5.300
	Energy – Balance	c/kWh	6.042
	Off Peak Energy	c/kWh	1.681
NSP18	<i>Small Business single rate & Dedicated circuit 8 to 8 interval meter time of</i>		
	Standing Charge	\$/customer pa	\$ 22.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.715
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	25.375
	Off Peak - all other times	c/kWh	3.362
	Off Peak - dedicated Circuit	c/kWh	1.681
NEE20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 18.00
	Peak Energy	c/kWh	10.410
	Off Peak Energy	c/kWh	1.785
NEN20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 18.00
	Peak Energy	c/kWh	7.198
	Off Peak Energy	c/kWh	1.802

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

NSP20	<i>Residential interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 3.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.715
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	25.375
	Off Peak - all other times	c/kWh	1.939
NSP26	<i>Residential - Low peak rate Interval metered Time of Use</i>		
	Standing Charge	\$/customer pa	\$ 3.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	12.492
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	11.971
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	11.451
	Off Peak - all other times	c/kWh	5.283
NEE21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 15.60
	Peak Energy	c/kWh	10.830
	Off Peak Energy	c/kWh	3.684
SUN21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 15.60
	Peak Energy	c/kWh	10.830
	Off Peak Energy	c/kWh	3.684
	Premium feed-in payment all year	c/kWh	-
NEN21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 20.50
	Peak Energy	c/kWh	9.999
	Off Peak Energy	c/kWh	4.150

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

NSP21	<i>Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 15.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.715
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	25.375
	Off Peak - all other times	c/kWh	3.362
NSP27	<i>Business - Low peak rate Interval metered Time of Use</i>		
	Standing Charge	\$/customer pa	\$ 15.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	12.696
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	12.167
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	11.638
	Off Peak - all other times	c/kWh	6.668
SSP21	<i>Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 15.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.715
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	25.375
	Off Peak - all other times	c/kWh	3.362
	Premium feed-in payment all year	c/kWh	-
NEE23	<i>Photovoltaic</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Summer demand - 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 34.32
	Peak Energy	c/kWh	9.999
	Off Peak Energy	c/kWh	1.950
	Summer Generation	c/kWh	4.058
SUN23	<i>Photovoltaic Feed-in tariff</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday	\$/customer pa	
	Off Peak - All other times		
	Summer demand - 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 34.32
	Peak Energy	c/kWh	9.999
	Off Peak Energy	c/kWh	1.950
	Summer Generation	c/kWh	4.058
	Premium feed-in payment all year	c/kWh	-

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

NSP23	<i>Photovoltaic interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 6.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	22.701
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	19.296
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	18.160
	Summer Generation	c/kWh	4.058
	Off Peak - all other times	c/kWh	1.939
SSP23	<i>Photovoltaic interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 6.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	22.701
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	19.296
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	18.160
	Summer Generation	c/kWh	4.058
	Off Peak - all other times	c/kWh	1.939
	Premium feed-in payment all year	c/kWh	-
NEE24	<i>NEE24 Small rate 5 day 8 to 8</i>		
	Franchise Tariffs GH/GL		
	Peak Times - 8:00AM to 8:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 43.80
	Peak Energy	c/kWh	14.690
	Off Peak Energy	c/kWh	2.250
NEE25	<i>NEE25 Small business rate 5 day 8 to 8</i>		
	Franchise Tariffs DH/DL		
	Peak Times - 8:00AM to 8:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 39.60
	Peak Energy	c/kWh	13.880
	Off Peak Energy	c/kWh	4.420
NEE30	<i>Dedicated circuit (closed to new entrants)</i>		
	Franchise Tariffs Y6,YT,Y8		
	Off Peak - 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak Energy	c/kWh	1.973
NSP30	<i>Dedicated circuit interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak	c/kWh	1.973

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

NEE31	<i>Dedicated circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs J,J6,JT,J8</i>		
	Off Peak – 3 hours per afternoon 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak Energy	c/kWh	1.698
NSP31	<i>Dedicated circuit – afternoon boost interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak	c/kWh	1.698
NEE32	<i>Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak Energy	c/kWh	1.681
NSP32	<i>Dedicated circuit 8 to 8 interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak	c/kWh	1.681
NEE40	<i>Medium single rate (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 38.40
	Energy - All Consumption	c/kWh	9.225
NEE41	<i>Medium single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 45.60
	Peak Energy	c/kWh	9.225
	Off Peak Energy	c/kWh	1.973
NEE42	<i>Medium single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 45.60
	Peak Energy	c/kWh	9.225
	Off Peak Energy	c/kWh	1.698
NEE43	<i>Medium single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 45.60
	Peak Energy	c/kWh	9.225
	Off Peak Energy	c/kWh	1.681

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

Medium Customer Tariffs

Applies to > 50kVA & > 160 MWh/pa and < 400 MWh/pa

NEE51	Medium two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 82.80
	Peak Energy	c/kWh	11.713
	Off Peak Energy	c/kWh	3.282
NEE52	Unmetered supplies		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Peak Energy	c/kWh	9.752
	Off Peak Energy	c/kWh	4.670
NEE54	Medium Demand multi-rate Interruptible		
	Available as an alternative to NEE21, NEE51 or NEE56 in locations SPI Networks interruptability infrastructure is established. Further conditions available from SPI Networks Pty Ltd		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 1,015.20
	Peak Energy	c/kWh	3.440
	Shoulder Energy	c/kWh	2.716
	Off Peak Energy	c/kWh	2.576
	Contract Demand	\$/kVA pa	\$0.00
	Minimum Demand 50 kVA		
NEE55	Snowfields		
	Peak Times – 1 May to 30 September		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 30.00
	Peak Energy	c/kWh	7.927
	Off Peak Energy	c/kWh	1.515
NSP55	Snowfields seasonal interval meter time of use		
	Standing Charge	\$/customer pa	\$ 31.20
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	31.720
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	26.962
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	22.439
	Off Peak - all other times	c/kWh	1.942

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

NSP56	<i>Critical Peak Demand multirate > 50 kVA & < 400 MWh</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 1,739.07
	Peak Energy	c/kWh	6.970
	Shoulder Energy	c/kWh	5.230
	Off Peak Energy	c/kWh	2.788
	Demand Variable	\$/kVA pa	\$ 24.02
	Demand Capacity	\$/kVA pa	\$ 21.86
NEN56	<i>Medium demand multi-rate</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 1,739.07
	Peak Energy	c/kWh	7.631
	Shoulder Energy	c/kWh	5.724
	Off Peak Energy	c/kWh	3.217
	Contract Demand	\$/kVA pa	\$ 0.00
	Minimum Demand 50 kVA		
NEE60	<i>Medium two rate 7 Day (closed to new entrants)</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Sunday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 82.80
	Peak Energy	c/kWh	11.108
	Off Peak Energy	c/kWh	5.836

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

Large Customer Tariffs

Applies to > 150kVA & > 400 MWh/pa

NEE74	Large two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 96.00
	Peak Energy	c/kWh	11.705
	Off Peak Energy	c/kWh	3.218
NEE75	Large demand multi-rate - Either > 150kVA & > 400 MWh/pa & < 750MWh/pa Or <280kVA & >750MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	-
	Shoulder Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Contract Demand	\$/kVA pa	\$ 0.00
	Minimum Demand 150kVA		
NSP75	Critical Peak Demand multirate > 150kVA & < 750 MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 3,040.60
	Peak Energy	c/kWh	3.802
	Shoulder Energy	c/kWh	3.218
	Off Peak Energy	c/kWh	2.092
	Demand Variable	\$/kVA pa	\$ 48.45
	Demand Capacity	\$/kVA pa	\$ 29.16
NSP76	Critical Peak Demand multirate > 280kVA & > 750 MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 3,040.60
	Peak Energy	c/kWh	3.200
	Shoulder Energy	c/kWh	2.849
	Off Peak Energy	c/kWh	1.979
	Demand Variable	\$/kVA pa	\$ 49.27
	Demand Capacity	\$/kVA pa	\$ 33.24

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

NSP77 *Critical Peak Demand multirate > 550kVA & > 2 GWh*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 3,040.60
Peak Energy	c/kWh	1.825
Shoulder Energy	c/kWh	1.660
Off Peak Energy	c/kWh	1.422
Demand Variable	\$/kVA pa	\$ 54.50
Demand Capacity	\$/kVA pa	\$ 35.60

NSP78 *Critical Peak Demand multirate > 850kVA & > 4 GWh*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 3,040.60
Peak Energy	c/kWh	1.160
Shoulder Energy	c/kWh	1.060
Off Peak Energy	c/kWh	0.950
Demand Variable	\$/kVA pa	\$ 63.15
Demand Capacity	\$/kVA pa	\$ 42.38

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

High Voltage Tariffs

Applies to 22,000 Volt supplies

NSP81	<i>Critical Peak Two rate 5 Day demand supplied at > 1kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 3,040.60
	Peak Energy	c/kWh	0.603
	Off Peak Energy	c/kWh	0.374
	Demand Variable	\$/kVA pa	\$ 39.50
	Demand Capacity	\$/kVA pa	\$ 25.22
NSP82	<i>Critical Peak Traction Two rate 5 Day demand supplied at > 1kV</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 3,040.60
	Peak Energy	c/kWh	0.736
	Shoulder Energy	c/kWh	0.545
	Off Peak Energy	c/kWh	0.506
	Demand Variable	\$/kVA pa	\$ 35.13
	Demand Capacity	\$/kVA pa	\$ 23.44
NSP83	<i>Critical Peak Multi rate 5 Day demand supplied at > 1kV</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 3,040.60
	Peak Energy	c/kWh	6.622
	Shoulder Energy	c/kWh	5.305
	Off Peak Energy	c/kWh	0.446
	Demand Variable	\$/kVA pa	\$ 5.38
	Demand Capacity	\$/kVA pa	\$ 3.80

Annual Tariff Report 2012

Schedule of Distribution Use of System Tariffs

Subtransmission Tariffs

Applies to 66,000 Volt supplies

NSP91 Critical Peak Two rate 5 Day demand supplied at 66kV

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 17,752.80
Peak Energy	c/kWh	0.236
Off Peak Energy	c/kWh	0.010
Demand Variable	\$/kVA pa	\$ 6.24
Demand Capacity	\$/kVA pa	\$ 4.15

NSP94 Critical Peak Two rate 5 Day demand supplied at 66kV

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 17,752.80
Peak Energy	c/kWh	0.222
Off Peak Energy	c/kWh	0.032
Demand Variable	\$/kVA pa	\$ 3.95
Demand Capacity	\$/kVA pa	\$ 2.62

NSP95 Critical Peak Two rate 5 Day demand supplied at 66kV

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 17,752.80
Peak Energy	c/kWh	0.240
Off Peak Energy	c/kWh	0.031
Demand Variable	\$/kVA pa	\$ 5.79
Demand Capacity	\$/kVA pa	\$ 3.84

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

6.3 Schedule of Transmission Use of System Tariffs

Small Customer Tariffs

Applies to < 90kVA & < 160 MWh/pa

NEE11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.242
	Energy – Balance	c/kWh	1.416
NEN11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.697
	Energy – Balance	c/kWh	1.368
NSP11	<i>Small Residential interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.173
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
	Off Peak - all other times	c/kWh	0.758
NEE12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.763
	Energy – Balance	c/kWh	1.574
NEN12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy – First 1020/Quarter	c/kWh	1.792
	Energy – Balance	c/kWh	1.521
NSP12	<i>Small Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.173
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
	Off Peak - all other times	c/kWh	0.817

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

NEE13 Small Residential single rate & Dedicated Circuit (closed to new entrants)

Franchise Tariffs GD,GR & Y6,YT,Y8

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy – First 1020/Quarter	c/kWh	1.242
Energy – Balance	c/kWh	1.416
Off Peak Energy	c/kWh	0.758

NEN13 Small Residential single rate & Dedicated Circuit (closed to new entrants)

Franchise Tariffs GD,GR & Y6,YT,Y8

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy – First 1020/Quarter	c/kWh	1.697
Energy – Balance	c/kWh	1.368
Off Peak Energy	c/kWh	0.758

NSP13 Small Residential single rate & Dedicated Circuit interval meter time of use

Standing Charge	\$/customer pa	\$ 0.00
Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.173
Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
Off Peak - all other times	c/kWh	0.758
Off Peak - dedicated Circuit	c/kWh	0.752

NEE14 Small Residential single rate & Dedicated Circuit – afternoon boost (closed

Franchise Tariffs GD,GR & J,J6,JT,J8

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy – First 1020/Quarter	c/kWh	1.242
Energy – Balance	c/kWh	1.416
Off Peak Energy	c/kWh	0.752

NEN14 Small Residential single rate & Dedicated Circuit – afternoon boost (closed

Franchise Tariffs GD,GR & J,J6,JT,J8

Off Peak – 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy – First 1020/Quarter	c/kWh	1.697
Energy – Balance	c/kWh	1.368
Off Peak Energy	c/kWh	0.752

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

NSP14 Small Residential single rate & Dedicated Circuit - afternoon boost interval

Standing Charge	\$/customer pa	\$ 0.00
Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.173
Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
Off Peak - all other times	c/kWh	0.758
Off Peak - dedicated Circuit	c/kWh	0.752

NEE15 Small Residential single rate & Dedicated circuit 8 to 8 (closed to new

Franchise Tariffs GD,GR & Y6,YT,Y8

Off Peak - 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy - First 1020/Quarter	c/kWh	1.242
Energy - Balance	c/kWh	1.416
Off Peak Energy	c/kWh	0.752

NEN15 Small Residential single rate & Dedicated circuit 8 to 8 (closed to new

Franchise Tariffs GD,GR & Y6,YT,Y8

Off Peak - 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy - First 1020/Quarter	c/kWh	1.697
Energy - Balance	c/kWh	1.368
Off Peak Energy	c/kWh	0.752

NSP15 Small Residential single rate & Dedicated circuit 8 to 8 interval meter time

Standing Charge	\$/customer pa	\$ 0.00
Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.173
Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
Off Peak - all other times	c/kWh	0.758
Off Peak - dedicated Circuit	c/kWh	0.752

NEE16 Small Business single rate & Dedicated Circuit (closed to new entrants)

Franchise Tariffs B,E,G,N & Y6,YT,Y8

Off Peak - 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy - First 1020/Quarter	c/kWh	1.763
Energy - Balance	c/kWh	1.574
Off Peak Energy	c/kWh	0.758

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

NEN16 Small Business single rate & Dedicated Circuit (closed to new entrants)

Franchise Tariffs B,E,G,N & Y6,YT,Y8

Off Peak - 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Energy - First 1020/Quarter	c/kWh	1.792
-----------------------------	-------	-------

Energy - Balance	c/kWh	1.521
------------------	-------	-------

Off Peak Energy	c/kWh	0.758
-----------------	-------	-------

NSP16 Small Business single rate & Dedicated Circuit interval meter time of use

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.173
---	-------	-------

Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
---	-------	-------

Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
--	-------	-------

Off Peak - all other times	c/kWh	0.817
----------------------------	-------	-------

Off Peak - dedicated Circuit	c/kWh	0.752
------------------------------	-------	-------

NEE17 Small Business single rate & Dedicated Circuit - afternoon boost (closed to

Franchise Tariffs B,E,G,N & J,J6,JT,J8

Off Peak - 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Energy - First 1020/Quarter	c/kWh	1.763
-----------------------------	-------	-------

Energy - Balance	c/kWh	1.574
------------------	-------	-------

Off Peak Energy	c/kWh	0.752
-----------------	-------	-------

NEN17 Small Business single rate & Dedicated Circuit - afternoon boost (closed to

Franchise Tariffs B,E,G,N & J,J6,JT,J8

Off Peak - 11:00PM to 7:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Energy - First 1020/Quarter	c/kWh	1.792
-----------------------------	-------	-------

Energy - Balance	c/kWh	1.521
------------------	-------	-------

Off Peak Energy	c/kWh	0.752
-----------------	-------	-------

NSP17 Small Business single rate & Dedicated Circuit - afternoon boost interval

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.173
---	-------	-------

Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
---	-------	-------

Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
--	-------	-------

Off Peak - all other times	c/kWh	0.817
----------------------------	-------	-------

Off Peak - dedicated Circuit	c/kWh	0.752
------------------------------	-------	-------

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

NEE18 Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)*Franchise Tariffs B,E,G,N & Y6,YT,Y8*

Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy – First 1020/Quarter	c/kWh	1.763
Energy – Balance	c/kWh	1.574
Off Peak Energy	c/kWh	0.752

NEN18 Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)*Franchise Tariffs B,E,G,N & Y6,YT,Y8*

Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day

Standing Charge	\$/customer pa	\$ 0.00
Energy – First 1020/Quarter	c/kWh	1.792
Energy – Balance	c/kWh	1.521
Off Peak Energy	c/kWh	0.752

NSP18 Small Business single rate & Dedicated circuit 8 to 8 interval meter time of

Standing Charge	\$/customer pa	\$ 0.00
Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.173
Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
Off Peak - all other times	c/kWh	0.817
Off Peak - dedicated Circuit	c/kWh	0.752

NEE20 Small Residential two rate*Franchise Tariffs GH/GL*

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
Peak Energy	c/kWh	2.364
Off Peak Energy	c/kWh	0.803

NEN20 Small Residential two rate*Franchise Tariffs GH/GL*

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
Peak Energy	c/kWh	2.479
Off Peak Energy	c/kWh	0.793

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

NSP20	<i>Residential interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.173
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
	Off Peak - all other times	c/kWh	0.758
NSP26	<i>Residential - Low peak rate Interval metered Time of Use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.173
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
	Off Peak - all other times	c/kWh	0.758
NEE21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.047
	Off Peak Energy	c/kWh	0.885
SUN21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.047
	Off Peak Energy	c/kWh	0.885
	Premium feed-in payment all year	c/kWh	60.00
NEN21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.095
	Off Peak Energy	c/kWh	0.793

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

NSP21	<i>Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.062
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
	Off Peak - all other times	c/kWh	0.817
NSP27	<i>Business - Low peak rate Interval metered Time of Use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.062
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
	Off Peak - all other times	c/kWh	0.817
SSP21	<i>Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.062
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
	Off Peak - all other times	c/kWh	0.817
	Premium feed-in payment all year	c/kWh	60.00
NEE23	<i>Photovoltaic</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Summer demand - 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.822
	Off Peak Energy	c/kWh	1.042
	Summer Generation	c/kWh	-
SUN23	<i>Photovoltaic Feed-in tariff</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday	\$/customer pa	
	Off Peak - All other times		
	Summer demand - 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.822
	Off Peak Energy	c/kWh	1.042
	Summer Generation	c/kWh	-
	Premium feed-in payment all year	c/kWh	60.000

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

NSP23	<i>Photovoltaic interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	5.579
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.381
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	3.935
	Summer Generation	c/kWh	-
	Off Peak - all other times	c/kWh	0.697
SSP23	<i>Photovoltaic interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	5.579
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.381
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	3.935
	Summer Generation	c/kWh	-
	Off Peak - all other times	c/kWh	0.697
	Premium feed-in payment all year	c/kWh	60.000
NEE24	<i>NEE24 Small rate 5 day 8 to 8</i>		
	Franchise Tariffs GH/GL		
	Peak Times - 8:00AM to 8:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.418
	Off Peak Energy	c/kWh	0.882
NEE25	<i>NEE25 Small business rate 5 day 8 to 8</i>		
	Franchise Tariffs DH/DL		
	Peak Times - 8:00AM to 8:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.218
	Off Peak Energy	c/kWh	0.882
NEE30	<i>Dedicated circuit (closed to new entrants)</i>		
	Franchise Tariffs Y6,YT,Y8		
	Off Peak - 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.758
NSP30	<i>Dedicated circuit interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak		0.752

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

NEE31	<i>Dedicated circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs J,J6,JT,J8</i>		
	Off Peak – 3 hours per afternoon 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.752
NSP31	<i>Dedicated circuit – afternoon boost interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak		0.752
NEE32	<i>Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.752
NSP32	<i>Dedicated circuit 8 to 8 interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak		0.752
NEE40	<i>Medium single rate (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Energy - All Consumption	c/kWh	1.734
NEE41	<i>Medium single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.734
	Off Peak Energy	c/kWh	0.758
NEE42	<i>Medium single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.734
	Off Peak Energy	c/kWh	0.752
NEE43	<i>Medium single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.734
	Off Peak Energy	c/kWh	0.752

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

Medium Customer Tariffs

Applies to > 50kVA & > 160 MWh/pa and < 400 MWh/pa

NEE51	Medium two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.134
	Off Peak Energy	c/kWh	0.817
NEE52	Unmetered supplies		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Peak Energy	c/kWh	3.258
	Off Peak Energy	c/kWh	0.817
NEE54	Medium Demand multi-rate Interruptible		
	Available as an alternative to NEE21, NEE51 or NEE56 in locations SPI Networks interruptability infrastructure is established. Further conditions available from SPI Networks Pty Ltd		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	0.913
	Shoulder Energy	c/kWh	0.374
	Off Peak Energy	c/kWh	0.817
	Contract Demand	\$/kVA pa	-
	Minimum Demand 50 kVA		
NEE55	Snowfields		
	Peak Times – 1 May to 30 September		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.716
	Off Peak Energy	c/kWh	1.405
NSP55	Snowfields seasonal interval meter time of use		
	Standing Charge	\$/customer pa	\$ 0.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	6.062
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	4.545
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	4.209
	Off Peak - all other times	c/kWh	0.817

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

NEE56 Medium demand multi-rate

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Peak Energy	c/kWh	2.077
-------------	-------	-------

Shoulder Energy	c/kWh	1.688
-----------------	-------	-------

Off Peak Energy	c/kWh	0.817
-----------------	-------	-------

Contract Demand	\$/kVA pa	-
-----------------	-----------	---

Minimum Demand 50 kVA

NSP56 Critical Peak Demand multirate > 50 kVA & < 400 MWh

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Peak Energy	c/kWh	2.077
-------------	-------	-------

Shoulder Energy	c/kWh	1.687
-----------------	-------	-------

Off Peak Energy	c/kWh	0.817
-----------------	-------	-------

Demand Variable	\$/kVA pa	-
-----------------	-----------	---

Demand Capacity	\$/kVA pa	-
-----------------	-----------	---

NEN56 Medium demand multi-rate

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Peak Energy	c/kWh	2.281
-------------	-------	-------

Shoulder Energy	c/kWh	1.664
-----------------	-------	-------

Off Peak Energy	c/kWh	0.817
-----------------	-------	-------

Contract Demand	\$/kVA pa	-
-----------------	-----------	---

Minimum Demand 50 kVA

NEE60 Medium two rate 7 Day (closed to new entrants)

Peak Times – 7:00AM to 11:00PM Monday – Sunday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
-----------------	----------------	---------

Peak Energy	c/kWh	1.712
-------------	-------	-------

Off Peak Energy	c/kWh	0.817
-----------------	-------	-------

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

Large Customer Tariffs

Applies to > 150kVA & > 400 MWh/pa

NEE74	Large two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.038
	Off Peak Energy	c/kWh	0.817
NSP75	Critical Peak Demand multirate > 150kVA & < 750 MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.080
	Shoulder Energy	c/kWh	1.681
	Off Peak Energy	c/kWh	0.817
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-
NSP76	Critical Peak Demand multirate > 280kVA & > 750 MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	1.995
	Shoulder Energy	c/kWh	1.571
	Off Peak Energy	c/kWh	0.817
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-
NSP77	Critical Peak Demand multirate > 550kVA & > 2 GWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.221
	Shoulder Energy	c/kWh	1.701
	Off Peak Energy	c/kWh	0.817
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

NSP78 Critical Peak Demand multirate > 850kVA & > 4 GWh

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
Peak Energy	c/kWh	2.171
Shoulder Energy	c/kWh	1.733
Off Peak Energy	c/kWh	0.817
Demand Variable	\$/kVA pa	-
Demand Capacity	\$/kVA pa	-

High Voltage Tariffs

Applies to 22,000 Volt supplies

NSP81 Critical Peak Two rate 5 Day demand supplied at > 1kV

Peak Times – 7:00AM to 11:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
Peak Energy	c/kWh	1.980
Off Peak Energy	c/kWh	0.817
Demand Variable	\$/kVA pa	-
Demand Capacity	\$/kVA pa	-

NSP82 Critical Peak Traction Two rate 5 Day demand supplied at > 1kV

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
Peak Energy	c/kWh	2.093
Shoulder Energy	c/kWh	1.717
Off Peak Energy	c/kWh	0.817
Demand Variable	\$/kVA pa	-
Demand Capacity	\$/kVA pa	-

NSP83 Critical Peak Multi rate 5 Day demand supplied at > 1kV

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 0.00
Peak Energy	c/kWh	2.200
Shoulder Energy	c/kWh	1.718
Off Peak Energy	c/kWh	0.817
Demand Variable	\$/kVA pa	-
Demand Capacity	\$/kVA pa	-

Annual Tariff Report 2012

Schedule of Transmission Use of System Tariffs

Subtransmission Tariffs

Applies to 66,000 Volt supplies

NSP91	<i>Critical Peak Two rate 5 Day demand supplied at 66kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.181
	Off Peak Energy	c/kWh	0.817
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-
NSP94	<i>Critical Peak Two rate 5 Day demand supplied at 66kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.094
	Off Peak Energy	c/kWh	0.817
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-
NSP95	<i>Critical Peak Two rate 5 Day demand supplied at 66kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 0.00
	Peak Energy	c/kWh	2.216
	Off Peak Energy	c/kWh	0.817
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

6.4 Schedule of Jurisdictional Use of System Tariffs

Small Customer Tariffs

Applies to < 90kVA & < 160 MWh/pa

NEE11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.313
	Energy – Balance	c/kWh	0.307
NEN11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.313
	Energy – Balance	c/kWh	0.307
NSP11	<i>Small Residential interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.308
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.308
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.308
	Off Peak - all other times	c/kWh	0.197
NEE12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.308
	Energy – Balance	c/kWh	0.306
NEN12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.308
	Energy – Balance	c/kWh	0.308
NSP12	<i>Small Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.308
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.308
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.308
	Off Peak - all other times	c/kWh	0.197

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

NEE13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.313
	Energy – Balance	c/kWh	0.307
	Off Peak Energy	c/kWh	0.244
NEN13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.313
	Energy – Balance	c/kWh	0.307
	Off Peak Energy	c/kWh	0.244
NSP13	<i>Small Residential single rate & Dedicated Circuit interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.308
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.308
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.308
	Off Peak - all other times	c/kWh	0.325
	Off Peak - dedicated Circuit	c/kWh	0.752
NEE14	<i>Small Residential single rate & Dedicated Circuit - afternoon boost (closed</i>		
	<i>Franchise Tariffs GD,GR & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.313
	Energy – Balance	c/kWh	0.307
	Off Peak Energy	c/kWh	0.245
NEN14	<i>Small Residential single rate & Dedicated Circuit - afternoon boost (closed</i>		
	<i>Franchise Tariffs GD,GR & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.313
	Energy – Balance	c/kWh	0.307
	Off Peak Energy	c/kWh	0.245

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

NSP14	<i>Small Residential single rate & Dedicated Circuit - afternoon boost interval</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.308
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.308
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.308
	Off Peak - all other times	c/kWh	- 0.325
	Off Peak - dedicated Circuit	c/kWh	0.752
NEE15	<i>Small Residential single rate & Dedicated circuit 8 to 8 (closed to new Franchise Tariffs GD,GR & Y6,YT,Y8)</i>		
	Off Peak - 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy - First 1020/Quarter	c/kWh	0.313
	Energy - Balance	c/kWh	0.307
	Off Peak Energy	c/kWh	0.246
NEN15	<i>Small Residential single rate & Dedicated circuit 8 to 8 (closed to new Franchise Tariffs GD,GR & Y6,YT,Y8)</i>		
	Off Peak - 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy - First 1020/Quarter	c/kWh	0.313
	Energy - Balance	c/kWh	0.307
	Off Peak Energy	c/kWh	0.246
NSP15	<i>Small Residential single rate & Dedicated circuit 8 to 8 interval meter time</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.308
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.308
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.308
	Off Peak - all other times	c/kWh	- 0.325
	Off Peak - dedicated Circuit	c/kWh	0.752
NEE16	<i>Small Business single rate & Dedicated Circuit (closed to new entrants) Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak - 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy - First 1020/Quarter	c/kWh	0.308
	Energy - Balance	c/kWh	0.306
	Off Peak Energy	c/kWh	0.244

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

NEN16	<i>Small Business single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.308
	Energy – Balance	c/kWh	0.308
	Off Peak Energy	c/kWh	0.244
NSP16	<i>Small Business single rate & Dedicated Circuit interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.308
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.308
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.308
	Off Peak - all other times	c/kWh	0.325
	Off Peak - dedicated Circuit	c/kWh	0.752
NEE17	<i>Small Business single rate & Dedicated Circuit – afternoon boost (closed to</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.308
	Energy – Balance	c/kWh	0.306
	Off Peak Energy	c/kWh	0.245
NEN17	<i>Small Business single rate & Dedicated Circuit – afternoon boost (closed to</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.308
	Energy – Balance	c/kWh	0.308
	Off Peak Energy	c/kWh	0.245
NSP17	<i>Small Business single rate & Dedicated Circuit – afternoon boost interval</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.308
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.308
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.308
	Off Peak - all other times	c/kWh	0.325
	Off Peak - dedicated Circuit	c/kWh	0.752

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

NEE18	<i>Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.308
	Energy – Balance	c/kWh	0.306
	Off Peak Energy	c/kWh	0.246
NEN18	<i>Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 5.00
	Energy – First 1020/Quarter	c/kWh	0.308
	Energy – Balance	c/kWh	0.308
	Off Peak Energy	c/kWh	0.246
NSP18	<i>Small Business single rate & Dedicated circuit 8 to 8 interval meter time of</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.308
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.308
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.308
	Off Peak - all other times	c/kWh	0.325
	Off Peak - dedicated Circuit	c/kWh	0.752
NEE20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 5.00
	Peak Energy	c/kWh	0.308
	Off Peak Energy	c/kWh	0.244
NEN20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 5.00
	Peak Energy	c/kWh	0.308
	Off Peak Energy	c/kWh	0.244

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

NSP20	<i>Residential interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.308
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.308
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	-
	Off Peak - all other times	c/kWh	0.246
NSP26	<i>Residential - Low peak rate Interval metered Time of Use</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.308
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.308
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.308
	Off Peak - all other times	c/kWh	0.197
NEE21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.197
SUN21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.197
	Premium feed-in payment all year	c/kWh	60.00
NEN21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.197

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

NSP21	<i>Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 24.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.197
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.197
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.197
	Off Peak - all other times	c/kWh	0.197
NSP27	<i>Business - Low peak rate Interval metered Time of Use</i>		
	Standing Charge	\$/customer pa	\$ 24.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.197
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	-
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	-
	Off Peak - all other times	c/kWh	0.197
SSP21	<i>Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 24.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.197
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.197
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.197
	Off Peak - all other times	c/kWh	0.197
	Premium feed-in payment all year	c/kWh	60.00
NEE23	<i>Photovoltaic</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Summer demand - 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.197
	Summer Generation	c/kWh	-
SUN23	<i>Photovoltaic Feed-in tariff</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday	\$/customer pa	
	Off Peak - All other times		
	Summer demand - 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.197
	Summer Generation	c/kWh	-
	Premium feed-in payment all year	c/kWh	60.000

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

NSP23	<i>Photovoltaic interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.197
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.197
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	-
	Summer Generation	c/kWh	-
	Off Peak - all other times	c/kWh	0.197
SSP23	<i>Photovoltaic interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 5.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.197
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.197
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	-
	Summer Generation	c/kWh	-
	Off Peak - all other times	c/kWh	0.197
	Premium feed-in payment all year	c/kWh	60.000
NEE24	<i>NEE24 Small rate 5 day 8 to 8</i>		
	Franchise Tariffs GH/GL		
	Peak Times - 8:00AM to 8:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.197
NEE25	<i>NEE25 Small business rate 5 day 8 to 8</i>		
	Franchise Tariffs DH/DL		
	Peak Times - 8:00AM to 8:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.197
NEE30	<i>Dedicated circuit (closed to new entrants)</i>		
	Franchise Tariffs Y6,YT,Y8		
	Off Peak - 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.244
NSP30	<i>Dedicated circuit interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak		0.230
NEE31	<i>Dedicated circuit - afternoon boost (closed to new entrants)</i>		
	Franchise Tariffs J,J6,JT,J8		
	Off Peak - 3 hours per afternoon 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.245

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

NSP31	<i>Dedicated circuit – afternoon boost interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak		0.230
NEE32	<i>Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	Franchise Tariffs Y6,YT,Y8		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak Energy	c/kWh	0.246
NSP32	<i>Dedicated circuit 8 to 8 interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 0.00
	Off Peak		0.230
NEE40	<i>Medium single rate (closed to new entrants)</i>		
	Franchise Tariffs B,E,G,N		
	Standing Charge	\$/customer pa	\$ 24.00
	Energy - All Consumption	c/kWh	0.197
NEE41	<i>Medium single rate & Dedicated Circuit (closed to new entrants)</i>		
	Franchise Tariffs B,E,G,N & Y6,YT,Y8		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.244
NEE42	<i>Medium single rate & Dedicated Circuit – afternoon boost (closed to new)</i>		
	Franchise Tariffs B,E,G,N & J,J6,JT,J8		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.245
NEE43	<i>Medium single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	Franchise Tariffs B,E,G,N & J,J6,JT,J8		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.246

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

Medium Customer Tariffs

Applies to > 50kVA & > 160 MWh/pa and < 400 MWh/pa

NEE51	Medium two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.197
NEE52	Unmetered supplies		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Peak Energy	c/kWh	0.194
	Off Peak Energy	c/kWh	0.198
NEE54	Medium Demand multi-rate Interruptible		
	Available as an alternative to NEE21, NEE51 or NEE56 in locations SPI Networks interruptability infrastructure is established. Further conditions available from SPI Networks Pty Ltd		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Shoulder Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.197
	Contract Demand	\$/kVA pa	-
	Minimum Demand 50 kVA		
NEE55	Snowfields		
	Peak Times – 1 May to 30 September		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 24.00
	Peak Energy	c/kWh	0.197
	Off Peak Energy	c/kWh	0.196
NSP55	Snowfields seasonal interval meter time of use		
	Standing Charge	\$/customer pa	\$ 24.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	0.197
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	0.197
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	0.197
	Off Peak - all other times	c/kWh	0.197

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

NSP56	<i>Critical Peak Demand multirate > 50 kVA & < 400 MWh</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Shoulder Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-
NEN56	<i>Medium demand multi-rate</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Shoulder Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Contract Demand	\$/kVA pa	-
	Minimum Demand 50 kVA		
NEE60	<i>Medium two rate 7 Day (closed to new entrants)</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Sunday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Off Peak Energy	c/kWh	-

Large Customer Tariffs

Applies to > 150kVA & > 400 MWh/pa

NEE74	<i>Large two rate 5 Day (closed to new entrants)</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
NSP75	<i>Critical Peak Demand multirate > 150kVA & < 750 MWh</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Shoulder Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

NSP76	<i>Critical Peak Demand multirate > 280kVA & > 750 MWh</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Shoulder Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-
NSP77	<i>Critical Peak Demand multirate > 550kVA & > 2 GWh</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Shoulder Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-
NSP78	<i>Critical Peak Demand multirate > 850kVA & > 4 GWh</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Shoulder Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

High Voltage Tariffs

Applies to 22,000 Volt supplies

NSP81	<i>Critical Peak Two rate 5 Day demand supplied at > 1kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-
NSP82	<i>Critical Peak Traction Two rate 5 Day demand supplied at > 1kV</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Shoulder Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-
NSP83	<i>Critical Peak Multi rate 5 Day demand supplied at > 1kV</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Shoulder Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-

Annual Tariff Report 2012

Schedule of Jurisdictional Use of System Tariffs

Subtransmission Tariffs

Applies to 66,000 Volt supplies

NSP91	<i>Critical Peak Two rate 5 Day demand supplied at 66kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-
NSP94	<i>Critical Peak Two rate 5 Day demand supplied at 66kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-
NSP95	<i>Critical Peak Two rate 5 Day demand supplied at 66kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	-
	Off Peak Energy	c/kWh	-
	Demand Variable	\$/kVA pa	-
	Demand Capacity	\$/kVA pa	-

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

6.5 Schedule of Network Use of System Tariffs

Small Customer Tariffs

Applies to < 90kVA & < 160 MWh/ pa

NEE11	<i>Small Residential single rate</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 9.14
	Energy – First 1020/Quarter	c/kWh	9.324
	Energy – Balance	c/kWh	8.353
NEN11	<i>Small Residential single rate embedded network</i>		
	<i>Franchise Tariffs GD,GR</i>		
	Standing Charge	\$/customer pa	\$ 8.60
	Energy – First 1020/Quarter	c/kWh	7.023
	Energy – Balance	c/kWh	6.006
NSP11	<i>Small Residential interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 8.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	38.196
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.815
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	29.892
	Off Peak - all other times	c/kWh	2.894
NEE12	<i>Small Business single rate</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 8.96
	Energy – First 1020/Quarter	c/kWh	14.452
	Energy – Balance	c/kWh	12.701
NEN12	<i>Small Business single rate embedded network</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 8.50
	Energy – First 1020/Quarter	c/kWh	7.400
	Energy – Balance	c/kWh	7.871
NSP12	<i>Small Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 20.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	38.196
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.815
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	29.892
	Off Peak - all other times	c/kWh	4.376

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

NEE13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 16.34
	Energy – First 1020/Quarter	c/kWh	9.324
	Energy – Balance	c/kWh	8.353
	Off Peak Energy	c/kWh	2.975
NEN13	<i>Small Residential single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 15.80
	Energy – First 1020/Quarter	c/kWh	7.023
	Energy – Balance	c/kWh	6.006
	Off Peak Energy	c/kWh	2.975
NSP13	<i>Small Residential single rate & Dedicated Circuit interval meter time of use (closed to new entrants)</i>		
	Standing Charge	\$/customer pa	\$ 15.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	38.196
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.815
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	29.892
	Off Peak - all other times	c/kWh	2.894
	Off Peak - dedicated Circuit	c/kWh	2.955
NEE14	<i>Small Residential single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 16.34
	Energy – First 1020/Quarter	c/kWh	9.324
	Energy – Balance	c/kWh	8.353
	Off Peak Energy	c/kWh	2.695
NEN14	<i>Small Residential single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs GD,GR & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 15.80
	Energy – First 1020/Quarter	c/kWh	7.023
	Energy – Balance	c/kWh	6.006
	Off Peak Energy	c/kWh	2.695

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

NSP14	<i>Small Residential single rate & Dedicated Circuit - afternoon boost interval meter time of use (closed to new entrants)</i>		
	Standing Charge	\$/customer pa	\$ 15.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	38.196
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.815
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	29.892
	Off Peak - all other times	c/kWh	2.894
	Off Peak - dedicated Circuit	c/kWh	2.680
NEE15	<i>Small Residential single rate & Dedicated circuit 8 to 8 (closed to new Franchise Tariffs GD,GR & Y6,YT,Y8)</i>		
	Off Peak - 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 16.34
	Energy - First 1020/Quarter	c/kWh	9.324
	Energy - Balance	c/kWh	8.353
	Off Peak Energy	c/kWh	2.679
NEN15	<i>Small Residential single rate & Dedicated circuit 8 to 8 (closed to new Franchise Tariffs GD,GR & Y6,YT,Y8)</i>		
	Off Peak - 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 15.80
	Energy - First 1020/Quarter	c/kWh	7.023
	Energy - Balance	c/kWh	6.006
	Off Peak Energy	c/kWh	2.679
NSP15	<i>Small Residential single rate & Dedicated circuit 8 to 8 interval meter time of use (closed to new entrants)</i>		
	Standing Charge	\$/customer pa	\$ 15.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	38.196
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.815
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	29.892
	Off Peak - all other times	c/kWh	2.894
	Off Peak - dedicated Circuit	c/kWh	2.663
NEE16	<i>Small Business single rate & Dedicated Circuit (closed to new entrants)</i>		
	Off Peak - 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 16.16
	Energy - First 1020/Quarter	c/kWh	14.452
	Energy - Balance	c/kWh	12.701
	Off Peak Energy	c/kWh	2.975

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

NEN16	<i>Small Business single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 15.70
	Energy – First 1020/Quarter	c/kWh	7.400
	Energy – Balance	c/kWh	7.871
	Off Peak Energy	c/kWh	2.975
NSP16	<i>Small Business single rate & Dedicated Circuit interval meter time of use (closed to new entrants)</i>		
	Standing Charge	\$/customer pa	\$ 27.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	38.196
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.815
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	29.892
	Off Peak - all other times	c/kWh	4.376
	Off Peak - dedicated Circuit	c/kWh	2.955
NEE17	<i>Small Business single rate & Dedicated Circuit – afternoon boost (closed to</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 16.16
	Energy – First 1020/Quarter	c/kWh	14.452
	Energy – Balance	c/kWh	12.701
	Off Peak Energy	c/kWh	2.695
NEN17	<i>Small Business single rate & Dedicated Circuit – afternoon boost (closed to</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 15.70
	Energy – First 1020/Quarter	c/kWh	7.400
	Energy – Balance	c/kWh	7.871
	Off Peak Energy	c/kWh	2.695
NSP17	<i>Small Business single rate & Dedicated Circuit – afternoon boost interval meter time of use (closed to new entrants)</i>		
	Standing Charge	\$/customer pa	\$ 27.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	38.196
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.815
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	29.892
	Off Peak - all other times	c/kWh	4.376
	Off Peak - dedicated Circuit	c/kWh	2.680

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

NEE18	<i>Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 16.16
	Energy – First 1020/Quarter	c/kWh	14.452
	Energy – Balance	c/kWh	12.701
	Off Peak Energy	c/kWh	2.679
NEN18	<i>Small Business single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 15.70
	Energy – First 1020/Quarter	c/kWh	7.400
	Energy – Balance	c/kWh	7.871
	Off Peak Energy	c/kWh	2.679
NSP18	<i>Small Business single rate & Dedicated circuit 8 to 8 interval meter time of use (closed to new entrants)</i>		
	Standing Charge	\$/customer pa	\$ 27.80
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	38.196
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.815
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	29.892
	Off Peak - all other times	c/kWh	4.376
	Off Peak - dedicated Circuit	c/kWh	2.663
NEE20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 23.00
	Peak Energy	c/kWh	13.082
	Off Peak Energy	c/kWh	2.832
NEN20	<i>Small Residential two rate</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 23.00
	Peak Energy	c/kWh	9.985
	Off Peak Energy	c/kWh	2.839

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

NSP20	<i>Residential interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 8.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	38.196
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.815
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	29.584
	Off Peak - all other times	c/kWh	2.943
NSP26	<i>Residential - Low peak rate Interval metered Time of Use</i>		
	Standing Charge	\$/customer pa	\$ 8.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	18.973
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	16.824
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	15.968
	Off Peak - all other times	c/kWh	6.238
NEE21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 39.60
	Peak Energy	c/kWh	13.074
	Off Peak Energy	c/kWh	4.766
SUN21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 39.60
	Peak Energy	c/kWh	13.074
	Off Peak Energy	c/kWh	4.766
	Premium feed-in payment all year	c/kWh	60.000
NEN21	<i>Small Business two rate</i>		
	<i>Franchise Tariffs DH/DL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 44.50
	Peak Energy	c/kWh	12.291
	Off Peak Energy	c/kWh	5.140

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

NSP21	<i>Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 39.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	37.974
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.704
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	29.781
	Off Peak - all other times	c/kWh	4.376
NSP27	<i>Business - Low peak rate Interval metered Time of Use</i>		
	Standing Charge	\$/customer pa	\$ 39.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	18.955
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	16.712
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	15.847
	Off Peak - all other times	c/kWh	7.682
SSP21	<i>Business interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 39.60
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	37.974
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.704
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	29.781
	Off Peak - all other times	c/kWh	4.376
	Premium feed-in payment all year	c/kWh	60.000
NEE23	<i>Photovoltaic</i>		
	<i>Franchise Tariffs GH/GL</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday		
	Off Peak - All other times		
	Summer demand - 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 58.32
	Peak Energy	c/kWh	12.018
	Off Peak Energy	c/kWh	3.189
	Summer Generation	c/kWh	4.058
SUN23	<i>Photovoltaic Feed-in tariff</i>		
	Peak Times - 7:00AM to 11:00PM Monday - Friday	\$/customer pa	
	Off Peak - All other times		
	Summer demand - 1 November to 31 March		
	Standing Charge	\$/customer pa	\$ 58.32
	Peak Energy	c/kWh	12.018
	Off Peak Energy	c/kWh	3.189
	Summer Generation	c/kWh	4.058
	Premium feed-in payment all year	c/kWh	60.000

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

NSP23	<i>Photovoltaic interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 11.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	28.477
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	23.874
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	22.095
	Summer Generation	c/kWh	4.058
	Off Peak - all other times	c/kWh	2.833
SSP23	<i>Photovoltaic interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 11.00
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	28.477
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	23.874
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	22.095
	Summer Generation	c/kWh	4.058
	Off Peak - all other times	c/kWh	2.833
	Premium feed-in payment all year	c/kWh	60.000
NEE24	<i>NEE24 Small rate 5 day 8 to 8</i>		
	Franchise Tariffs GH/GL		
	Peak Times - 8:00AM to 8:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 43.80
	Peak Energy	c/kWh	17.305
	Off Peak Energy	c/kWh	3.329
NEE25	<i>NEE25 Small business rate 5 day 8 to 8</i>		
	Franchise Tariffs DH/DL		
	Peak Times - 8:00AM to 8:00PM Monday - Friday		
	Off Peak - All other times		
	Standing Charge	\$/customer pa	\$ 39.60
	Peak Energy	c/kWh	16.295
	Off Peak Energy	c/kWh	5.499
NEE30	<i>Dedicated circuit (closed to new entrants)</i>		
	Franchise Tariffs Y6,YT,Y8		
	Off Peak - 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak Energy	c/kWh	2.975
NSP30	<i>Dedicated circuit interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak	c/kWh	2.955

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

NEE31	<i>Dedicated circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs J,J6,JT,J8</i>		
	Off Peak – 3 hours per afternoon 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak Energy	c/kWh	2.695
NSP31	<i>Dedicated circuit – afternoon boost interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak	c/kWh	2.680
NEE32	<i>Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs Y6,YT,Y8</i>		
	Off Peak – 6 or 8 hrs 8:00PM to 8:00AM each day		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak Energy	c/kWh	2.679
NSP32	<i>Dedicated circuit 8 to 8 interval meter time of use</i>		
	Standing Charge	\$/customer pa	\$ 7.20
	Off Peak	c/kWh	2.663
NEE40	<i>Medium single rate (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N</i>		
	Standing Charge	\$/customer pa	\$ 62.40
	Energy - All Consumption	c/kWh	11.156
NEE41	<i>Medium single rate & Dedicated Circuit (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & Y6,YT,Y8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 69.60
	Peak Energy	c/kWh	11.156
	Off Peak Energy	c/kWh	2.975
NEE42	<i>Medium single rate & Dedicated Circuit – afternoon boost (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 69.60
	Peak Energy	c/kWh	11.156
	Off Peak Energy	c/kWh	2.695
NEE43	<i>Medium single rate & Dedicated circuit 8 to 8 (closed to new entrants)</i>		
	<i>Franchise Tariffs B,E,G,N & J,J6,JT,J8</i>		
	Off Peak – 11:00PM to 7:00AM each day		
	Standing Charge	\$/customer pa	\$ 69.60
	Peak Energy	c/kWh	11.156
	Off Peak Energy	c/kWh	2.679

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

Medium Customer Tariffs

Applies to > 50kVA & > 160 MWh/pa and < 400 MWh/pa

NEE51	Medium two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 106.80
	Peak Energy	c/kWh	14.044
	Off Peak Energy	c/kWh	4.296
NEE52	Unmetered supplies		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Peak Energy	c/kWh	13.204
	Off Peak Energy	c/kWh	5.685
NEE54	Medium Demand multi-rate Interruptible		
	Available as an alternative to NEE21, NEE51 or NEE56 in locations SPI Networks interruptability infrastructure is established. Further conditions available from SPI Networks Pty Ltd		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 1,039.20
	Peak Energy	c/kWh	4.550
	Shoulder Energy	c/kWh	3.287
	Off Peak Energy	c/kWh	3.590
	Contract Demand	\$/kVA pa	-
	Minimum Demand 50 kVA		
NEE55	Snowfields		
	Peak Times – 1 May to 30 September		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 54.00
	Peak Energy	c/kWh	9.840
	Off Peak Energy	c/kWh	3.116
NSP55	Snowfields seasonal interval meter time of use		
	Standing Charge	\$/customer pa	\$ 55.20
	Summer Peak - Dec-March, Mon - Fri, 2pm - 6pm	c/kWh	37.979
	Summer Shoulder - Dec-March, Mon - Fri, 12pm-2pm and 6pm to 8pm	c/kWh	31.704
	Winter peak - Jun-Aug, Mon - Fri, 4pm to 8pm	c/kWh	26.845
	Off Peak - all other times	c/kWh	2.956

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

NSP56	<i>Critical Peak Demand multirate > 50 kVA & < 400 MWh</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 1,839.07
	Peak Energy	c/kWh	9.047
	Shoulder Energy	c/kWh	6.917
	Off Peak Energy	c/kWh	3.605
	Demand Variable	\$/kVA pa	24.020
	Demand Capacity	\$/kVA pa	21.860
NEN56	<i>Medium demand multi-rate</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 1,839.07
	Peak Energy	c/kWh	9.912
	Shoulder Energy	c/kWh	7.388
	Off Peak Energy	c/kWh	4.034
	Contract Demand	\$/kVA pa	-
	Minimum Demand 50 kVA		
NEE60	<i>Medium two rate 7 Day (closed to new entrants)</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Sunday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 182.80
	Peak Energy	c/kWh	12.820
	Off Peak Energy	c/kWh	6.653

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

Large Customer Tariffs

Applies to > 150kVA & > 400 MWh/pa

NEE74	Large two rate 5 Day (closed to new entrants)		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 196.00
	Peak Energy	c/kWh	13.743
	Off Peak Energy	c/kWh	4.035
NEE75	Large demand multi-rate - Either > 150kVA & > 400 MWh/pa & <		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 100.00
	Peak Energy	c/kWh	2.080
	Shoulder Energy	c/kWh	-
	Off Peak Energy	c/kWh	0.817
	Contract Demand	\$/kVA pa	-
	Minimum Demand 150kVA		
NSP75	Critical Peak Demand multirate > 150kVA & < 750 MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 3,140.60
	Peak Energy	c/kWh	5.882
	Shoulder Energy	c/kWh	4.899
	Off Peak Energy	c/kWh	2.909
	Demand Variable	\$/kVA pa	48.450
	Demand Capacity	\$/kVA pa	29.160
NSP76	Critical Peak Demand multirate > 280kVA & > 750 MWh		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 3,140.60
	Peak Energy	c/kWh	5.195
	Shoulder Energy	c/kWh	4.420
	Off Peak Energy	c/kWh	2.796
	Demand Variable	\$/kVA pa	49.270
	Demand Capacity	\$/kVA pa	33.240

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

NSP77 *Critical Peak Demand multirate > 550kVA & > 2 GWh*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 3,140.60
Peak Energy	c/kWh	4.046
Shoulder Energy	c/kWh	3.361
Off Peak Energy	c/kWh	2.239
Demand Variable	\$/kVA pa	54.500
Demand Capacity	\$/kVA pa	35.600

NSP78 *Critical Peak Demand multirate > 850kVA & > 4 GWh*

Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday

Shoulder Times – 10:00AM to 4:00PM Monday – Friday

Off Peak – All other times

Standing Charge	\$/customer pa	\$ 3,140.60
Peak Energy	c/kWh	3.331
Shoulder Energy	c/kWh	2.793
Off Peak Energy	c/kWh	1.767
Demand Variable	\$/kVA pa	63.151
Demand Capacity	\$/kVA pa	42.383

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

High Voltage Tariffs

Applies to 22,000 Volt supplies

NSP81	<i>Critical Peak Two rate 5 Day demand supplied at > 1kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 3,140.60
	Peak Energy	c/kWh	2.583
	Off Peak Energy	c/kWh	1.191
	Demand Variable	\$/kVA pa	39.500
	Demand Capacity	\$/kVA pa	25.220
NSP82	<i>Critical Peak Traction Two rate 5 Day demand supplied at > 1kV</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 3,140.60
	Peak Energy	c/kWh	2.829
	Shoulder Energy	c/kWh	2.262
	Off Peak Energy	c/kWh	1.323
	Demand Variable	\$/kVA pa	35.130
	Demand Capacity	\$/kVA pa	23.440
NSP83	<i>Critical Peak Multi rate 5 Day demand supplied at > 1kV</i>		
	Peak Times – 7:00AM to 10:00AM and 4:00PM to 11:00PM Monday – Friday		
	Shoulder Times – 10:00AM to 4:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 3,140.60
	Peak Energy	c/kWh	8.822
	Shoulder Energy	c/kWh	7.023
	Off Peak Energy	c/kWh	1.263
	Demand Variable	\$/kVA pa	5.380
	Demand Capacity	\$/kVA pa	3.800

Annual Tariff Report 2012

Schedule of Network Use of System Tariffs

Subtransmission Tariffs

Applies to 66,000 Volt supplies

NSP91	<i>Critical Peak Two rate 5 Day demand supplied at 66kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 17,852.80
	Peak Energy	c/kWh	2.417
	Off Peak Energy	c/kWh	0.827
	Demand Variable	\$/kVA pa	6.240
	Demand Capacity	\$/kVA pa	4.150
NSP94	<i>Critical Peak Two rate 5 Day demand supplied at 66kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 17,852.80
	Peak Energy	c/kWh	2.316
	Off Peak Energy	c/kWh	0.849
	Demand Variable	\$/kVA pa	3.950
	Demand Capacity	\$/kVA pa	2.620
NSP95	<i>Critical Peak Two rate 5 Day demand supplied at 66kV</i>		
	Peak Times – 7:00AM to 11:00PM Monday – Friday		
	Off Peak – All other times		
	Standing Charge	\$/customer pa	\$ 17,852.80
	Peak Energy	c/kWh	2.456
	Off Peak Energy	c/kWh	0.848
	Demand Variable	\$/kVA pa	5.790
	Demand Capacity	\$/kVA pa	3.840

Annual Tariff Report 2012

6.6 Rules Applying to the Assignment and Reassignment of Network Tariffs

Provisions relating to the assignment and reassignment of distribution customers to distribution tariffs classes can be found in Appendix G of the Australian Energy Regulator's Victorian electricity distribution network service providers Distribution determination 2011 – 2015.

SP AusNet provides metering and connection and assigns network tariffs to new customer connection on the basis of the Average Daily Load (ADL) that is provided by customers or retailers at the time the connection is requested. An incorrect ADL advice may result in inappropriate metering installation and network tariff assignment. SP AusNet requires customers to remain on the initial tariff assignment for a minimum of twelve months.

SP AusNet requires customers seeking tariff reassignment to remain on the reassigned tariff for a minimum 12-month period. SP AusNet may make exceptions to this requirement at its discretion, where for example, it can be demonstrated that to not do so would result in unreasonable penalties or impose hardship on a customer.

This condition prevents customers changing tariffs to take advantage of seasonal variations in prices according to their individual load, thereby bypassing payment that reflects use of the distribution network over a full 12-month cycle.

6.7 Rules for Determining a Customers Maximum Demand

For the purposes of determining a customer's Maximum Demand for Network Tariffs the following rules apply:

6.7.1 Definitions:

"Capacity" means:

- for low voltage customers the name plate rating of the transformer or prorata portion thereof dedicated to making and maintaining electricity supply to a customers premise.
- for customers supplied at voltage levels greater than 1000 volts, the rating of the dedicated assets, cable and/or switchgear, at or immediately prior to the connection point.

"Critical Peak Demand" means the average of a customer's Maximum Demand recorded between 2:00pm AEST and 6:00PM AEST on the business days nominated by SP AusNet at least one business day ahead. Critical Peak Demand days will be limited to 5 days in the Summer Period.

"Summer Period" means 1 December to 31 March in any given year.

"Maximum Demand" means the demand determined in accordance with paragraphs (1) and (2) of sections 6.6.2 or 6.6.3 (as applicable) below which is made available by a Distributor for use by a customer at the Supply Point and is the basis for setting maximum demand charges to be paid by the customer to the Distributor each billing period. The Maximum demand is measured in kilo volt amps (kVA) and is calculated as the energy consumption recorded over the demand integration period divided by the demand integration period in hours. The demand integration period is 30 minutes. The Maximum Demand for a Supply Point is always more than or equal to the minimum chargeable demand applicable to the tariff, as specified in the Distribution Tariff Schedule (Attachment 6.2).

Annual Tariff Report 2012

The formula for determining kVA is:
Where:

$$kVA = \sqrt{(KW^2 + kVAR^2)}$$

kW = kilo watts recorded over a 30 minute period

KVAR = kilo volt amp reactive recorded over a 30 minute period.

6.7.2 Customers Supplied on a Critical Peak Demand Tariff

1. Selection of Capacity
 - (a) Supply Points previously supplied under a contract demand tariff:
The capacity will be established with reference to the customers existing Maximum Demand.
 - (b) Supply Points not previously supplied under a contract demand tariff the Capacity as defined above.
2. Selection of Critical Peak Demand
 - (a) Supply Points previously supplied under a contract demand tariff:
The Critical Peak Demand for the transitional period 1 January 2012 to 31 March 2012 will be set with reference to December 2011 so that the charge to the customer for the sum of the Capacity charge and the Critical Peak Demand charge will equal the December 2011 Maximum Demand charge. From 1 April 2012 the Critical Peak Demand will apply. The Critical Peak Demand established at that time will apply from 1 April to 31 March the following year.
 - (b) Supply Points not previously supplied under a contract demand tariff:
For the initial period from connection until a Critical Peak demand is able to be established for that customer the critical peak demand shall be 60% of the Capacity.

6.7.3 Customers Supplied on an Any Time Maximum Demand Tariff (tariffs closed 1 January 2012)

1. Initial Selection of Maximum Demand
 - (a) Supply Points not previously supplied under a contract demand tariff:
If a customer requests a supply of electricity under a demand metered Network Tariff, then an initial level of Maximum Demand must be agreed between the customer and SP AusNet as set out below:
 - (i) **For existing Supply Points:** during the third month of supply, the customer and SP AusNet must negotiate a Maximum Demand to apply for the following 12 months having regard to:
 - (A) the minimum chargeable demand applicable to the relevant Distribution Tariff as set out in the schedule of Distribution Tariffs (Attachment 6.2).
 - (B) the actual highest metered maximum demand recorded since supply commenced.
 - (ii) **For new Supply Points:** the customer and SP AusNet must negotiate a Maximum Demand to apply for a minimum of the following 12 months having regard to:
 - (A) the minimum chargeable demand applicable to the relevant Distribution Tariff as set out in the schedule of Distribution Tariffs (Attachment 6.2).
 - (B) the expected maximum demand of the relevant Supply Point.
 - (b) Supply Points previously supplied under a demand tariff
The records of metered demand for the customer in respect of the relevant Supply Point for the preceding 12 months must be examined. The Maximum Demand, for the customer in respect of the relevant Supply Point, is the highest of:
 - (i) the maximum recorded demand that occurred in the preceding 12 month period; and
 - (ii) the minimum chargeable demand applicable to the relevant Distribution Tariff (as specified in Attachment 6.2); and
 - (iii) the contract demand under the previous tariff.

Annual Tariff Report 2012

Where (i) is the highest and the customer satisfies SP AusNet that the maximum recorded demand was due to an unusual situation that is unlikely to recur, then the customer and SP AusNet must negotiate a Maximum Demand to apply for a minimum of the following 12 months having regard to:

(iv) the minimum chargeable demand applicable to the relevant Distribution Tariff as set out in Attachment 6.2; and

(v) the expected maximum demand of the relevant Supply Point.

2. Changes to Maximum Demand

(a) Increases in Maximum Demand

(i) Where a customer requires an increase in Maximum Demand at a Supply Point, the customer must make a written request to SP AusNet. The increased level of Contract Demand shall apply from the requested date or as near as possible thereafter, subject to any required work being completed by SP AusNet.

(ii) Temporary increases in Maximum Demand may be made available by SP AusNet to the customer in respect of the relevant Supply Point to cover specific, short-term needs, such as the commissioning of new plant, subject to:

(A) a minimum of one month's written notice from the customer; and

(B) prior agreement from the local DB (which agreement will be conditional upon the necessary capacity being available in SP AusNet Distribution System).

(b) Temporary Increases in Maximum Demand

Temporary increases in Maximum Demand will:

(i) be defined in terms of "additional demand" for a specific period;

(ii) apply for one full billing period, except in the case of commissioning of new plant, in which case the duration of the temporary increase may be extended for the duration of the commissioning;

(iii) be charged at the standard Maximum Demand price; and

(iv) be limited to once occurrence in any 12 month period unless otherwise agreed by the local DB.

(c) Reduction in Maximum Demand

(i) Where a customer requires a reduction in Maximum Demand at Supply Point, the customer must give 12 months written notice of this requirement. If SP AusNet agrees to reduce the Maximum Demand to any level down to the level sought by the customer, SP AusNet must notify the customer in writing within the 12-month notice period of a new Maximum Demand. The new Maximum Demand is to be applied from the reading date following the reading date that falls at the end of that 12-month notice period.

However, following installation by the customer of load management equipment approved by SP AusNet or the implementation of a demand management initiative approved by SP AusNet, the 12-month notice period may be reduced at the discretion of SP AusNet.

(ii) If, in the 12 months following any reduction in Maximum Demand under sub-paragraph (i), the reduced Maximum Demand is exceeded, then the demand so recorded becomes the Maximum Demand applicable from the time of the reduction. This shall not apply to temporary increases in demand negotiated under clause 2(a)(ii).

(d) Changes following Maximum Demand being exceeded

In the event that the metered maximum demand in a billing period exceeds the Maximum Demand for that customer in respect of the relevant Supply Point;

(i) a new Maximum Demand is established equal to the metered demand in that billing period;

(ii) the new Maximum Demand shall apply for at least 12 months unless an exemption is obtained under sub-paragraph (iii) below;

(iii) If the new Maximum Demand is established as a result of a fault in the customer's electrical installation in respect of the relevant Supply Point, then SP AusNet may reduce the Maximum Demand back to the previous level after 3 months, provided:

(A) SP AusNet receives a written application for such a reduction from the customer within 30 days of billing following the fault; and

(B) SP AusNet is satisfied that:

(I) the fault has been diagnosed; and

Annual Tariff Report 2012

- (II) action has been taken to avoid a recurrence of that or similar faults; and
- (iv) where the capacity of SP AusNet Distribution System is inadequate to make supply available at a higher rate on a continuous basis, SP AusNet may advise the customer that the new Maximum Demand will apply only for the billing period in which it was established, pending augmentation of SP AusNet Distribution System and renegotiation of a revised Maximum Demand. The maximum demand thereafter is limited to the available capacity of SP AusNet Distribution System, as determined by SP AusNet, by suitable load limiting equipment installed by the customer to the satisfaction of SP AusNet.

3. Multiple Supplies

Where SP AusNet provides multiple supplies, including alternative supplies to a customer in respect of a particular Supply Point, each supply shall be separately metered and billed under the Network Tariff selected by the customer for each supply. However, where such multiple supplies are taken from and metered at a single Supply Point they are to be treated as a single supply for Network Tariff and billing purposes.

Annual Tariff Report 2012

Prescribed Metering Services

6.8 Schedule of Prescribed Metering Services

*Metering Data Services***Un Metered Supplies**

Fixed Charge	\$/NMI/pa	\$282.59
Fixed Charge	\$/Light/pa	\$1.470

*Meter Provision***>160 MWh a year****Multi Phase Direct Connected Meter**

Fixed Charge	\$/meter/pa	\$175.44
--------------	-------------	----------

Multi Phase Current Transformer Connected Meter

Fixed Charge	\$/meter/pa	\$303.00
--------------	-------------	----------

<160 MWh a year**Single Phase Single Element Meter**

Fixed Charge	\$/meter/pa	\$113.25
--------------	-------------	----------

Single Phase Two Element Meter With Contactor

Fixed Charge	\$/meter/pa	\$130.12
--------------	-------------	----------

Multi Phase Meter

Fixed Charge	\$/meter/pa	\$157.20
--------------	-------------	----------

Multi Phase Direct Connected Meter With Contactor

Fixed Charge	\$/meter/pa	\$174.39
--------------	-------------	----------

Multi Phase Current Transformer Connected Meter

Fixed Charge	\$/meter/pa	\$224.55
--------------	-------------	----------

NOTE: The above charges apply to all customers using less than 160,000 kWh a year and first tier customers with annual usage greater than 160,000 kWh that elect not to take a contestable meter option offered by their Retailer.

The charges will be applied on a per meter basis in the following manner:

1. Where a site is > 160 MW, a > 160 MWh Multi Phase CT Connected Meter Provisioning tariff will be applied on a per meter basis.
2. For < 160 MWh sites:
 - a. Which have Multi-phase connections with CT equipment, a Multi Phase CT Connected Meter Provisioning tariff will be applied on a per meter basis.
 - b. Which have Multi-phase connections with a Direct Connection, a Multi Phase, Direct Connected tariff will be applied on a per meter basis.
 - c.

With only one meter, which is a Single-phase, single register connection a Single Phase Non Off Peak Meter Provisioning tariff will be applied.

With Single-phase connections that do not receive a Single Phase Non Off Peak Meter tariff, a Single Phase Off Peak Meter tariff will be applied.

Note that if a site fits the criteria for more than one of the < 160 MW tariffs, all applicable tariffs may be applied.

Annual Tariff Report 2012

Prescribed Metering Services

The Meter Provisioning charges will be calculated by applying a daily rate to the time period covered in the related NUoS bill.

These charges will be visible in the detailed Billing file, provided on a monthly basis. The charges will be presented in the "600" line structure.

- The "Quantity" field in this structure will reflect the number of days being charged for. In a situation where there are multiple Multi-Phase meters being charged under the same tariff, the "quantity" will be the number of days multiplied by the number of meters.
- The "EventDate" field will reflect the "EndDate" presented in the NUoS record.

Annual Tariff Report 2012

Alternative Control and Quoted Services

6.9 Alternative Control & Quoted Services

FEE BASED ALTERNATIVE CONTROL SERVICES



Charge Code	Field officer visits	\$ GST Excl
020600NH	Field officer visits—BH	15.60
020600AH	Field officer visits—AH	109.28
	<i>Routine new connections—SP AusNet responsible for metering, customers<100amps</i>	
010107NH	Single Ø Overhead—BH	196.56
010107AH	Single Ø Overhead—AH	270.71
010109NH	Single Ø Underground—BH	158.74
010109AH	Single Ø Underground—AH	217.83
010111NH	Multi Ø Overhead—Direct Connected Meter—BH	274.90
010111AH	Multi Ø Overhead—Direct Connected Meter—AH	367.60
010112NH	Multi Ø Overhead—CT Connected Meter—BH	335.15
010112AH	Multi Ø Overhead—CT ConnectedMeter—AH	491.59
010113NH	Multi Ø Underground—Direct Connected Meter—BH	203.94
010113AH	Multi Ø Underground—Direct Connected Meter—aH	275.77
010114NH	Multi Ø Underground—CT Connected Meter—BH	283.88
010114AH	Multi Ø Underground—CT ConnectedMeter—AH	440.32
010115NH	Temporary Overhead Supply—Coincident Disconnection (Truck visit)—BH	365.72
010115AH	Temporary Overhead Supply—Coincident Disconnection (Truck visit)—AH	479.47
	<i>Routine new connections—SP AusNet not responsible for metering, customers<100amps</i>	
010116NH	Single Ø Overhead—BH	196.56
010116AH	Single Ø Overhead—AH	270.71
010118NH	Single Ø Underground—BH	158.74
010118AH	Single Ø Underground—AH	217.83
010120NH	Multi Ø Overhead—Direct Connected Meter—BH	274.90
010120AH	Multi Ø Overhead—Direct Connected Meter—AH	367.60
010121NH	Multi Ø Overhead—CT Connected Meter—BH	335.15
010121AH	Multi Ø Overhead—CT ConnectedMeter—AH	491.59
010122NH	Multi Ø Underground—Direct Connected Meter—BH	203.94
010122AH	Multi Ø Underground—Direct Connected Meter—aH	275.77
010123NH	Multi Ø Underground—CT Connected Meter—BH	283.88
010123AH	Multi Ø Underground—CT ConnectedMeter—AH	440.32
010124NH	Temporary Overhead Supply—Coincident Disconnection (Truck visit)—BH	365.72
010124AH	Temporary Overhead Supply—Coincident Disconnection (Truck visit)—AH	479.47
	<i>Service truck visits</i>	
030000NH	Service Truck Visit—BH	239.36
030001NH	Wasted Truck Visit—BH	121.29
030000AH	Service Truck Visit—AH	315.21
030100AH	Truck Appointment—AH	Quoted service
	<i>Meter equipment tests</i>	
060100NH	Single phase	148.62
060200NH	Single phase (each additional meter)	51.24
060300NH	Multi Phase	199.87
060400NH	Multi Phase (each additional meter)	66.62

Annual Tariff Report 2012

Alternative Control and Quoted Services

QUOTED ALTERNATIVE CONTROL SERVICES



Labour category	Service description	2011	2011
		\$/hour rate - BH GST Excl	\$/hour rate - AH GST Excl
Labour—wages	Construction Overhead Install	78.45	98.06
Labour—wages	Construction Underground Install	79.29	99.11
Labour—wages	Construction Substation Install	79.29	99.11
Labour—wages	Electrical Tester Including Vehicle & Equipment	116.19	145.23
Labour—wages	Construction	78.45	98.06
Labour—wages	Planner Including Vehicle	107.20	134.01
Labour—wages	Supervisor Including Vehicle	107.20	134.01
Labour—design	Design	83.26	104.08
Labour—design	Drafting	65.56	81.96
Labour—design	Survey	78.06	97.58
Labour—design	Tech Officer	78.06	97.58
Labour—design	Line Inspector	65.56	81.96
Labour—design	Contract Supervision	78.06	97.58
Labour—design	Protection Engineer	83.26	104.08
Labour—design	Maintenance Planner	78.06	97.58