



2008 Annual Tariff Report

November 2007

CitiPower
40 Market Street
Melbourne 3000

TABLE OF CONTENTS

1. CURRENT TARIFFS.....	3
1.1 REGULATORY ARRANGEMENTS.....	3
1.1.1 Distribution Tariffs.....	3
1.1.2 Transmission Tariffs.....	3
1.1.3 Excluded Services and Prescribed Metering.....	3
1.2 TARIFFS.....	4
1.2.1 Distribution Tariffs.....	4
1.2.2 Transmission Tariffs.....	4
1.2.3 Network Tariffs.....	4
1.2.4 Prescribed Metering Tariffs.....	4
1.2.5 Eligibility of Each Tariff.....	4
1.3 PARENT TARIFFS.....	10
1.4 2008 TARIFF CHANGES.....	10
1.4.1 Advanced Interval Meter Tariffs.....	10
1.4.2 Reactive Demand Tariffs.....	10
1.5 UPPER AND LOWER BOUNDS ON TARIFFS.....	10
1.6 DEMONSTRATION OF HOW PRICES ACCOUNT FOR FUTURE INVESTMENT REQUIREMENTS.....	11
1.7 EXCLUDED SERVICE CHARGES AND PRESCRIBED METERING SERVICE CHARGES.....	11
1.7.1 Prescribed Metering Service Tariffs.....	11
1.7.1.1 Meter Provision.....	11
1.7.1.2 Meter Data Services.....	11
1.8 REASSIGNMENTS.....	12
1.9 DEMAND RESETS.....	12
2. USAGE/QUANTITY INFORMATION.....	12
2.1 QUANTITIES AND USAGE.....	12
2.2 NETWORK CONSTRAINTS.....	12
3. ANNUAL ADJUSTMENT VARIABLES.....	12
3.1 ADJUSTMENT VARIABLES.....	12
3.2 IMPACT ON TARIFFS.....	12
4. RATIONALE FOR AMENDMENT.....	13
4.1 COMPARISON WITH TARIFF STRATEGY REPORT.....	13
5. CONSULTATION.....	13

LIST OF TABLES

Table 1: Eligibility of Network Tariffs.....	5
Table 2: Closed Tariffs.....	8
Table 3: Parent Tariffs.....	10
Table 4: Annual Adjustment Variables.....	12
Table 5: 2006 Actual Quantities by Tariff.....	14
Table 6: 2008 Forecast Quantities by Tariff.....	15
Table 7: DUOS and TUOS Rebalancing Constraints.....	16

CURRENT TARIFFS

This document provides information for distribution customers on current and closed tariffs, annual adjustment variables and recent updates of information provided in the Tariff Strategy Report.

1.1 Regulatory Arrangements

Use of CitiPower's distribution systems and a number of other excluded services are regulated by the Essential Services Commission (ESC). Distribution tariffs must satisfy the constraints set out in the *Electricity Distribution Price Review 2006-10 Final Decision Volume 2 Price Determination* ("Determination").

1.1.1 Distribution Tariffs

Distribution tariffs must conform to price controls and rebalancing controls set out in the *Determination*. The *Determination* provides a price control formula that specifies a maximum percentage change to annual tariffs. The maximum limit is based on four controls:

- *X-factor*: X-factor accounts for the expectation that distributors will achieve year-on-year efficiency gains and that these gains will be passed on to consumers. For 2008, the *Determination* requires CitiPower to deliver an average real decrease in distribution tariffs of 2.5 percent.
- *S-factor*: S-factor provides an incentive for distributors to meet service obligations. Tariffs may be adjusted where service targets are exceeded and customers are compensated through reduced tariffs if service provision is not to the required standards.
- *L-factor*: L-factor ensures tariffs accurately reflect licence fees. Distributors must pay a licence fee, which is recovered through distribution tariffs.
- *CPI*: tariffs are indexed to account for inflation.

The price control formula constrains aggregate tariff revenue increases to the movement of these four factors. In addition, the *Determination* specifies a rebalancing control that prohibits individual tariff increases of more than $CPI + 2$ per cent (adjusted for S-Factor and L-Factor).

1.1.2 Transmission Tariffs

Transmission use of system charges are levied on CitiPower by Vencorp and SP Ausnet. CitiPower recovers these costs through transmission tariffs regulated by the ESC. Transmission tariffs must satisfy the constraints set out in the *Determination*. Increases to individual transmission tariffs have an upper limit of the real average increase in transmission costs plus 2 per cent. The average increase in transmission costs is capped at 18 per cent per year.

1.1.3 Excluded Services and Prescribed Metering

Since 1 January 2006, CitiPower has been exclusively responsible for providing metering services to distribution customers with annual consumption less than 160 MWh/pa who do not have a remotely read interval meter. Metering services include meter provision and meter data services. These services are regulated as a prescribed service. This approach is similar to the tariff basket approach to distribution and transmission tariffs for calendar years 2006-10. The M-factor performance incentive was removed in 2007 in accordance with the Commission's updated *Determination* dated 28 August 2007.

Prescribed metering services must satisfy constraints set out in the *Determination*. For the period 2006-10, prescribed metering service tariffs increase 20% per annum in real terms. Individual prescribed metering provision and meter data services tariffs for 2007-10 are also constrained as provided in section 4.6.6 of the *Determination*.

1.2 Tariffs

The following distribution, transmission and prescribed metering tariffs are available to CitiPower customers:

1.2.1 Distribution Tariffs

CitiPower's 2008 distribution tariffs are shown in the tariff schedule.

1.2.2 Transmission Tariffs

CitiPower's 2008 transmission tariffs are shown in the tariff schedule.

1.2.3 Network Tariffs

CitiPower's 2008 network tariffs are shown in the tariff schedule.

1.2.4 Prescribed Metering Tariffs

CitiPower's 2008 prescribed metering tariffs are shown in the tariff schedule.

1.2.5 Eligibility of Each Tariff

CitiPower takes into account the customer's load and connection characteristics to determine which distribution tariff will be assigned to a distribution customer,. Criteria for assigning tariffs include: whether the customer is residential or non-residential, whether the customer has an interval or accumulation meter, coincident demand requirements and whether the customer requires a High or Low Voltage supply.

Table 1 outlines CitiPower's network tariffs and defines connection characteristics for each tariff.

Table 1: Eligibility of Network Tariffs

Tariffs Available to New and Existing Customers in 2008

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (kW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
RESIDENTIAL CUSTOMERS							
C1R	Residential Single Rate	<1,000	<120	7 days, 24 hours	N/A	- 1-phase non-interval metered residential customers Note: tariff only open to new customers if a suitable interval meter is not installed	None
C1RB	Residential Single Rate - Bulk	<1,000	<120	7 days, 24 hours	N/A	- 1-phase non-interval metered residential customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation. Note: tariff only open to new customers if a suitable interval meter is not available	None
C3R	Residential Interval	<1,000	<120	Mon-Fri 0700 -2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- 1-phase interval metered residential customers with a controlled load - Interval metered residential customers without a controlled load	1-phase electric hot water service with a total load of <30Amps. <u>Switching Times:</u> Mon-Sun 2300-0700
C3RB	Residential Interval - Bulk	<1,000	<120	Mon-Fri 0700 -2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- 1-phase interval metered residential customers with a controlled load who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation. - Interval metered residential customers without a controlled load who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation.	1-phase electric hot water service with a total load of <30Amps. <u>Switching Times:</u> Mon-Sun 2300-0700
NON-RESIDENTIAL CUSTOMERS							
C1G	Non-Residential Single Rate	<1,000	<120	7 days, 24 hours	N/A	- 1-phase non-interval metered, non-residential customers - 1-phase, non-interval metered, builder's temporary supply Note: tariff only open to new customers if a suitable interval meter is not available	None

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (kW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
C1GB	Non-Residential Single Rate - Bulk	<1,000	<120	7 days, 24 hours	N/A	- 1-phase non-interval metered, non-residential customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation. - 1-phase, non-interval metered, builder's temporary supplies that are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation. Note: tariff only open to new customers if a suitable interval meter is not available	None
C3G	Non-Residential Interval	<1,000	<120	Mon-Fri 0700 -2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Interval metered non-residential customers - Interval metered builder's temporary supplies	None
C3GB	Non-Residential Interval - Bulk	<1,000	<120	Mon-Fri 0700 -2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Interval metered non-residential customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation. - Interval metered, builder's temporary supplies that are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation.	None
C2U	Unmetered Supplies	<1,000	N/A	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Customers with an approved unmetered load	None
LARGE LOW VOLTAGE CONTRACT DEMAND CUSTOMERS							
C2DL	Large Low Voltage Demand	<1,000	≥120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Large customers	None
C2DLER	Large Low Voltage Demand Embedded Network Residential	<1,000	≥120	Mon-Sun 0700-2300	Mon-Sun 2300-0700	- Large customers either registered by the ESC or AER as an Embedded Network or who have an exemption from holding a distribution licence - Connection points within the Embedded Network will be predominantly residential	None
C2DLEG	Large Low Voltage Demand Embedded Network Non-Residential	<1,000	≥120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Large customers either registered by the ESC or AER as an Embedded Network or who have an exemption from holding a distribution licence - Connection points within the Embedded Network will be predominantly non-residential	None
C2DLB	Large Low Voltage Demand - Bulk	<1,000	≥120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Large customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation	None

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (kW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
C2DLBER	Large Low Voltage Demand Embedded Network Residential - Bulk	<1,000	≥120	Mon-Sun 0700-2300	Mon-Sun 2300-0700	- Large customers either registered by the ESC or AER as an Embedded Network or who have an exemption from holding a distribution licence - Customers supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation - Connection points within the Embedded Network will be predominantly residential	None
C2DLBEG	Large Low Voltage Demand Embedded Network Non-Residential - Bulk	<1,000	≥120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Large customers either registered by the ESC or AER as an Embedded Network or who have an exemption from holding a distribution licence - Customers supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation - Connection points within the Embedded Network will be predominantly non-residential	None
HIGH VOLTAGE CONTRACT DEMAND CUSTOMERS							
C2DH	High Voltage Demand	≥1,000 and <22,000	≥1,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers	None
C2DHER	High Voltage Demand Embedded Network Residential	≥1,000 and <22,000	≥1,000	Mon-Sun 0700-2300	Mon-Sun 2300-0700	- High voltage customers either registered by the ESC or AER as an Embedded Network or who have an exemption from holding a distribution licence - Connection points within the Embedded Network will be predominantly residential	None
C2DHEG	High Voltage Demand Embedded Network Non-Residential	≥1,000 and <22,000	≥1,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- either registered by the ESC or AER as an Embedded Network or who have an exemption from holding a distribution licence - Connection points within the Embedded Network will be predominantly non-residential	None
C2DHD1	High Voltage Demand D1	≥1,000 and <22,000	≥40,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers connected at 11/6.6kV via 2 or more dedicated closed ring feeders without directional powerflow control and without auto/transfer capability	None
SUBTRANSMISSION VOLTAGE DEMAND CUSTOMERS							
C2DT	Subtransmission Demand	≥22,000	≥10,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Subtransmission voltage customers	None

Table 2: Closed Tariffs

Tariffs Only Available to Existing Customers Already Assigned this Tariff @ 1 January 2008. (closed to new customers)

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
RESIDENTIAL CUSTOMERS							
C1R	Residential Single Rate	<1,000	<120	7 days, 24 hours	N/A	- Residential multi-phase customers	None
C1RB	Residential Single Rate - Bulk	<1,000	<120	7 days, 24 hours	N/A	- Residential multi-phase customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation.	None
C2R	Residential Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Residential customers without a controlled load who requested a 2 rate tariff - Residential customers with a controlled load	
C2RB	Residential Two Rate 5d - Bulk	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Residential customers, without a controlled load who requested a 2 rate tariff, who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation. - Residential customers with a controlled load who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation.	
CDS	Dedicated Circuit	<1,000	<120	N/A	7 days	- Residential customers on C1R tariff with a dedicated circuit connected to a controlled load	Electric hot water service Slab heating / heat banks
CDSB	Dedicated Circuit - Bulk	<1,000	<120	N/A	7 days	- Residential customers on C1RB tariff with a dedicated circuit connected to a controlled load who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation	Electric hot water service Slab heating / heat banks
NON-RESIDENTIAL CUSTOMERS							
C1G	Non-Residential Single Rate	<1,000	<120	7 days, 24 hours	N/A	- Non-residential multi-phase customers	None
C1GB	Non-Residential Single Rate - Bulk	<1,000	<120	7 days, 24 hours	N/A	- Non-residential multi-phase customers who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation.	None

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
C2G5	Non- Residential Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Non-residential customers without a controlled load who requested a 2 rate tariff - Non-residential customers with a controlled load	
C2G5B	Non- Residential Two Rate 5d - Bulk	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Non-residential customers, without a controlled load who requested a 2 rate tariff, who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation. - Non-residential customers with a controlled load who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation..	
C2G7	Non-Residential Two Rate 7d	<1,000	<120	Mon-Sun 0700-2300	Mon-Sun 2300-0700	- Non-residential customers who requested a 7-day, 2 rate tariff	None
C2G7B	Non-Residential Two Rate 7d - Bulk	<1,000	<120	Mon-Sun 0700-2300	Mon-Sun 2300-0700	- Non-residential customers who requested a 7-day, 2 rate tariff who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation.	None
CDS	Dedicated Circuit	<1,000	<120	N/A	7 days	- Non-residential customers on C1G or C2G7 tariff with a dedicated circuit connected to a controlled load	Electric hot water service Slab heating / heat banks
CDSB	Dedicated Circuit – Bulk	<1,000	<120	N/A	7 days	- Non-residential customers on C1GB or C2G7B tariff with a dedicated circuit connected to a controlled load who are supplied directly from on-site substation terminals where there are no CitiPower distribution assets beyond the substation	Electric hot water service Slab heating / heat banks
C2L7	Large Two Rate 7d	<1,000	<120	Mon-Sun 0700-2300	Mon-Sun 2300-0700	- Large non-demand customers who requested a 7-day, 2 rate tariff	None

1.3 Parent Tariffs

Details of the parent tariff categories to sub categories for each sub tariff are shown in the table below.

Table 3: Parent Tariffs

PARENT TARIFF DESCRIPTION	PARENT TARIFF CODE	SUB TARIFF DESCRIPTION	TARIFF CODE
Residential single rate	C1R	Dedicated Circuit	CDS
Residential single rate - Bulk	C1RB	Dedicated Circuit - Bulk	CDSB

1.4 2008 Tariff Changes

CitiPower's network tariffs decreased uniformly across most tariff classes in accordance with the price controls and rebalancing constraints set by the Commission. Most network tariffs will fall in 2008 due to reductions in distribution tariffs achieved by CitiPower. This fall in network tariffs has been achieved despite increases to transmission prices.

1.4.1 Advanced Interval Meter Tariffs

The rollout of advanced interval metering technology is scheduled to commence in 2009. Powercor will be introducing dedicated interval meter tariffs to address this development. New tariffs will be devised in 2008 for implementation in 2009

1.4.2 Reactive Demand Tariffs

CitiPower's 2006-10 Tariff Strategy Report outlined CitiPower's intention to implement Reactive Demand Tariffs as an Excluded Service. The implementation of reactive demand tariffs is currently on hold until these tariff structures may be fully assessed in terms of advanced metering infrastructure.

1.5 Upper and Lower Bounds on Tariffs

Under clauses 2.3.16 and 3.3.6 of the *Determination*, Distributors are required to set distribution tariffs and transmission tariffs with regard to the following principles:

- *Lower Bound*: each tariff should be above the avoidable cost of serving customers assigned to that tariff;
- *Upper Bound*: each tariff should be below the cost of providing the service on a stand alone basis to customers assigned to that tariff; and
- *Impact*: each tariff should signal the impact of additional usage on future investment costs.

CitiPower engaged Harding Katz to undertake a detailed study to ensure all distribution tariffs were within the efficient cost window set by these upper and lower bounds. The Harding Katz report defined the cost of serving customers as the cost attributable to an 'average' customer within the class of customers covered by each tariff. Cost per customer was established net of fixed costs, sunk costs and general overheads and formulated as the sum of average usage costs and an allocation of fixed costs per customer.

The upper bound for tariffs was established by estimating the costs likely to be incurred by a notional efficient competitor to the network business. This approach was taken as economies of scale dictate that the stand-alone cost of providing for a single customer would set the upper bound so high as to provide no meaningful limit. The cost of providing for customers on a stand alone basis was then established as the network and usage costs of providing for an 'average' customer within each tariff.

CitiPower's tariffs fall within the efficient window established by these bounds, implying that tariffs allow a reasonable return on regulated assets without exceeding a level that may indicate the entity was taking advantage of its status as a regulated monopoly. CitiPower will continue to monitor its existing tariffs and all proposed new tariffs to ensure they remain efficient.

The requirement that tariffs signal the impact of additional usage on future investment costs are reflected in CitiPower's use of block tariffs. Incrementally increasing rates for high-demand users reflect the additional investment required for increased usage. Demand charges for larger customers reflect the network capacity requirements of these customers and enable investment to meet their needs.

1.6 Demonstration of How Prices Account for Future Investment Requirements

In setting of distribution and transmission tariffs distributors are required under clauses 2.3.16 and 3.3.6 of the *Determination* to have regard to the principle that each tariff should signal the impact of additional usage on future investment costs.

CitiPower notes that the present state of metering technology imposes practical limitations on the precision of pricing signals that can be provided to customers. Data from the rollout of advanced interval meters will provide CitiPower with a more accurate profile of customer demand. To date this profiling has been limited due to an insufficient number of installed interval meters and insufficient data on usage patterns over time. Data made available from interval meters is expected to lead to more accurate predictions of future investment requirements. When more data is available for modelling CitiPower will reassess tariffs accordingly.

1.7 Excluded Service Charges and Prescribed Metering Service Charges

CitiPower's current schedule of Excluded Service charges can be found at:

<http://www.citipower.com.au/docs/pdf/Electricity%20Networks/CitiPower%20Network/CitiPower%20Excluded%20Services%20Schedule.pdf>

.Excluded Service charges are updated from time to time to reflect increasing business costs. Price changes are submitted to the Commission for review and approval prior to taking effect

1.7.1 Prescribed Metering Service Tariffs

Prescribed metering service tariffs are charged for the provision of meters and meter data services where the customer does not have a remotely read interval meter and either of the following conditions is met:

- The customer is a first tier customer and consumes less than 160MWh per annum; or
- The customer is a second tier customer who (subject to the National Electricity Rules) has a manually read interval meter, basic supply metering installation or unmetered supply installation

CitiPower's metering tariff structure for 2008 is provided in sections 1.7.1.1 and 1.7.1.2.

1.7.1.1 Meter Provision

The capital and operating costs of providing metering services is funded through meter provision charges. There are four types of charges to reflect differing costs to serve different meter classes:

- Single Phase Non-off peak
- Single Phase Off peak
- Poly Phase Direct Connect
- Three Phase CT

CitiPower will levy these charges per customer per NMI. The 2008 charges consist of a flat charge per NMI per annum. Customers receive the same charge irrespective of whether they are using an interval or accumulation meter.

1.7.1.2 Meter Data Services

The capital and operating costs of providing meter data services are funded through meter provision charges. There are three types of charges to reflect varying costs:

- Quarterly read meter
- Monthly read meter
- Unmetered supplies

CitiPower will levy read charges to customers on a per NMI basis and unmetered supply charges on a per light basis. The 2008 charges are a flat charge per NMI (or light) per annum. Customers pay the same charge irrespective of whether they are using an interval or accumulation meter.

1.8 Reassignments

CitiPower does not intend to reassign customers between tariffs in 2008.

1.9 Demand Resets

CitiPower processed demand resets for 53 customers between January 1 and December 31 2006.

2. USAGE/QUANTITY INFORMATION

2.1 Quantities and Usage

CitiPower's customer numbers and consumption associated with each tariff for 2006 are shown in Table 5 of the Appendix.

CitiPower Australia's forecast customer numbers and consumption associated with each tariff for 2008 are shown in Table 6: 2008 Forecast Quantities by Tariff of the Appendix.

2.2 Network Constraints

CitiPower produces a Distribution System Planning Report each year that details network capacity issues and future network investment requirements at a zone substation and subtransmission level. Network capacity constraints are a significant business driver for CitiPower and a key driver of distribution costs. For more detailed information on network constraints please refer to CitiPower's Distribution Planning Report. The A copy of the most recent report can be found at:

<http://www.powercor.com.au/docs/pdf/Electricity%20Networks/CitiPower%20Network/Distribution%20Planning%20Report%202006.pdf>

3. ANNUAL ADJUSTMENT VARIABLES

3.1 Adjustment Variables

Table 4: Annual Adjustment Variables

Variable	%
CPI	1.86%
X Factor	(2.5%)
L Factor	0.34%
M Factor	0%
S-Factor	(1.3987)%

3.2 Impact on Tariffs

Table 7 shows individual distribution and transmission tariff rebalancing constraints, calculated in accordance with by the Commission's tariff approval process. These constraints define the allowable annual movement of individual tariffs.

4. RATIONALE FOR AMENDMENT

4.1 Comparison with Tariff Strategy Report

The key tariff development for 2008 will be the formulation of advanced interval meter tariffs for introduction in 2009. As the progress of advanced metering infrastructure was not fully foreseen in 2005, this development was not documented in the Tariff Strategy Report.. Additionally, the Tariff Strategy Report predicts the introduction of reactive demand excluded service charge; however this has been deferred pending the implementation of advanced interval metering.

5. CONSULTATION

CitiPower has undertaken the following process in the development of the 2008 Annual Tariff Report:

- Regular updates and consultation regarding tariff issues with the CitiPower and Powercor Customer Consultative Committee (PACCCC), including extensive consultation regarding new tariffs
- Tariff Strategy Report made available to all stakeholders via the CitiPower website
- Maintenance of the CitiPower stakeholder register
- Informal consultation with larger retailers on tariff development and structure

Any customers, retailers or other interested parties who would like to be included on the stakeholder register are requested to email their details to register@citipower.com.au.

CitiPower intends to consult with the PACCCC and other key stakeholders on the Annual Tariff Report each year as part of its tariff development process. Further information regarding the future development of the Annual Tariff Reports will be provided to all parties on the stakeholder register.

Table 5: 2006 Actual Quantities by Tariff

Network Tariffs			Demand charge	Peak charge				Off Peak charge
Description	Code	Customer No	kW	Block1 kWh	Block 2 kWh	Block 3 kWh	Block 4 kWh	Block 1 kWh
Residential Single Rate	C1R	203,414	-	619,018,215	355,313,016	-	-	-
Residential Single Rate - Bulk	C1RB	24,585	-	68,684,329	30,252,758	-	-	-
Residential Two Rate 5d	C2R	11,604	-	48,320,123	-	-	-	68,003,143
Residential Two Rate 5d - Bulk	C2RB	4,563	-	20,667,597	-	-	-	26,896,074
Residential Interval	C3R	-	-	1	-	-	-	1
Residential Interval - Bulk	C3RB	-	-	1	-	-	-	1
Dedicated Circuit	CDS	28,369	-	-	-	-	-	67,524,898
Dedicated Circuit - Bulk	CDSB	1,200	-	-	-	-	-	2,860,453
Non-Residential Single Rate	C1G	19,217	-	371,016,788	-	-	-	-
Non-Residential Single Rate - Bulk	C1GB	6,055	-	179,087,891	-	-	-	-
Non-Residential Two Rate 5d	C2G5	11,253	-	463,617,567	-	-	-	315,195,852
Non-Residential Two Rate 5d - Bulk	C2G5B	2,809	-	213,115,327	-	-	-	139,641,815
Non-Residential Interval	C3G	-	-	1	-	-	-	1
Non-Residential Interval - Bulk	C3GB	-	-	1	-	-	-	1
Non-Residential Two Rate 7d	C2G7	3,740	-	140,854,162	-	-	-	36,797,075
Non-Residential Two Rate 7d - Bulk	C2G7B	530	-	34,289,512	-	-	-	9,282,501
Unmetered Supplies	C2U	4,148	-	14,981,152	-	-	-	37,073,022
Large Two Rate 7d	C2L7	57	-	28,462,605	-	-	-	6,890,481
Large Low Voltage Demand	C2DL	114	38,723	61,544,755	-	-	-	40,453,187
Large Low Voltage Demand - Bulk	C2DLB	1,069	594,434	1,101,203,571	-	-	-	760,886,339
Large Low Voltage Demand R	C2DLER	-	-	1	-	-	-	1
Large Low Voltage Demand G	C2DLEG	-	-	1	-	-	-	1
Large Low Voltage Demand - Bulk R	C2DLBER	-	-	1	-	-	-	1
Large Low Voltage Demand - Bulk G	C2DLBEG	-	-	1	-	-	-	1
High Voltage Demand	C2DH	68	163,488	256,696,450	-	-	-	226,161,025
High Voltage Demand D1	C2DHD1	2	61,084	85,652,288	-	-	-	48,207,527
High Voltage Demand R	C2DHER	-	-	1	-	-	-	1
High Voltage Demand G	C2DHEG	-	-	1	-	-	-	1
Subtransmission Demand	C2DT	6	70,001	63,255,100	-	-	-	33,086,051
Total		293,236	927,730	3,770,467,440	385,565,774	-	-	1,818,959,453

Table 6: 2008 Forecast Quantities by Tariff

Network Tariffs			Demand charge	Peak charge				Off Peak charge
Description	Code	Customer No	kW	Block1 kWh	Block 2 kWh	Block 3 kWh	Block 4 kWh	Block 1 kWh
Residential Single Rate	C1R	203,988	-	602,498,129	343,558,608	-	-	-
Residential Single Rate - Bulk	C1RB	29,640	-	84,634,991	37,253,510	-	-	-
Residential Two Rate 5d	C2R	12,666	-	54,075,916	-	-	-	71,327,266
Residential Two Rate 5d - Bulk	C2RB	5,073	-	22,222,509	-	-	-	28,176,169
Residential Interval	C3R	1,196	-	4,422,662	-	-	-	6,214,126
Residential Interval - Bulk	C3RB	307	-	588,388	-	-	-	746,928
Dedicated Circuit	CDS	26,445	-	-	-	-	-	59,157,854
Dedicated Circuit - Bulk	CDSB	1,222	-	-	-	-	-	2,914,089
Non-Residential Single Rate	C1G	18,624	-	380,882,827	-	-	-	-
Non-Residential Single Rate - Bulk	C1GB	5,961	-	178,052,202	-	-	-	-
Non-Residential Two Rate 5d	C2G5	11,941	-	483,304,904	-	-	-	327,304,046
Non-Residential Two Rate 5d - Bulk	C2G5B	3,214	-	233,271,846	-	-	-	148,387,864
Non-Residential Interval	C3G	672	-	14,143,942	-	-	-	10,092,808
Non-Residential Interval - Bulk	C3GB	191	-	12,345,482	-	-	-	3,745,853
Non-Residential Two Rate 7d	C2G7	3,603	-	131,472,742	-	-	-	35,413,419
Non-Residential Two Rate 7d - Bulk	C2G7B	506	-	32,199,724	-	-	-	8,735,640
Unmetered Supplies	C2U	4,221	-	15,804,543	-	-	-	39,709,035
Large Two Rate 7d	C2L7	53	-	27,479,298	-	-	-	6,561,729
Large Low Voltage Demand	C2DL	120	54,837	68,162,101	-	-	-	44,507,083
Large Low Voltage Demand - Bulk	C2DLB	1,084	604,701	1,139,802,352	-	-	-	795,824,737
Large Low Voltage Demand R	C2DLER	-	-	1	-	-	-	1
Large Low Voltage Demand G	C2DLEG	-	-	1	-	-	-	1
Large Low Voltage Demand - Bulk R	C2DLBER	-	-	1	-	-	-	1
Large Low Voltage Demand - Bulk G	C2DLBEG	-	-	1	-	-	-	1
High Voltage Demand	C2DH	67	161,838	261,555,527	-	-	-	244,922,412
High Voltage Demand D1	C2DHD1	3	53,941	71,925,392	-	-	-	43,196,741
High Voltage Demand R	C2DHER	-	-	1	-	-	-	1
High Voltage Demand G	C2DHEG	-	-	1	-	-	-	1
Subtransmission Demand	C2DT	6	69,240	66,277,929	-	-	-	33,696,349
Total		303,135	944,558	3,885,123,412	380,812,118	-	-	1,910,634,153

Table 7: DUOS and TUOS Rebalancing Constraints

Network Tariffs		DUOS Rebalancing	TUOS Rebalancing
Description	Code		
Residential Single Rate	C1R	97.08%	112.09%
Residential Single Rate - Bulk	C1RB	97.07%	112.09%
Residential Two Rate 5d	C2R	100.11%	112.09%
Residential Two Rate 5d - Bulk	C2RB	100.03%	112.09%
Residential Interval	C3R	100.60%	112.09%
Residential Interval - Bulk	C3RB	100.54%	109.89%
Dedicated Circuit	CDS	97.07%	112.09%
Dedicated Circuit - Bulk	CDSB	97.06%	112.09%
Non-Residential Single Rate	C1G	97.08%	112.09%
Non-Residential Single Rate - Bulk	C1GB	97.08%	112.09%
Non-Residential Two Rate 5d	C2G5	100.36%	112.09%
Non-Residential Two Rate 5d - Bulk	C2G5B	100.41%	112.09%
Non-Residential Interval	C3G	100.26%	112.09%
Non-Residential Interval - Bulk	C3GB	100.27%	109.89%
Non-Residential Two Rate 7d	C2G7	97.08%	112.09%
Non-Residential Two Rate 7d - Bulk	C2G7B	97.07%	109.89%
Unmetered Supplies	C2U	97.07%	112.09%
Large Two Rate 7d	C2L7	97.08%	112.09%
Large Low Voltage Demand	C2DL	97.08%	112.09%
Large Low Voltage Demand - Bulk	C2DLB	97.09%	112.09%
Large Low Voltage Demand R	C2DLER	101.92%	112.09%
Large Low Voltage Demand G	C2DLEG	101.92%	112.09%
Large Low Voltage Demand - Bulk R	C2DLBER	101.95%	112.09%
Large Low Voltage Demand - Bulk G	C2DLBEG	101.95%	112.09%
High Voltage Demand	C2DH	97.07%	112.09%
High Voltage Demand D1	C2DHD1	97.08%	112.09%
High Voltage Demand R	C2DHER	101.96%	112.09%
High Voltage Demand G	C2DHEG	101.96%	112.09%
Subtransmission Demand	C2DT	97.06%	112.09%