



QUEENSLAND ZONE P (ENERGEN LIMITED)

Network Price List -Contestable Customers (Network Use of System Prices) 2000/2001

To apply on and from 1 July 2000

Zone P is those parts of the supply area shown on Map ELEC/SEQ001 held by the Department of Mines and Energy comprising:–

The Cities of Brisbane, Caloundra, Gold Coast, Ipswich, Logan and Redcliffe, the whole of the Shires of Beaudesert, Caboolture, Kilcoy, Laidley, Maroochy, Noosa, Pine Rivers and Redland, and parts of the Shires of Boonah, Cooloola, Crows Nest, Esk, Gatton, Kilkivan and Tiaro that are supplied from the State transmission grid.

ENERGEX- TABLE OF NETWORK PRICES (INCLUDES GST)**ZONE P**

Demand Charge – Zone P							
Network Charge Category	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kilowatts	Maximum Allowable Demand kilowatts	Service Availability Charge \$ per month	Demand Charge \$ per kilowatt per month	Volume Charge Cents per kilowatthour
DH1	High Voltage Demand with Distributor owned assets	N/A	Site Specific Prices				
DH2	High Voltage Demand	22/11 kV Line	400	N/A	\$349.14	\$5.3130	1.0252
DL	Large Demand	Low Voltage Line	400	N/A	\$669.57	\$5.6100	1.0252
DM	Medium Demand	Low Voltage Line	120	600	\$261.69	\$6.5494	1.0450
DS	Small Demand	Low Voltage Line	40	180	\$22.55	\$8.2434	1.2925
ICC and CAC	Site Specific Prices	A site specific network price will be determined for existing and new load connections where the annual energy consumption exceeds 4 gigawatthours or significant network augmentation is required to effect the connection.					
Volume Charge Zone P (Transitional - available until 1 July 2001 only)							
Network Charge Category	Network Charge Description	Default Distribution Loss Factor	Service Availability Charge \$ per month			Volume Charge Cents per kilowatthour	
VH1	High Voltage Volume with Distributor owned assets	N/A	Site specific Prices				
VH2	High Voltage Volume	22/11 kilovolt Line	\$349.14			3.2197	
VL	Large Volume	Low Voltage Line	\$843.48			3.2197	
VM	Medium Volume	Low Voltage Line	\$439.23			3.6102	
VS	Small Volume	Low Voltage Line	\$22.55			4.5210	
ICC and CAC	Site Specific Prices	A site specific network price will be determined for existing and new load connections where the annual energy consumption exceeds 4 gigawatthours or significant network augmentation is required to effect the connection.					

Notes on Table of Network Prices:

1. Demand and/or volume is to be measured at each individual network connection point.
2. Minimum Chargeable Demand will be applied for each month where the monthly maximum demand fails to exceed this value.
3. Distribution Loss Factors have been assigned on the basis of the standard metering voltage for the type of connection. The Distribution Loss Factor applies to the Distribution Network and does not include any allowance for Transmission Losses.
4. All prices are inclusive of Goods and Services Tax.
5. N/A – Not applicable.

ENERGEX– TABLE OF NETWORK PRICES (EXCLUDES GST)**Zone P**

Demand Charge – Zone P							
Network Charge Category	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kilowatts	Maximum Allowable Demand kilowatts	Service Availability Charge \$ per month	Demand Charge \$ per kilowatt per month	Volume Charge Cents per kilowatthour
DH1	High Voltage Demand with Distributor owned assets	N/A	Site Specific Prices				
DH2	High Voltage Demand	22/11 kilovolt Line	400	N/A	\$317.40	\$4.8300	0.9320
DL	Large Demand	Low Voltage Line	400	N/A	\$608.70	\$5.1000	0.9320
DM	Medium Demand	Low Voltage Line	120	600	\$237.90	\$5.9540	0.9500
DS	Small Demand	Low Voltage Line	40	180	\$20.50	\$7.4940	1.1750
ICC and CAC	Site Specific Prices	A site specific network price will be determined for existing and new load connections where the annual energy consumption exceeds 4 gigawatthours or significant network augmentation is required to effect the connection.					
Volume Charge Zone P (Transitional - available until 1 July 2001 only)							
Network Charge Category	Network Charge Description	Default Distribution Loss Factor	Service Availability Charge \$ per month			Volume Charge Cents per kilowatthour	
VH1	High Voltage Volume with Distributor owned assets	N/A	Site specific Prices				
VH2	High Voltage Volume	22/11 kV Line	\$317.40			2.9270	
VL	Large Volume	Low Voltage Line	\$766.80			2.9270	
VM	Medium Volume	Low Voltage Line	\$399.30			3.2820	
VS	Small Volume	Low Voltage Line	\$20.50			4.1100	
ICC and CAC	Site Specific Prices	A site specific network price will be determined for existing and new load connections where the annual energy consumption exceeds 4gigawatthours or significant network augmentation is required to effect the connection.					

Notes on Table of Network Prices:

1. Demand and/or volume is to be measured at each individual network connection point.
2. Minimum Chargeable Demand will be applied for each month where the monthly maximum demand fails to exceed this value.
3. Distribution Loss Factors have been assigned on the basis of the standard metering voltage for the type of connection. The Distribution Loss Factor applies to the Distribution Network and does not include any allowance for Transmission Losses.
4. All prices are exclusive of Goods and Services Tax. If you believe that you qualify for GST exclusive prices, please contact ENERGEX Limited.
5. N/A – Not applicable.

Customer Categories

Customer means a customer who has been declared contestable for premises under Chapter 4 Part 5 of the *Electricity Regulation 1994* on the basis of actual or estimated consumption of between 0.2GW.h and 4GW.h.

Demand Network Charge Category Customer means a Customer:

- (a) with an annual load factor less than 15%; or
- (b) who was acquiring customer connection services under a franchise irrigation tariff prior to being declared a contestable customer under the *Electricity Regulation 1994*; or
- (c) who is considered to be a *Demand Network Charge Category Customer* according to the terms of its contract with the relevant distribution entity.

Volume Network Charge Category Customer means a customer who is not a *Demand Network Charge Category Customer*. A Customer will not be eligible to be a *Volume Network Charge Category Customer* after 1 July 2001.

Network Charge Categories

The Network Charge Category applicable to a Customer will be as nominated by the Customer or its Retailer of Choice on being declared contestable from among the following categories:

High Voltage Metered Demand is available to customers who have high voltage metering and take supply at high voltage. This category is NOT available to customers with non standard or significant connection arrangements who have distribution transformer(s) provided by the Distributor or to customers who are metered at other than high voltage.

Large Demand, Medium Demand and Small Demand are available to all customers. The network charge options are self-selecting as customers will find an optimum selection based on their load properties.

High Voltage Metered Volume is available to customers who have high voltage metering and take supply at high voltage. This category is NOT available to customers with non standard or significant connection arrangements who have distribution transformer(s) provided by the Distributor or to customers who are metered at other than high voltage.

This particular network charge structure is intended to apply to customers who were previously metered on an energy only basis and have no demand history.

Large Volume, Medium Volume and Small Volume are available to customers (except those with annual load factors less than 15%) who were previously metered on an energy only basis and have no demand history. The network charge options are self-selecting as customers will find an optimum selection based on their load properties. Low load factor customers must select one of the above demand network charge categories if they wish to move from existing franchise tariffs.

Site Specific Prices shall apply for customers with load consumption typically greater than 4 GW.h per annum or with non standard or significant connection arrangements. These prices will be determined for application to the specific site. Customers who have had site specific prices approved cannot access standard network prices.

Contractual Provisions Associated with Network Prices

The following contractual provisions in relation to network price application for contestable customers will be incorporated in the Standard Customer Connection Contracts developed by the Distribution Corporations:

1. The network prices applied by Retailers will be subject to review in line with the following provisions:
 - The Distributor may review the network charge category selected by the Customer or their Retailer of Choice a few months after the customer enters the market. The purpose of this provision is to ensure low load factor customers and customers who were under a franchise irrigation tariff prior to being declared contestable do not access the Volume charge categories.
 - The Distributor must give the customer at least one month's notice of a proposed change in their network charge category.
 - The Customer may elect to review applied network charge category six months after entering the contestable market.
 - After the initial 6 month period, the customer shall only be able to request that their network charge category be changed once in any twelve month period at no cost, unless there has been a substantial step load change.
 - Changes in network charge category will only proceed upon the approval of the Distributor.
 - Any change of network charge category will take effect from the commencement of the next billing period.
2. The Volume network charge categories are a transitional arrangement for a period of two years from 1 July 1999, after which the Demand network charge categories only will apply. Customers on Volume network charge categories at 1 July 2001 will automatically be transferred to the applicable Demand network charge category at that time.
3. Customers who exceed the maximum allowable demand applicable to their network charge category may, at the discretion of the Distributor, be requested to modify their demand activity or be assigned the appropriate network charge category.
4. Should a customer's annual load factor fall below 15%, the Distributor may, at their discretion, request the customer to modify their demand activity or assign the appropriate network charge category.
5. Where Distributor's load control relays and associated metering exist they may not be disconnected without the Distributor's prior written consent.
6. Customers or their Retailer of Choice will be billed on a monthly basis.
7. Where applicable, service availability and demand charges will be calculated on a pro rata daily basis for initial and final accounts.

ENERGEX 2000/2001 Distribution Loss Factors Guidelines
for Non ICC or Generator Customers

DESCRIPTION	DLF
132/110 kV	1.003
33 kV	1.014
11 kV Bus	1.018
11 kV Line	1.031
Low Voltage Bus	1.044
Low Voltage Line	1.084

Note to Table:

The Distribution Loss factors presented in the above table do not apply to Individually Calculated Customers or Generators

What is a Distribution Loss Factor?

The Distribution Loss Factor (DLF) is used to convert the customer's actual metered energy into the equivalent energy passing through the appropriate transmission network connection point by allowing for the distribution network losses that the customer's energy usage causes between their meter and the transmission network connection point. The appropriate DLF and the applicable Transmission Loss Factor are to be applied to the metered consumption for retail billing and market settlement purposes.

Every contestable customer must have a DLF. The appropriate DLF is associated with the location of their metering point.

The Distribution Loss Factors in this guide are as defined by clause 3.6.3(d)(1) of the National Electricity Code.

DLF Categories:

132/110 kV	Applicable to all 132/110kV bus and line customers.
33 kV	Applicable to all 33kV bus and line customers.
11kV Bus	Applicable to bus connection points that are HV metered at a voltage less than 30kV and greater than 1,000 volts.
11kV Line	Applicable to line connection points that are HV metered at a voltage less than 30kV and greater than 1,000 volts.
Low Voltage Bus	Applicable to bus connection points that are LV metered at a voltage lower than 1,000 volts.
Low Voltage Line	Applicable to line connection points that are LV metered at a voltage lower than 1,000 volts.

DLF Definitions:

132/110 kV:	The 132/110 kV DLF will apply to all customers who are metered at 132 kV or 110 kV.
33 kV:	The 33 kV DLF will apply to all customers who are metered at 33 kV.
11kV Bus:	If customers believe that they qualify for an 11 kV Bus DLF rather than an 11 kV Line DLF they should submit details justifying their claim to their Local Network Service Provider. As an example, customers who are supplied from a Zone Substation by dedicated 11kV lines and are metered at or immediately adjacent to the Zone Substation would be eligible for a 11kV Bus DLF. Zone Substations are defined as Substations where the voltage level is stepped down from a voltage greater than 30kV.
11kV Line:	The 11kV Line DLF will apply to all customers who are connected to high voltage distribution lines and are metered at the same voltage as the line is energised.
LV Bus:	Customers who are supplied from a distribution substation on their site (owned or leased) and are metered at the low voltage level are eligible for an LV Bus DLF.
LV Line:	All customers not covered by any of the above categories

DLF Application Rules:

1. The DLFs in this guide do NOT apply to ICC customers and Generators
2. The Customer or Retailer Of Choice (ROC) must nominate the DLF appropriate to the connection. The Customer or ROC may be required to justify their nominated DLF.
3. The DLF's will be reviewed and published on a periodic basis in line with the requirements of the National Electricity Code.
4. Where the voltage at the metering point is not listed, or there is doubt about the application of these rules, please request further advice from ENERGEX.