



ENERGEN LIMITED

ABN 40 078 849 055

Network Pricing Schedule 2007/08

**(Network Use of System Prices incorporating Distribution Use of System
and Transmission Use of System charges)**

**To apply on and from 1 July 2007
(or as subsequently updated)**

The network prices set out in this document apply to the ENERGEN Limited area of supply as outlined below.

The Cities of Brisbane, Caloundra, Gold Coast, Ipswich, Logan and Redcliffe, the whole of the Shires of Beaudesert, Caboolture, Kilcoy, Laidley, Maroochy, Noosa, Pine Rivers and Redland, and parts of the Shires of Boonah, Cooloola, Crows Nest, Esk, Gatton, Kilkivan and Tiaro that are supplied from the State transmission grid.

NETWORK PRICE SCHEDULE - 2007/08

INTRODUCTION

The 2007/08 Network Price Schedule outlines Distribution Use of System (DUOS) charges for those customer sites already contestable and also those eligible to be contestable, including those customers eligible to be contestable from 1 July 2007 under the Full Retail Competition (FRC) provisions. The Schedule applies from 1 July 2007 or as subsequently revised.

DEFINITIONS OF NETWORK USER GROUPS

To provide the appropriate economic and cost of supply signals and consistent with the 2007/08 Network Pricing Principles Statement approved by the Queensland Competition Authority (QCA), there are three groups of network users for whom network prices have been developed, namely:

- **Individually Calculated Customers (ICC);**
- **Connection Asset Customers (including Embedded Generators) (CAC); and**
- **Standard Asset Customers (SAC).**

The purpose of the three contestable network user groups is to provide individual and direct cost of supply signals to those users who are capable of responding to the signals in the appropriate manner.

SITE-SPECIFIC NETWORK PRICES

Network prices are calculated on a site-specific basis for the following network users and are not published in the public domain:

Individually Calculated Customers

ICC network prices will typically apply to all customers with energy consumption greater than 40 GWh/year, or where a customer's circumstances in a pricing zone mean that the average shared network charge becomes meaningless or distorted. ICC prices are based on actual Transmission Use of System (TUOS) charges for the relevant transmission connection point (an ICC's energy is uplifted by their specific DLF for TUOS charges¹), plus charges associated with the actual shared distribution network utilised for the electricity supply plus connection charges based on actual connection assets utilised. This provides the greatest cost reflectivity for these customers and is feasible since the number of such customers is relatively small. It is also justified by virtue of the shared distribution network assets being designated specifically to meet the requirements of these customers. Where this designation of shared network assets is difficult due to the specific connectivity of the customer, ENERGEX may elect not to apply ICC pricing even though the customer's consumption is greater than 40 GWh/year.

ICC prices for customers with energy consumption lower than 40 GWh per annum could occur where:

- a customer has a dedicated supply system which is quite different and separate from the remainder of the supply network;
 - there are only two or three customers in a supply system making average prices inappropriate; or
 - inequitable treatment of otherwise comparable customers arises from the 40 GWh cut-off.
- Selection of these customers will be at the sole discretion of ENERGEX Limited (ENERGEX).

Connection Asset Customers

CAC network prices will typically apply to non-ICCs with current energy consumption greater than 4 GWh/year and an expectation that the consumption level will be sustained for a reasonable period. These charges are based on average shared network charges plus site-specific connection charges based on the actual connection assets utilised. This provides a significant degree of cost reflectivity for this group of customers while recognising the practical difficulties of calculating individual shared network charges for each customer.

¹ Uplifting of energy by the DLF for TUOS charges is specifically applied to ICCs only.

NETWORK PRICE SCHEDULE - 2007/08

CAC prices for customers with energy consumption lower than 4 GWh per annum could occur where:

- a customer has a dedicated supply system which is quite different and separate from the remainder of the supply network; or
- inequitable treatment of otherwise comparable customers arises from the 4 GWh cut-off. Selection of these customers will be at the sole discretion of ENERGEX.

Embedded Generator (EG) network prices for connection and access services will be developed on a similar basis to CACs. This is due to the nature of connections, which are typically non-standard and may require additional EG protection system upgrades. If the EG's installation is a net importer of energy and uses ENERGEX's network to meet its needs when the generator is not running, the appropriate customer network prices will apply. The EG will receive only a single charge for the connection assets regardless of whether it is importing or exporting.

ENERGEX will provide these site-specific network prices directly to the Network Users and their Retailer of Choice.

STANDARD NETWORK PRICES

Standard network prices will apply to contestable network users with consumption less than 4 GWh per year. SAC network prices are based on the averages of both the shared network charges and connection charges for the customer group in the particular zone.

The following are the Network charge categories available for non site-specific contestable customers:

- **High Voltage Metered Demand** This network tariff code is available only to customers who have high voltage metering and take supply at high voltage. This network tariff code is NOT available to customers who have non-standard or significant connection assets provided by ENERGEX.
- **Demand Metered Customers** **Network Tariff Codes: Large Demand, Medium Demand, and Small Demand.** These network tariff codes are available to all standard asset customers. The network pricing options are self-selecting, giving customers the opportunity to find an optimum selection based on their load characteristics.
- **Non-Demand Metered Customers** **Network Tariff Codes: Business Medium; Business Medium Time of Use (TOU); Business Small; Business Small TOU; Domestic; and Unmetered Supply including Streetlights.** Business Small and Business Small TOU tariffs are applicable to non-demand metered customers with consumption up to 25,000 kW.h per annum. Business Medium and Business Medium TOU tariffs are applicable to non-demand metered customers with consumption greater than 25,000 kW.h per annum.³ Business Medium TOU and Business Small TOU network tariff codes are available to customers with TOU metering. However, TOU pricing is not available to customer sites with TOU peak and off-peak metering equivalent to the retail franchise tariff T37 except for those who are on the retail franchise tariff T37 prior to 1 July 2007. All new applications for retail franchise tariff T37 TOU peak and off-peak metering from 1 July 2007 shall be charged on the appropriate Business Small, Business Medium, or Demand network tariff codes.

Upon entering into a market contract, the Network Customer or its Retailer of Choice will nominate the Network Tariff Code (NTC) applicable to the site.

ALLOCATION OF TUOS COSTS

After the allocation of TUOS to all ICCs, an average TUOS cents/kW.h is calculated for all remaining customers.

NETWORK PRICE SCHEDULE - 2007/08

NETWORK PRICES FOR CONNECTION ASSET CUSTOMERS

Outlined below are the CAC network prices.

Distribution Component of Network Prices (DUOS) for Connection Asset Customers (GST Inclusive)						
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per month	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
2000	110kV Bus	N/A	Site-specific	POA	POA	POA
3500	33kV Bus	N/A	Site-specific	0.3951	0.9563	0.120
4000	11kV Bus	N/A	Site-specific	0.8932	1.9368	0.143
4500	11kV Line	N/A	Site-specific	1.6056	3.3162	0.171

Distribution Component of Network Prices (DUOS) for Connection Asset Customers (GST Exclusive)						
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per month	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
2000	110kV Bus	N/A	Site-specific	POA	POA	POA
3500	33kV Bus	N/A	Site-specific	0.3592	0.8694	0.109
4000	11kV Bus	N/A	Site-specific	0.8120	1.7607	0.130
4500	11kV Line	N/A	Site-specific	1.4596	3.0147	0.155

NETWORK PRICE SCHEDULE - 2007/08

Transmission Component of Network Prices (TUOS) for Connection Asset Customers (GST Inclusive)						
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per month	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
2000	110kV Bus	N/A	Site-specific	POA	POA	POA
3500	33kV Bus	N/A	Site-specific	0.2376	N/A	0.461
4000	11kV Bus	N/A	Site-specific	0.4688	N/A	0.461
4500	11kV Line	N/A	Site-specific	0.4358	N/A	0.461

Transmission Component of Network Prices (TUOS) for Connection Asset Customers (GST Exclusive)						
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per month	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
2000	110kV Bus	N/A	Site-specific	POA	POA	POA
3500	33kV Bus	N/A	Site-specific	0.2160	N/A	0.419
4000	11kV Bus	N/A	Site-specific	0.4262	N/A	0.419
4500	11kV Line	N/A	Site-specific	0.3962	N/A	0.419

NETWORK PRICE SCHEDULE - 2007/08

Network Component of Network Prices (NUOS) for Connection Asset Customers (GST Inclusive)						
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per month	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
2000	110kV Bus	N/A	Site-specific	POA	POA	POA
3500	33kV Bus	N/A	Site-specific	0.6327	0.9563	0.581
4000	11kV Bus	N/A	Site-specific	1.3620	1.9368	0.604
4500	11kV Line	N/A	Site-specific	2.0414	3.3162	0.632

Network Component of Network Prices (NUOS) for Connection Asset Customers (GST Exclusive)						
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per month	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
2000	110kV Bus	N/A	Site-specific	POA	POA	POA
3500	33kV Bus	N/A	Site-specific	0.5752	0.8694	0.528
4000	11kV Bus	N/A	Site-specific	1.2382	1.7607	0.549
4500	11kV Line	N/A	Site-specific	1.8558	3.0147	0.574

Notes on CAC Network Prices

1. Demand and/or Volume are to be measured at the relevant customer's metering point.
2. The Fixed Charge is dependent upon the assets dedicated to the customer and therefore is site-specific.
3. The site-specific component of network prices for CACs is calculated on a site-specific basis and is not published in the public domain. ENERGEX will provide the network prices to the Network Users and their Retailer of Choice.
4. N/A – Not applicable.
5. POA – Price on Application.

NETWORK PRICE SCHEDULE - 2007/08

NETWORK PRICES FOR STANDARD ASSET CUSTOMERS - DEMAND METERED

Outlined below are the SAC network prices.

Distribution Component of Network Prices (DUOS) for Standard Asset Customers – Demand Metered (GST Inclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Allowable Demand kW	Service Availability Charge \$ per day	Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
	HV Demand with Distributor owned assets	N/A	Site-specific Prices				
8000	High Voltage Demand	FLCL	200	N/A	26.2823	5.4186	0.186
8100	Large Demand	FLCL	400	N/A	26.5589	5.9818	0.186
8200	Medium Demand	FLCL	120	600	9.5514	7.1038	0.189
8300	Small Demand	FLCL	20	180	0.8534	11.5071	0.199

Distribution Component of Network Prices (DUOS) for Standard Asset Customers – Demand Metered (GST Exclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Allowable Demand kW	Service Availability Charge \$ per day	Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
	HV Demand with Distributor owned assets	N/A	Site-specific Prices				
8000	High Voltage Demand	FLCL	200	N/A	23.8930	4.9260	0.169
8100	Large Demand	FLCL	400	N/A	24.1444	5.4380	0.169
8200	Medium Demand	FLCL	120	600	8.6831	6.4580	0.172
8300	Small Demand	FLCL	20	180	0.7758	10.4610	0.181

NETWORK PRICE SCHEDULE - 2007/08

Transmission Component of Network Prices (TUOS) for Standard Asset Customers – Demand Metered (GST Inclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Allowable Demand kW	Service Availability Charge \$ per day	Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
	HV Demand with Distributor owned assets	N/A	Site-specific Prices				
8000	High Voltage Demand	FLCL	200	N/A	6.5575	0.7953	0.865
8100	Large Demand	FLCL	400	N/A	6.8402	0.7953	0.887
8200	Medium Demand	FLCL	120	600	2.4003	0.8074	0.894
8300	Small Demand	FLCL	20	180	0.6932	0.6490	0.865

Transmission Component of Network Prices (TUOS) for Standard Asset Customers – Demand Metered (GST Exclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Allowable Demand kW	Service Availability Charge \$ per day	Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
	HV Demand with Distributor owned assets	N/A	Site-specific Prices				
8000	High Voltage Demand	FLCL	200	N/A	5.9614	0.7230	0.786
8100	Large Demand	FLCL	400	N/A	6.2184	0.7230	0.806
8200	Medium Demand	FLCL	120	600	2.1821	0.7340	0.813
8300	Small Demand	FLCL	20	180	0.6302	0.5900	0.786

Network Component of Network Prices (NUOS) for Standard Asset Customers – Demand Metered (GST Inclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Allowable Demand kW	Service Availability Charge \$ per day	Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
	HV Demand with Distributor owned assets	N/A	Site-specific Prices				
8000	High Voltage Demand	FLCL	200	N/A	32.8398	6.2139	1.051
8100	Large Demand	FLCL	400	N/A	33.3991	6.7771	1.073
8200	Medium Demand	FLCL	120	600	11.9517	7.9112	1.083
8300	Small Demand	FLCL	20	180	1.5466	12.1561	1.064

Network Component of Network Prices (NUOS) for Standard Asset Customers – Demand Metered (GST Exclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Allowable Demand kW	Service Availability Charge \$ per day	Demand Charge \$ per kW per month	Volume Charge Cents per kW.h
	HV Demand with Distributor owned assets	N/A	Site-specific Prices				
8000	High Voltage Demand	FLCL	200	N/A	29.8544	5.6490	0.955
8100	Large Demand	FLCL	400	N/A	30.3628	6.1610	0.975
8200	Medium Demand	FLCL	120	600	10.8652	7.192	0.985
8300	Small Demand	FLCL	20	180	1.4060	11.0510	0.967

Notes on SAC Demand Metered Network Prices

1. Demand and/or Volume are to be measured at each individual network metering point.
2. Demand means the average demand in kilowatts over a period of 30 minutes.
3. Minimum Chargeable Demand will be applied for each month where the metered monthly maximum demand fails to exceed the Minimum Chargeable Demand.
4. N/A – Not applicable.
5. FLCL – refer DLF Table.
6. A Demand network tariff is not to be used in conjunction with any other tariff at the same premise.

NETWORK PRICE SCHEDULE - 2007/08

NETWORK PRICES FOR STANDARD ASSET CUSTOMERS - NON-DEMAND METERED

Detailed below are the conditions and network prices applicable to Standard Asset Customers – Non-Demand Metered.

Conditions applicable to Network Prices For Standard Asset Customers - Non-Demand Metered

Domestic (Lighting, Power and Continuous Water heating)

The Domestic network tariff is applicable to electricity supplied to domestic premises primarily for the personal use of the resident/s of those premises. Where premises are primarily operated as a business, including the provision of short stay accommodation of a holiday nature, the Domestic network tariff is not applicable. This tariff is also applicable to electricity used in separately metered common sections of domestic premises consisting of more than one flat or home unit.

Business Small and Business Medium

The Business Small and Business Medium network tariffs shall not apply in conjunction with any (TOU) network tariffs at the same installation.

Business Small Network Tariff is applicable to non-domestic customers consuming zero to 25,000 kWh per annum. Business Medium Network Tariff is applicable to non-domestic customers consuming more than 25,000 kWh per annum.

Business Small TOU and Business Medium TOU

Business TOU tariffs are for premises with TOU metering. A Business TOU tariff is not to be used in conjunction with a non-TOU network tariff at the same installation.

Business Small TOU Network Tariff is applicable to non-domestic customers consuming zero to 25,000 kWh per annum. Business Medium TOU Network Tariff is applicable to non-domestic customers consuming more than 25,000 kWh per annum.

Network Business TOU Peak / Off-Peak Hours are defined as:

Peak: the hours between 7:00am and 9:00pm, Monday to Friday.

Off-Peak: all other hours which are not Peak hours.

Subject to the exceptions detailed below, business TOU network tariffs are applicable to retail tariffs T22, T23, T62, and T63.

Business TOU network tariff is only available to existing customers on the T37 retail tariff as at 30 June 2007. From 1 July 2007, no new retail tariff T37 customers shall have access to Business TOU network tariffs.

Special variation for irrigation loads to the specified business TOU Network Peak / Off Peak hours

Customers on retail tariffs T64 & T65 can access Business TOU network tariffs on the same peak and off-peak hours defined by the T65 retail tariff. To facilitate transition to market contracts, irrigation customers may elect to remain on the existing retail T65 peak and off-peak hours for the 2007/08 network pricing period.

Controlled Load 1

This network tariff is applicable when electricity supply is permanently connected to apparatus or to specified parts of apparatus as set out below (but not applicable, except as described in (c) below, if provision has been made to supply such apparatus or the specified part thereof under a different tariff during the restricted period) –

- (a) Electric storage water heaters with thermostatically controlled or continuously operating heating units and which comply with the construction and performance requirements of Australian Standard Specification 1361 or 1056 or previous Standards superseded by

NETWORK PRICE SCHEDULE - 2007/08

these two Standards or similar electric water heaters which are approved for connection by the retail entity. Where the heating unit rating exceeds 1800 watts, it shall not exceed 13.5 watts per litre of heat storage volume for heat exchange type water heaters or 15.5 watts per litre of rated hot water delivery for other storage type water heaters. The following conditions shall apply to any booster-heating unit fitted:

- (i) its rating shall not exceed that of the main heating unit;
 - (ii) it shall be connected so as to prevent its being energised simultaneously with the main heating unit;
 - (iii) electricity consumed by the booster heating unit shall be metered under and charged at the tariff applicable to general power usage at the premises concerned; and
 - (iv) it shall be located in accordance with the provisions of the above Standards.
- (b) Solar-heated water heaters. Where the electric heating unit rating exceeds 1800 watts, it shall not exceed 13.5 watts per litre of storage tank capacity. If a circulating water pump is fitted to the system, continuous supply will be available to the pump, and electricity consumed shall be metered under and charged at the tariff applicable to general power usage at the premises concerned.
- (c) One-shot boost for solar-heated water heaters with electric heating units as described in (b) above. A current held changeover relay may be fitted to the water heater to deliver, at the customer's convenience, a 'one-shot boost' supply to the electric heating element at times when supply is not available under this Tariff 31 (generally between the hours of 7.00 am and 10.00 pm). Such supply is subject to thermostatically controlled switch-off. Electricity consumed during operation of the one-shot boost shall be metered under and charged at the tariff applicable to general power usage at the premises concerned. Supply and installation of a current held changeover relay, including the cost of same, is the responsibility of the customer. (Reference in this Schedule to a 'booster heating unit' does not mean a current held changeover relay which is capable of delivering a 'one-shot boost'.)
- (d) Heatpump water heaters. Where the rated electrical input, as shown on the nameplate, exceeds 1800 watts, it shall not exceed 13.5 watts per litre of storage tank capacity.
- (e) Heatbanks. Booster heating units are permitted in heatbanks in which the main element rating is at least 2 kilowatts. The following conditions shall apply to any booster heating unit fitted:
 - (i) its rating shall not exceed 70 percent of the rating of the main heating unit;
 - (ii) it shall be connected so as to prevent its being energised simultaneously with the main heating unit; and
 - (iii) electricity consumed by the booster heating unit shall be metered under and charged at the tariff applicable to general power usage at the premises concerned.
- (f) Loads other than water heaters and heatbanks, but is not applicable:
 - (i) to arc or resistance welding plant;
 - (ii) where the apparatus is duplicated in order that supply may be obtained on a different tariff for the same purpose during the restricted period.

Supply will be available for a minimum of 8 hours per day during time periods set at the discretion of the distribution entity. In general, this supply will be between the hours of 10.00 pm and 7.00 am. Under certain circumstances, a portion of the 8 hour supply period may be made available at other times. The distribution entity will supply and maintain load control equipment at its cost.

Controlled Load 2

This network tariff is applicable when electricity supply is permanently connected to apparatus as set out below (but not applicable if provision has been made to supply such apparatus under a different tariff in the periods during which supply is not available under this tariff) –

- (a) Electric storage water heaters with thermostatically controlled or continuously operating heating units and which comply with the construction and performance requirements of Australian Standard Specification 1361 or 1056 or previous Standards superseded by these two Standards or similar electric water heaters which are approved for connection by the distribution entity. Where the heating unit rating exceeds 1800 watts, it shall not exceed 13.5 watts per litre of heat storage volume for heat exchange type water heaters or 15.5 watts per litre of rated hot water delivery for other storage type water heaters;
- (b) Solar-heated water heaters. Where the electric heating unit rating exceeds 1800 watts, it shall not exceed 13.5 watts per litre of storage tank capacity; (c) Heatpump water heaters. Where the rated electrical input, as shown on the nameplate, exceeds 1800 watts, it shall not exceed 13.5 watts per litre of storage tank capacity;
- (d) As a sole supply tariff for domestic installations, as approved by the distribution entity, where photovoltaic cell/ battery bank/ inverter apparatus is used to provide a supplementary supply to the interruptible supply provided by this tariff;
- (e) Other individual loads in domestic installations, but is not applicable:
 - (i) to arc or resistance welding plant and boosted heatbanks; and
 - (ii) where the apparatus (except for refrigeration and non-boosted heatbanks) is duplicated in order that supply may be obtained on a different tariff for the same purpose in the periods during which supply is not available under this tariff.

The distribution entity will supply and maintain load control equipment at its cost. Supply will be available for a minimum of 18 hours per day, but the times when supply is available may be subject to variation at the absolute discretion of the distribution entity.

NETWORK PRICE SCHEDULE - 2007/08

Network prices for Standard Asset Customers - Non-Demand Metered (excluding site-specific prices) are as follows:

Network prices for Standard Asset Customers - Non-Demand Metered (GST inclusive)			
Customer category	Component	Fixed Charge \$/day	Energy Charge Cents/kW.h
Business Medium (NTC 8600) (over 25,000 kW.h pa) ³	DUOS	0.5945	4.775
	TUOS	0.3771	0.922
	NUOS	0.9716	5.697
Business Medium TOU (NTC 8800) (over 25,000 kW.h pa) ³	DUOS Peak	0.5685²	5.276
	DUOS Off-Peak		3.073
	TUOS	0.3771	0.922
	NUOS Peak	0.9456²	6.198⁴
	NUOS Off-Peak		3.995
Business Small (NTC 8500) (0 to 25,000 kW.h pa) ³	DUOS	0.1888	5.074
	TUOS	0.0382	0.922
	NUOS	0.2270	5.996
Business Small TOU (NTC 8700) (0 to 25,000 kW.h pa) ³	DUOS Peak	0.2069²	5.466
	DUOS Off-Peak		3.411
	TUOS	0.0382	0.922
	NUOS Peak	0.2451²	6.388
	NUOS Off-Peak		4.333
Domestic Energy only (NTC 8400)	DUOS	0.1888	5.074
	TUOS	0.0382	0.922
	NUOS	0.2270	5.996
Controlled 1 (retail tariff T31) (NTC 9000)	DUOS	0.1080	0.222
	TUOS	0.0180	0.672
	NUOS	0.1260⁴	0.894
Controlled 2 (retail tariff T33) (NTC 9100)	DUOS	0.1080	0.958
	TUOS	0.0180	0.845
	NUOS	0.1260	1.803

² **Network prices for Standard Asset Customers - Non-Demand Metered - Business Small TOU and Business Medium TOU DUOS and NUOS charges.** Modified 13 June 2007 to clarify the application of the fixed charges on a daily basis regardless of whether consumption is peak or non-peak.

³ **Network prices for Standard Asset Customers - Non-Demand Metered - Business Small, Business Small TOU and Business Medium, Business Medium TOU.** Modified 27 June 2007 to clarify the definition of Business Small versus Business Medium Tariffs with respect to customer consumption per annum (pa).

⁴ **Network prices for Standard Asset Customers - Non-Demand Metered - Business Medium TOU and Controlled 1 NUOS charges.** Modified to correct rounding anomalies for the NUOS GST inclusive prices.

NETWORK PRICE SCHEDULE - 2007/08

Network prices for Standard Asset Customers – Non-Demand Metered (GST exclusive)			
Customer category	Component	Fixed Charge \$/day	Energy Charge Cents/kW.h
Business Medium (NTC 8600) (over 25,000 kW.h pa) ³	DUOS	0.5405	4.341
	TUOS	0.3428	0.838
	NUOS	0.8833	5.179
Business Medium TOU (NTC 8800) (over 25,000 kW.h pa) ³	DUOS Peak	0.5168⁵	4.796
	DUOS Off-Peak		2.794
	TUOS	0.3428	0.838
	NUOS Peak	0.8596⁵	5.634
	NUOS Off-Peak		3.632
Business Small (NTC 8500) (0 to 25,000 kW.h pa) ³	DUOS	0.1716	4.613
	TUOS	0.0347	0.838
	NUOS	0.2063	5.451
Business Small TOU (NTC 8700) (0 to 25,000 kW.h pa) ⁶	DUOS Peak	0.1881⁵	4.969
	DUOS Off-Peak		3.101
	TUOS	0.0347	0.838
	NUOS Peak	0.2228⁵	5.807
	NUOS Off-Peak		3.939
Domestic Energy only (NTC 8400)	DUOS	0.1716	4.613
	TUOS	0.0347	0.838
	NUOS	0.2063	5.451
Controlled 1 (retail tariff T31) (NTC 9000)	DUOS	0.0982	0.202
	TUOS	0.0164	0.611
	NUOS	0.1146	0.813
Controlled 2 (retail tariff T33) (NTC 9100)	DUOS	0.0982	0.871
	TUOS	0.0164	0.768
	NUOS	0.1146	1.639

⁵ *Network prices for Standard Asset Customers - Non-Demand Metered - Business Small TOU and Business Medium TOU DUOS and NUOS charges.* Modified 13 June 2007 to clarify the application of the fixed charges on a daily basis regardless of whether consumption is peak or non-peak.

⁶ *Network prices for Standard Asset Customers - Non-Demand Metered - Business Small, Business Small TOU and Business Medium, Business Medium TOU.* Modified 27 June 2007 to clarify the definition of Business Small versus Business Medium Tariffs with respect to customer consumption per annum (pa).

NETWORK PRICE SCHEDULE - 2007/08

NETWORK PRICES FOR UNMETERED SUPPLY INCLUDING STREETLIGHTS

Detailed below are the conditions and network prices applicable to Unmetered Supply including Streetlights.

Conditions applicable to Unmetered Supply including Streetlights are as follows:

1. **Energy** is to be measured at each individual distribution network connection point. The cents/kW.h rate will be applied based on the wattage of the load and calculations in accordance with Metrology Procedure.
2. **Unmetered Supply** is applicable to unmetered supplies where the customer owns and maintains all assets after the customer's connection point to the network. These include installations such as Traffic Signals, temporary services, Rate 3 streetlights, public telephone boxes and public BBQs. In addition to the above specified application, Night Watchman Lighting is included in this group.
3. **Streetlights - Minor** is applicable to unmetered public lighting, where ENERGEX owns and maintains all assets after the customer's connection point to the network and the nominated Wattage Reference Codes as detailed below:

Streetlights – Minor Classification	
<i>Streetlight type</i>	<i>Wattage Reference Codes</i>
Mercury Vapour	M50, M70, M80, M100, M125
Mercury Halide	H35, H70, H75
Sodium Vapour	L35, L90, L135, S35, S50, S70
Incandescent	All
Fluorescent	All
Also includes any other non standard or obsolete public lights that would be replaced with any of the above ENERGEX standard minor public lights in accordance with ENERGEX policy.	

4. **Streetlights – Major** is applicable to unmetered public lighting, where ENERGEX owns and maintains all assets after the customer's connection point to the network and the nominated Wattage Reference Codes as detailed below:

Streetlights – Major Classification	
<i>Streetlight type</i>	<i>Wattage Reference Codes</i>
Mercury Vapour	M150, M175, M250, M400, M500, M700, M1000
Mercury Halide	H100, H150, H250, H400, H1000
Sodium Vapour	S100, S150, SM160, S250, S360, S400, S2X400, S800, S1000
Also includes any other non-standard or obsolete public lights that would be replaced with any of the above ENERGEX standard minor public lights in accordance with ENERGEX policy.	

Network prices for Unmetered Supply including Streetlights are as follows:

Network prices for Unmetered Supply including Streetlights (GST inclusive)			
Customer category	Component	Fixed Charge \$/day	Energy Charge Cents/kW.h
Unmetered Supply (including Night- Watchman Lighting) (NTC 9500 or 9600)	DUOS	0	3.367
	TUOS	0	1.153
	NUOS	0	4.520
Streetlight Minor (NTC 9300)	DUOS	0.1461	3.367
	TUOS	0	1.153
	NUOS	0.1461	4.520
Streetlight Major (NTC 9200)	DUOS	0.7292	3.367
	TUOS	0	1.153
	NUOS	0.7292	4.520

Network prices for Unmetered Supply including Streetlights (GST exclusive)			
Customer category	Component	Fixed Charge \$/day	Energy Charge Cents/kW.h
Unmetered Supply (including Night- Watchman Lighting) (NTC 9500 or 9600)	DUOS	0	3.061
	TUOS	0	1.048
	NUOS	0	4.109
Streetlight Minor (NTC 9300)	DUOS	0.1328	3.061
	TUOS	0	1.048
	NUOS	0.1328	4.109
Streetlight Major (NTC 9200)	DUOS	0.6629	3.061
	TUOS	0	1.048
	NUOS	0.6629	4.109

CONTRACTUAL PROVISIONS ASSOCIATED WITH NETWORK PRICES

The following contractual provisions apply in relation to the application of network prices set out in this Network Price Schedule.

Standard Asset Customers

1. The network prices applied by Retailers will be subject to review in line with the following provisions:
 - The Customer or the Retailer of Choice shall nominate the network tariff applicable to the customer site. Upon the commencement of Full Retail Competition, ENERGEX will nominate a provisional Network Tariff and the Network Tariff Code (NTC) will be loaded into the NEMMCO MSATS. It is the responsibility of the Customer or the Retailer of Choice to check if the provisionally-nominated NTC is the appropriate Network Tariff for the particular customer site based on the parameters specified for the respective Network tariffs⁷.
 - The Customer or Retailer of Choice may elect to review the applied NTC three months after entering into a Market Contract.
 - The Customer shall only be able to request that their NTC be changed once in any twelve month period, unless there has been a substantial step load change.
 - ENERGEX may review the NTC selected by the Customer or their Retailer of Choice a few months after the customer enters into a Market Contract.
 - ENERGEX must give the customer at least one month's notice of a proposed change in its NTC.
 - Changes in the NTC will only proceed upon approval by ENERGEX.
 - Any change of NTC will take effect from the commencement of the next billing period subsequent to ENERGEX being notified.
2. Customers who exceed the maximum allowable demand applicable to their NTC, at the discretion of ENERGEX, will be requested to modify their demand activity or be assigned the appropriate NTC.

All Customers

1. Where ENERGEX's load control relays and associated metering exist, customers may not disconnect them without ENERGEX's prior written consent.
2. Where applicable, service availability and demand charges will be calculated on a pro rata daily basis for initial and final accounts.
3. Unless otherwise negotiated, Customers' Retailer of Choice will be billed on a monthly basis. Under 6.16.4 of the National Electricity Rules, customers or their Retailer of Choice must pay ENERGEX Limited network charges by the due date specified in the bill.

⁷ Modified clause to clarify the application of the network Tariffs based on the parameters specified for the respective network tariffs – 13 November 2007

DISTRIBUTION LOSS FACTORS GUIDELINES

The following is a summary of ENERGEX's Distribution Loss Factor (DLF) information. Please refer to the NEMMCO website for further detail (www.nemmco.com) or contact ENERGEX.

DLF Table

DESCRIPTION	NEMMCO CODE	DLF
132/110 kV	FSSS	1.0047
33 kV	F3CL	1.0145
11 kV Bus	F1ZH	1.0198
11 kV Line	F1CH	1.0285
Low Voltage Bus	F1CL	1.0503
Low Voltage Line	FLCL	1.0797

The Distribution Loss factors presented in the above table do not apply to ICCs.

What is a Distribution Loss Factor?

The DLF is used to convert the customer's actual metered energy into the equivalent energy passing through the appropriate transmission network connection point (TNCP). This allows for the distribution network losses between the customer's meter and the transmission network connection point resulting from the customer's energy use.

The appropriate DLF and the applicable Transmission Loss Factor are to be applied to the metered consumption for retail billing and market settlement purposes.

Every contestable customer must have a DLF. The appropriate DLF is associated with the location of their metering point.

The DLFs in this Schedule are as defined by clause 3.6.3(d)(1) of the National Electricity Rules.

DLF Categories:

132/110 kV	Applicable to all 132/110kV bus and line customers.
33 kV	Applicable to all 33kV bus and line customers.
11kV Bus	Applicable to bus connection points that are high voltage (HV) metered at a voltage less than 30kV and greater than 1,000 volts.
11kV Line	Applicable to line connection points that are HV metered at a voltage less than 30kV and greater than 1,000 volts.
Low Voltage Bus	Applicable to bus connection points that are low voltage (LV) metered at a voltage lower than 1,000 volts.
Low Voltage Line	Applicable to line connection points that are LV metered at a voltage lower than 1,000 volts.

DLF Definitions:

132/110 kV	The 132/110 kV DLF will apply to all customers who are metered at 132 kV or 110 kV.
33 kV	The 33 kV DLF will apply to all customers who are metered at 33 kV.
11kV Bus	If customers believe that they qualify for an 11 kV Bus DLF rather than an 11 kV Line DLF, they should submit details justifying their claim to ENERGEX. As an example, customers who are supplied from a Zone Substation by dedicated 11 kV lines and are metered at or immediately adjacent to the Zone Substation would be eligible for an 11 kV Bus DLF. Zone Substations are defined as Substations where the voltage level is stepped down from a voltage greater than 30kV.
11kV Line	The 11kV Line DLF will apply to all customers who are connected to high voltage distribution lines and are metered at the same voltage as the line is energised.
LV Bus	Customers who are supplied from a distribution substation on their site (owned or leased) and are metered at the low voltage level are eligible for an LV Bus DLF.
LV Line	All customers not covered by any of the above categories.

DLF Application Rules:

1. The DLFs in this Network Pricing Schedule do NOT apply to ICCs.
2. Customers or their Retailer of Choice may select an alternative DLF for their connection if the default DLF is inappropriate. The Customers or Retailer of Choice will be required to justify their selected DLF.
3. The DLFs will be reviewed and published on a periodic basis in line with the requirements of the National Electricity Rules.
4. Where the voltage at the metering point is not listed, or there is doubt about the application of these rules, please request further advice from ENERGEX.