



ENERGEN LIMITED

ABN 40 078 849 055

Network Pricing Schedule 2008/09

Version 1: 29 May 2008

**(Network Use of System Prices incorporating Distribution Use of System
and Transmission Use of System charges)**

**To apply on and from 1 July 2008
(or as subsequently updated)**

The network prices set out in this document apply to the ENERGEN Limited area of supply as outlined below.

The Cities of Brisbane, Gold Coast, Logan and Redland, the regions of Sunshine Coast and Moreton Bay, and parts of Somerset, Gympie, Lockyer Valley, Toowoomba and Fraser Coast regions that are supplied from the State transmission grid.

NETWORK PRICE SCHEDULE - 2008/09

INTRODUCTION

The 2008/09 Network Price Schedule outlines Network Use of System (NUOS) prices incorporating both Distribution Use of System (DUOS) and Transmission Use of System (TUOS) charges applied by ENERGEX Limited (ENERGEX) for all customer sites. The Schedule applies from 1 July 2008 or as subsequently revised.

DEFINITIONS OF NETWORK USER GROUPS

To provide the appropriate economic and cost of supply signals and consistent with the 2008/09 Network Pricing Principles Statement (NPPS) approved by the Queensland Competition Authority (QCA), there are three groups of network users for whom network prices have been developed, namely:

- **Individually Calculated Customers (ICC);**
- **Connection Asset Customers (including Embedded Generators) (CAC); and**
- **Standard Asset Customers (SAC).**

The purpose of the three network user groups is to provide individual and direct cost of supply signals to those users who are capable of responding to the signals in the appropriate manner.

SITE-SPECIFIC NETWORK PRICES

Network prices are calculated on a site-specific basis for the following network users and are not published in the public domain.

Individually Calculated Customers

ICC network prices will typically apply to all customers with energy consumption greater than 40 GWh/year, or where a customer's circumstances in a pricing zone mean that the average shared network charge becomes meaningless or distorted. ICC prices are based on:

- Actual TUOS charges for the relevant transmission connection point (an ICC's energy is uplifted by their specific DLF for TUOS charges¹);
- Charges associated with the actual shared distribution network utilised for the electricity supply; and
- Connection charges based on actual connection assets utilised.

This provides the greatest cost reflectivity for these customers and is feasible since the number of such customers is relatively small. It is also justified by virtue of the shared distribution network assets being designated specifically to meet the requirements of these customers.

Where this designation of shared network assets is difficult due to the specific connectivity of the customer, ENERGEX may elect not to apply ICC pricing even though the customer's consumption is greater than 40 GWh/year.

ICC prices for customers with energy consumption lower than 40 GWh per annum could occur where:

- A customer has a dedicated supply system which is quite different and separate from the remainder of the supply network;
- There are only two or three customers in a supply system making average prices inappropriate; or
- Inequitable treatment of otherwise comparable customers arises from the 40 GWh cut-off.

Selection of these customers will be at the sole discretion of ENERGEX.

¹ Uplifting of energy by the DLF for TUOS charges is specifically applied to ICCs only.

NETWORK PRICE SCHEDULE - 2008/09

Connection Asset Customers

CAC network prices will typically apply to non-ICCs with current energy consumption greater than 4 GWh/year and an expectation that the consumption level will be sustained for a reasonable period. These charges are based on:

- Average shared network charges; and
- Site-specific connection charges based on the actual connection assets utilised.

This provides a significant degree of cost reflectivity for this group of customers while recognising the practical difficulties of calculating individual shared network charges for each customer.

CAC prices for customers with energy consumption lower than 4 GWh per annum could occur where:

- A customer has a dedicated supply system which is quite different and separate from the remainder of the supply network; or
- Inequitable treatment of otherwise comparable customers arises from the 4 GWh cut-off.

Selection of these customers will be at the sole discretion of ENERGEX.

Embedded Generator (EG) network prices for connection and access services will be developed on a similar basis to CACs. This is due to the nature of connections, which are typically non-standard and may require additional EG protection system upgrades. If the EG's installation is a net importer of energy and uses ENERGEX's network to meet its needs when the generator is not running, the appropriate customer network prices will apply. The EG will receive only a single charge for the connection assets regardless of whether it is importing or exporting.

ENERGEX will provide these site-specific network prices directly to the Network Users and their Retailer of Choice.

STANDARD NETWORK PRICES

Standard network prices will apply to network users with consumption less than 4 GWh per year. SAC network prices are based on the averages of both the shared network charges and connection charges for the customer group in the particular zone.

The following are the Network charge categories available for non site-specific customers:

- **High Voltage Metered Demand.** This network tariff code is available only to customers who have high voltage metering and take supply at high voltage. This network tariff code is NOT available to customers who have non-standard or significant connection assets provided by ENERGEX.
- **Demand Metered Customers** **Network Tariff Codes: Large Demand, Medium Demand, and Small Demand.** These network tariff codes are available to all standard asset customers. The network pricing options are self-selecting, giving customers the opportunity to find an optimum selection based on their load characteristics.
- **Non-Demand Metered Customers** **Network Tariff Codes: Business Medium; Business Medium Time of Use (TOU); Business Small; Business Small TOU; Domestic; and Unmetered Supply including Streetlights.** Business Small, Business Small TOU and Domestic tariffs are applicable to non-demand metered customers with consumption up to 25,000 kW.h per annum. Business Medium and Business Medium TOU tariffs are applicable to non-demand metered customers with consumption greater than 25,000 kW.h per annum, including domestic customers. Business Medium TOU and Business Small TOU network tariff codes are available to customers with TOU metering. However, TOU pricing is not available to customer sites with TOU peak and off-peak metering equivalent to the retail notified tariff T37 except for those who are on the retail notified tariff T37 prior to 1 July 2007. All new applications for retail notified tariff T37 TOU peak and off-peak metering from 1 July 2007 shall be charged on the appropriate Business Small, Business Medium, or Demand network tariff codes.

NETWORK PRICE SCHEDULE - 2008/09

Upon entering into a market contract, the Network Customer or its Retailer of Choice will nominate the Network Tariff Code (NTC) applicable to the site.

Initial Application of Network Tariffs for SACs

When requesting a new connection on behalf of a customer, Retailers may request a particular network tariff be applied to the connection point. ENERGEX will apply the requested network tariff provided it meets the requirements as specified in this document.

If a Retailer does not specify its preferred network tariff in the new connection request, ENERGEX will default the network tariff to what it considers to be the most appropriate tariff.

Initial Application of Network Tariffs for SACs

Subject to the restriction outlined in this document, Retailers may request a change of network tariff for a connection point by completing Form 1634.

If ENERGEX agrees that the proposed change is applicable to the customer, it will update the NMI record in accordance with MSATS procedures. The notification to the Retailer that the request has been accepted will be way of a Change Request notice through MSATS.

If ENERGEX does not agree with the proposed change, the Retailer will be notified of ENERGEX's decision, including reasons for the decision.

ALLOCATION OF TUOS COSTS

After the allocation of TUOS to all ICCs, an average TUOS cents/kW.h is calculated for all remaining customers.

NETWORK PRICES FOR CONNECTION ASSET CUSTOMERS

Outlined below are the CAC network prices.

Distribution Component of Network Charges (DUoS) for Connection Asset Customers (GST Inclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per Day	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
3500	33kV Line/Bus	N/A	Site Specific	\$ 0.4619	\$ 0.9501	0.207	0.021
4000	11kV Bus	N/A	Site Specific	\$ 0.9438	\$ 2.0958	0.253	0.025
4500	11kV Line	N/A	Site Specific	\$ 1.6819	\$ 3.4475	0.297	0.030

Distribution Component of Network Charges (DUoS) for Connection Asset Customers (GST Exclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per Day	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
3500	33kV Line/Bus	N/A	Site Specific	\$ 0.4199	\$ 0.8637	0.188	0.019
4000	11kV Bus	N/A	Site Specific	\$ 0.8580	\$ 1.9053	0.230	0.023
4500	11kV Line	N/A	Site Specific	\$ 1.5290	\$ 3.1341	0.270	0.027

NETWORK PRICE SCHEDULE - 2008/09

Transmission Component of Network Charges (TUoS) for Connection Asset Customers (GST Inclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per Day	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
3500	33kV Line/Bus	N/A	Site Specific	\$ 0.3874	N/A	0.878	0.084
4000	11kV Bus	N/A	Site Specific	\$ 0.5063	N/A	0.871	0.086
4500	11kV Line	N/A	Site Specific	\$ 0.4661	N/A	0.845	0.085

Transmission Component of Network Charges (TUoS) for Connection Asset Customers (GST Exclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per Day	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
3500	33kV Line/Bus	N/A	Site Specific	\$ 0.3522	N/A	0.798	0.076
4000	11kV Bus	N/A	Site Specific	\$ 0.4603	N/A	0.792	0.078
4500	11kV Line	N/A	Site Specific	\$ 0.4237	N/A	0.768	0.077

Network Component of Network Charges (NUoS) for Connection Asset Customers (GST Inclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per Day	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
3500	33kV Line/Bus	N/A	Site Specific	\$ 0.8493	\$ 0.9501	1.085	0.105
4000	11kV Bus	N/A	Site Specific	\$ 1.4501	\$ 2.0958	1.124	0.111
4500	11kV Line	N/A	Site Specific	\$ 2.1480	\$ 3.4475	1.142	0.115

Network Component of Network Charges (NUoS) for Connection Asset Customers (GST Exclusive)							
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Fixed Charge \$ per Day	Capacity Charge \$ per kW per month	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
3500	33kV Line/Bus	N/A	Site Specific	\$ 0.7721	\$ 0.8637	0.986	0.095
4000	11kV Bus	N/A	Site Specific	\$ 1.3183	\$ 1.9053	1.022	0.101
4500	11kV Line	N/A	Site Specific	\$ 1.9527	\$ 3.1341	1.038	0.104

Notes on CAC Network Prices

1. *Demand and/or Volume are to be measured at the relevant customer's metering point.*
2. *Demand means the average demand in kilowatts over a period of 30 minutes. The highest of these 30 minute averages for the billing period is applied in the calculation of the demand component of network charges.*
3. *The Fixed Charge is dependent upon the assets dedicated to the customer and therefore is site-specific.*
4. *The site-specific component of network prices for CACs is calculated based on the specific configuration at site and is not published in the public domain. ENERGEX will provide the network prices to the Network Users and their Retailer of Choice.*
5. *N/A – Not applicable.*
6. *Peak Energy Charge is levied on energy consumed during the hours of 7:00am and 11:00pm Monday to Friday.*
7. *Off-Peak Energy Charge is levied on energy consumed outside the defined Peak Hours.*

NETWORK PRICE SCHEDULE - 2008/09

NETWORK PRICES FOR STANDARD ASSET CUSTOMERS - DEMAND METERED

Outlined below are the SAC network prices.

Distribution Component of Network Charges (DUoS) for Standard Asset Customers (GST Inclusive)								
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Chargeable Demand kW	Service Availability Charge \$ per Day	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
8000	High Voltage Demand	FLCL	200	N/A	\$ 27.7994	\$ 5.7310	0.200	0.200
8100	Large Demand	FLCL	400	N/A	\$ 26.5852	\$ 6.4306	0.199	0.199
8200	Medium Demand	FLCL	120	600	\$ 10.0159	\$ 7.6472	0.202	0.202
8300	Small Demand	FLCL	20	180	\$ 0.9588	\$ 12.3992	0.211	0.211

Distribution Component of Network Charges (DUoS) for Standard Asset Customers (GST Exclusive)								
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Chargeable Demand kW	Service Availability Charge \$ per Day	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
8000	High Voltage Demand	FLCL	200	N/A	\$ 25.2722	\$ 5.2100	0.182	0.182
8100	Large Demand	FLCL	400	N/A	\$ 24.1684	\$ 5.8460	0.181	0.181
8200	Medium Demand	FLCL	120	600	\$ 9.1054	\$ 6.9520	0.184	0.184
8300	Small Demand	FLCL	20	180	\$ 0.8716	\$ 11.2720	0.192	0.192

NETWORK PRICE SCHEDULE - 2008/09

Transmission Component of Network Charges (TUoS) for Standard Asset Customers (GST Inclusive)								
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Chargeable Demand kW	Service Availability Charge \$ per Day	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
8000	High Voltage Demand	FLCL	200	N/A	\$ 6.7433	\$ 0.8833	0.977	0.977
8100	Large Demand	FLCL	400	N/A	\$ 8.2948	\$ 0.8833	0.998	0.998
8200	Medium Demand	FLCL	120	600	\$ 3.0755	\$ 0.8877	1.011	1.011
8300	Small Demand	FLCL	20	180	\$ 0.9629	\$ 0.7348	0.977	0.977

Transmission Component of Network Charges (TUoS) for Standard Asset Customers (GST Exclusive)								
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Chargeable Demand kW	Service Availability Charge \$ per Day	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
8000	High Voltage Demand	FLCL	200	N/A	\$ 6.1303	\$ 0.8030	0.888	0.888
8100	Large Demand	FLCL	400	N/A	\$ 7.5407	\$ 0.8030	0.907	0.907
8200	Medium Demand	FLCL	120	600	\$ 2.7959	\$ 0.8070	0.919	0.919
8300	Small Demand	FLCL	20	180	\$ 0.8754	\$ 0.6680	0.888	0.888

Network Component of Network Charges (NUoS) for Standard Asset Customers (GST Inclusive)								
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Chargeable Demand kW	Service Availability Charge \$ per Day	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
8000	High Voltage Demand	FLCL	200	N/A	\$ 34.5427	\$ 6.6143	1.177	1.177
8100	Large Demand	FLCL	400	N/A	\$ 34.8800	\$ 7.3139	1.197	1.197
8200	Medium Demand	FLCL	120	600	\$ 13.0914	\$ 8.5349	1.213	1.213
8300	Small Demand	FLCL	20	180	\$ 1.9217	\$ 13.1340	1.188	1.188

Network Component of Network Charges (NUoS) for Standard Asset Customers (GST Exclusive)								
Network Tariff Code	Network Charge Description	Default Distribution Loss Factor	Minimum Chargeable Demand kW	Maximum Chargeable Demand kW	Service Availability Charge \$ per Day	Actual Demand Charge \$ per kW per month	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
8000	High Voltage Demand	FLCL	200	N/A	\$ 31.4025	\$ 6.0130	1.070	1.070
8100	Large Demand	FLCL	400	N/A	\$ 31.7091	\$ 6.6490	1.088	1.088
8200	Medium Demand	FLCL	120	600	\$ 11.9013	\$ 7.7590	1.103	1.103
8300	Small Demand	FLCL	20	180	\$ 1.7470	\$ 11.9400	1.080	1.080

Notes on SAC Demand Metered Network Prices

1. *Demand and/or Volume are to be measured at each individual network metering point.*
2. *Demand means the average demand in kilowatts over a period of 30 minutes.*
3. *Minimum Chargeable Demand will be applied for each month where the metered monthly maximum demand fails to exceed the Minimum Chargeable Demand.*
4. *N/A – Not applicable.*
5. *FLCL – refer DLF Table.*
6. *A Demand network tariff is not to be used in conjunction with any other tariff at the same premise.*

NETWORK PRICES FOR STANDARD ASSET CUSTOMERS - NON-DEMAND METERED

Detailed below are the conditions and network prices applicable to Standard Asset Customers – Non-Demand Metered.

Conditions applicable to Network Prices For Standard Asset Customers - Non-Demand Metered**Domestic (Lighting, Power and Continuous Water heating)**

The Domestic network tariff is applicable to electricity supplied to domestic premises primarily for the personal use of the resident/s of those premises. Where premises are primarily operated as a business, including the provision of short stay accommodation of a holiday nature, the Domestic network tariff is not applicable. This tariff is also applicable to electricity used in separately metered common sections of domestic premises consisting of more than one flat or home unit. This tariff is applicable only to domestic customers consuming zero to 25,000 kWh per annum.

Business Small and Business Medium

The Business Small and Business Medium network tariffs shall not apply in conjunction with any (TOU) network tariffs at the same installation.

Business Small Network Tariff is applicable to non-domestic customers consuming zero to 25,000 kWh per annum. Business Medium Network Tariff is applicable to customers (including domestic customers) consuming more than 25,000 kWh per annum.

Business Small TOU and Business Medium TOU

Business TOU tariffs are for premises with TOU metering. A Business TOU tariff is not to be used in conjunction with a non-TOU network tariff at the same installation.

Business Small TOU Network Tariff is applicable to non-domestic customers consuming zero to 25,000 kWh per annum. Business Medium TOU Network Tariff is applicable to customers (including domestic customers) consuming more than 25,000 kWh per annum.

Network business TOU Peak / Off-Peak Hours are defined as:

Peak: the hours between 7:00am and 9:00pm, Monday to Friday.

Off-Peak: all other hours which are not Peak hours.

Subject to the exceptions detailed below, business TOU network tariffs are applicable to retail notified tariffs T22, T23, T62, and T63.

Business TOU network tariff is only available to existing customers on the T37 retail notified tariff as at 30 June 2007. From 1 July 2007, no new retail notified tariff T37 customers shall have access to Business TOU network tariffs.

Special variation for irrigation loads to the specified business TOU Network Peak / Off Peak hours

Customers on retail tariffs T64 & T65 can access Business TOU network tariffs on the same peak and off-peak hours defined by the T65 retail notified tariff. To facilitate transition to market contracts, irrigation customers may elect to remain on the existing retail notified T65 peak and off-peak hours for the 2008/09 network pricing period.

Controlled Load 1

This network tariff is applicable when electricity supply is permanently connected to apparatus or to specified parts of apparatus as set out below (but not applicable, except as described in (c) below, if provision has been made to supply such apparatus or the specified part thereof under a different tariff during the restricted period) –

NETWORK PRICE SCHEDULE - 2008/09

-
- (a) Electric storage water heaters with thermostatically controlled or continuously operating heating units and which comply with the construction and performance requirements of Australian Standard Specification 1361 or 1056 or previous Standards superseded by these two Standards or similar electric water heaters which are approved for connection by the distribution entity. Where the heating unit rating exceeds 1800 watts, it shall not exceed 13.5 watts per litre of heat storage volume for heat exchange type water heaters or 15.5 watts per litre of rated hot water delivery for other storage type water heaters. The following conditions shall apply to any booster-heating unit fitted:
- (i) its rating shall not exceed that of the main heating unit;
 - (ii) it shall be connected so as to prevent its being energised simultaneously with the main heating unit;
 - (iii) electricity consumed by the booster heating unit shall be metered under and charged at the tariff applicable to general power usage at the premises concerned; and
 - (iv) it shall be located in accordance with the provisions of the above Standards.
- (b) Solar-heated water heaters. Where the electric heating unit rating exceeds 1800 watts, it shall not exceed 13.5 watts per litre of storage tank capacity. If a circulating water pump is fitted to the system, continuous supply will be available to the pump, and electricity consumed shall be metered under and charged at the tariff applicable to general power usage at the premises concerned.
- (c) One-shot boost for solar-heated water heaters with electric heating units as described in (b) above. A current held changeover relay may be fitted to the water heater to deliver, at the customer's convenience, a 'one-shot boost' supply to the electric heating element at times when supply is not available under this Tariff 31 (generally between the hours of 7.00 am and 10.00 pm). Such supply is subject to thermostatically controlled switch-off. Electricity consumed during operation of the one-shot boost shall be metered under and charged at the tariff applicable to general power usage at the premises concerned. Supply and installation of a current held changeover relay, including the cost of same, is the responsibility of the customer. (Reference in this Schedule to a 'booster heating unit' does not mean a current held changeover relay which is capable of delivering a 'one-shot boost'.)
- (d) Heatpump water heaters. Where the rated electrical input, as shown on the nameplate, exceeds 1800 watts, it shall not exceed 13.5 watts per litre of storage tank capacity.
- (e) Heatbanks. Booster heating units are permitted in heatbanks in which the main element rating is at least 2 kilowatts. The following conditions shall apply to any booster heating unit fitted:
- (i) its rating shall not exceed 70 percent of the rating of the main heating unit;
 - (ii) it shall be connected so as to prevent its being energised simultaneously with the main heating unit; and
 - (iii) electricity consumed by the booster heating unit shall be metered under and charged at the tariff applicable to general power usage at the premises concerned.
- (f) Loads other than water heaters and heatbanks, but is not applicable:
- (i) to arc or resistance welding plant;
 - (ii) where the apparatus is duplicated in order that supply may be obtained on a different tariff for the same purpose during the restricted period.

Supply will be available for a minimum of 8 hours per day during time periods set at the discretion of the distribution entity. In general, this supply will be between the hours of 10.00 pm and 7.00 am. Under certain circumstances, a portion of the 8 hour supply period may be made available at other times. The distribution entity will supply and maintain load control equipment at its cost.

Controlled Load 1 is applicable to retail notified tariff T31.

Controlled Load 2

This network tariff is applicable when electricity supply is permanently connected to apparatus as set out below (but not applicable if provision has been made to supply such apparatus under a different tariff in the periods during which supply is not available under this tariff) –

- (a) Electric storage water heaters with thermostatically controlled or continuously operating heating units and which comply with the construction and performance requirements of Australian Standard Specification 1361 or 1056 or previous Standards superseded by these two Standards or similar electric water heaters which are approved for connection by the distribution entity. Where the heating unit rating exceeds 1800 watts, it shall not exceed 13.5 watts per litre of heat storage volume for heat exchange type water heaters or 15.5 watts per litre of rated hot water delivery for other storage type water heaters;
- (b) Solar-heated water heaters. Where the electric heating unit rating exceeds 1800 watts, it shall not exceed 13.5 watts per litre of storage tank capacity; (c) Heatpump water heaters. Where the rated electrical input, as shown on the nameplate, exceeds 1800 watts, it shall not exceed 13.5 watts per litre of storage tank capacity;
- (d) As a sole supply tariff for domestic installations, as approved by the distribution entity, where photovoltaic cell/ battery bank/ inverter apparatus is used to provide a supplementary supply to the interruptible supply provided by this tariff;
- (e) Other individual loads in domestic installations, but is not applicable:
 - (i) to arc or resistance welding plant and boosted heatbanks; and
 - (ii) where the apparatus (except for refrigeration and non-boosted heatbanks) is duplicated in order that supply may be obtained on a different tariff for the same purpose in the periods during which supply is not available under this tariff.

The distribution entity will supply and maintain load control equipment at its cost. Supply will be available for a minimum of 18 hours per day, but the times when supply is available may be subject to variation at the absolute discretion of the distribution entity.

Controlled Load 2 is applicable to retail notified tariff T33.

NETWORK PRICE SCHEDULE - 2008/09

Network prices for Standard Asset Customers - Non-Demand Metered (excluding site-specific prices) are as follows:

Network Charges for Non-Demand Metered Standard Asset Customers (GST Inclusive)						
Network Tariff Code	Network Charge Description	Conditions	Component	Service Availability Charge \$ per Day	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
8600	Business Medium	Over 25,000 kWh PA	DUoS	\$ 0.6233	5.181	5.181
			TUoS	\$ 0.3951	1.042	1.042
			NUoS	\$ 1.0184	6.223	6.223
8800	Business Medium TOU	Over 25,000 kWh PA	DUoS	\$ 0.5922	5.804	3.380
			TUoS	\$ 0.3951	1.042	1.042
			NUoS	\$ 0.9873	6.846	4.422
8500	Business Small	0 to 25,000 kWh PA	DUoS	\$ 0.1992	5.749	5.749
			TUoS	\$ 0.0396	1.042	1.042
			NUoS	\$ 0.2388	6.791	6.791
8700	Business Small TOU	0 to 25,000 kWh PA	DUoS	\$ 0.2306	6.013	3.752
			TUoS	\$ 0.0396	1.042	1.042
			NUoS	\$ 0.2702	7.055	4.794
8400	Domestic (Energy Only)	0 to 25,000 kWh PA	DUoS	\$ 0.1992	5.749	5.749
			TUoS	\$ 0.0396	1.042	1.042
			NUoS	\$ 0.2388	6.791	6.791
9000	Controlled Load 1 (Retail Notified Tariff T31)		DUoS	\$ 0.1119	0.283	0.283
			TUoS	\$ 0.0190	0.759	0.759
			NUoS	\$ 0.1309	1.042	1.042
9100	Controlled Load 2 (Retail Notified Tariff T33)		DUoS	\$ 0.1119	1.031	1.031
			TUoS	\$ 0.0186	0.948	0.948
			NUoS	\$ 0.1305	1.979	1.979

NETWORK PRICE SCHEDULE - 2008/09

Network Charges for Non-Demand Metered Standard Asset Customers (GST Exclusive)						
Network Tariff Code	Network Charge Description	Conditions	Component	Service Availability Charge \$ per Day	Peak Energy Charge c per kWh	Off Peak Energy Charge c per kWh
8600	Business Medium	Over 25,000 kWh PA	DUoS	\$ 0.5666	4.710	4.710
			TUoS	\$ 0.3592	0.947	0.947
			NUoS	\$ 0.9258	5.657	5.657
8800	Business Medium TOU	Over 25,000 kWh PA	DUoS	\$ 0.5384	5.276	3.073
			TUoS	\$ 0.3592	0.947	0.947
			NUoS	\$ 0.8976	6.223	4.020
8500	Business Small	0 to 25,000 kWh PA	DUoS	\$ 0.1811	5.226	5.226
			TUoS	\$ 0.0360	0.947	0.947
			NUoS	\$ 0.2171	6.173	6.173
8700	Business Small TOU	0 to 25,000 kWh PA	DUoS	\$ 0.2096	5.466	3.411
			TUoS	\$ 0.0360	0.947	0.947
			NUoS	\$ 0.2456	6.413	4.358
8400	Domestic (Energy Only)	0 to 25,000 kWh PA	DUoS	\$ 0.1811	5.226	5.226
			TUoS	\$ 0.0360	0.947	0.947
			NUoS	\$ 0.2171	6.173	6.173
9000	Controlled Load 1 (Retail Notified Tariff T31)		DUoS	\$ 0.1017	0.257	0.257
			TUoS	\$ 0.0173	0.690	0.690
			NUoS	\$ 0.1190	0.947	0.947
9100	Controlled Load 2 (Retail Notified Tariff T33)		DUoS	\$ 0.1017	0.937	0.937
			TUoS	\$ 0.0169	0.862	0.862
			NUoS	\$ 0.1186	1.799	1.799

NETWORK PRICES FOR UNMETERED SUPPLY INCLUDING STREETLIGHTS

Detailed below are the conditions and network prices applicable to Unmetered Supply including Streetlights.

Conditions applicable to Unmetered Supply including Streetlights are as follows:

1. **Energy** is to be estimated at each individual distribution network connection point. The cents/kW.h rate will be applied based on the wattage of the load and calculations in accordance with Metrology Procedure.
2. **Unmetered Supply** is applicable to unmetered supplies where the customer owns and maintains all assets after the customer's connection point to the network. These include installations such as Traffic Signals, temporary services, public telephone boxes, public BBQs etc.
3. **Streetlights – Rate 3** is applicable to installations where the maintenance and capital costs of installation are not borne by ENERGEX.
4. **Watchman Lights** is applicable to watchman lights owned, operated and maintained by ENERGEX
5. **Streetlights – Rate 1 Minor** is applicable to unmetered public lighting with the nominated Wattage Reference Code detailed in Table 1 and where the maintenance and capital costs of installation are borne by ENERGEX.
6. **Streetlights – Rate 2 Minor** is applicable to unmetered public lighting with the nominated Wattage Reference Code detailed in Table 1 and where the maintenance costs but not the capital costs of installation, are borne by ENERGEX.

Table 1: Minor Streetlight Wattage Classification

Streetlights – Minor Classification	
<i>Streetlight type</i>	<i>Wattage Reference Codes</i>
Mercury Vapour	M50, M70, M80, M100, M125
Mercury Halide	H35, H70, H75
Sodium Vapour	L35, L90, L135, S35, S50, S70
Incandescent	All
Fluorescent	All
Also includes any other non standard or obsolete public lights that would be replaced with any of the above ENERGEX standard minor public lights in accordance with ENERGEX policy.	

7. **Streetlights – Rate 1 Major** is applicable to unmetered public lighting with the nominated Wattage Reference Code detailed in Table 2 and where the maintenance and capital costs of installation are borne by ENERGEX.
8. **Streetlights – Rate 2 Major** is applicable to unmetered public lighting with the nominated Wattage Reference Code detailed in Table 2 and where the maintenance costs but not the capital costs of installation, are borne by ENERGEX.

Table 2: Major Streetlight Wattage Classification

Streetlights – Major Classification	
<i>Streetlight type</i>	<i>Wattage Reference Codes</i>
Mercury Vapour	M150, M175, M250, M400, M500, M700, M1000
Mercury Halide	H100, H150, H250, H400, H1000
Sodium Vapour	S100, S150, SM160, S250, S360, S400, S2X400, S800, S1000
Also includes any other non-standard or obsolete public lights that would be replaced with any of the above ENERGEX standard minor public lights in accordance with ENERGEX policy.	

Network prices for Unmetered Supply including Streetlights are as follows:

Network Charges for Unmetered Supply and Street Lights (GST Inclusive)				
Network Tariff Code	Network Charge Description	Component	Service Availability Charge \$ per Day	Energy Charge c per kWh
9200	Streetlights - Rate 1 Minor	DUoS	\$ 0.2902	3.779
		TUoS	n/a	1.302
		NUoS	\$ 0.2902	5.081
9250	Streetlights - Rate 1 Major	DUoS	\$ 1.0965	3.779
		TUoS	n/a	1.302
		NUoS	\$ 1.0965	5.081
9300	Streetlights - Rate 2 Minor	DUoS	\$ 0.1599	3.779
		TUoS	n/a	1.302
		NUoS	\$ 0.1599	5.081
9350	Streetlights - Rate 2 Major	DUoS	\$ 1.0223	3.779
		TUoS	n/a	1.302
		NUoS	\$ 1.0223	5.081
9400	Streetlights - Rate 3	DUoS	\$ -	3.779
		TUoS	n/a	1.302
		NUoS	\$ -	5.081
9600	Unmetered Supply	DUoS	\$ -	3.779
		TUoS	n/a	1.302
		NUoS	\$ -	5.081
9500	Watchman Lights	DUoS	\$ 0.2984	3.779
		TUoS	n/a	1.302
		NUoS	\$ 0.2984	5.081

Network Charges for Unmetered Supply and Street Lights (GST Exclusive)				
Network Tariff Code	Network Charge Description	Component	Service Availability Charge \$ per Day	Energy Charge c per kWh
9200	Streetlights - Rate 1 Minor	DUoS	\$ 0.2638	3.435
		TUoS	n/a	1.184
		NUoS	\$ 0.2638	4.619
9250	Streetlights - Rate 1 Major	DUoS	\$ 0.9968	3.435
		TUoS	n/a	1.184
		NUoS	\$ 0.9968	4.619
9300	Streetlights - Rate 2 Minor	DUoS	\$ 0.1454	3.435
		TUoS	n/a	1.184
		NUoS	\$ 0.1454	4.619
9350	Streetlights - Rate 2 Major	DUoS	\$ 0.9294	3.435
		TUoS	n/a	1.184
		NUoS	\$ 0.9294	4.619
9400	Streetlights - Rate 3	DUoS	\$ -	3.435
		TUoS	n/a	1.184
		NUoS	\$ -	4.619
9600	Unmetered Supply	DUoS	\$ -	3.435
		TUoS	n/a	1.184
		NUoS	\$ -	4.619
9500	Watchman Lights	DUoS	\$ 0.2713	3.435
		TUoS	n/a	1.184
		NUoS	\$ 0.2713	4.619

CONTRACTUAL PROVISIONS ASSOCIATED WITH NETWORK PRICES

The following contractual provisions apply in relation to the application of network prices set out in this Network Price Schedule.

Standard Asset Customers

1. The network prices applicable to SAC customers will be subject to review in line with the following provisions:
 - The Customer via their Retailer of Choice shall nominate the network tariff applicable to the customer site. If no network tariff is nominated by the Retailer ENERGEX will apply the network tariff that it believes is the most relevant to the connection point.
 - It is the responsibility of the Customer or the Retailer of Choice to check if the NTC is the appropriate Network Tariff for the particular customer site based on the parameters specified for the respective Network Tariffs. However, ENERGEX may change the network tariff without a Retailer request if it believes the current network tariff is no longer valid for the connection point.
 - The Customer, via their Retailer of Choice, shall only be able to request that their NTC be changed once in any twelve month period, unless there has been a substantial load change. For prudence, the Retailer should ensure that at least three months data is available to support the requested change.
 - Changes in the NTC will only proceed upon approval by ENERGEX.
 - Any change of NTC will take effect from the commencement of the next billing period subsequent to ENERGEX being notified.
2. Customers who exceed the maximum allowable demand applicable to their NTC, at the discretion of ENERGEX, will be requested to modify their demand activity or be assigned the appropriate NTC.

All Customers

1. Where ENERGEX's load control relays and associated metering exist, customers may not disconnect them without ENERGEX's prior written consent.
2. Where applicable, service availability and demand charges will be calculated on a pro rata daily basis for initial and final accounts.
3. Unless otherwise negotiated, Customers' Retailer of Choice will be billed on a monthly basis, based in meter data obtained during each month. Billing will be undertaken in accordance with the Standard or Negotiated Connection Contract between ENERGEX and the customer and the Standard Coordination Agreement between ENERGEX and each Retailer.

DISTRIBUTION LOSS FACTORS GUIDELINES

The following is a summary of ENERGEX's Distribution Loss Factor (DLF) information. Please refer to the NEMMCO website for further detail (www.nemmco.com) or contact ENERGEX.

DLF Table 2008-09		
Description	NEMMCO Code	DLF Value
132/110kV	FSSS	1.0046
33kV	F3CL	1.0142
11kV Bus	F1ZH	1.0194
11kV Line	F1CH	1.0282
Low Voltage Bus	F1CL	1.0497
Low Voltage Line	FLCL	1.0786

The Distribution Loss Factors presented in the above table do not apply to ICCs.

What is a Distribution Loss Factor?

The DLF is used to convert the customer's actual metered energy into the equivalent energy passing through the appropriate transmission network connection point (TNCP). This allows for the distribution network losses between the customer's meter and the transmission network connection point resulting from the customer's energy use.

The appropriate DLF and the applicable Transmission Loss Factor are to be applied to the metered consumption for retail billing and market settlement purposes.

Every customer must have a DLF. The appropriate DLF is associated with the location of their metering point.

The DLFs in this Schedule are as defined by clause 3.6.3(d)(1) of the National Electricity Rules.

DLF Categories:

132/110 kV	Applicable to all 132/110kV bus and line customers.
33 kV	Applicable to all 33kV bus and line customers.
11kV Bus	Applicable to bus connection points that are high voltage (HV) metered at a voltage less than 30kV and greater than 1,000 volts.
11kV Line	Applicable to line connection points that are HV metered at a voltage less than 30kV and greater than 1,000 volts.
Low Voltage Bus	Applicable to bus connection points that are low voltage (LV) metered at a voltage lower than 1,000 volts.
Low Voltage Line	Applicable to line connection points that are LV metered at a voltage lower than 1,000 volts.

DLF Definitions:

132/110 kV	The 132/110 kV DLF will apply to all customers who are metered at 132 kV or 110 kV.
33 kV	The 33 kV DLF will apply to all customers who are metered at 33 kV.
11kV Bus	If customers believe that they qualify for an 11 kV Bus DLF rather than an 11 kV Line DLF, they should submit details justifying their claim to ENERGEX. As an example, customers who are supplied from a Zone Substation by dedicated 11 kV lines and are metered at or immediately adjacent to the Zone Substation would be eligible for an 11 kV Bus DLF. Zone Substations are defined as Substations where the voltage level is stepped down from a voltage greater than 30kV.
11kV Line	The 11kV Line DLF will apply to all customers who are connected to high voltage distribution lines and are metered at the same voltage as the line is energised.
LV Bus	Customers who are supplied from a distribution substation on their site (owned or leased) and are metered at the low voltage level are eligible for an LV Bus DLF.
LV Line	All customers not covered by any of the above categories.

DLF Application Rules:

1. The DLFs in this Network Pricing Schedule do NOT apply to ICCs.
2. Customers or their Retailer of Choice may select an alternative DLF for their connection if the default DLF is inappropriate. The Customers or Retailer of Choice will be required to justify their selected DLF.
3. The DLFs will be reviewed and published on a periodic basis in line with the requirements of the National Electricity Rules.
4. Where the voltage at the metering point is not listed, or there is doubt about the application of these rules, please request further advice from ENERGEX.