

Network Tariff Guide for Standard Control Services



1 July 2015 to 30 June 2016



Revision history

Version	Date	Summary of changes
1.0	29 June 2015	Initial 2015–16 Network Tariff Guide.
1.1	7 August 2015	▪ Corrected error in the calculation of the Inclining Block Tariff Residential East tariff example provided in Appendix 3. ▪ Other minor amendments.
1.2	3 December 2015	▪ Clarified the fixed charge arrangements for unmetered supply tariffs ▪ Other minor amendments.

Contents

1. Introduction.....	4
1.1 Overview.....	4
1.2 Purpose	5
1.3 Supporting network pricing documents	5
1.4 Further information	6
2. Tariff setting process	7
2.1 Network tariffs.....	7
2.2 Tariff classes, network charge categories and Network Tariff Codes	8
2.3 Network tariff strategy changes	8
3. Site specific rates	10
4. 2015-16 network tariff rates	11
5. Explanatory Notes	12
5.1 SAC <100 MWh p.a. tariffs.....	12
5.2 SAC >100 MWh p.a. tariffs.....	14
5.3 CAC tariffs	16
5.4 ICC site-specific tariffs.....	17
5.5 Volume night controlled and volume controlled.....	17
5.6 Unmetered supplies.....	17
5.7 General requirements.....	18
5.8 TUOS regional indicators	19
5.9 Distribution Loss Factors (DLFs)	19
5.10 Public Lighting	19
5.11 Solar Bonus Scheme (SBS)	19
Appendix 1: Tariff classes, network charge categories and Network Tariff Codes	21
Appendix 2: Summary of network tariffs, by network user group	37
Appendix 3: Ergon Energy's IBT network tariff calculation methodology	44
Appendix 4: CAC connection unit charge examples	47
Appendix 5: Seasonal TOU Demand (STOUD) calculation examples.....	48
Appendix 6: Ergon Energy's kVA calculation methodology	50
Appendix 7: TUOS regional indicators.....	51
Glossary	53

1. Introduction

1.1 Overview

Ergon Energy Corporation Limited (Ergon Energy) is a Distribution Network Service Provider (DNSP) to around 725,000 customers in regional Queensland. Our service area covers around 97 per cent of Queensland and has approximately 160,000 kilometres of power lines and one million power poles. Around 70 per cent of the network's power lines are radial and service mostly rural areas with very low levels of customers per line kilometre.

As a DNSP, Ergon Energy is subject to economic regulation by the Australian Energy Regulator (AER) under the National Electricity Law (the Law) and the National Electricity Rules (NER). Under the Law and NER, the AER is responsible for regulating the revenues Ergon Energy can earn, and the prices that we can charge for certain services provided by means of, or in connection with, our distribution system.

In order to regulate the prices that Ergon Energy can charge for our services, the AER has classified our regulated distribution services into Standard Control Services and Alternative Control Services.

Standard Control Services are core network, connection and metering services associated with the access and supply of electricity to customers. They include network services (e.g. construction, maintenance and repair of the network), some connection services (e.g. small customer connections) and Type 7 metering services. Ergon Energy recovers our costs in providing Standard Control Services through network tariffs which are billed to retailers.

Alternative Control Services are comprised of:

- *Fee based services* – regulated distribution activities Ergon Energy undertakes at the request of an identifiable customer, retailer or appropriate third party which are in addition to our Standard Control Services and are levied as a separate charge. These services are priced on a 'fixed fee' basis as the costs of providing the service (and therefore price) can be assessed in advance of the service being requested by a customer or retailer (e.g. de-energisations, re-energisations, and supply abolishment etc.).
- *Quoted services* – similar to fee based services, but they are 'priced on application' as the nature and scope of these services are variable and the costs (and therefore price) are specific to the individual retailer's or customer's needs (e.g. design and construction of connection assets for major customers, real estate development connections, special meter reads etc.).
- *Default Metering Services* – relate to the provision, installation, maintenance, reading and data services of basic electricity meters (Type 5 and 6) for small to medium business and residential customers. These are the meters that measure the electricity that goes into a property, and which allow electricity retailers to bill their customers. Ergon Energy recovers our costs of providing Default Metering Services through charges based on the number and type of meters we provide the customer. A separate upfront charge for new or upgraded meters is also payable.
- *Public Lighting Services* – relate to the provision, construction and maintenance of public lighting assets owned by Ergon Energy, and emerging public lighting technology. Ergon Energy recovers our costs of providing Public Lighting Services through a daily public lighting charge billed to retailers. We also charge a one-off exit fee, which is payable when a public light is scrapped before the end of its useful operational life.¹

¹ Outside of our light emitting diode (LED) transition program.

1.2 Purpose

This Tariff Guide sets out the Network Tariff Codes and standard rates that apply in 2015–16 for Standard Control Services, as well as the application rules. It is structured as follows:

- Section 2 sets out general requirements that apply to the tariff setting process
- Section 3 outlines the process for obtaining information on Network Tariff Codes and rates applying to site specific rates
- Section 4 provides details of the 2015-16 Network Tariff Codes and rates (GST exclusive)
- Section 5 provides explanatory notes detailing new network tariffs and calculation methodology. This section also includes information on Distribution Loss Factors (DLFs) and the Queensland Government's Solar Bonus Scheme (SBS).
- Appendix 1 shows the tariff classes, network charge categories and Network Tariff Codes
- Appendix 2 gives a summary of network tariffs by user group
- Appendix 3 provides the methodology used by Ergon Energy to calculate our Inclining Block Tariff (IBT) network tariffs for Standard Asset Customers (SAC) <100 MWh per annum (p.a.)
- Appendix 4 provides examples of the connection unit charge
- Appendix 5 provides examples of calculating Seasonal Time-of-Use (STOUD) for different network users
- Appendix 6 details the kVA methodology used to calculate tariffs for Individually Calculated Customers (ICCs) and Connection Asset Customers (CACs)
- Appendix 7 provides a list of Transmission Network Connection Points (TNCPs), their assigned Transmission Node Identifier (TNI) and geographical Transmission Use of System (TUOS) Region.

1.3 Supporting network pricing documents

In addition to this Network Tariff Guide, Ergon Energy has a number of network pricing documents to assist customers, retailers and interested parties understand the development and application of tariffs and connection charges. The documents outlined in Figure 1.1 below provide further information about network tariffs, including tariff assignment, Network Tariff Codes, loss factors and detailed information about operational issues relating to Standard and Alternative Control Services.

These documents are available on Ergon Energy's website at:

www.ergon.com.au/networktariffs.

Figure 1.1 : Supporting network pricing documentation

Information Guide for Standard Control Services Pricing	• Sets out the basis upon which Ergon Energy's revenue cap for Standard Control Services is recovered from various customer groups through network tariffs • Provides a description of the network tariffs • Provides details on the assignment of customers to tariff classes and network tariffs • Published annually
Pricing Proposal	• Provides additional guidance on the compliance requirements of Chapter 6 of the NER, and how Ergon Energy's prices for our Standard and Alternative Control Services meet these requirements • Submitted to the AER annually, and updated as required
Information Guide for Alternative Control Services Pricing	• Sets out the basis upon which Alternative Control Services pricing is set and approved by the AER • Provides details on the assignment of customers to tariff classes • Published annually
Price List for Alternative Control Services	• Sets out Ergon Energy's Alternative Control Services and the prices that apply for fee based services, Default Metering Services and Public Lighting Services • Published annually, and updated as required
Connection Policy	• Sets out when a connection charge may be payable by retail customers or real estate developers and the aspects of the connection service for which a charge may be applied • Details how Ergon Energy calculates the capital contribution to be paid • This policy was approved by the AER in April 2015 at the time of the Distribution Determination

1.4 Further information

Network users and retailers who are uncertain about the network pricing process or their particular circumstances are encouraged to contact us for assistance:

Manager Regulatory Determination and Pricing

PO Box 264

FORTITUDE VALLEY QLD 4006

Phone: 13 74 66

E-mail: netprice@ergon.com.au.

2. Tariff setting process

Ergon Energy's Standard Control Services are regulated under a revenue cap form of price control. The revenue cap for any given year reflects Ergon Energy's smoothed revenue requirement (as determined by the AER), plus other annual revenue adjustments.

The revenue cap is allocated to the three pricing zones and the zonal costs are apportioned to different asset categories within each zone. The costs within the zones are then assigned to the four network user groups and converted into network tariffs that recover the costs.

Ergon Energy recovers our costs associated with the customer's connection and use of the distribution network through the Distribution Use of System (DUOS) component of network tariffs which are billed to retailers.

A number of changes have been implemented to our network tariff structure for 2015-16. Refer to Table 2.1 below.

Further information is available in our Information Guide for Standard Control Services on our website (see Section 1.3).

2.1 Network tariffs

Network tariffs comprise of DUOS and TUOS components. In addition Ergon Energy has been directed to recover jurisdictional scheme amounts relating to feed-in-tariff (FiT) payments made under the SBS.

2.1.1 DUOS

The DUOS charge is a component of network tariffs which covers costs associated with some connection services and/or use of the distribution network for the conveyance of electricity (i.e. Standard Control Services).

2.1.2 TUOS

Ergon Energy is able to recover designated pricing proposal charges incurred by Ergon Energy for TUOS services which include:

- charges for prescribed exit services, prescribed common transmission services and prescribed TUOS services. These charges are billed to Ergon Energy by Powerlink, the Queensland Transmission Network Service Provider (TNSP)
- avoided customer TUOS charges
- charges for distribution services provided by another DNSP.

Attachment 14 of the Distribution Determination also allows us to pass through:

- charges levied on Ergon Energy for use of the 220 kV network which supplies the Cloncurry network
- entry and exit services charged by Powerlink at three connection points – Stoney Creek, Kings Creek and Oakey Town.

This means Ergon Energy must design tariffs to pass through costs related to the payment of TUOS to Powerlink, Avoided TUOS payments to eligible embedded generators (EGs) and payments to other DNSPs for the use of their network.

2.1.3 Jurisdictional Scheme

Jurisdictional schemes are certain programs implemented by state governments that place legislative obligations on DNSPs. For Queensland, this includes the SBS, which obligates Ergon Energy to pay a FiT for energy supplied into our distribution network from specific micro-embedded generators.

Ergon Energy is able to recover jurisdictional scheme amounts from customers. This is done via separate 'jurisdictional scheme charges'.

2.2 Tariff classes, network charge categories and Network Tariff Codes

Ergon Energy's selection of Standard Control Service tariff classes follows our cost allocation process for tariff setting by differentiating between:

- customer groupings – being ICC, CAC, SAC and EG network users²
- zones – being East, West and Mount Isa.³

There are four broad types of charging parameters to signal the Long Run Marginal Cost (LRMC) and to recover residual revenue efficiently. They are fixed charges, capacity and demand charges, and volume charges. These charging parameters are applied differently for each tariff class.

Appendix 1 sets out the tariff classes, network charge categories, threshold / minimum chargeable demand, Network Tariff Codes and class description broken down by the four network user groups. Note, included in Appendix 1 is an abbreviated description for each tariff class. This will be the output on documents created within Ergon Energy's customer system, PEACE.

A summary of network tariffs by user group setting out the DUOS and TUOS charging parameters is shown in Appendix 2.

2.3 Network tariff strategy changes

Ergon Energy has introduced a number of changes to our network tariff structures from 1 July 2015 for our Standard Control Services. These changes are set out in Table 2.1 below.

Table 2.1: Summary of network tariff changes in 2015-16

Network user group	Tariff changes
ICC	▪ Introduction of an excess reactive power charge (excess kVAr charge) ▪ Consolidation of pre and post 30 June 2010 tariff class distinctions into a combined single class (change to ICC, CAC and EG tariff classes)
CAC	▪ Change to the existing capacity charge and actual demand charge. The charging parameters will now be denominated in kVA rather than kW ▪ Consolidation of existing site-specific tariffs into four standard HV tariffs for each zone ▪ Application of standard TUOS region pricing ▪ Introduction of customer specific 'connection units' to enable the standard tariffs ▪ Introduction of optional STOUD tariffs for each zone, differentiated by voltage level
SAC >100 MWh p.a.	▪ Introduction of an optional STOUD tariff for each zone ▪ Commence phasing out the Demand High Voltage tariffs

² For network user group definitions refer to Ergon Energy's Information Guide for Standard Control Services Pricing.

³ A zonal map can be found in Ergon Energy's Information Guide for Standard Control Services Pricing.

Network user group	Tariff changes
SAC <100 MWh p.a.	■ Introduction of a business and residential optional STOUD tariff for each zone ■ Equalisation of the peak and shoulder energy volume rates in the Seasonal TOU Energy (STOUE) tariff
EG	■ Embedded generators that are larger than those classified as micro embedded generators under AS4777 will be moved to this network user group. This will apply to all new and existing customers

For further information on these changes refer to our website.⁴

⁴ www.ergon.com.au/futurenetworktariffs.

3. Site specific rates

As per clause 6.19.2 of the NER, all information about a service applicant or distribution network user used by a distributor for the purposes of distribution service pricing is confidential information.

Therefore the publication of site specific network tariffs for ICCs and EGs, and connection units for CACs, would breach the NER and any connection agreements between Ergon Energy and our customers. It may also adversely affect the markets in which our customers operate.

Information on Network Tariff Codes and rates applying to site specific rates are available on request by contacting Network Pricing (see Section 1.4). Ergon Energy will only release this information in the following circumstances:

- the requestor is the customer, or an authorised person who is able to sign on behalf of the customer (e.g. Company Manager)
- the requestor is the current Financially Responsible Market Participant and the request relates to a period of time for which they are responsible for the site
- the customer's written consent has been provided using the "Authority to Release Information to Third Parties Form" available on Ergon Energy's website (see Section 1.3).

4. 2015-16 network tariff rates

The 2015-16 Network Tariff Codes and rates have been published in a separate document, Ergon Energy 2015-16 SCS Network Tariffs, which is available with this Network Tariff Guide on our website:

www.ergon.com.au/networktariffs.

5. Explanatory Notes

5.1 SAC <100 MWh p.a. tariffs

5.1.1 Inclining Block Tariff (IBT) – Default

Under the inclining block structure, there are three consumption blocks – Block 1, Block 2 and Block 3 – with different rates applying to the volume charge for each block. Different block sizes will apply depending on whether the customer is classified as Residential or Business.

IBT Residential

The IBT Residential tariff is the default primary network tariff applying to all residential SACs <100 MWh p.a.

The following consumption blocks apply for IBT Residential tariffs:

Block	Daily kWh	Annual equivalent kWh
Block 1	0 – 2.74 kWh	0 – 1,000 kWh p.a.
Block 2	2.74 – 16.43 kWh	1,000 kWh p.a. – 6,000 kWh p.a.
Block 3	>16.43 kWh	>6,000 kWh p.a.

IBT Business

The IBT Business tariff is the default primary network tariff applying to all business SACs <100 MWh p.a.

The following consumption blocks apply for IBT Business tariffs:

Block	Daily kWh	Annual equivalent kWh
Block 1	0 – 2.74 kWh	0 – 1,000 kWh p.a.
Block 2	2.74 – 54.76 kWh	1,000 kWh p.a. – 20,000 kWh p.a.
Block 3	>54.76 kWh	>20,000 kWh p.a.

IBT network tariff calculation methodology

Ergon Energy's IBT network tariff calculation methodology is set out in Appendix 3.

5.1.2 Seasonal Time-of-Use (TOU) Energy tariffs – Optional

Under the Seasonal TOU Energy structure, there are three time periods – Peak, Shoulder and Off-Peak – with different rates for each time period. Different time periods will apply depending on whether the customer is classified as Residential or Business.

Seasonal TOU Energy Residential tariff

These tariffs are voluntary for residential SACs <100 MWh p.a. A customer (or their retailer) must request a tariff change to opt in to these tariffs. This is subject to metering considerations.

The following time periods apply for Seasonal TOU Energy Residential tariffs:

Item	Time period
Peak	4:30pm to 9:00pm on Summer weekdays
Shoulder	3:00pm to 4:30pm and 9:00pm to 9:30pm on Summer weekdays, and 3:00pm to 9:30pm on Summer weekends
Off-Peak	All other times

Note: Summer is defined as the months of December, January and February.

Seasonal TOU Energy Business tariff

These tariffs are voluntary for business SACs <100 MWh p.a. A customer (or their retailer) must request a tariff change to opt in to these tariffs.

The following time periods apply for Seasonal TOU Energy Business tariffs:

Item	Time period
Peak	11:30am to 5:30pm on Summer weekdays
Shoulder	10:00am to 11:30am and 5:30pm to 8:00pm on Summer weekdays
Off-Peak	All other times

Note: Summer is defined as the months of December, January and February

5.1.3 Seasonal Time-of-Use (TOU) Demand tariffs – Optional

Under the Seasonal TOU Demand structure, there are two time periods – Peak and Off-Peak – with different rates for each time period. Different time periods will apply depending on whether the customer is classified as SAC <100 MWh p.a. Residential, SAC <100 MWh p.a. Business, SAC >100 MWh p.a. or CAC.

Residential Seasonal TOU Demand tariff

These tariffs are voluntary for residential SACs <100 MWh p.a. A customer (or their retailer) must request a tariff change to opt in to these tariffs. This is subject to metering considerations.

Only the demand charge includes seasonal and time-of-day dimensions.

The following time periods apply to the demand and capacity components of Seasonal TOU Demand Residential tariffs:

Item	Time period	Conditions
Peak Demand (kW)	3:00pm to 9:30pm any day of the week in summer months	The peak demand calculation uses the customer's top four peak demand days (based on daily individual maximum half hour kW demand) in the peak window (3:00pm to 9:30pm). This is a separate calculation in each summer month. The demand charge will be applied to the average kW demand calculated for the total 52 half hour periods each month (i.e. 13 half hour intervals in each peak window multiplied by the four peak demand days).

Item	Time period	Conditions
Off-Peak Demand (kW)	All times non-summer months (i.e. March to November)	The off-peak demand calculation uses the highest maximum kW demand in any single half hour at any time during each non-summer month. The off-peak demand quantity is subject to a minimum chargeable demand of 3 kW. The off-peak demand charge does not apply in summer months.

Note: Summer is defined as the months of December, January and February.

A volume charge (kWh) applies across all energy in summer and non-summer months.

Business Seasonal TOU Demand tariff

These tariffs are voluntary for business SACs <100 MWh p.a. A customer (or their retailer) must request a tariff change to opt in to these tariffs. This is subject to metering considerations.

Only the demand charge includes seasonal and time-of-day dimensions.

The following time periods apply to the demand and capacity components of Seasonal TOU Demand Business tariffs:

Item	Time period	Conditions
Peak Demand (kW)	Peak demand period: 10:00am to 8:00pm weekdays in summer months	The peak demand calculation uses the customer's top four peak demand days (based on individual half hour demand) in the peak window (10:00am to 8:00pm). This is a separate calculation in each summer month. The demand charge will be applied to the average kW demand calculated for the total 80 half hour periods each month (i.e. 20 half hour intervals in each peak window multiplied by the four peak demand days).
Off-Peak Demand (kW)	Off-Peak demand period: All times non-summer months	3 kW minimum chargeable demand

Note: Summer is defined as the months of December, January and February.

A volume charge (kWh) applies across all energy in summer and non-summer months.

5.2 SAC >100 MWh p.a. tariffs

5.2.1 Demand tariffs – Default

There are four default network tariffs applicable to SACs >100 MWh p.a.:

- Demand High Voltage (DH)
- Demand Large (DL)
- Demand Medium (DM)
- Demand Small (DS).

The network tariff applicable to a customer will be as nominated by the customer or their retailer. DL, DM and DS are available to all SAC >100 MWh p.a. These categories are self-selecting, with customers' load characteristics determining the optimum category.

Demand High Voltage is not available to new customers. DL, DM and DS categories are available for customers connected at HV (22/11 kV Line) or LV (415/240 V).

Application of charges

The actual demand charge for default SAC >100 MWh p.a. demand tariffs will be applied to the kW amount by which a customer's actual monthly maximum demand is greater than the demand threshold applicable to the customer's network tariff.

The threshold demands available to all SAC >100MWh p.a. are as follows:

Network charge category	Threshold demand
Demand High Voltage	400 kW
Demand Large	400 kW
Demand Medium	120 kW
Demand Small	30 kW

5.2.2 Seasonal Time-of-Use (TOU) Demand tariffs – Optional

These tariffs are voluntary for SACs >100 MWh p.a. A customer (or their retailer) must request a tariff change to opt in to these tariffs. This is subject to metering considerations.

All of the charging parameters, with the exception of the fixed charge, include seasonal and time-of-day dimensions.

The following time periods apply to the volume (energy) component of SAC Large Seasonal TOU Demand tariffs:

Item	Time period
Off-Peak Energy	Metered consumption at all times during non-summer months

Note: Summer is defined as the months of December, January and February.

The following time periods apply to the demand components of SAC Large Seasonal TOU Demand tariffs:

Item	Time period	Conditions
Peak Demand (kW)	10:00am to 8:00pm weekdays in summer months	20 kW threshold
Off-Peak Demand (kW)	All times non-summer months	40 kW threshold

Note: Summer is defined as the months of December, January and February.

Application of charges

The peak demand calculation uses the highest kW maximum demand in any single half hour at any time during the peak demand period in each summer month. The demand charge will be applied to the kW amount by which a customer's actual monthly maximum demand is greater than the demand threshold applicable to the peak period. Where the monthly metered maximum demand is less than the demand threshold, the chargeable demand for that month is set to zero.

The off-peak demand calculation uses the highest kW maximum demand in any single half hour at any time during the peak demand period in each non-summer month. The demand charge will be applied to the kW amount by which a customer's actual monthly maximum demand is greater than the demand threshold applicable to the off-peak period. Where the monthly metered maximum demand is less than the demand threshold, the chargeable demand for that month is set to zero.

The off-peak volume calculation is based on a \$/kWh rate applied to metered kWh consumption at all times during non-summer months. For TUOS charges the metered consumption is multiplied by the DLF and then applied to the TUOS rate.

5.3 CAC tariffs

5.3.1 CAC standardised tariffs – Default

CAC network tariffs demand based components are in kVA and there are four standard default tariffs applicable:

- 22/11 kV Line
- 22/11 kV Bus
- 33 kV
- 66 kV.

The network tariff applicable to a customer will be nominated by Ergon Energy, which is based on the voltage at which a customer is connected to the network. CAC customers will retain site specific information being their authorised demand (AD) and DLF. Some customers will also have a number of connection units that will apply.

Ergon Energy's kVA calculation methodology is set out in Appendix 6.

5.3.2 CAC Seasonal TOU Demand tariff – Optional

These tariffs are voluntary for CACs. This tariff is only available to customers on a market retail contract. A customer (or their retailer) must request a tariff change to opt in to these tariffs. This is subject to metering considerations.

All of the charging parameters, with the exception of the fixed charge, include seasonal and time-of-day dimensions.

The following time periods apply to the volume (energy) component of CAC Seasonal TOU Demand tariffs:

Item	Time period
Off-Peak Energy	Metered consumption at all times during non-summer months

Note: Summer is defined as the months of December, January and February.

The following time periods apply to the demand components of CAC Seasonal TOU Demand tariffs:

Item	Time period	Conditions
Peak Demand (kVA)	10:00am to 8:00pm weekdays in summer months	
Off-Peak Demand (kW)	All times non-summer months	750, 850 or 1000 kVA threshold

Note: Summer is defined as the months of December, January and February.

Application of charges

The peak demand calculation uses the greater of the maximum kVA demand in any single half hour at any time during the peak demand period in each summer month and the customer's AD.

The off-peak demand calculation uses the higher of the maximum kVA demand in any single half hour at any time during each non-summer month and the minimum chargeable demand.

The connection unit calculation applies to both peak and off-peak periods. The connection unit charge (per day) is multiplied by the customer's number of connection units as advised individually to each customer.

The off-peak volume calculation is based on a \$/kWh rate applied to metered kWh consumption at all times during non-summer months. For TUOS charges the metered consumption is multiplied by the DLF and then applied to the TUOS rate.

5.4 ICC site-specific tariffs

ICC network tariffs are site specific with demand based components in kVA. Excess Reactive Power Charge applies to these customers. This charge is applicable when customers use more than their permissible kVAr, which is calculated using their AD and compliant power factor.

Ergon Energy's kVA calculation methodology is set out in Appendix 6.

5.5 Volume night controlled and volume controlled

There are two network charge categories applicable to controlled load:

- **Volume Night Controlled** (EVN, WVN or MVN) – applies where specified permanently connected appliances are controlled by network equipment so that supply will be available for a minimum period of eight hours at the absolute discretion of Ergon Energy but usually between the hours of 10:00pm and 7:00am.
- **Volume Controlled** (EVC, WVC or MVC) – applies where specified permanently connected appliances are controlled by network equipment so that supply will be available for a minimum period of 18 hours per day during time periods set at the absolute discretion of Ergon Energy.

5.6 Unmetered supplies

There are three network charge categories applicable to unmetered supplies:

- **Unmetered Supply** (EVU, WVU or MVU) – applies to small uniform loads approved to be unmetered by Ergon Energy. Includes provision of energy to traffic lights, watchman lights and other types of unmetered public amenities (e.g. illuminated signs, phone boxes and barbecues etc.). It also applies to public light installations where the customer owns and maintains all assets after the customer's connection point to the network (i.e. where Ergon Energy does not provide Public Lighting Services).
- **Unmetered Supply with ACS – Public Lighting Services – Minor Public Light** (EVUMI, WVUMI or MVUMI) – applies to unmetered 'minor' public lighting where Ergon Energy owns and maintains all assets after the customer's connection point to the network.

Ergon Energy's standard minor public lights are 50, 80 and 125 watt Mercury Vapour and some 70 and 100 watt High Pressure Sodium vapour lights (special locations only). Minor public lights also include any other non-standard or obsolete public lights that would be

replaced with any of the above Ergon Energy standard minor public lights in accordance with Ergon Energy policy.

- **Unmetered Supply with ACS – Public Lighting Services – Major Public Light** (EVUMA, WVUMA or MVUMA) – applies to unmetered ‘major’ public lighting where Ergon Energy owns and maintains all assets after the customer’s connection point to the network.

Ergon Energy’s standard major public lights are 100, 150, 250 watt and some 400 watt High Pressure Sodium vapour lights. Major public lights also include any other non-standard or obsolete public lights that would be replaced with any of the above Ergon Energy standard major public lights in accordance with Ergon Energy policy.

The network charge category applicable to a customer will be as nominated by the customer or their retailer.

5.7 General requirements

The following general requirements apply to the selection and amendment of network tariffs:

- It is intended that a Network Tariff Code will apply to each meter data stream.
- Network users with multiple network connections will pay network charges for each connection point. This approach is consistent with the National Metering Identifier (NMI) Procedure issued by the Australian Energy Market Operator.
- If requested, Ergon Energy will provide the customer or the customer’s retailer with reasonable assistance in identifying the network tariffs which may be applicable to the customer’s installation.
- Demand and/or volume are to be measured at each individual network connection point.
- Where applicable, demand based charges will be calculated on a pro rata daily basis for initial and final accounts.
- Where Ergon Energy’s load control equipment exists (including associated metering), this may not be disconnected without Ergon Energy’s prior written consent.
- Residential and Business customer classifications align with the Electricity Distribution Network Code.
- In the absence of any other customer classification indicators, the IBT Business tariff will be the default primary tariff for SACs <100 MWh p.a.
- Where a retailer wants to access the network seasonal TOU energy or demand tariff, and is offering a retail TOU tariff that differs in the peak, shoulder and off-peak times from the applicable network TOU tariff, then this will be considered a special arrangement. The costs of this special arrangement will be the retailer’s responsibility.
- For the purposes of network billing for the IBT, the energy (kWh) assigned to each consumption block during a meter reading period is pro-rated back to a daily equivalent with the tariff applying on a daily basis. The IBT network tariff calculation methodology is set out in Appendix 3.
- Network charges will be billed by Ergon Energy on a monthly basis.
- The TNI identifies the TNCP from which a customer is supplied. The NMI Discovery process (Stage 2) will provide retailers with the TNI applicable to a NMI.

5.8 TUOS regional indicators

TUOS charges are charged to Ergon Energy by Powerlink at each TNCP or Bulk Supply Point. A TNI is allocated to each of these Bulk Supply Points. ICC customers' TUOS charges are directly reflective of the TNI to which they are supplied. For all other classes charges for each Bulk Supply Point are allocated to one of three geographical TUOS Regions (i.e. T1, T2 or T3).

Appendix 7 lists all the TNCPs, their assigned TNI and their geographical TUOS Region.

5.9 Distribution Loss Factors (DLFs)

The standard DLFs that apply in 2015–16 are detailed in Table 5.1 below.

Table 5.1: Ergon Energy's 2015–16 Standard Distribution Loss Factors

Network Level	East Zone *		West Zone		Mount Isa Zone	
	Code	DLF	Code	DLF	Code	DLF
Sub-transmission Bus	GESB	1.005	GWSB	1.041	GMSB	1.001
Sub-transmission Line	GESL	1.011	GWSL	1.071	GMSL	1.005
22/11 kV Bus	GEHB	1.015	GWHB	1.078	GMHB	1.008
22/11 kV Line	GEHL	1.028	GWHL	1.109	GMHL	1.036
LV Bus	GELB	1.073	GWLB	1.152	GMLB	1.058
LV Line	GELL	1.083	GWLL	1.182	GMLL	1.096

* The zonal boundaries are identical to those used for network tariffs.

5.10 Public Lighting

Public Lighting is subjected to the same DUOS and TUOS charges applicable to other unmetered supplies.

Alternative Control Service charges also apply. Public Lighting Services is an Alternative Control Service which relates to the provision, construction and maintenance of public lighting assets owned by Ergon Energy, and emerging public lighting technology.

Ergon Energy recovers our costs in providing Public Lighting Services through a daily public lighting charge which we bill to retailers. We also charge a one-off exit fee, which is payable when a public light is scrapped before the end of its useful operational life.

5.11 Solar Bonus Scheme (SBS)

The Queensland Government's SBS pays eligible customers a FiT for the surplus electricity generated from solar photovoltaic (PV) systems and exported to the Queensland electricity grid.

Further information is available on the Department of Energy and Water Supply website.⁵

5.11.1 Network Tariff Codes

The Network Tariff Codes that apply to the SBS are detailed in Table 5.2 below. Details of retailer funded solar FiT arrangements are available on the Queensland Competition Authority's website.⁶

⁵ <https://www.dews.qld.gov.au/energy-water-home/electricity/solar-bonus-scheme/>

⁶ <http://www.qca.org.au/Electricity/Consumer/Solar-Feed-in-Tariffs>

Table 5.2: Network Tariff Codes for the Solar Bonus Scheme

Network Tariff Code	Description
NVG0	Net Volume Generation 0
NVG1	Net Volume Generation 1
NGV2	Net Volume Generation 2
GVG0	Gross Volume Generation 0

Where:

- NVG0 is applicable to any net metering installation that does not meet the SBS requirements
- NVG1 applies to any net metering installation that meets the SBS requirements for the 44 c/kWh FiT rate
- NVG2 applies to any net metering installation that meets the SBS requirements (other than the 44 c/kWh FiT tariff rate)
- GVG0 is applicable to any gross metering installation.

5.11.2 Recovery of SBS from customers

The costs of the FiT payments made under the SBS will be recovered from network users as a jurisdictional scheme charge as follows:

- Jurisdictional scheme amounts are allocated to tariff classes using a process similar to that used to allocate overhead costs in the current DUOS cost of supply model.
- The total revenue requirement for each tariff class is then converted to tariffs as follows:
 - ICC – a fixed charge (\$/day)
 - CAC and SAC – a fixed charge (\$/day) and a volume charge (\$/kWh).

Appendix 1: Tariff classes, network charge categories and Network Tariff Codes

Tariff classes, network charge categories and Network Tariff Codes 2015-16										
Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
ICC	Individually Calculated Customer - East	ICC - East	ICC					EICCKA1 onwards EICCKB1 onwards	Individually Calculated Customer – East	Individually Calculated Customer – East
	Individually Calculated Customer - West	ICC - West	ICC					WICCKA1 onwards WICCKB1 onwards	Individually Calculated Customer – West	Individually Calculated Customer – West
	Individually Calculated Customer - Mount Isa	ICC - Mount Isa	ICC					MICCKA1 onwards MICCKB1 onwards	Individually Calculated Customer – Mount Isa	Individually Calculated Customer – Mount Isa
CAC	Connection Asset Customer - East	CAC - East	CAC					ECACKA1 onwards ECACKB1 onwards	Connection Asset Customers – East	Connection Asset Customers – East
								EC66T1	East Connection Asset Customer 66kV - TUOS Region 1	East CAC 66kV T1
								EC66T2	East Connection Asset Customer 66kV TUOS Region 2	East CAC 66kV T2
								EC66T3	East Connection Asset Customer 66kV - TUOS Region 3	East CAC 66kV T3
								EC33T1	East Connection Asset Customer 33kV - TUOS Region 1	East CAC 33kV T1
								EC33T2	East Connection Asset Customer 33kV - TUOS Region 2	East CAC 33kV T2

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
								EC33T3	East Connection Asset Customer 33kV - TUOS Region 3	East CAC 33kV T3
								EC22BT1	East Connection Asset Customer 11-22kV Bus - TUOS Region 1	East CAC 11 22kV Bus T1
								EC22BT2	East Connection Asset Customer 11-22kV Bus - TUOS Region 2	East CAC 11 22kV Bus T2
								EC22BT3	East Connection Asset Customer 11-22kV Bus - TUOS Region 3	East CAC 11 22kV Bus T3
								EC22LT1	East Connection Asset Customer 11-22kV Line - TUOS Region 1	East CAC 11 22kV Line T1
								EC22LT2	East Connection Asset Customer 11-22kV Line - TUOS Region 2	East CAC 11 22kV Line T2
								EC22LT3	East Connection Asset Customer 11-22kV Line - TUOS Region 3	East CAC 11 22kV Line T3
				1000kVA				EC66TOUT1	East Connection Asset Customer 33-66kV Time-of-Use Demand - TUOS Region 1	East CAC 33 66kV ToU Demand T1
				1000kVA				EC66TOUT2	East Connection Asset Customer 33-66kV Time-of-Use Demand - TUOS Region 2	East CAC 33 66kV ToU Demand T2
				1000kVA				EC66TOUT3	East Connection Asset Customer 33-66kV Time-of-Use Demand - TUOS Region 3	East CAC 33 66kV ToU Demand T3
				850kVA				EC22BTOUT1	East Connection Asset Customer 11-22kV Bus Time-of-Use Demand - TUOS Region 1	East CAC 11 22kV Bus ToU Demand T1

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
				850kVA				EC22BTOUT2	East Connection Asset Customer 11-22kV Bus Time-of-Use Demand - TUOS Region 2	East CAC 11 22kV Bus ToU Demand T2
				850kVA				EC22BTOUT3	East Connection Asset Customer 11-22kV Bus Time-of-Use Demand - TUOS Region 3	East CAC 11 22kV Bus ToU Demand T3
				750kVA				EC22LTOUT1	East Connection Asset Customer 11-22kV Line Time-of-Use Demand - TUOS Region 1	East CAC 11 22kV Line ToU Demand T1
				750kVA				EC22LTOUT2	East Connection Asset Customer 11-22kV Line Time-of-Use Demand - TUOS Region 2	East CAC 11 22kV Line ToU Demand T2
				750kVA				EC22LTOUT3	East Connection Asset Customer 11-22kV Line Time-of-Use Demand - TUOS Region 3	East CAC 11 22kV Line ToU Demand T3
	Connection Asset Customer - West	CAC - West	CAC					WCAKA1 onwards WCACKB1 onwards	Connection Asset Customer - West	Connection Asset Customer - West
								WC66T1	West Connection Asset Customer 66kV - TUOS Region 1	West CAC 66kV T1
								WC66T2	West Connection Asset Customer 66kV - TUOS Region 2	West CAC 66kV T2
								WC66T3	West Connection Asset Customer 66kV - TUOS Region 3	West CAC 66kV T3
								WC33T1	West Connection Asset Customer 33kV - TUOS Region 1	West CAC 33kV T1

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
								WC33T2	West Connection Asset Customer 33kV - TUOS Region 2	West CAC 33kV T2
								WC33T3	West Connection Asset Customer 33kV - TUOS Region 3	West CAC 33kV T3
								WC22BT1	West Connection Asset Customer 11-22kV Bus - TUOS Region 1	West CAC 11 22kV Bus T1
								WC22BT2	West Connection Asset Customer 11-22kV Bus - TUOS Region 2	West CAC 11 22kV Bus T2
								WC22BT3	West Connection Asset Customer 11-22kV Bus - TUOS Region 3	West CAC 11 22kV Bus T3
								WC22LT1	West Connection Asset Customer 11-22kV Line - TUOS Region 1	West CAC 11 22kV Line T1
								WC22LT2	West Connection Asset Customer 11-22kV Line - TUOS Region 2	West CAC 11 22kV Line T2
								WC22LT3	West Connection Asset Customer 11-22kV Line - TUOS Region 3	West CAC 11 22kV Line T3
				1000kVA				WC66TOUT1	West Connection Asset Customer 33-66kV Time-of-Use Demand - TUOS Region 1	West CAC 33 66kV ToU Demand T1
				1000kVA				WC66TOUT2	West Connection Asset Customer 33-66kV Time-of-Use Demand - TUOS Region 2	West CAC 33 66kV ToU Demand T2
				1000kVA				WC66TOUT3	West Connection Asset Customer 33-66kV Time-of-Use Demand -	West CAC 33 66kV ToU Demand T3

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
									TUOS Region 3	
				850kVA				WC22BTOUT1	West Connection Asset Customer 11-22kV Bus Time-of-Use Demand - TUOS Region 1	West CAC 11 22kV Bus ToU Demand T1
				850kVA				WC22BTOUT2	West Connection Asset Customer 11-22kV Bus Time-of-Use Demand - TUOS Region 2	West CAC 11 22kV Bus ToU Demand T2
				850kVA				WC22BTOUT3	West Connection Asset Customer 11-22kV Bus Time-of-Use Demand - TUOS Region 3	West CAC 11 22kV Bus ToU Demand T3
				750kVA				WC22LTOUT1	West Connection Asset Customer 11-22kV Line Time-of-Use Demand - TUOS Region 1	West CAC 11 22kV Line ToU Demand T1
				750kVA				WC22LTOUT2	West Connection Asset Customer 11-22kV Line Time-of-Use Demand - TUOS Region 2	West CAC 11 22kV Line ToU Demand T2
				750kVA				WC22LTOUT3	West Connection Asset Customer 11-22kV Line Time-of-Use Demand - TUOS Region 3	West CAC 11 22kV Line ToU Demand T3
	Connection Asset Customer - Mount Isa	CAC - Mount Isa	CAC					MCACKA1 onwards	Connection Asset Customers – Mount Isa	Connection Asset Customers – Mount Isa
								MCACKB1 onwards		
								MC66T4	Mount Isa Connection Asset Customer 66kV - TUOS Region 4	Mount Isa CAC 66kV T4

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
								MC33T4	Mount Isa Connection Asset Customer 33kV - TUOS Region 4	Mount Isa CAC 33kV T4
								MC22BT4	Mount Isa Connection Asset Customer 11-22kV Bus - TUOS Region 4	Mount Isa CAC 11 22kV Bus T4
								MC22LT4	Mount Isa Connection Asset Customer 11-22kV Line - TUOS Region 4	Mount Isa CAC 11 22kV Line T4
				1000kVA				MC66TOUT4	Mount Isa Connection Asset Customer 33-66kV Time-of-Use Demand - TUOS Region 4	Mount Isa CAC 33 66kV ToU Demand T4
				850kVA				MC22BTOUT4	Mount Isa Connection Asset Customer 11-22kV Bus Time-of-Use Demand - TUOS Region 4	Mount Isa CAC 11 22kV Bus ToU Demand T4
				750kVA				MC22LTOUT4	Mount Isa Connection Asset Customer 11-22kV Line Time-of-Use Demand - TUOS Region 4	Mount Isa CAC 11 22kV Line ToU Demand T4
EG	Embedded Generation - East	EG - East	EG					EEGA1 onwards EEGB1 onwards	Embedded Generation – East	Embedded Generation – East
	Embedded Generation - West	EG - West	EG					WEGA1 onwards WEGB1 onwards	Embedded Generation – West	Embedded Generation – West
SAC	Embedded Generation - Mount Isa	EG - Mount Isa	EG					MEGA1 onwards	Embedded Generation – Mount Isa	Embedded Generation – Mount Isa

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
								MEGB1 onwards		
	Standard Asset Customer - Large (>100 MWh p.a.) - East	SAC Large - East	Demand High Voltage		400 kW			EDHTT1	East Demand HV (400 kW) SAC - TUOS Region 1	East Demand HV 400kW T1
					400 kW			EDHTT2	East Demand HV (400 kW) SAC - TUOS Region 2	East Demand HV 400kW T2
					400kW			EDHTT3	East Demand HV (400 kW) SAC - TUOS Region 3	East Demand HV 400kW T3
			Demand Large		400 kW			EDLTT1	East Demand Large (400 kW) SAC - TUOS Region 1	East Demand LGE 400kW Threshold T1
					400kW			EDLTT2	East Demand Large (400 kW) SAC - TUOS Region 2	East Demand LGE 400kW Threshold T2
					400kW			EDLTT3	East Demand Large (400 kW) SAC - TUOS Region 3	East Demand LGE 400kW Threshold T3
			Demand Medium		120 kW			EDMTT1	East Demand Medium (120 kW) SAC - TUOS Region 1	East Demand MED 120kW Threshold T1
					120kW			EDMTT2	East Demand Medium (120 kW) SAC - TUOS Region 2	East Demand MED 120kW Threshold T2
					120kW			EDMTT3	East Demand Medium (120 kW) SAC - TUOS Region 3	East Demand MED 120kW Threshold T3
			Demand Small		30 kW			EDSTT1	East Demand Small (30 kW) SAC - TUOS Region 1	East Demand SML 30kW Threshold T1
					30kW			EDSTT2	East Demand Small (30 kW) SAC - TUOS Region 2	East Demand SML 30kW Threshold T2

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
					30kW			EDSTT3	East Demand Small (30 kW) SAC - TUOS Region 3	East Demand SML 30kW Threshold T3
			Seasonal TOU Demand			20kW	40kW	ESTOUDCT1	East Seasonal Time-of-Use Demand SAC Comms Metering - TUOS Region 1	East Seasonal ToU Demand Comms Meters T1
						20kW	40kW	ESTOUDCT2	East Seasonal Time-of-Use Demand SAC Comms Metering - TUOS Region 2	East Seasonal ToU Demand Comms Meters T2
						20kW	40kW	ESTOUDCT3	East Seasonal Time-of-Use Demand SAC Comms Metering - TUOS Region 3	East Seasonal ToU Demand Comms Meters T3
	Standard Asset Customer - Small (<100 MWh p.a.) - East	SAC Small - East	IBT Business					EBIBT1	East Business Inclining Block - TUOS Region 1	East Business Inclining Block T1
								EBIBT2	East Business Inclining Block - TUOS Region 2	East Business Inclining Block T2
								EBIBT3	East Business Inclining Block - TUOS Region 3	East Business Inclining Block T3
			IBT Residential					ERIBT1	East Residential Inclining Block - TUOS Region 1	East Residential Inclining Block T1
								ERIBT2	East Residential Inclining Block - TUOS Region 2	East Residential Inclining Block T2
								ERIBT3	East Residential Inclining Block - TUOS Region 3	East Residential Inclining Block T3
			TOU Energy Business					EBTOUT1	East Business Time-of-Use - TUOS Region 1	East Business ToU Energy T1
								EBTOUT2	East Business Time-of-Use - TUOS Region 2	East Business ToU Energy T2
								EBTOUT3	East Business Time-of-Use - TUOS Region 3	East Business ToU Energy T3

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
			TOU Energy Residential					ERTOUT1	East Residential Time-of-Use - TUOS Region 1	East Residential ToU Energy T1
								ERTOUT2	East Residential Time-of-Use - TUOS Region 2	East Residential ToU Energy T2
								ERTOUT3	East Residential Time-of-Use - TUOS Region 3	East Residential ToU Energy T3
			TOU Demand Business					EBTOUDCT1	East Business Time-of-Use Demand Comms Metering - TUOS Region 1	East Business ToU Demand Comms Meters T1
								EBTOUDCT2	East Business Time-of-Use Demand Comms Metering - TUOS Region 2	East Business ToU Demand Comms Meters T2
								EBTOUDCT3	East Business Time-of-Use Demand Comms Metering - TUOS Region 3	East Business ToU Demand Comms Meters T3
			TOU Demand Residential					ERTOUDCT1	East Residential Time-of-Use Demand Comms Metering - TUOS Region 1	East Residential ToU Demand Comms Meters T1
								ERTOUDCT2	East Residential Time-of-Use Demand Comms Metering - TUOS Region 2	East Residential ToU Demand Comms Meters T2
								ERTOUDCT3	East Residential Time-of-Use Demand Comms Metering - TUOS Region 3	East Residential ToU Demand Comms Meters T3
			Volume Controlled					EVCT1	East Volume Controlled (T33) – TUOS Region 1	East Volume Controlled (T33) T1

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
								EVCT2	East Volume Controlled (T33) – TUOS Region 2	East Volume Controlled (T33) T2
								EVCT3	East Volume Controlled (T33) – TUOS Region 3	East Volume Controlled (T33) T3
			Volume Night Controlled					EVNT1	East Volume Night Controlled (T31) – TUOS Region 1	East Volume Night Controlled (T31) T1
								EVNT2	East Volume Night Controlled (T31) – TUOS Region 2	East Volume Night Controlled (T31) T2
								EVNT3	East Volume Night Controlled (T31) – TUOS Region 3	East Volume Night Controlled (T31) T3
	Standard Asset Customer - Unmetered - East	SAC Unmetered - East	Volume Unmetered					EVUT1	East Volume Unmetered – TUOS Region 1	East Volume Unmetered T1
								EVUT2	East Volume Unmetered – TUOS Region 2	East Volume Unmetered T2
								EVUT3	East Volume Unmetered – TUOS Region 3	East Volume Unmetered T3
			Volume Unmetered (Minor street light)					EVUMIT1	East Volume Unmetered – TUOS Region 1 – Minor Street Light	East Volume Unmetered Minor SL T1
								EVUMIT2	East Volume Unmetered – Minor Street Light – TUOS Region 2	East Volume Unmetered Minor SL T2
								EVUMIT3	East Volume Unmetered – Minor Street Light – TUOS Region 3	East Volume Unmetered Minor SL T3

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
			Volume Unmetered (Major street light)					EVUMAT1	East Volume Unmetered – TUOS Region 1 – Major Street Light	East Volume Unmetered Major SL T1
								EVUMAT2	East Volume Unmetered – Major Street Light – TUOS Region 2	East Volume Unmetered Major SL T2
								EVUMAT3	East Volume Unmetered – Major Street Light – TUOS Region 3	East Volume Unmetered Major SL T3
	Standard Asset Customer - Large (>100 MWh p.a.) - West	SAC Large - West	Demand Large		400 kW			WDLTT1	West Demand Large (400 kW) SAC - TUOS Region 1	West Demand LGE 400kW Threshold T1
					400 kW			WDLTT2	West Demand Large (400 kW) SAC - TUOS Region 2	West Demand LGE 400kW Threshold T2
					400 kW			WDLTT3	West Demand Large (400 kW) SAC - TUOS Region 3	West Demand LGE 400kW Threshold T3
			Demand Medium		120 kW			WDMTT1	West Demand Medium (120 kW) SAC - TUOS Region 1	West Demand MED 120kW Threshold T1
					120 kW			WDMTT2	West Demand Medium (120 kW) SAC - TUOS Region 2	West Demand MED 120kW Threshold T2
					120 kW			WDMTT3	West Demand Medium (120 kW) SAC - TUOS Region 3	West Demand MED 120kW Threshold T3
			Demand Small		30 kW			WDSTT1	West Demand Small (30 kW) SAC - TUOS Region 1	West Demand SML 30kW Threshold T1
					30 kW			WDSTT2	West Demand Small (30 kW) SAC - TUOS Region 2	West Demand SML 30kW Threshold T2

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
					30 kW			WDSTT3	West Demand Small (30 kW) SAC - TUOS Region 3	West Demand SML 30kW Threshold T3
			Seasonal TOU Demand			20kW	40kW	WSTOUDCT1	West Seasonal Time-of-Use Demand SAC Comms Metering - TUOS Region 1	West Seasonal ToU Demand Comms Meters T1
						20kW	40kW	WSTOUDCT2	West Seasonal Time-of-Use Demand SAC Comms Metering - TUOS Region 2	West Seasonal ToU Demand Comms Meters T2
						20kW	40kW	WSTOUDCT3	West Seasonal Time-of-Use Demand SAC Comms Metering - TUOS Region 3	West Seasonal ToU Demand Comms Meters T3
	Standard Asset Customer - Small (<100 MWh p.a.) - West	SAC Small - West	IBT Business					WBIBT1	West Business Inclining Block - TUOS Region 1	West Business Inclining Block T1
								WBIBT2	West Business Inclining Block - TUOS Region 2	West Business Inclining Block T2
								WBIBT3	West Business Inclining Block - TUOS Region 3	West Business Inclining Block T3
			IBT Residential					WRIBT1	West Residential Inclining Block - TUOS Region 1	West Residential Inclining Block T1
								WRIBT2	West Residential Inclining Block - TUOS Region 2	West Residential Inclining Block T2
								WRIBT3	West Residential Inclining Block - TUOS Region 3	West Residential Inclining Block T3
			TOU Business					WBTOU1	West Business Time-of-Use Energy - TUOS Region 1	West Business ToU Energy T1

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
								WBTOU2	West Business Time-of-Use Energy - TUOS Region 2	West Business ToU Energy T2
								WBTOU3	West Business Time-of-Use Energy - TUOS Region 3	West Business ToU Energy T3
			TOU Residential					WRTOUT1	West Residential Time-of-Use Energy - TUOS Region 1	West Residential ToU Energy T1
								WRTOUT2	West Residential Time-of-Use Energy - TUOS Region 2	West Residential ToU Energy T2
								WRTOUT3	West Residential Time-of-Use Energy - TUOS Region 3	West Residential ToU Energy T3
			Seasonal TOU Demand Business					WBTOUTDCT1	West Business Time-of-Use Demand Comms Metering - TUOS Region 1	West Business ToU Demand Comms Meters T1
								WBTOUTDCT2	West Business Time-of-Use Demand Comms Metering - TUOS Region 2	West Business ToU Demand Comms Meters T2
								WBTOUTDCT3	West Business Time-of-Use Demand Comms Metering - TUOS Region 3	West Business ToU Demand Comms Meters T3
			Seasonal TOU Demand Residential					WRTOUTDCT1	West Residential Time-of-Use Demand Comms Metering - TUOS Region 1	West Residential ToU Demand Comms Meters T1
								WRTOUTDCT2	West Residential Time-of-Use Demand Comms Metering - TUOS Region 2	West Residential ToU Demand Comms Meters T2

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
								WRTUOUCT3	West Residential Time-of-Use Demand Comms Metering - TUOS Region 3	West Residential ToU Demand Comms Meters T3
			Volume Controlled					WVCT1	West Volume Controlled (T33) – TUOS Region 1	West Volume Controlled (T33) T1
								WVCT2	West Volume Controlled (T33) – TUOS Region 2	West Volume Controlled (T33) T2
								WVCT3	West Volume Controlled (T33) – TUOS Region 3	West Volume Controlled (T33) T3
			Volume Night Controlled					WVNT1	West Volume Night Controlled (T31) – TUOS Region 1	West Volume Night Controlled (T31) T1
								WVNT2	West Volume Night Controlled (T31) – TUOS Region 2	West Volume Night Controlled (T31) T2
								WVNT3	West Volume Night Controlled (T31) – TUOS Region 3	West Volume Night Controlled (T31) T3
	Standard Asset Customer - Unmetered - West	SAC Unmetered - West	Volume Unmetered					WVUT1	West Volume Unmetered – TUOS Region 1	West Volume Unmetered T1
								WVUT2	West Volume Unmetered – TUOS Region 2	West Volume Unmetered T2
								WVUT3	West Volume Unmetered – TUOS Region 3	West Volume Unmetered T3
			Volume Unmetered (Minor street light)					WVUMIT1	West Volume Unmetered – Minor Street Light – TUOS Region 1	West Volume Unmetered Minor SL T1

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
			Volume Unmetered (Major street light)					WVUMIT2	West Volume Unmetered – Minor Street Light – TUOS Region 2	West Volume Unmetered Minor SL T2
								WVUMIT3	West Volume Unmetered – Minor Street Light – TUOS Region 3	West Volume Unmetered Minor SL T3
								WVUMAT1	West Volume Unmetered – Major Street Light – TUOS Region 1	West Volume Unmetered Major SL T1
								WVUMAT2	West Volume Unmetered – Major Street Light – TUOS Region 2	West Volume Unmetered Major SL T2
								WVUMAT3	West Volume Unmetered – Major Street Light – TUOS Region 3	West Volume Unmetered Major SL T3
	Standard Asset Customer - Large (>100 MWh p.a.) - Mount Isa	SAC Large - Mount Isa	Demand Large		400 kW			MDLTT4	Mount Isa Demand Large (400 kW) SAC – TUOS Region 4	Mount Isa Demand LGE 400kW Threshold T4
			Demand Medium		120 kW			MDMTT4	Mount Isa Demand Medium (120 kW) SAC – TUOS Region 4	Mount Isa Demand MED 120kW Threshold T4
			Demand Small		30 kW			MDSTT4	Mount Isa Demand Small (30 kW) SAC – TUOS Region 4	Mount Isa Demand SML 30kW Threshold T4
			Seasonal TOU Demand			20kW	40kW	MSTOUDCT4	Mount Isa Seasonal Time-of-Use Demand SAC Comms Metering - TUOS Region 4	Mount Isa Seasonal ToU Demand Comms Meters T4
	Standard Asset Customer - Small (<100 MWh p.a.)	SAC Small - Mount Isa	IBT Business					MBIBT4	Mount Isa Business Inclining Block - TUOS Region 4	Mount Isa Business Inclining Block T4

**Tariff classes, network charge categories and Network Tariff Codes
2015-16**

Network user group	Tariff class	Abbreviated Tariff class	Network charge category	Minimum Chargeable Demand	Threshold demand			Network Tariff Code	Description	Abbreviated Description
				Off-Peak	Anytime	Peak	Off-Peak			
	- Mount Isa		IBT Residential					MRIBT4	Mount Isa Residential Inclining Block - TUOS Region 4	Mount Isa Residential Inclining Block T4
			Seasonal TOU Energy Business					MBTOUT4	Mount Isa Business Time-of-Use Energy - TUOS Region 4	Mount Isa Business ToU Energy T4
			Seasonal TOU Energy Residential					MRTOUT4	Mount Isa Residential Time-of-Use Energy - TUOS Region 4	Mount Isa Residential ToU Energy T4
			Seasonal TOU Demand Business					MBTOUDCT4	Mount Isa Business Time-of-Use Demand Comms Metering - TUOS Region 4	Mount Isa Business ToU Demand Comms Meters T4
			Seasonal TOU Demand Residential					MRTOUDCT4	Mount Isa Residential Time-of-Use Demand - TUOS Region 4	Mount Isa Residential ToU Demand T4
			Volume Controlled					MVCT4	Mount Isa Volume Controlled (T33) - TUOS Region 4	Mount Isa Volume Controlled (T33) T4
			Volume Night Controlled					MVNT4	Mount Isa Volume Night Controlled (T31) Comms Metering- TUOS Region 4	Mount Isa Volume Night Controlled (T31) T4
	Standard Asset Customer - Unmetered - Mount Isa	SAC Unmetered - Mount Isa	Volume Unmetered					MVUT4	Mount Isa Volume Unmetered – TUOS Region 4	Mount Isa Volume Unmetered T4
			Volume Unmetered (Minor street light)					MVUMIT4	Mount Isa Volume Unmetered – Minor Street Light – TUOS Region 4	Mount Isa Volume Unmetered Minor SL T4
			Volume Unmetered (Major street light)					MVUMAT4	Mount Isa Volume Unmetered – Major Street Light – TUOS Region 4	Mount Isa Volume Unmetered Major SL T4

Appendix 2: Summary of network tariffs, by network user group

Network user group	Network tariff	Description / tariff conditions	DUOS												TUOS						Jurisdictional Scheme			
			Charging parameters												Charging parameters						Charging parameters			
			Fixed charge	Connection Unit Charge	Capacity charge		Excess Reactive Power Charge	Actual demand charge			Volume charge			Fixed charge	Capacity charge	Common service and general charge	Actual demand charge			Volume charge	Jurisdictional Scheme Charge			
			\$/day	\$/Connection Unit/Day	\$/kVA of AD/mth	Peak, Off-Peak \$/kVA of AD/mth)	\$/kVAr/mth	\$/kVA/mth	\$/kW/mth	Off Peak \$/kVA/mth	Peak, Off-Peak \$/kW/mth	Anytime \$/kWh/mth	Block 1, Block 2, Block 3 \$/kWh/mth	Peak, Off-Peak \$/kWh	\$/day	(\$/kVA of AD/mth)	(\$/day)	\$/kVA/mth	\$/kW/mth	Peak, Off-Peak \$/kW/mth	\$/kWh	\$/day	\$/kWh	
ICC	ICC	Applies to customers classified as an ICC.	✓		✓		✓	✓				✓			✓	✓	✓				✓	✓		
CAC	CAC – 66kV	Applies to customers connected to either a 66kV substation or a 66kV line who are classified as a CAC.	✓	✓	✓			✓				✓			✓	✓						✓	✓	✓
	CAC – 33kV	Applies to customers connected to either a 33kV substation or a 33kV line who are classified as a CAC.	✓	✓	✓			✓				✓			✓	✓						✓	✓	✓
	CAC –22kV Bus	Applies to customers connected to either a 22kV or 11kV substation who are classified as a CAC.	✓	✓	✓			✓				✓			✓	✓						✓	✓	✓
	CAC –22kV Line	Applies to customers connected to either a 22kV or 11kV line who are classified as a CAC.	✓	✓	✓			✓				✓			✓	✓						✓	✓	✓
	CAC - STOUD	Applies to customers classified as a CAC.	✓	✓		✓					✓				✓	✓						✓	✓	✓

Network user group	Network tariff	Description / tariff conditions	DUOS											TUOS						Jurisdictional Scheme		
			Charging parameters											Charging parameters						Charging parameters		
			Fixed charge	Connection Unit Charge	Capacity charge		Excess Reactive Power Charge	Actual demand charge			Volume charge			Fixed charge	Capacity charge	Common service and general charge	Actual demand charge			Volume charge	Jurisdictional Scheme Charge	
			\$/day	\$/Connection Unit/Day	\$/kVA of AD/mth	Peak, Off-Peak \$/kVA of AD/mth)	\$/kVA/mth	\$/kVA/mth	Off Peak \$/kVA/mth	Peak, Off-Peak \$/kW/mth	Anytime \$/kWh/mth	Block 1, Block 2, Block 3 \$/kWh/mth	Peak, Off-Peak \$/kWh	\$/day	(\$/kVA of AD/mth)	(\$/day)	\$/kVA/mth	\$/kW/mth	Peak, Off-Peak \$/kW/mth	\$/kWh	\$/day	\$/kWh
EG	EG	Applies to customers classified as an EG. Tariff applies to generation side only. Additional tariffs apply to the load side of an EG.	✓																			
SAC >100 MWh p.a.	Demand High Voltage	<u>Not available to new customers.</u>	✓						✓			✓		✓			✓		✓	✓	✓	
		Primary tariff available to high voltage metered customers who are not otherwise classified as an ICC, CAC or EG.																				
		Threshold demand – 400 kW																				
	Demand Large	Primary tariff available for SAC customers consuming more than 100 MWh p.a.	✓						✓			✓				✓		✓	✓	✓		
		Threshold demand – 400 kW																				
	Demand Medium	Primary tariff available for SAC customers consuming more than 100 MWh p.a.	✓							✓			✓				✓		✓	✓	✓	
Threshold demand – 120 kW																						

Network user group	Network tariff	Description / tariff conditions	DUOS											TUOS						Jurisdictional Scheme				
			Charging parameters											Charging parameters						Charging parameters				
			Fixed charge	Connection Unit Charge	Capacity charge		Excess Reactive Power Charge	Actual demand charge			Volume charge			Fixed charge	Capacity charge	Common service and general charge	Actual demand charge			Volume charge	Jurisdictional Scheme Charge			
			\$/day	\$/Connection Unit/Day	\$/kVA of AD/mth	Peak, Off-Peak \$/kVA of AD/mth)	\$/kVA/r/mth	\$/kVA/mth	\$/kW/mth	Off Peak \$/kVA/mth	Peak, Off-Peak \$/kW/mth	Anytime \$/kWh/mth	Block 1, Block 2, Block 3 \$/kWh/mth	Peak, Off-Peak \$/kWh	\$/day	(\$/kVA of AD/mth)	(\$/day)	\$/kVA/mth	\$/kW/mth	Peak, Off-Peak \$/kW/mth	\$/kWh	\$/day	\$/kWh	
	Demand Small	Primary tariff available for SAC customers consuming more than 100 MWh p.a.	✓						✓			✓			✓				✓			✓	✓	✓
		Threshold demand – 30 kW																						
	Seasonal TOU Demand	Optional seasonal TOU demand tariff available to SAC customers consuming more than 100 MWh p.a. regardless of their supply voltage (high or low)	✓									✓			✓					✓			✓	✓
		Threshold demand – 20 kW Peak/Shoulder; 40 kW Off Peak.																						
SAC <100 MWh p.a.	IBT Residential	Default primary tariff that applies to residential customers with consumption less than 100 MWh p.a.	✓										✓		✓							✓	✓	✓
		Three consumption blocks apply to the volume charge – Block 1, Block 2 and Block 3.																						

Network user group	Network tariff	Description / tariff conditions	DUOS											TUOS						Jurisdictional Scheme		
			Charging parameters											Charging parameters						Charging parameters		
			Fixed charge	Connection Unit Charge	Capacity charge		Excess Reactive Power Charge	Actual demand charge			Volume charge			Fixed charge	Capacity charge	Common service and general charge	Actual demand charge			Volume charge	Jurisdictional Scheme Charge	
			\$/day	\$/Connection Unit/Day	\$/kVA of AD/mth	Peak, Off-Peak \$/kVA of AD/mth)	\$/kVAr/mth	\$/kVA/mth	\$/kW/mth	Off Peak \$/kVA/mth	Peak, Off-Peak \$/kW/mth	Anytime \$/kWh/mth	Block 1, Block 2, Block 3 \$/kWh/mth	Peak, Off-Peak \$/kWh	\$/day	(\$/kVA of AD/mth)	(\$/day)	\$/kVA/mth	\$/kW/mth	Peak, Off-Peak \$/kW/mth	\$/kWh	\$/day
	IBT Business	Default primary tariff that applies to business customers with consumption less than 100 MWh p.a.	✓									✓	✓							✓	✓	✓
		Three consumption blocks apply to the volume charge – Block 1, Block 2 and Block 3.																				
	TOU Residential	Optional primary tariff that applies to residential customers on a market retail contract with consumption less than 100 MWh p.a.	✓										✓	✓						✓	✓	✓
		Three time periods apply to the volume charge – Peak, Shoulder and Off-Peak.																				
	TOU Business	Optional primary tariff that applies to business customers on a market retail contract with consumption less than 100 MWh p.a.	✓										✓	✓						✓	✓	✓
		Three time periods apply to the volume charge – Peak, Shoulder and Off-																				

Network user group	Network tariff	Description / tariff conditions	DUOS											TUOS						Jurisdictional Scheme		
			Charging parameters											Charging parameters						Charging parameters		
			Fixed charge	Connection Unit Charge	Capacity charge		Excess Reactive Power Charge	Actual demand charge			Volume charge			Fixed charge	Capacity charge	Common service and general charge	Actual demand charge		Volume charge	Jurisdictional Scheme Charge		
			\$/day	\$/Connection Unit/Day	\$/kVA of AD/mth	Peak, Off-Peak \$/kVA of AD/mth)	\$/kVAr/mth	\$/kVA/mth	\$/kW/mth	Off Peak \$/kVA/mth	Peak, Off-Peak \$/kW/mth	Anytime \$/kWh/mth	Block 1, Block 2, Block 3 \$/kW/h/mth	Peak, Off-Peak \$/kWh	\$/day	(\$/kVA of AD/mth)	(\$/day)	\$/kVA/mth	\$/kW/mth	Peak, Off-Peak \$/kW/mth	\$/kWh	\$/day
		Peak.																				
	Seasonal TOU Demand Residential	Voluntary seasonal TOU demand tariff that applies to residential customers with consumption less than 100 MWh p.a.	✓											✓					✓	✓	✓	✓
		Three time periods apply to the volume charge – Peak, Shoulder and Off-Peak.																				
		The time periods apply to the demand and capacity components – Peak Demand (kW); Capacity Off-Peak (kW).																				
	Seasonal TOU Demand Business	Voluntary seasonal TOU demand tariff that applies to business customers with consumption less than 100 MWh p.a.	✓											✓					✓	✓	✓	✓
		Three time periods apply to the volume charge – Peak, Shoulder and Off-Peak.																				

Network user group	Network tariff	Description / tariff conditions	DUOS										TUOS						Jurisdictional Scheme				
			Charging parameters										Charging parameters						Charging parameters				
			Fixed charge	Connection Unit Charge	Capacity charge		Excess Reactive Power Charge	Actual demand charge			Volume charge			Fixed charge	Capacity charge	Common service and general charge	Actual demand charge		Volume charge	Jurisdictional Scheme Charge			
			\$/day	\$/Connection Unit/Day	\$/kVA of AD/mth	Peak, Off-Peak \$/kVA of AD/mth)	\$/kVAr/mth	\$/kVA/mth	\$/kW/mth	Off Peak \$/kVA/mth	Peak, Off-Peak \$/kW/mth	Anytime \$/kWh/mth	Block 1, Block 2, Block 3 \$/kWh/h/mth	Peak, Off-Peak \$/kWh	\$/day	(\$/kVA of AD/mth)	(\$/day)	\$/kVA/mth	\$/kW/mth	Peak, Off-Peak \$/kW/mth	\$/kWh	\$/day	\$/kWh
		Time periods apply to the demand and capacity components – Peak/Shoulder Demand (kW); Capacity Off-Peak (kW).																					
	Volume Controlled	Secondary tariff available for customers consuming less than 100 MWh p.a. who have loads that are eligible to have supply controlled by Ergon Energy (e.g. hot water, air-conditioning, and pool pumps etc.).	✓										✓								✓		
		Supply is generally available for a minimum period of 18 hours each day, at the absolute discretion of Ergon Energy.																					
	Volume Night Controlled	Secondary tariff available for customers consuming less than 100 MWh p.a. who have loads that are eligible to have supply controlled by Ergon Energy.	✓										✓								✓		

Network user group	Network tariff	Description / tariff conditions	DUOS											TUOS						Jurisdictional Scheme		
			Charging parameters											Charging parameters						Charging parameters		
			Fixed charge	Connection Unit Charge	Capacity charge		Excess Reactive Power Charge	Actual demand charge			Volume charge			Fixed charge	Capacity charge	Common service and general charge	Actual demand charge		Volume charge	Jurisdictional Scheme Charge		
			\$/day	\$/Connection Unit/Day	\$/kVA of AD/mth	Peak, Off-Peak \$/kVA of AD/mth)	\$/kVAr/mth	\$/kVA/mth	\$/kW/mth	Off Peak \$/kVA/mth	Peak, Off-Peak \$/kW/mth	Anytime \$/kWh/mth	Block 1, Block 2, Block 3 \$/kWh/mth	Peak, Off-Peak \$/kWh	\$/day	(\$/kVA of AD/mth)	(\$/day)	\$/kVA/mth	\$/kW/mth	Peak, Off-Peak \$/kW/mth	\$/kWh	\$/day
		Supply is generally available for a minimum period of 8 hours each day, at the absolute discretion of Ergon Energy, but usually for a limited number of hours each night in off-peak periods.																				
	Unmetered Supply	Applies to small uniform loads approved to be unmetered by Ergon Energy. This includes the provision of energy to street lights, traffic lights, watchman lights and other types of unmetered public amenities (e.g. illuminated signs, phone boxes and barbeques etc.).	✓ ⁷									✓								✓		

⁷ \$/day/device.

Appendix 3: Ergon Energy's IBT network tariff calculation methodology

The IBT is structured with a fixed rate per day and three energy consumption blocks, each with a different volume (energy) rate applicable.

Block and fixed rates are different between the East, West and Mount Isa Zones and between residential and business customers. Block sizes are also different between residential and business customers.

The IBT is denominated and applied on a daily basis. However, it may be described in the context of an annual basis for network tariff consultation and presentation purposes. For example, the IBT Residential consumption blocks are:

Block	Daily kWh	Annual equivalent kWh
Block 1	0 – 2.74 kWh	0 – 1,000 kWh p.a.
Block 2	>2.74 – 16.43 kWh	>1,000 kWh p.a. – 6,000 kWh p.a.
Block 3	>16.43 kWh	>6,000 kWh p.a.

Daily denomination ensures IBT billing is equitably applied for any meter reading period (including NMIs where a customer move-out/move-in occurs), based on an accumulated total of consumption divided by the number of days in the reading period.

The IBT network tariff calculation methodology is as follows:

- a meter read is taken, with total consumption for the number of days within that meter reading period
- for IBT network billing purposes, the energy (kWh) assigned to each block is prorated back to a daily equivalent for that meter reading period
- the bill is then calculated with the component parts being a daily Fixed Charge, Volume Charge Block 1, Volume Charge Block 2 and Volume Charge Block 3
- daily calculations are then converted back to the total network charge by multiplication by the number of days in the meter reading period
- in relation to TUOS –
 - the TUOS volume component will effectively remain as a flat rate for all IBT tariffs (i.e. same TUOS rate applied in each tariff block or meter reading period)
 - the DLF will be applied to total metered consumption for TUOS.

The IBT bill is calculated as follows:

Component	Calculation
Fixed Charge	Number of days in the period <i>multiplied by</i> fixed charge rate.
Volume Charge Block 1	If equivalent daily consumption is less than the Block 1 daily allowance then: ▪ equivalent daily consumption <i>multiplied by</i> Block 1 rate ▪ multiplied by days in meter reading period ▪ no further calculations required. Or, if equivalent daily consumption exceeds the Block 1 daily allowance then: ▪ Block 1 volume charge calculation applied ▪ proceed to Volume Charge Block 2 calculation.

Component	Calculation
Volume Charge Block 2	For consumption within the Block 2 allowance then: equivalent daily consumption <i>less</i> the Block 1 daily allowance <i>multiplied by</i> Block 2 rate (up to the max block 2 threshold) multiplied by days in meter reading period.
Volume Charge Block 3	For any consumption above the aggregate of Block 1 and Block 2 daily allowance then: - remaining consumption above the Block 1 and Block 2 daily allowance <i>multiplied by</i> the Block 3 rate - multiplied by days in meter reading period.

Example:

A residential customer is read quarterly. On this occasion, the customer is read at 90 days with the start read being 123,400 kWh and the end read as 125,200 kWh. This equates to a consumption of 1,800 kWh for that quarter's read.

Currently, the GST exclusive rates for each DUOS component of the IBT Residential East tariff are as follows:

Tariff	Fixed	Block 1 Rate	Block 2 Rate	Block 3 Rate
ERIBT1	\$1.250	\$0.0000	\$0.08821	\$0.11817

Calculation

<i>Equivalent Daily Consumption</i> = consumption <i>divided by</i> the number of days in the read = $1,800/90 = 20.00$. Fixed Charge = $90 \times \\$1.250 = \\112.500 Volume Charge Block 1 = $2.74 \times \\$0.000 \times 90 = \\0 Volume Block 2 = $(16.43 - 2.74) \times \\$0.08821 \times 90 = \\108.684 Volume Block 3 = $(20 - 2.74 - 13.69) \times \\$0.11817 \times 90 = \\$37.968$ Quarterly Bill = \$259.152

The second quarter for this customer shows a total consumption of 200 kWh over 88 days for the period.

Calculation

<i>Equivalent Daily Consumption</i> = consumption <i>divided by</i> the number of days in the read = $200/88 = 2.273$ Fixed Charge = $88 \times \\$1.250 = \\110.000 Volume Block 1 = $2.273 \times \\$0.00 = \\0 Volume Block 2 = $0 \times \\$0.08821 = \\0 Volume Block 3 = $0 \times \\$0.11817 = \\0 Quarterly Bill = \$110.000

Example:

A residential premise (e.g. a summer holiday beach) is read quarterly. On this occasion, the customer has the following consumption pattern.

	Meter reading period (days)	Consumption kWh
Quarter 1	90	1000
Quarter 2	88	0
Quarter 3	93	0
Quarter 4	95	0

The meter reading at the start of quarter 1 is 240,000 kWh and the reading at the end of the fourth quarter is 241,000 kWh.

Calculation – Quarter 1

Equivalent Daily Consumption = consumption divided by the number of days in the read = $1000/90 = 11.11$.
 Fixed Charge = $90 \times \$1.250 = \112.500
 Volume Charge Block 1 = $2.74 \times \$0.00 \times 90 = \0
 Volume Block 2 = $(11.11 - 2.74) \times \$0.08821 \times 90 = \66.449
 Volume Block 3 = $(0) \times \$0.11817 \times 90 = \0
 Quarterly Bill = \$178.949

Calculation – Quarter 2

Equivalent Daily Consumption = consumption divided by the number of days in the read = $0/88 = 00.00$.
 Fixed Charge = $88 \times \$1.250 = \110.000
 Volume Charge Block 1 = $(0) \times \$0.00 \times 90 = \0
 Volume Block 2 = $(0) \times \$0.08821 \times 90 = \0
 Volume Block 3 = $(0) \times \$0.11817 \times 90 = \0
 Quarterly Bill = \$110.000

Calculation – Quarter 3

Equivalent Daily Consumption = consumption divided by the number of days in the read = $0/93 = 00.00$.
 Fixed Charge = $93 \times \$1.250 = \116.250
 Volume Charge Block 1 = $(0) \times \$0.00 \times 90 = \0
 Volume Block 2 = $(0) \times \$0.08821 \times 90 = \0
 Volume Block 3 = $(0) \times \$0.11817 \times 90 = \0
 Quarterly Bill = \$116.250

Calculation – Quarter 4

Equivalent Daily Consumption = consumption divided by the number of days in the read = $0/95 = 00.00$.
 Fixed Charge = $95 \times \$1.250 = \118.750
 Volume Charge Block 1 = $(0) \times \$0.00 \times 90 = \0
 Volume Block 2 = $(0) \times \$0.08821 \times 90 = \0
 Volume Block 3 = $(0) \times \$0.11817 \times 90 = \0
 Quarterly Bill = \$118.750

Annual total = \$523.949.

Appendix 4: CAC connection unit charge examples

Network Tariff Code	Default Distribution Loss Factor		Distribution Use Of System (DUOS)				
			Connection Unit Charge (NDCUC)	Fixed Charge (NDFC)	Capacity Charge (NDKVACC)	Actual Demand Charge (NDKVAADC)	Volume Charge (NDVC)
	Value	Code	\$/day per connection unit	\$/day	\$/kVA of AD per month	\$/kVA per month	\$/kWh
EC66T1	Site specific		\$10.888	\$133.962	\$4.081	\$2.393	\$0.00534

Example 1:

Where the customer's:

AD = 3,500 kVA

Connection Units = 11

Actual Demand for the month = 3,000 kVA

Energy for the month = 1,400,000 kWh.

Calculation

Connection Unit Charge = $\$10.888 \times 30 \text{ days} \times 11 \text{ connection units} = \$3,593.040$

Fixed Charge = $\$133.962 \times 30 = \$4,018.860$

Capacity charge = $\$4.081 \times 3,500 \text{ kVA} = \$14,283.500$

Actual Demand Charge = $\$2.393 \times 3,000 \text{ kVA} = \$7,179.000$

Volume Charge = $\$0.00534 \times 1,400,000 \text{ kWh} = \$7,476.000$

Total monthly DUOS = $\$36,550.400$

Example 2:

Where the customer's:

AD = 4,000 kVA

Connection Units = 0

Actual Demand for the month = 3,900 kVA

Energy for the month = 1,900,000 kWh.

Calculation

Connection Unit Charge = $\$10.888 \times 30 \text{ days} \times 0 \text{ connection units} = \0

Fixed Charge = $\$133.962 \times 30 = \$4,018.860$

Capacity charge = $\$4.081 \times 4,000 \text{ kVA} = \$16,324.000$

Actual Demand Charge = $\$2.393 \times 3,900 \text{ kVA} = \$9,332.700$

Volume Charge = $\$0.00534 \times 1,900,000 \text{ kWh} = \$10,146.000$

Total monthly DUOS = $\$39,821.560$

Appendix 5: Seasonal TOU Demand (STOUD) calculation examples

CAC STOUD:

Network Tariff Code	Minimum Chargeable Demand (DUOS only)		Distribution Use Of System (DUOS)					
			Connection Unit Charge (NDCUC)	Fixed Charge (NDFC)	Capacity Charge Peak (NDKVACCP)	Actual Demand Charge Off Peak (NDKVADCOP)	Volume Charge	
	Peak kVA	Off Peak kVA	\$/day per connection unit	\$/day	\$/kVA of AD/month	\$/kVA/month	Peak (NDVCP)	Off-Peak (NDVCOP)
EC66TOUT1	Nil	1000	\$10.888	\$0.000	\$16.666	\$6.358	\$0.00000	\$0.04757

Example:

Where the customer's:

AD = 4,000 kVA

Connection Units = 0

Actual Demand for the month = 3,800 kVA

Energy for the month = 1,600,000 kWh

Calculation – Month of January (Summer)

Connection Unit Charge = $\$10.888 \times 31 \text{ days} \times 0 \text{ connection units} = \0

Fixed Daily Charge = \$0

Capacity Charge Peak = $\$16.666 \times 4,000 \text{ kVA} = \$66,664.000$

Actual Demand Charge Off-Peak = Does not apply during a Summer month

Volume Charge Peak = \$0

Volume Charge Off-Peak = Does not apply during a Summer month

Total monthly DUOS = \$66,664.000

Calculation – Month of September (Non-Summer)

Connection Unit Charge = $\$10.888 \times 30 \text{ days} \times 0 \text{ connection units} = \0

Fixed Daily Charge = \$0

Capacity Charge Peak = Does not apply during a Non-Summer month

Actual Demand Charge Off-Peak = $\$6.358 \times 3,800 \text{ kVA} = \$24,160.400$

Volume Charge Peak = \$0

Volume Charge Off-Peak = $\$0.04757 \times 1,600,000 \text{ kWh} = \$76,112.000$

Total monthly DUOS = \$100,272.400

SAC <100MWh STOUD:

Network Tariff Code	Minimum Chargeable Demand		Distribution Use Of System (DUOS)				
			Fixed Charge (NDFC)	Actual Demand Charge		Volume Charge (NDVC)	
	Peak kW	Off Peak kW		Peak (NDDCP)	Off Peak (NDDCOP)	Peak	Off-Peak
			\$/day	\$/kW/ month	\$/kW/ month	\$/kWh	\$/kWh
ERTOUDCT1	Nil	3	\$0.000	\$64.821	\$12.000	\$0.03131	\$0.03131

Example 1:

Where the Residential customer's:

Peak Demand⁸ for the month = 5 kW

Energy for the month = 900 kWh

Calculation – Month of February (Summer)

Fixed Charge = \$0

Actual Demand Charge Peak = $\$64.821 \times 5 \text{ kW} = \324.105

Actual Demand Charge Off-Peak = Does not apply during a summer month

Volume Charge = $\$0.03131 \times 900 \text{ kWh} = \28.179

Total monthly DUOS = \$352.284

Example 2:

Where the Residential customer's:

Peak Demand for the month = 2.725 kW

Energy for the month = 900 kWh

Calculation – Month of July (Non-Summer)

Fixed Charge = \$0

Actual Demand Charge Peak = Does not apply during a non-summer month

Actual Demand Charge Off-Peak = $\$12.000 \times 3 \text{ kW} = \36.000 (minimum off peak demand charge applied)

Volume Charge = $\$0.03131 \times 900 \text{ kWh} = 28.179$

Total monthly DUOS = \$64.179

⁸ The peak demand calculation uses the customer's top four peak demand days (based on daily individual maximum half hour kW demand) in the peak window (3:00pm to 9:30pm). This is a separate calculation in each summer month. The demand charge will be applied to the average kW demand calculated for the total 52 half hour periods each month (i.e. 13 half hour intervals in each peak window multiplied by the four peak demand days).

Appendix 6: Ergon Energy's kVA calculation methodology

The four metering data quadrants recorded by interval meters are referred to as:

- kWh_{Load} the real component of load power consumed by the customer over a given time period
- kWh_{Gen} the real component of power generated by the customer over a given time period
- $kVARh_{Lag}$ (kilovolt-amperes-reactive-hours) is a measure of the reactive power which exists when the current and voltage are out of phase, where the current waveform is lagging the voltage waveform
- $kVARh_{Lead}$ is a measure of the reactive power which exists when the current and voltage are out of phase, where the current waveform is leading the voltage waveform.

The values given above are converted to a kW or kVA demand based measure by multiplying the kWh or kVArh 30 minute interval data by a factor of two (2), to calculate the kWh consumption for one (1) hour. This resulting value equates to the kW real power or kVA reactive power demand on the network during that half hour period.

Ergon Energy will apply the following equation to calculate the kVA value used to determine the DUOS capacity and actual demand charges for ICCs:

$$kVA = \sqrt{(kW_{Load})^2 + (kVAR_{Lag})^2} \text{ for each half hour interval}$$

Where:

kVA (kilovolt-amperes) is the measure of instantaneous demand placed on the electricity network, for which Ergon Energy must provide network capacity.

The calculation is applied for each half hour interval of the month to determine the maximum value of kVA demand in that month.

Ergon Energy will also apply the above equation to calculate the kVA value used to determine the TUOS capacity charge for ICCs.

In the application of this formula:

- Where an interval meter records data at 15 minute intervals, adjacent intervals will be summed to 30 minute intervals.
- Within a 30 minute interval, there is no netting-off of interval data as between kWLoad and kWGen, or between kVARLag and kVARLead. The half hourly interval values of kWLoad and kVARLag are used directly as described above to determine the kVA demand.
- Where Ergon Energy has agreed to the summation of the customer's demand at more than one metering installation for the purposes of determining a diversified demand charge, the billable demand is the vector summation of kWLoad and kVARLag at the individual metering installations. That is, the chargeable demand is calculated for each interval as:

$$kVA = \sqrt{(kW_{Load}^{Meter\ 1} + kW_{Load}^{Meter\ 2} + \dots)^2 + (kVAR_{Lag}^{Meter\ 1} + kVAR_{Lag}^{Meter\ 2} + \dots)^2}.$$

- The kVA demand is determined for each half hour interval in the billing period and the maximum value during the billing period is used for billing purposes.

Appendix 7: TUOS regional indicators

TUOS regional indicators for 2015-16 CAC and SAC		
Transmission Connection Point	TNI	TUOS Region
Alligator Creek	QALC	T2
Louisa Creek	QALH	T2
Alan Sherriff	QASF	T2
Biloela	QBIL	T1
Bowen North	QBNN	T2
Blackwater 132kV (Rolleston)	QBWH	T1
Blackwater 66kV	QBWL	T1
Gladstone North (Calliope River)	QCAR	T1
Columboola	QCBL	T1
Cardwell	QCDW	T3
Chinchilla	QCHA	T1
Clare South	QCLR	T2
Cairns 132kV	QCNS	T3
Collinsville	QCOL	T2
Cairns 22kV	QCRN	T3
Dan Gleeson	QDGL	T2
Dysart	QDYS	T1
Egans Hill	QEGN	T1
El Arish	QELA	T3
Edmonton	QEMT	T3
Garbutt	QGAR	T2
Gin Gin	QGNG	T1
Gladstone South	QGST	T1
Innisfail	QINF	T3
Ingham	QING	T3
Kamerunga	QKAM	T3
King Creek	QKCK	T2
Lilyvale 132kV	QLCM	T1
Lilyvale 66kV	QLIL	T1
Mackay	QMKA	T2
Moura	QMRA	T1
Middle Ridge	QMRG	T1
Broadlea	QMRH	T1
Moranbah 11kV	QMRL	T1
Moranbah 66kV	QMRN	T1
Nebo	QNEB	T2
Newlands	QNLD	T2
Oakey	QOKT	T1
Pandoin	QPAL	T1
Pioneer Valley	QPIV	T2
Proserpine	QPRO	T2
Rockhampton	QROC	T1
Ross	QROS	T2
Stony Creek	QSYC	T2
Teebar Creek	QTBC	T1

**TUOS regional indicators for 2015-16
CAC and SAC**

Transmission Connection Point	TNI	TUOS Region
Tangkam	QTKM	T1
Tully	QTLL	T3
Tarong 66kV	QTRL	T1
Turkinje 132kV	QTUH	T3
Turkinje 66kV	QTUL	T3
Townsville East	QTVE	T2
Townsville South	QTVS	T2
Woolooga	QWLN	T1
Woree	QWRE	T3
Boat Creek	QYAE	T1
Bulli Creek	QBLK	T1
Kemmis	QEMS	T2
Wandoan South	QWSH	T1

Glossary

Abbreviations

ACS	Alternative Control Services
AER	Australian Energy Regulator
ATMD	Any Time Maximum Demand
CAC	Connection Asset Customer
DNSP	Distribution Network Service Provider
DUOS	Distribution Use of System
EDNC	Electricity Distribution Network Code
EG	Embedded Generator
Ergon Energy	Ergon Energy Corporation Limited
Excess kVAr	Excess reactive power charge
GWh	Gigawatt hour
IBT	Inclining Block Tariff
ICC	Individually Calculated Customer
kV	Kilovolt
kVA	Kilovolt-ampere
kVAr	Kilovolt-ampere reactive
kW	Kilowatt
kWh	Kilowatt hour
Law	National Electricity Law
LRMC	Long Run Marginal Cost
MWh	Megawatt hour
NER	National Electricity Rules
NMI	National Metering Identifier
p.a.	Per annum
PV	Photovoltaic
SAC	Standard Asset Customer
SCS	Standard Control Services
STOUD	Seasonal Time-of-Use Demand
STOUE	Seasonal Time-of-Use Energy
TNCP	Transmission Network Connection Point
TNSP	Transmission Network Service Provider
TOU	Time-of-Use
TUOS	Transmission Use of System

Definitions

Actual demand charge	A type of charge (charging parameter) included in Ergon Energy's network tariff structures to signal the effect demand has on the shared network and system augmentation. The demand used in the calculation of the charge is the maximum demand recorded in any half hour period each month.
Alternative Control Service	A distribution service provided by Ergon Energy that the AER has classified as an Alternative Control Service under the NER. Includes fee based services, quoted services, Public Lighting Services and Default Metering Services.
Any time energy	Is the amount of energy consumed by the customer irrespective of the time of day.
Any Time Maximum Demand (ATMD)	Is the maximum half hourly demand for a customer that occurs at any time within a specified period.
Australian Energy Regulator (AER)	The AER is an independent statutory authority that is part of the Australian Competition and Consumer Commission. The AER is responsible for the economic regulation of electricity networks in the NEM. It also monitors the wholesale electricity and gas markets and is responsible for compliance with and enforcement of the National Electricity Law and Rules, National Gas Law and Rules, and the National Energy Retail Law and Rules.
Avoided TUOS	The amount paid to an eligible EG for the locational component of prescribed TUOS services that would have been payable by Ergon Energy to a TNSP had the EG not been connected to the distribution network. The methodology Ergon Energy uses to comply with the NER is set out in the <i>Information Guide for Standard Control Services Pricing</i> .
Business customer	Means a customer who is not a residential customer (as defined in the Queensland Electricity Distribution Network Code).
Capacity charge	A type of charge (charging parameter) included in Ergon Energy network tariff structures. The capacity charge is reflective of the costs associated with the network capacity required by a customer on a long term basis. It is similar to the actual demand charge, but more effectively takes into account the impact low load factor customers have on system augmentation. The demand used for the calculation of the charge is the authorised demand, or if no authorised demand, an annual maximum demand.
Capital contribution	A capital contribution is a prepayment for the provision of direct control services. A capital contribution may be charged to a customer if the new connection or modification for an existing connection is required to the network to accommodate the connection/modification. Ergon Energy's Connection Policy sets out circumstances in which a capital contribution may be required and details how the capital contribution to be charged to a customer is calculated.
Charging parameter	The constituent elements of a tariff (as defined in the NER).
Connection	The physical link to or through a transmission network or distribution network.
Connection Asset Customer (CAC)	Means a customer classified as a CAC in accordance with the definition in our Pricing Proposal. Typically reflects those customers with required capacity above 1,500 kVA, or with electricity consumption greater than 4 GWh (but less than 40 GWh) per year.
Connection assets	Those components of a transmission or distribution system which are used to provide connection services. Connection assets are those assets required to connect an electrical installation to the shared network and are all the assets from the connection point back up to and including the network coupling point.

Connection point	The agreed point of supply established between Network Service Provider(s) and another Registered Participant, Non-Registered Customer or franchise customer.
Customer	A person or entity that receives, or wants to receive a supply of electricity for a premises, or any other distribution service from Ergon Energy.
Dedicated connection assets	Assets that are dedicated to a network user of any size. In most circumstances these are 'connection assets'. This is because no other party is using the assets and it enables the user to pay for exactly the capacity and style of assets they seek to have. In some cases, dedicated connection assets may later be shared with another customer in which case the network coupling point is moved further downstream.
Default Metering Services	A type of Alternative Control Service. Relates to the installation, provision, maintenance, reading and data services of basic electricity meters (Type 5 and 6) for small to medium business and residential customers. Ergon Energy recovers our costs in providing Default Metering Services through daily metering charges which we bill to retailers and an upfront charge for new or upgraded meters.
Demand	The amount of electricity energy being consumed at a given time measured in either watts (W) or volt amperes (VA). The difference between the two is the power factor.
Distribution network	The electrical system used to transport electricity from the high voltage transmission network connection point to distribution network users.
Distribution Use of System (DUOS) charge	Component of the network tariffs which covers costs associated with connection services and/or use of the distribution network for the conveyance of electricity (i.e. Standard Control Services).
East Zone	Those areas where the network users are supplied from the distribution system connection to the national grid and have a relatively low distribution cost to supply. The local government areas covered by the East Zone are located in the <i>Information Guide for Standard Control Services</i> .
Embedded Generator (EG)	Means a network user classified as an EG in accordance with the definition in our Pricing Proposal. EGs are those network users that export energy into the distribution system, except for micro embedded generators that have been classified as a SAC (such as small scale PV generators).
Energy	The amount of electricity consumed by a consumer (or all customers) over a period of time. Energy is measured in terms of watt hours (Wh), kilowatt hours (kWh), megawatt hours (MWh) or gigawatt hours (GWh).
Excess reactive power charge (Excess kVAr)	Charge applied against the kVAr used by a customer that exceeds what they would be entitled to use at their minimum compliant power factor at authorised demand.
Fee based services	A type of Alternative Control Service which Ergon Energy undertakes at the request of an identifiable customer, retailer or appropriate third party which is in addition to our Standard Control Services and is levied as a separate charge. The costs of providing the service (and therefore price) can be assessed in advance of the service being requested by a customer or retailer.
Preliminary Determination	The AER's Preliminary Determination sets the revenue and pricing control regime that Ergon Energy must comply with for the first year of the current regulatory control period (i.e. 2015–16).
Fixed charge	A type of charge (charging parameter) included in Ergon Energy network tariffs which is levied on a fixed dollar amount per day.
Gigawatt hour (GWh)	1,000,000 kilowatt hours.
High Voltage (HV)	Refers to parts of the network that are 11 kV or above.

Inclining Block Tariff (IBT)	A type of network tariff where the price per kWh increases as consumption thresholds are crossed during a particular time period.
Individually Calculated Customer (ICC)	Means a customer classified as an ICC in accordance with the definition in our Pricing Proposal. Typically reflects those customers with electricity consumption greater than 40 GWh per year, or where a customer's circumstances and connection arrangement mean that average prices are meaningless or inappropriate (e.g. only two or three customers in a supply system, or the customer is connected close to a Transmission Connection Point).
Jurisdictional scheme amount	In respect of a jurisdictional scheme, the amounts a DNSP is required under the jurisdictional scheme obligations to: (a) pay to a person (b) pay into a fund established under an Act of a participating jurisdiction (c) credit against charges payable by a person, or (d) reimburse a person, less any amounts recovered by the DNSP from any person in respect of those amounts other than under the NER (as defined in the NER).
kVA	1,000 Volt-Ampere which is a measure of the apparent power flow which is a measure of the total capacity required to supply a customer's load.
kVAr	1,000 Volt-Ampere reactive which is a measure of reactive power. The excess kVAr charge is applied against kVAr drawn from the network that exceeds the minimum compliant power factor level.
kW	1,000 Watts which is a measure of the real component of power being consumed by the consumer's load.
Load factor	Measure of the percentage of time a load is used in any given period. Loads used 24 hours per day, 7 days a week have a load factor of 1 or 100 per cent.
Low Voltage (LV)	Refers to the sub 11 kV network.
Major customer	Are Individually Calculated Customers (ICCs), Connection Asset Customers (CACs) or Embedded Generators (EGs).
Maximum demand	The maximum demand recorded at a customer's individual meter or the maximum demand placed on the electrical distribution network system at any time or at a specific time or within a specific time period, such as a month. Maximum demand is an indication of the capacity required for a customer's connection or the electrical distribution network.
Megawatt hour (MWh)	1,000 kilowatt hours
Mount Isa Zone	Those areas supplied from the isolated Mount Isa system. This zone is not connected to the national grid and would normally be excluded from the application of the NER. However, under the <i>Electricity – National Scheme (Queensland) Act 1997</i> , the Queensland Government has transferred responsibility for the economic regulation of the Mount Isa-Cloncurry supply network to the AER. The local government areas covered by the Mount Isa Zone are located in the <i>Information Guide for Standard Control Services</i> .
National Electricity Rules (NER)	Rules made under the National Electricity Law which govern the operation of the NEM.
National Metering Identifier (NMI)	A unique number assigned to each metering installation.

Network capacity	The maximum demand (kW) that the distribution network can provide for at any one time.
Network tariff	Refers to the price (or tariff) that Ergon Energy sets to recover costs associated with the customer's connection and use of the distribution and transmission network. Network tariffs comprise DUOS and TUOS components.
Network user	There are four network user groups included in Ergon Energy's network tariff structures – Individually Calculated Customers (ICCs), Connection Asset Customers (CACs), Standard Asset Customers (SACs) and Embedded Generators (EGs). For the purposes of our network pricing documents, the term 'network user' refers to both a 'customer' and an 'EG'.
Power factor	The ratio of kW to kVA at a metering point during a defined period.
Public Lighting Services	A type of Alternative Control Service. Relates to the provision, construction and maintenance of public lighting assets owned by Ergon Energy, and emerging public lighting technology. Ergon Energy recovers our costs in providing this service through a daily public lighting charge which we bill to retailers. We will also charge an exit fee, when public lights are scrapped before the end of their useful lives (outside of the LED program).
Public lights – Major	Standard major public lights are 100, 150, 250 and 400 watt High Pressure Sodium vapour lights and include any other non-standard or obsolete public lights that would be replaced with any of the above lights.
Public lights – Minor	Standard minor public lights are 50, 80 and 125 watt Mercury Vapour and some 70 and 100 watt High Pressure Sodium vapour lights (special locations only) and include any other non-standard or obsolete public lights that would be replaced with any of the above lights.
Quoted services	A type of Alternative Control Service. Similar to fee based services, but they are priced on application as the nature and scope of these services is variable and the cost (and therefore price) is specific to the individual retailer's or customer's needs.
Residential customer	Means a customer who acquires electricity for domestic use (as defined in the Queensland Electricity Distribution Network Code).
Revenue cap	The TAR plus any unders or overs adjustment needed to move the balance of the DUOS unders and overs account to zero.
Standard Asset Customer (SAC)	Means a customer classified as a SAC in accordance with the definition in our Pricing Proposal. Typically reflects those customers with annual electricity consumption below 4 GWh per year. Includes customers with micro generation facilities (such as small scale PV generators) that have an exporting capability and an inverter capacity as per AS4777.
Standard Control Service	A distribution service provided by Ergon Energy that the AER has classified as a Standard Control Service under the NER. Includes network services, some connection services (including small customer connections) and Type 7 metering services. Ergon Energy recovers our costs in providing Standard Control Services through the DUOS component of network tariffs which are billed to retailers.
Summer	The months of December, January and February.
Tariff class	A class of customers for one or more direct control services who are subject to a particular tariff or particular tariffs (as defined in the NER).

Threshold demand	The amount by which a SAC >100 MWh p.a. customer's metered monthly actual kW maximum demand is adjusted for the purposes of calculating the demand component of their network tariff. The actual demand charge tariff charging parameter (\$/kW/month) is applied to the higher of metered monthly demand less the applicable threshold, or zero.
Time-of-Use (TOU)	A type of network tariff where the price per kWh varies according to when the consumption occurs. The TOU tariff may apply a different price during Peak, Shoulder and Off-Peak periods.
Transmission Use of System (TUOS) charge	Component of the network tariff which passes through costs associated with use of the transmission network. This includes designated pricing proposal charges as defined under the NER plus charges levied on Ergon Energy in relation to Chumvale and non-regulated Powerlink connection points.
Unmetered	A customer who takes supply where no meter is installed at the connection point.
Volume charge	A type of charge (charging parameter) included in Ergon Energy network tariffs which in part recovers costs that have been allocated on a postage stamped basis. The volume charge is calculated using the customer's metered energy (kWh) consumption and may be based on a flat rate, an inclining block or TOU charging structure (depending on the customer's applicable network tariff).
West Zone	Those areas outside the East Zone and connected to the national grid, which have a significantly higher distribution cost of supply than the East Zone. The local government areas covered by the West Zone are located in the <i>Information Guide for Standard Control Services</i> .

Contact information

Manager Regulatory Determination and Pricing

Ergon Energy Corporation Limited

PO Box 264

FORTITUDE VALLEY QLD 4006

Telephone: 13 74 66

Email: netprice@ergon.com.au

Ergon Energy Corporation Limited ABN 50 087 646 062
Ergon Energy Queensland Pty Ltd ABN 11 121 177 802

ergon.com.au

