

Network Price List

Country Energy Network Price List (Excluding GST)

Effective 1 July 2009

Tariff Code	Obsolete tariffs on same rate	Description	Network Access \$/Day	Energy All c/kWh	Energy Peak c/kWh	Energy Shoulder c/kWh	Energy Off-Peak c/kWh	Peak Demand \$/kVA/M	Shoulder Demand \$/kVA/M	Off-Peak Demand \$/kVA/M	Application
Residential Tariffs											
BLNN2AU	BLNN2SU, BLNN2SP, BLNN2SR, BLNN2ST, BLNN2SV, BLNN2SW, BLNN2SX, BLNN2SY, BLNN2SZ, RU, D	LV Residential Continuous	0.4526	10.1821	-	-	-	-	-	-	Premises wholly used as a private dwelling where consumption does not exceed 160 MWh per year.
BLNT3AU	BLNT3SU, BLNT3AR, BLNT3SR	LV Residential TOU	0.4371	-	11.2645	11.2645	3.9099	-	-	-	Premises wholly used as a private dwelling where consumption does not exceed 160 MWh per year. Where a TOU meter has been provided at the time of connection, no metering charge will be required. Where a new TOU meter is required for this tariff to be applied, a metering charge will apply.
BLNE2AU		NSW Solar Bonus Scheme	-	-60.0000							NSW Solar bonus scheme introduced by the NSW Government applicable from 1st January 2010. The application of GST to this amount is being considered by the ATO and at this stage will not have GST applied.
BLNE9AU	BLNE2AR	LV Continuous Export	-	-0.8120							A payment made by Country Energy to reflect transmission charges normally payable to transmission companies but avoided due to the connection of embedded generation.
Controlled Load Tariffs											
BLNC1AU	BLNC1AR, BLNC1SR, BLNC1SU, BLNC4AR, BLNC4AU, BLNC4CR, OPR, OP	Controlled Load 1	0.0605	1.6779	-	-	-	-	-	-	To all premises where the premise has another primary metering point present at the same metering point as the secondary load and the load is remotely controlled. Applicable to loads such as water heating, swimming pool pumps etc. Loads must be permanently connected. Supply will be made available for 5 to 9 hours overnight on weekdays and all hours on weekends except where the load is controlled by a time clock. Note: This tariff is not available for the top boost element of a two element water heater for new connections.
BLNC2AU	BLNC2SU, BLNC3NU, BLNC5AU, BLNC6NR, BLNC6NU, OP2, OPRE, PH	Controlled Load 2	0.0646	4.1503	-	-	-	-	-	-	To all premises where the premise has another primary metering point present and at the same metering point as the secondary load and the load is remotely controlled. Applicable to loads such as water heating, swimming pool pumps etc. Loads must be permanently connected. Supply will be made available for 10 to 18 hours per day on weekdays and all hours on weekends except where the load is controlled by a time clock.

Network Price List

Country Energy Network Price List (Excluding GST)

Effective 1 July 2009

Tariff Code	Obsolete tariffs on same rate	Description	Network Access \$/Day	Energy All c/kWh	Energy Peak c/kWh	Energy Shoulder c/kWh	Energy Off-Peak c/kWh	Peak Demand \$/kVA/M	Shoulder Demand \$/kVA/M	Off-Peak Demand \$/kVA/M	Application
Business Tariffs											
BLNN1AU	BLNN1AR, BLNN4CR, GS, GSI, IS, RUB	LV General supply	0.5288	13.5858	-	-	-	-	-	-	To most business premises whose consumption does not exceed 100 MWh per year.
BLNT2AU	TBI, TI2W, TLV, W, BLNT2AR	LV TOU <100MWh	2.1863	-	8.8212	8.8212	4.5697	-	-	-	To most business premises whose consumption does not exceed 100 MWh per year.
BLNT1AO	BLNT1SR	LV TOU >100MWh	4.0411	-	11.7066	11.7066	5.5564	-	-	-	To most business premises whose consumption does not exceed 160 MWh per year. This applies to new connections. Current customers exceeding 160 MWh per year, will not be moved from this tariff.
BLND3AO		LV TOU Demand 3 Rate	8.0663	-	3.1377	3.1377	1.8565	8.9748	8.9748	3.1308	To business premises whose consumption exceeds 100 MWh per year and connected to the LV Distribution System.
BLNE1AU		NSW Solar Bonus Scheme	-	-60.0000							NSW Solar bonus scheme introduced by the NSW Government applicable from 1st January 2010. The application of GST to this amount is being considered by the ATO and at this stage will not have GST applied.
BLNE8AU	BLNE1AR	LV Continuous Export	-	-0.8120							A payment made by Country Energy to reflect transmission charges normally payable to transmission companies but avoided due to the connection of embedded generation.
BLNS1AO		LV TOU avg daily Demand	8.7463	-	3.4326	3.4326	1.7207	9.2066	9.2066	3.2159	Available to customers who in the most recent 12 month period have a minimum on-season anytime Demand of 1500 kVA and a monthly load factor for at least 4 of the 12 months greater than 60%. Demand Charges will be calculated as follows: 1. The daily kVA maximum demand in each of the Peak, Shoulder and Off Peak periods will be metered for each day of the month. 2. The metered kVA Demand for each day of the Peak, Shoulder and Off-Peak periods will be summed for the month and divided by the number of days in the month when the load occurs. This means that Peak and Shoulder Demand will be divided by the number of week days. Off Peak Demand by the total number of days. 3. The average TOU Demand calculated above will be multiplied by the TOU Demand rates. 4. No adjustments to billable demand shall be made for pre-season "test runs".
BHND3AO		HV TOU mthly Demand	9.7592	-	2.2958	2.2958	1.8312	7.0097	7.0097	1.9928	To business premises whose consumption is connected to the HV Distribution System.

Effective 1 July 2009

Network Price List Revision 2 Dec09

FOR PUBLIC RELEASE

UNCONTROLLED COPY IF PRINTED

Network Price List

Country Energy Network Price List (Excluding GST)

Effective 1 July 2009

Tariff Code	Obsolete tariffs on same rate	Description	Network Access \$/Day	Energy All c/kWh	Energy Peak c/kWh	Energy Shoulder c/kWh	Energy Off-Peak c/kWh	Peak Demand \$/kVA/M	Shoulder Demand \$/kVA/M	Off-Peak Demand \$/kVA/M	Application
Business Tariffs											
BHNS1AO		HV TOU avg daily Demand	9.7592	-	2.2958	2.2958	1.8312	7.0097	7.0097	1.9928	Available to customers who in the most recent 12 month period have a minimum on-season anytime monthly maximum Demand of 1500 kVA and a monthly load factor for at least 4 of the 12 months greater than 60%. Demand Charges will be calculated as follows: 1. The daily kVA maximum demand in each of the Peak, Shoulder and Off Peak periods will be metered for each day of the month. 2. The metered kVA Demand for each day of the Peak, Shoulder and Off-Peak periods will be summed for the month and divided by the number of days in the month when the load occurs. This means that Peak and Shoulder Demand will be divided by the number of week days. Off Peak Demand by the total number of days. 3. The average TOU Demand calculated above will be multiplied by the TOU Demand rates. 4. No adjustments to billable demand shall be made for pre-season "test runs".
BSSD3AO		Sub Trans 3 Rate Demand	11.8056	-	3.3893	1.9992	1.6653	3.5052	2.4990	0.9962	To business premises whose consumption is connection to the HV Subtransmission Distribution System.
Unmetered Tariffs											
BLNP1AO	BLNN3AO	LV Public Lighting NUOS	0.6242	13.6714	-	-	-	-	-	-	Refer to Unmetered Supply section 2 Definitions
BLNP3AO		LV Public Lighting TOU NUOS	-	-	13.2656	13.2656	5.6777	-	-	-	Refer to Unmetered Supply section 2 Definitions
Country Energy Customer Specific											
Customer specific prices		Subtransmission or Inter Distributor Transfers	Various	Various	Various	Various	Various	Various	Various	Various	Refer Explanatory Notes 1.7 Customer Specific (cost reflective network prices)

Network Price List

Country Energy Network Price List (Excluding GST)

Effective 1 July 2009

Obsolete Tariff Code	Description	Network Access \$/Day	Energy Peak c/kWh	Energy Shoulder c/kWh	Energy Off-Peak c/kWh	Demand Charge \$/kVA/M	Peak Demand \$/kVA/M	Shoulder Demand \$/kVA/M	Off-Peak Demand \$/kVA/M	Capacity Charge \$/kVA/M	Application
Obsolete Tariffs - Not applicable to new connections											
BLNT1SU	LV TOU over 100 MWh/yr Sth Urban	2.1906	9.9010	9.9010	4.5721	-	-	-	-	-	To all business premises whose consumption exceeds 100 MWh per year. New customers should be connected on BLNT1A0.
BLNT1SR	LV TOU over 100 MWh/yr Sth Rural	4.0411	11.7066	11.7066	5.5564						To all business premises whose consumption exceeds 100 MWh per year. New customers should be connected on BLNT1A0.
BLND1CO	LV TOU Demand 1 Rate	12.3389	4.8229	4.8229	2.2550	14.2972	-	-	-	-	Generally for larger business use whose consumption exceeds 100 MWh per year. The charges include a monthly maximum demand charge. The maximum demand charge is metered on a half hour basis in kVA, which reflects the customer's power factor. New customers should be connected on BLND3A0.
BLND1NO	LV 1 Rate Demand Nth	12.3389	4.7058	4.7058	2.2550	14.2972	-	-	-	-	To business premises whose consumption exceeds 100 MWh per year and connected to the LV Distribution System. New customers should be connected on BLND3A0.
BLND1SR	LV 1 Rate Demand Sth Rural	-	9.7028	9.7028	3.5549	9.7595	-	-	-	3.4712	To all premises whose demand exceeds 72 kVA. New customers should be connected on BLND3A0.
BLND1SU	LV 1 Rate Demand Sth Urban	-	7.0620	7.0620	3.4308	9.4313	-	-	-	3.4570	To all premises whose demand exceeds 72 kVA. New customers should be connected on BLND3A0.
TLD	Time of Day - LV Demand - FW	10.2317	10.6127	10.6127	3.0875	15.9038	-	-	-	-	Applicable to electricity used for any purpose where the customer accepts the conditions of the tariff which includes a maximum demand charge at each point of supply. The maximum demand is metered on a half hour basis in kVA, which reflects the customer's power factor. New customers should be connected on BLND3A0 (requires a meter reprogram).
BLND4NO	LV 3 Rate Demand Option 2 Nth	8.3203	8.8303	8.8303	6.9183	-	6.0138	6.0138	2.0888	-	To business premises whose consumption exceeds 100 MWh per year and connected to the LV Distribution System. New customers should be connected on BLND3A0.
BHND1CO	HV 1 Rate Demand Cent Urban TOU	16.2405	4.7504	4.7504	2.2954	9.3570	-	-	-	-	For larger business metered at HV Distribution System. The charges include a monthly maximum demand charge. The maximum demand is metered on a half hour basis in kVA, which reflects the customer's power factor. New customers should be connected on BHND3A0.
THD	Time of Day - HV Demand - FW	72.4551	6.2194	6.2194	3.4642	11.3439	-	-	-	-	The charges include a monthly maximum demand charge. The maximum demand is metered on a half hour basis in kVA, which reflects the customer's power factor. New customers should be connected on BHND3A0 (requires a meter reprogram).
BHND1SO	HV 1 Rate Demand Sth Urban	-	4.5416	4.5416	3.3716	6.9995	-	-	-	2.7498	To business premises whose consumption is connected to the HV Distribution System. New customers should be connected on BHND3A0.
BHTD1SO	HV 1 Rate Demand Sth Urban	-	4.4445	4.4445	3.3065	6.7665	-	-	-	2.6167	Customers on this tariff have contributed to assets that are dedicated to the supply of that customer only. Eg Feeder circuit breakers, lines, cables etc. New customers should be connected on BHND3A0 or BSSD3A0

Network Price List

Explanatory Notes

1 APPLICABILITY OF NETWORK CHARGES

Rates are inclusive of charges levied on Country Energy by transmission network service providers and government legislation. Country Energy is required to contribute towards the Climate Change Fund which is used to support energy saving initiatives across New South Wales.

1.1 GOODS AND SERVICES TAX

The network use of system prices and other fees and charges are **exclusive** of the 10% Goods and Services Tax. GST of 10% is added to all Network use of system prices and other fees and charges, excluding the Solar Bonus Scheme.

1.2 CHOICE OF NETWORK CHARGES

The rates listed are the rates charged to retailers of electricity for the use of Country Energy's distribution system. Network charges do not include the cost of energy. It is a matter for the Retailer of Choice to determine the most economical available Network Tariff. Transfers between Tariffs will apply from the beginning of the normal billing period following the month in which written advice is received and will not be made retrospectively.

Retailers of choice/customers who choose to transfer off an obsolete tariff will lose all rights to all obsolete tariffs on that premise, i.e. the entire site will be required to move onto currently available tariffs. Exemptions to this rule are connection of additional services, e.g. if a site that currently has an obsolete General Supply Business tariff on a premise and they have Controlled Load installed (i.e. new circuit, meter and relay); the Controlled

Load One will be connected to the current Controlled Load One tariff while the obsolete General Supply tariff will remain.

Country Energy reserves the right to review a customer's network price in the event of load changes and notify the customer's retailer of any resulting changes. The final decision on the appropriate network price for a customer shall be at the discretion of Country Energy.

All customers entering the contestable electricity market will normally be transferred to the appropriate network price reflecting the customer's previous regulated retail tariff.

Refer to AER NSW Distribution Determination 2009-10 to 2013-14 Appendices A and J for rules concerning assigning customers to tariff classes:
<http://www.aer.gov.au/content/index.phtml?itemId=728076> Document – Country Energy distribution determination.

1.3 MID-MONTH CHANGE OF RETAILER OF CHOICE

Where customers change their Retailer of Choice at any time during a calendar month, NUOS invoices will be allocated between the Retailers from the actual change date that the transfer went 'Complete' in the market. NUOS invoicing will utilise the 'Actual Reads' acquired on that date.

Where the NMI is for Unmetered Supply (UMS) only and changes Retailer of Choice mid-month, NUOS invoices will be allocated on a pro-rata basis depending on the number of days of the month that the customer was contracted with each Retailer. However, it is preferred and advised that UMS is best to transfer as at the 1st day of any calendar month.

1.4 CONTROLLED LOAD

All controlled load equipment for customers who have hot water, process heating or any other approved circuits which are controlled by Country Energy shall remain a Network asset belonging solely to Country Energy and as such cannot be removed without permission. Multiple load types (maximum of 3) are permissible on the one relay, with no restrictions on the type of load which may be controlled by a controlled load relay. **Please note:** Controlled Load does not include public holidays.

NB: Where premises are converted to a TOU Tariff, Country Energy Load Control Devices shall be left to control previously controlled consumer load. An application for additional load must be made by the consumer if previously controlled load is no longer controlled.

Controlled Load One applies where permanently connected appliances are controlled by Country Energy's equipment so that supply is generally available for 5 to 9 hours overnight on weekdays and all hours on weekends except where the load is controlled by a time clock. Controlled Load Two applies where permanently connected appliances are controlled by Country Energy's equipment so that electricity is available for 10 to 18 hours per day on weekdays and all hours on weekends except where the load is controlled by a time clock. Country Energy reserves the right to vary these times to suit network conditions without affecting the customer's usage of the appliances. Inslab heating is to be metered and controlled separately to other controlled loads.

All hot water boost facilities are permitted but boost must be metered at primary tariff. This includes Big Blue hot water systems. Boost buttons supplied by Country Energy

Network Price List

are **only available on twin element meters**. There will be an additional charge to activate the boost button. **Please note:** This cost does not include the installation cost provided by an ASP.

1.5 STANDBY SUPPLY

Where customers such as embedded generators require standby supply, the network charges applicable will be negotiated on the basis of the assets involved and the frequency and duration of use of standby supply.

1.6 SUPPLY TO LOW LOAD FACTOR CUSTOMERS

Where a customer's annual load factor (average load divided by maximum load) at a point of supply is less than 15%, the chargeable demand will be based on an assessment of the capacity provided.

1.7 CUSTOMER SPECIFIC (COST REFLECTIVE NETWORK PRICES)

A location specific network price will be negotiated with a customer with an electrical demand of greater than 10MW or a load greater than 40GWh per annum. National Electricity Rules clause 6.23 allows customers to make a request of the DNSP to disclose transmission and distribution charges. Please contact Country Energy for CRNP rates.

1.8 SUBTRACTION METERING

Subtraction Metering is not permissible for new connections. The removal of subtraction metering for existing customers should be encouraged where ever possible when an existing site is upgraded.

TOU Tariffs are not available to premises with subtractive metering.

1.9 PREMISE AMALGAMATION

Premises fed from different substations must have different National Market Identifiers.

1.10 MISCELLANEOUS SERVICES, MONOPOLY SERVICES AND RECOVERABLE WORKS

Miscellaneous services, monopoly services and emergency recoverable works are as set out in Appendices G and H of AER's NSW Distribution Determination 2009-10 to 2013-14. Country Energy's Price Schedule for these services can be found on Country Energy's website at:
<http://www.countryenergy.com.au/wps/wcm/connect/CE/ce/aboutus/ourenergynetworkarea/electricitynetworkpricingandinformation>

Document: Fees for Miscellaneous and Monopoly Services and Emergency Recoverable Works

2 DEFINITIONS

BUSINESS PREMISES are generally factories, warehouses, hotels, motels, shops, offices, schools, sporting and social clubs.

DAYLIGHT SAVING TIME is the period from the last Sunday in October at 2am to the last Sunday in March at 3am of the following year **or** from the first Sunday in October at 2am to the first Sunday in April at 3am of the following year, depending on when the meter was installed or reprogrammed. This includes Time of Use meters.

DISTRIBUTION LOSS FACTORS this factor is used by the retailer in the market settlement process to add to the energy consumed by the customer, an amount equivalent to the average energy losses for the applicable network

price category. Loss factors are not to be applied to network charges and are available on AEMO's website at: <http://www.aemo.com.au/electricityops/0171-0001.pdf>

MAXIMUM DEMAND (KVA) FAR WEST REGION is the highest 30 minute block calculation per monthly settlement period of the vector sum of kW and kVA, or, if unavailable, by the highest 30 minute block kVA information. 30 minute blocks are timed per hour and half hour on the meter clock.

MONTHLY LOAD FACTOR is the ratio of consumption in kilowatt hours divided by the product of the maximum load in kilowatts and the number of hours during the billing period, generally monthly. If the period is other than monthly, the data will be prorated on a monthly basis.

NATIONAL METERING IDENTIFIER Country Energy will issue National Metering Identifiers (NMI) for each site in accordance with Section 7 of AEMO's "NMI Procedure" document ME_GN059v005.

NETWORK ACCESS CHARGE this is a fixed charge applied to each point of connection at which energy or demand is measured reflecting the fixed nature of network operational and asset related costs. A separate Network Access Charge will apply to each National Market Identifier (NMI) as defined in the AEMO "NMI Procedure" document ME_GN059v005 for the configuration of metering at a given site. The Network Access Charge is given as a daily rate in order to facilitate customer transfers under full retail competition.

NIGHT VISION "Night Vision" floodlighting is a service provided by Country Energy. "Night Vision" lighting is attached to existing Country Energy poles and is used to improve security and promote business at the same time. "Night Vision" lighting is operated between the hours of dusk and dawn each day. For Night Vision prices please

Network Price List

contact our Customer Service Centre, telephone 13 23 56

NON TOU NETWORK USAGE RATES the Non Time of Use charge (c/kWh) is applied to the total energy determined from an energy only meter.

OBSOLETE TARIFFS the word “obsolete” means that no new customers can be connected to this tariff.

Here are some examples of what can and can't be done:

- 1 If a site is newly connected to the Country Energy network (Greenfield site) it cannot use an obsolete tariff.
- 2 If a site changes ownership i.e. if Jackson P/L moves out and Matthews P/L moves into a site that was on an obsolete tariff, then the new customer Mathews P/L cannot be connected on the obsolete tariff.
- 3 If a customer who is on an obsolete tariff chooses to move to a non obsolete tariff (i.e. because they think it is more cost effective) then the obsolete tariff is no longer available to them. They cannot transfer back at a later date.
- 4 If a customer who is on an obsolete tariff decides to enter the contestable market, whether the customer chooses to stay with Country Energy or another Retailer of Choice, then that customer / NMI will no longer be entitled to any obsolete tariff upon return to Country Energy as a regulated customer.
- 5 A site that is connected to one obsolete tariff cannot transfer to another obsolete tariff. The only tariffs available to any site is:
 - a the tariff the site is already on (except where its usage changes so that the site no longer meets the application criteria for the existing tariff), or

- b any non obsolete tariff that the site has available to it based on the application criteria of the tariff and limitations of the installed metering.

- 6 Customers who have sites on obsolete tariffs can move off an obsolete tariff at any time. This can be done via a request from the Retailer of Choice to Country Energy Network Billing group. Please note all requests for tariff changes will be considered, and if approved will apply from the beginning of the normal billing period following the month in which written advice is received and will not be made retrospectively.

Please note that the word obsolete may have a different meaning when applied to Retail tariffs.

OPTIONAL REMOTE METERING is available for customers who wish to pay for a remotely read meter to avoid the need for Country Energy employees to enter their premises.

PEAK PERIOD is from 7.00am–9.00am and 5.00pm–8.00pm on weekdays.

SHOULDER PERIOD is from 9.00am–5.00pm and 8.00pm–10.00pm on weekdays.

OFF-PEAK PERIOD is at all other times.

All times are Eastern Standard Time or Daylight Saving Time as defined in these Explanatory Notes.

PUBLIC HOLIDAYS when a public holiday falls on a weekday; peak, shoulder and off-peak rates still apply as per the periods stated above.

RESIDENTIAL PREMISES are private dwellings such as house, flat, home unit, town house or similar and include residential sections of boarding houses, places of religious worship, nursing homes, hospitals and education institutions, and approved caravan parks, whose consumption does not exceed 160 MWh.

SINGLE RATE DEMAND the Demand Charge is based on the highest measured half-hour kVA demand during the month. A separate demand will apply at each individual connection point as defined by AEMO's “NMI Procedure” document ME_GN059v005. Coincident or summated demand from multiple connection points is not permitted without the written approval of Country Energy.

SITE SPECIFIC DISTRIBUTION LOSS FACTORS The NER clause 3.6.3 states a connection point for an end user with an electrical demand of >10 MW OR a load of >40 GWh per annum shall have a site specific DLF.

SOLAR BONUS SCHEME The NSW Government's Solar Bonus Scheme will commence on 1 January 2010. Under the Scheme, gross metered customers will be paid a feed-in tariff of 60 cents per kilowatt hour for all energy generated and fed back into the grid. Customers with net metering arrangements already in place will receive 60 cents per kilowatt hour for all excess renewable energy that is fed into the electricity grid after household or small business needs are met.

Eligible to customers who consume less than 160 MWh per annum who have connected an eligible solar photovoltaic (PV) system or wind turbine, up to 10 kilowatts (kW) in capacity.

Gross and net metered customers will continue to be charged their existing rate for energy consumption.

SUPPLY VOLTAGES SUBTRANSMISSION (ST) is the voltage of any circuit which inter-connects subtransmission or zone substations on the primary side of the transformer.

Country Energy reserves the right to determine the voltage at which supply shall be made available to any particular Customer. The general voltage levels referred to in the prices are:

Network Price List

Low Voltage (LV) nominally 230/400V
High Voltage (HV) nominally 11, 22, 33 or 66kV
Subtransmission (ST) the voltage of any circuit which inter-connects ST or zone substations on the primary side of the transformer.

THREE RATE DEMAND the Demand charge (\$/kVA/month) is applied to the calendar monthly kVA demand measured by the meter for the peak, shoulder and off-peak periods. The monthly kVA demand is the maximum half hour demand for the month occurring within the peak, shoulder and off-peak periods and is calculated using the kWh and kVAh energy components recorded by the National Electricity Rules compliant meter. The method of demand measurement is 30 minute clocked. LV TOU Average Daily Demand and HV TOU Average Daily Demand tariffs are exceptions to this description. Demand charges for these tariffs are calculated as set out in the tariff description.

A separate demand will apply at each individual connection point as defined by AEMO's "NMI Procedure" document ME_GN059v005. Coincident or summated demand from multiple connection points is not permitted without the written approval of Country Energy. Approval will not be given where connection points are supplied from different substations.

TIME OF USE (TOU) RATES with a time of use meter installed, the energy is charged according to peak, shoulder and off-peak time periods. **Please note:** When a

public holiday falls on a weekday; peak, shoulder and off-peak rates apply as per the periods defined above.

TIME OF USE (TOU) FAR WEST REGION calculations are based on either Eastern Standard Time or Daylight Saving Time depending on when the meter was installed or programmed.

TRANSMISSION LOSS FACTORS for NSW connected customers vary depending on the customers Transmission Node Identifier (TNI). Loss factors are not to be applied to network charges and for Country Energy transmission nodes are available on AEMO's website at <http://www.aemo.com.au/electricityops/172-0071.pdf>.

UNMETERED SUPPLIES (type 7 metering installation) applies to those loads agreed between a Minister and AEMO. Refer to: Metrology Procedures & Type 7 Load Tables – <http://www.aemo.com.au/electricityops/640-0106.html> NER Chapter 7 - <http://www.aemc.gov.au/Electricity/National-Electricity-Rules/Current-Rules.html>

ENQUIRIES:

Please contact Network Pricing via email networkpricing@countryenergy.com.au or our Customer Service Centre on 13 23 56

DISCLAIMER

- 1 Country Energy may change the information in this document without notice. All changes take effect on the date made by Country Energy.

A print version is always an uncontrolled copy. Before using this document, please ensure that it is still current.

- 2 This document may contain confidential information. Restrictions on the use and disclosure of confidential information by employees are set out in your contract of employment. Restrictions on the use and disclosure of confidential information by contractors are set out in your contract of engagement with Country Energy. Sub-contractors are bound by the confidentiality provisions set out in their contract with the contractor engaged by Country Energy.

© 2009 COUNTRY ENERGY

This document is copyright. No part may be reproduced by any process without written permission, except as permitted under the copyright act