

ActewAGL Distribution Statement of Tariffs and Tariff Classes 2010/11

June 2010

ActewAGL

ActewAGL Distribution ABN 76 670 568 688
A partnership of ACTEW Distribution Ltd ABN 83 073 025 224 and
Jemena Networks (ACT) Pty Ltd ABN 24 008 552 663
Head Office: ActewAGL House, 221 London Circuit, CANBERRA ACT 2600
GPO Box 366, CANBERRA ACT 2601
<http://www.actewagl.com.au>



Contents

List of tables	ii
Overview	iii
1. Introduction	1
1.1 Purpose and scope of this statement of tariffs and tariff classes	1
1.2 Background	1
1.3 Structure of the statement of tariffs and tariff classes	2
2. The structure of ActewAGL Distribution's network tariffs	3
2.1 Network tariff structure	3
2.2 ActewAGL Distribution's metering charges	9
3. ActewAGL Distribution's 2010/11 Charges	10
3.1 Network Charges	10
3.2 Miscellaneous Services Charges	15
3.3 Metering Services Charges	16
4. Expected Pricing Trends	17
4.1 Expected Distribution Use-of-System Charges	17
4.2 Expected Miscellaneous Service Charges	19
4.3 Expected Metering Services Charges	20

List of tables

Table 2-1	Network tariff structure - residential.....	4
Table 2-2	Network tariff structure - commercial low voltage	7
Table 2-3	Network tariff structure - high voltage.....	8
Table 3-1	ActewAGL Distribution Network Charges for 2010/11 (excluding GST).....	10
Table 3-2	Comparison of Network Charges with GST	13
Table 3-3	Miscellaneous Service Charges	15
Table 3-4	Metering Service Charges	16
Table 4-1	Expected Distribution Use-of-system charges (excluding GST)	17
Table 4-2	Expected Miscellaneous Service Charges (including GST).....	19
Table 4-3	Expected Metering Service Charges (excluding GST).....	20

Overview

- ActewAGL Distribution offers customers a range of network tariff options across 3 tariff classes – residential, commercial low voltage and high voltage. Customers are able to choose the tariff which best suits their needs, subject to some eligibility requirements as set out in this proposal.
- A number minor changes to tariff definitions and eligibility requirements have been made for 2010/11.
 - o The price used in the renewable generation tariff for netting off and purchasing exports has been clarified for customers who may be on time-of-use tariffs.
 - o The off-peak (1) night network tariff has been re-opened and extended to include a range of new applications including recharging electric vehicles and compressing natural gas for CNG vehicles.
 - o Customers on the residential time-of-use tariff are eligible to use the off-peak tariffs.
 - o The exemption for public holidays has been removed from the definition of a weekday. In practice, this change will come into effect gradually as meters are replaced or reprogrammed.
- As noted by the Australian Energy Regulator (AER) in the *Australian Capital Territory Distribution Determination 2009/10 to 2013/14: Final Decision*, over the course of the 2009-14 regulatory period ActewAGL Distribution will significantly increase investment on its network.
- ActewAGL Distribution's distribution use of system (DUOS) charges for 2010/11 are 0.26 cents per kWh, or 5.4 per cent, higher on average than in 2009/10.
- ActewAGL Distribution's 2010/11 network tariffs are influenced also by significant increases in charges for transmission services. Transmission use of system (TUOS) charges are 0.23 cents per kWh, or 22.3 per cent, higher on average than in 2009/10.
- Charges for miscellaneous services for 2010/11 are around 3 per cent higher than in 2009/10.
- Charges for metering services are subject to a separate regulatory cap. The metering charges for 2010/11 are 4.6 per cent higher on average than in 2009/10.
- ActewAGL Distribution estimates that the 2010/11 network tariffs and metering charges will result in a \$0.72 per week increase (including GST) in the average residential electricity bill¹ and a \$5.02 per week increase (including GST) for the average commercial customer².

¹ For a customer on the residential basic network charge consuming 7000 kWh per annum.

² For a customer on the general network charge consuming 30 MWh per annum.

1. Introduction

1.1 Purpose and scope of this statement of tariffs and tariff classes

ActewAGL Distribution has prepared this statement of tariffs and tariff classes in accordance with the requirements in Chapter 11 of the *National Electricity Amendment Rules* (the transitional *Rules*). The transitional *Rules* (clause 6.18.9) require ActewAGL to maintain on its website:

- a statement of ActewAGL's *tariff classes*³ and tariffs that are applicable to each class
- for each tariff within a tariff class, the *charging parameters*⁴ and the elements of service to which they relate ; and
- a statement of expected price trends, giving an indication of how ActewAGL expects prices to change over the period to June 2014, and the reasons for those expected changes.

1.2 Background

The Australian Energy Regulator (AER) is responsible for the economic regulation of distribution services provided by ActewAGL Distribution. The transitional *Rules* for the 2009-14 regulatory period require the AER to determine the maximum allowed average revenue (MAAR) for ActewAGL Distribution's standard control services and a revenue cap for alternative control (metering) services. The principles and requirements for translating the revenue requirements into schedules of prices are provided in Part I of the transitional *Rules*.

Following a detailed review process, commencing with ActewAGL Distribution's submission of its regulatory proposal in June 2008, the AER released the *Australian Capital Territory Distribution Determination 2009/10 to 2013/14: Final Decision* (the final decision) on 30 April 2009. The AER summarises the outcomes from the regulatory review as follows:

Over the course of the next regulatory control period, ActewAGL will significantly increase investment on its network, which will result in higher prices for electricity consumers in the ACT. Higher prices will be largely driven by significant investment in four major capital projects. These projects include construction of two new zone substations, which are the first to be built in the ACT since 1994, augmentation of a third substation and construction of new assets to improve the security of electricity supply to the ACT. In addition, ActewAGL has already undertaken significant capital works to reinforce and replace a large number of unsafe poles, and these costs will now flow through to consumers. While consumers within the ACT will face higher charges as a result of this investment, they will also benefit from a more reliable and secure network.⁵

³ A *tariff class* is defined in chapter 10 of the *National Electricity Rules* as "a class of customers for one or more direct control services who are subject to a particular tariff or particular tariffs".

⁴ Charging parameters are defined as "the constituent elements of a tariff" in chapter 10 of the *National Electricity Rules*.

⁵ AER 2009, *Australian Capital Territory Distribution Determination 2009/10 to 2013/14: Final Decision*, April, p. viii

The AER also notes that, in addition to higher capital investment, increases in network charges are also being driven by the introduction of the feed-in tariff scheme, which imposes a cost on ActewAGL Distribution.⁶

In response to the AER's Final Decision, ActewAGL Distribution submitted a pricing proposal to the AER in April 2010⁷. The AER advised ActewAGL Distribution on 4 June 2010 that its pricing proposal was approved. The Independent Competition and Regulatory Commission advised ActewAGL that it had approved the required variation to ActewAGL Distribution's standard customer contract on 10 June 2010.

1.3 Structure of the statement of tariffs and tariff classes

ActewAGL Distribution's tariff structure is set out in chapter 2. The chapter includes details on the components and rationale for each of the tariffs.

ActewAGL Distribution's network tariffs and charges for 2010/11 are presented in chapter 3. The chapter includes discussion of the changes relative to 2009/10.

ActewAGL Distribution's charges for miscellaneous services for 2010/11 are presented in chapter 3. The chapter includes discussion of the changes relative to 2009/10.

ActewAGL Distribution's charges for metering services for 2010/11 and the changes relative to 2009/10 are presented and explained in chapter 3.

The expected pricing trends over the regulatory control period (to June 2014) are provided in chapter 4.

⁶ AER 2009, *Australian Capital Territory Distribution Determination 2009/10 to 2013/14: Final Decision*, April, p. viii

⁷ <http://www.aer.gov.au/content/index.phtml/itemId/728427>

2. The structure of ActewAGL Distribution's network tariffs

2.1 Network tariff structure

ActewAGL Distribution offers network tariffs in three *tariff classes*:

- Residential;
- Commercial low voltage (LV); and,
- High voltage (HV).

Within these three tariff classes, ActewAGL Distribution has developed a suite of network tariffs that effectively meet the diverse needs of its customer base, encourage efficient use of the network and signal the costs of future network expansion. Residential customers are offered a choice of four network tariff options plus two controlled load off-peak options and an embedded renewable generation tariff option. Commercial LV customers are offered four main tariff options. Commercial customers on the general network charge also have access to the controlled load off-peak tariff options and the embedded renewable generation tariff option on a similar basis to customers in the residential class. Commercial HV customers are offered four tariff options. Customers are able to choose the option which best suits their needs, subject to some eligibility criteria as set out in Tables 2.1 to 2.3 below.

The network tariffs comprise different combinations of the following *charging parameters*:

- Network access charges – apply per customer for residential consumers and per connection point for commercial customers. They involve a fixed daily charge and do not vary with electricity consumption or capacity;
- Energy charges – apply to each unit of electricity consumed. The c/kWh rate may vary with the level of consumption (with higher rates applying above certain thresholds) and the time of use (with lower rates applying at off-peak periods);
- Maximum demand charges – apply per connection point, for some commercial tariffs. They involve a charge per unit of maximum demand (in c/kVA/day). The maximum demand is derived from the highest demand calculated over a 30-minute interval during the billing period.
- Capacity charges – apply on the same basis as the maximum demand charges and apply to the maximum demand recorded over the previous 12 months.

The tariffs and charging parameters for each tariff class are shown in the following Tables (2.1 to 2.3). The tables also include an explanation of the purpose of each tariff and the customers to which each tariff may apply.

2.1.1 Network tariffs for residential customers

ActewAGL Distribution's residential network tariff structure is shown in Table 2-1. The residential time-of-use (TOU), residential 5000 and residential with heat pump tariffs are

refinements of the residential basic tariff to reflect customer load profiles. The residential TOU tariff provides an opportunity and incentive for customers with the necessary metering capability to respond to price signals at different times of the day. The residential 5000 and residential with heat pump tariffs involve a higher connection charge and an inclining block structure with initially lower energy charges, and higher energy charges (per kWh) applying above certain thresholds. These tariffs more accurately tailor costs to the load profile of these customers. The off-peak tariff options can be used in conjunction with the residential basic tariff and the residential time-of-use tariff.

Table 2-1 Network tariff structure - residential

Tariff	Charging parameters	Explanation
Residential basic network	Network access charge (c/day/customer) Energy charge (c/kWh)	The residential basic network tariff is available to installations at private dwellings, excluding serviced apartments, but including: • Living quarters for members and staff of religious orders; • Living quarters on farms; • Charitable homes; • Retirement villages; • Residential sections of nursing homes and hospitals; • Churches, buildings or premises which are primarily used for public worship; and • Approved caravan sites. The energy charge does not vary with the level of consumption and the time of day. However, customers on this tariff are eligible for the off-peak tariff.
Residential time-of-use (TOU) network ⁸	Network access charge (c/day/customer) Energy at max times, ie 7am to 9am and 5pm to 8pm every day (c/kWh) Energy at mid times, ie 9am to 5pm and 8pm to 10pm every day (c/kWh) Energy at economy times, ie all other times (c/kWh)	This tariff is available to residential customers (as defined above) with a meter able to be read as a time-of-use meter. The energy charges relate to the supply of network services at various times. Higher rates apply at max or peak times to encourage users to shift their load to off-peak periods.
Residential 5000 network	Network access charge (c/day/customer) Energy for the first 60 kWh/day (c/kWh) Energy above 60 kWh/day (c/kWh)	This tariff is designed for customers who have continuous loads, such as electric hot water systems, and consume over 5,000 kWh per annum. The energy charges relate to the supply of network services above and below certain volume thresholds. An inclining block structure applies (ie higher energy rates for the second block of energy). The lower energy rate is limited to consumption up to 60 kWh per day.
Residential with heat pump	Network access charge (c/day/customer) Energy for the first 165 kWh/day (c/kWh) Energy above 165 kWh (c/kWh)	This tariff is available only to customers with a reverse cycle air conditioner. An inclining block structure applies (ie higher energy rates for the second block of energy).

⁸ All times for metering are Eastern Standard Time.

Off-peak (1) night network	Energy at controlled times, ie between 10 pm and 7 am (c/kWh)	The off-peak (1) night charge is available only to customers utilising a controlled load element, and taking all other energy at residential basic network, residential time-of-use network or general network rates. These charges are not available where the customer's meter is read as an interval meter. The off-peak (1) night charge is applicable to permanent heat (or cold) storage installations; electric vehicle recharge and CNG vehicle gas compression installations. The design and rating must be acceptable to ActewAGL. The installation must use most energy during restricted times, but may be boosted at the principal charge at other times. The off-peak(1) night network energy rate applies to the supply of network services at controlled times, for 6 to 8 hours per day between the hours of 10 pm and 7 am.
Off-peak (3) day and night network	Energy at controlled times, ie between 10 pm and 7 am and 9 am and 5 pm (c/kWh)	The off-peak (3) day and night charge is available only to customers utilising a controlled load element, and taking all other energy at residential basic network, residential time-of-use network or general network rates. These charges are not available where the customer's meter is read as an interval meter. The off-peak (3) day and night charge is applicable to permanent heat (or cold) storage installations. The design and rating must be acceptable to ActewAGL. The off-peak (3) energy rate applies to power supplied for up to 13 hours per day between 10 pm and 7 am and again between 9 am and 5 pm.
Renewable generation	Energy charges (c/kWh)	This tariff applies to customers with grid connected solar or wind energy generation systems. It relates only to the energy that the consumer produces then consumes. Different arrangements apply depending on whether the customer is participating in the ACT feed-in tariff scheme.

The changes from 2009/10 to the residential network tariff structure are as follows:

- The “residential standard network charge” is renamed the “residential basic network charge”;
- The off-peak (1) night network charge is to be re-opened and extended to include recharging electric vehicles and compressing natural gas for CNG vehicles. The reference to off-peak 2 has been removed as the two off-peak tariffs now have the same price and application;
- The “energy consumption at controlled economy times” tariff rate offered with the Residential TOU Network charge is to be removed as customers on that tariff will now have access to both the off-peak network charges (no customers are affected);
- The buy-back rates for customers on stepped or time-of-use tariffs that are also on the “renewable generation tariff” are clarified. The new arrangements are as follows:

If a customer has a grid-connected renewable energy generator and the customer is not receiving the ACT feed-in tariff⁹, the following arrangements apply:

- *The customer will pay the published network charge for the gross amount of energy imported from ActewAGL Distribution's network.*
- *ActewAGL Distribution will pay to the customer's retailer an amount equal to the customer's network energy tariff rate on the gross amount of energy exported.*
- *If the customer is on a time-of-use tariff, the customer's network energy tariff rate for the purpose of paying the customer's retailer shall be the middle rate (mid rate for residential customers and evening rate for commercial customers).*
- *If the customer is on a tariff with two or more price steps, the customer's network energy tariff rate for the purpose of paying the customer's retailer shall be the first rate applied.*
- *The customer will continue to pay the network access charge.*
- *This arrangement is available only to customers with less than 30 kilowatts installed capacity of renewable generation.*

No existing customers are affected by this clarification of the arrangements.

2.1.2 Network tariffs for low voltage commercial customers

ActewAGL Distribution's commercial low voltage network tariff structure is shown in Table 2-2. ActewAGL Distribution sets different tariffs for low voltage commercial and high voltage commercial customers recognising the different costs associated with supplying each group. Within the commercial LV tariff class, a range of tariff options has been developed to meet the diverse needs of commercial customers and to accommodate their differing load profiles and ability to respond to price signals. Of the four main options offered to commercial LV customers all but the general network tariff involve time-of-use charges. The general tariff does, however, involve an inclining block tariff structure with higher energy charges (c/kWh) applying above certain thresholds. The off-peak (3) day and night network tariff option is also available to customers on the general network tariff.

Two of the commercial LV options involve capacity and/or maximum demand charges, in conjunction with time-of-use charges. Customers able to improve their load factor¹⁰ have an incentive to choose a tariff with a demand or capacity charge, and reduce their energy bills. Customers on the general or general time-of-use network charges can move to the demand charges and lower their network costs if they have a sufficiently large load (for the cost savings to offset the higher cost of metering) and a reasonable load profile.

⁹ As established by the *Electricity Feed-in (Renewable Energy Premium) Act 2008* (Feed-in tariff Act)

¹⁰ The load factor is the actual energy consumed relative to the energy the customer would have consumed if it had consumed at its maximum rate of consumption for the full period.

Table 2-2 Network tariff structure - commercial low voltage

Tariff	Charging parameters	Explanation
General network	Network access charge (c/day/customer) Energy for the first 330 kWh/day (c/kWh) Energy above 330 kWh/day (c/kWh)	This tariff is available to all customers. The tariff is most suitable for small commercial consumers operating in regular business hours or larger customers with poorer load factors (peaky loads). This tariff may be used in conjunction with the off-peak tariffs.
General TOU network	Network access charge (c/day/customer) Energy at business times (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is particularly suitable for small commercial customers, such as bakers, freezer installations and irrigators, with discretionary or relatively large off-peak loads. The energy charges relate to supply of network services at different times.
LV TOU kVA demand network	Network access charge (c/day/connection point). Maximum demand (c/kVA/day) Energy at business times (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for customers with an average or stable commercial load. The maximum demand charge is designed to encourage consumers to manage their demand on the network. The energy charges relate to supply of energy at different times, with lower rates in off-peak times reflecting the availability of capacity and encouraging consumers to shift their load from peak to off-peak times to utilise the available capacity.
LV TOU capacity network	Network access charge (c/day/connection point) Maximum demand (in billing period) (c/kVA/day) Capacity (max demand in last year) (c/kVA/day) Energy at business times (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is intended for low voltage customers with embedded generation but it may be an attractive option for other low voltage customers with stable loads. The tariff provides an incentive for customers with embedded generation to manage their output and their down-times (eg for servicing) so as to minimise their demand on the network.
Streetlighting	Network access charge (c/day/customer) Energy at any time (c/kWh)	This tariff applies to the night-time lighting of streets and public ways and places.
Small unmetered loads	Network access charge (c/day/customer) Energy at any time (c/kWh)	This tariff applies to eligible installations as determined by ActewAGL, including: • telephone boxes • telecommunication devices • other, as determined by the National Metrology Coordinator. Energy charges are calculated based on the assessed rating of the load and the charge period.
Internal (Obsolete)	Network access charge (c/day/customer) Energy at any time (c/kWh)	This tariff applies only to ActewAGL Distribution sites and fully recovers the economic costs of supply. It is now to be set at the rate of the first step in the general network tariff.

The changes from 2009/10 to the low voltage commercial network tariff structure are as follows:

- The exemption for public holidays has been removed from the definition of a weekday. In practice, this change will come into effect gradually as meters are replaced or reprogrammed; and
- The internal tariff is obsolete.

Note that for customers with interval meter reading, the exemption for public holidays will be removed from the definition of a weekday from 1 July 2011. This will bring interval meter reading into line with the new programs in meters not read as interval meters.

2.1.3 Network tariffs for high voltage customers

ActewAGL Distribution's high voltage network tariff structure is shown in Table 2-3. To qualify for the high voltage demand network charges, consumers must take their energy at high voltage (nominal voltage not less than 11 kV) and make a capital contribution towards their connection assets and transformers. High voltage consumers have the option of owning and operating their own high voltage assets.

Table 2-3 Network tariff structure - high voltage

Tariff	Charging parameters	Explanation
HV TOU Demand Network (111)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for large customers taking supply at high voltage with a low voltage network owned and maintained by ActewAGL. The energy charges relate to supply of network services at different times, with lower rates in off-peak times. The demand charge is applied to the maximum demand in the billing period, while the capacity charge is applied to the maximum demand in the previous 12 months.
HV TOU Demand Network – Customer HV (112)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for large customers taking supply at high voltage with a low voltage network owned and maintained by ActewAGL, where the customer owns and is responsible for its high voltage assets (including transformers and switch gear).
HV TOU Demand Network – Customer LV (121)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This network charge is appropriate for large customers taking supply at high voltage where the customer owns and is responsible for their own low voltage network. The network access charge relates to the connection services provided to the customer including provision of the current transformer necessary to meter these large loads. The energy charges relate to supply of network services at different times, with lower rates in off-peak times reflecting the relatively low costs of off-peak supply.

HV TOU Demand Network – Customer HV and LV (122)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This network charge is appropriate for large customers taking supply at high voltage where the customer owns and is responsible for their own low voltage network and where the customer owns and is responsible for its high voltage assets (including transformers and switch gear).
--	--	---

There are no changes from 2009/10 to the low voltage commercial network tariff structure. However, as for LV commercial consumers with meter interval meter reading, from 1 July 2011, the exemption for public holidays will be removed from the definition of a weekday.

2.1.4 Miscellaneous service charges and fees

In addition to the network tariffs set out above, ActewAGL Distribution offers a range of miscellaneous services and charges for each service. The structure of charges varies, depending on the type of service. Some services are charged on a per visit basis, others per installation or per test. The charges for miscellaneous services are set on a cost reflective basis. For example, separate rates apply for temporary connections depending on whether they relate to an overhead connection, standard underground or free-standing underground, as these will involve different costs.

ActewAGL Distribution also provides some miscellaneous services as part of its alternative control (metering) services. These include meter tests, installation of interval meters at a customer's request, and special meter reads.

2.2 ActewAGL Distribution's metering charges

ActewAGL Distribution's schedule of metering charges comprises daily charges for the provision of each of five different types of metering services and charges for special meter reads. The schedule also includes a charge for the installation of interval meters other than in the normal course of replacement, at the customer's request or to facilitate the installation of a renewable energy generator.

ActewAGL has introduced a new service of "replacing a meter to facilitate a renewable energy installation" to meet the requirements of paragraph 6(2)(c) of the *Electricity Feed-in (Renewable Energy Premium) Act 2008*. The charge for this service is applied where a consumer requests a new meter to facilitate a photovoltaic or other renewable energy installation. It does not apply to new premises when a new meter is installed. Nor does it apply to commercial installations where the customer is required to pay an additional daily metering charge for a separate meter. In such cases, the cost of the additional meter is recovered in the metering charge.

3. ActewAGL Distribution's 2010/11 Charges

3.1 Network Charges

ActewAGL's network charges are made up of distribution charges and transmission charges. The distribution charges recover the cost of ActewAGL's electricity distribution service within the ACT. The transmission charges recover TransGrid's charges to ActewAGL for the delivery of energy to the ACT. The AER regulates both ActewAGL's distribution charges and TransGrid's transmission charges.

ActewAGL Distribution is required to provide tariffs designed to pass on to customers the charges it will incur for transmission services. The amount passed on to customers is not to exceed the estimated amount of transmission charges for each year adjusted for over or under recovery in the previous regulatory year.

Table 3-1 shows the distribution, transmission and network charges for 2010/11, excluding GST.

Table 3-1 ActewAGL Distribution Network Charges for 2010/11 (excluding GST)

Code	Description	Unit	Distribution Charges 2010/11	Transmission Charges 2010/11	Network Charges 2010/11
Residential tariffs					
010	Residential Basic Network				
	Network access charge	cents/day	14.01	0.00	14.01
	Energy consumption	cents/kWh	4.701	1.149	5.850
015	Residential TOU Network				
	Network access charge	cents/day	14.01	0.00	14.01
	Energy consumption at max times	cents/kWh	7.103	1.327	8.430
	Energy consumption at mid times	cents/kWh	3.607	1.143	4.750
	Energy consumption at economy times	cents/kWh	2.530	1.000	3.530
020	Residential 5000 Network				
	Network access charge	cents/day	35.51	0.00	35.51
	Energy consumption for the first 60 kWh per day	cents/kWh	3.101	1.149	4.250
	Energy consumption above 60 kWh per day	cents/kWh	4.701	1.149	5.850
030	Residential with Heat Pump Network				
	Network access charge	cents/day	78.51	0.00	78.51
	Energy consumption for the first 165 kWh per day	cents/kWh	1.591	1.149	2.740
	Energy consumption above 165 kWh per day	cents/kWh	4.701	1.149	5.850
060	Off-Peak (1) Night Network				
	Energy consumption	cents/kWh	0.302	0.858	1.160

Code	Description	Unit	Distribution Charges 2010/11	Transmission Charges 2010/11	Network Charges 2010/11
070	Off-Peak (3) Day & Night Network				
	Energy consumption	cents/kWh	0.702	0.858	1.560
	Renewable Energy Generation				
	Energy consumption	cents/kWh	0.000	0.000	0.000
Commercial low voltage tariffs					
040	General Network				
	Network access charge	cents/day	27.66	0.00	27.66
	Energy consumption for the first 330 kWh per day	cents/kWh	7.414	1.616	9.030
	Energy consumption above 330 kWh per day	cents/kWh	10.134	1.766	11.900
135	Small Unmetered Loads Network				
	Network access charge	cents/day	20.30	0.00	20.30
	Energy consumption	cents/kWh	8.459	1.331	9.790
141	Internal Network (Obsolete)				
	Network access charge	cents/day	27.66	0.00	27.66
	Energy consumption	cents/kWh	7.414	1.616	9.030
080	Streetlighting Network				
	Network access charge	cents/day	28.00	0.00	28.00
	Energy consumption	cents/kWh	4.471	0.899	5.370
090	General TOU Network				
	Network access charge	cents/day	27.66	0.00	27.66
	Energy consumption at business times	cents/kWh	12.124	1.876	14.000
	Energy consumption at evening times	cents/kWh	6.051	1.269	7.320
	Energy consumption at off-peak times	cents/kWh	2.211	0.869	3.080
Low voltage time of use demand network					
101	LV TOU kVA Demand Network				
	Network access charge per connection point	cents/day	35.00	0.00	35.00
	Maximum demand charge	c/kVA/day	32.99	4.61	37.60
	Energy consumption at business times	cents/kWh	3.480	0.940	4.420
	Energy consumption at evening times	cents/kWh	2.075	0.895	2.970
	Energy consumption at off-peak times	cents/kWh	0.764	0.876	1.640
103	LV TOU Capacity Network				
	Network access charge per connection point	cents/day	35.00	0.00	35.00
	Maximum demand charge	c/kVA/day	15.18	2.12	17.30
	Capacity charge	c/kVA/day	15.18	2.12	17.30
	Energy consumption at business times	cents/kWh	3.480	0.940	4.420
	Energy consumption at evening times	cents/kWh	2.075	0.895	2.970
	Energy consumption at off-peak times	cents/kWh	0.764	0.876	1.640

			Distribution Charges	Transmission Charges	Network Charges
Code	Description	Unit	2010/11	2010/11	2010/11
High voltage tariffs					
High voltage time of use demand network with ActewAGL low voltage network					
111	HV TOU Demand Network				
	Network access charge per connection point	\$/day	13.00	0.00	13.00
	Maximum demand charge	c/kVA/day	13.21	1.99	15.20
	Capacity charge	c/kVA/day	13.21	1.99	15.20
	Energy consumption at business times	cents/kWh	3.054	0.896	3.950
	Energy consumption at evening times	cents/kWh	1.758	0.872	2.630
	Energy consumption at off-peak times	cents/kWh	0.640	0.860	1.500
112	HV TOU Demand Network – Customer HV				
	Network access charge per connection point	\$/day	13.00	0.00	13.00
	Maximum demand charge	c/kVA/day	12.21	1.99	14.20
	Capacity charge	c/kVA/day	12.21	1.99	14.20
	Energy consumption at business times	cents/kWh	3.054	0.896	3.950
	Energy consumption at evening times	cents/kWh	1.758	0.872	2.630
	Energy consumption at off-peak times	cents/kWh	0.640	0.860	1.500
High voltage time of use demand network without ActewAGL low voltage network					
121	HV TOU Demand Network – Customer LV				
	Network access charge per connection point	\$/day	13.00	0.00	13.00
	Maximum demand charge	c/kVA/day	13.21	1.99	15.20
	Capacity charge	c/kVA/day	13.21	1.99	15.20
	Energy consumption at business times	cents/kWh	2.634	0.896	3.530
	Energy consumption at evening times	cents/kWh	1.388	0.872	2.260
	Energy consumption at off-peak times	cents/kWh	0.480	0.860	1.340
122	HV TOU Demand Network – Customer HV and LV				
	Network access charge per connection point	\$/day	13.00	0.00	13.00
	Maximum demand charge	c/kVA/day	12.21	1.99	14.20
	Capacity charge	c/kVA/day	12.21	1.99	14.20
	Energy consumption at business times	cents/kWh	2.634	0.896	3.530
	Energy consumption at evening times	cents/kWh	1.388	0.872	2.260
	Energy consumption at off-peak times	cents/kWh	0.480	0.860	1.340

Table 3-2 compares network charges for 2010/11 with and without GST. Also, it compares network charges in 2010/11 with those for 2009/10. On average, tariffs have increased about 0.54 c/kWh including GST. This represents an average increase of about 8.4%. About one half of the increase is attributable to distribution price increases and the other half to transmission price increases.

Table 3-2 Comparison of Network Charges with GST

			Network Charges incl. GST	Network Charges excl. GST	Network Charges incl. GST
Code	Description	Unit	2009/10	2010/11	2010/11
RESIDENTIAL TARIFFS					
010	Residential Basic Network				
	Network access charge	cents/day	14.267	14.01	15.411
	Energy consumption	cents/kWh	5.995	5.85	6.435
015	Residential TOU Network				
	Network access charge	cents/day	14.267	14.01	15.411
	Energy consumption at max times	cents/kWh	8.657	8.43	9.273
	Energy consumption at mid times	cents/kWh	5.049	4.75	5.225
	Energy consumption at economy times	cents/kWh	3.564	3.53	3.883
020	Residential 5000 Network				
	Network access charge	cents/day	37.807	35.51	39.061
	Energy consumption for the first 60 kWh per day	cents/kWh	4.235	4.25	4.675
	Energy consumption above 60 kWh per day	cents/kWh	5.995	5.85	6.435
030	Residential with Heat Pump Network				
	Network access charge	cents/day	84.997	78.51	86.361
	Energy consumption for the first 165 kWh per day	cents/kWh	2.585	2.74	3.014
	Energy consumption above 165 kWh per day	cents/kWh	5.995	5.85	6.435
060	Off-Peak (1) Night Network				
	Energy consumption	cents/kWh	0.858	1.16	1.276
070	Off-Peak (3) Day & Night Network				
	Energy consumption	cents/kWh	1.452	1.56	1.716
	Renewable Energy Generation				
	Energy consumption	cents/kWh	0.00	0.00	0.00
COMMERCIAL LOW VOLTAGE TARIFFS					
040	General Network				
	Network access charge	cents/day	28.60	27.66	30.426
	Energy consumption for the first 330 kWh per day	cents/kWh	9.097	9.03	9.933
	Energy consumption above 330 kWh per day	cents/kWh	12.089	11.90	13.090
135	Small Unmetered Loads Network				
	Network access charge	cents/day	20.68	20.30	22.33
	Energy consumption	cents/kWh	10.483	9.79	10.769
141	Internal Network (Obsolete)				
	Network access charge	cents/day	2.64	27.66	30.426
	Energy consumption	cents/kWh	1.5345	9.03	9.933
080	Streetlighting Network				
	Network access charge	cents/day	28.60	28.00	30.80
	Energy consumption	cents/kWh	5.61	5.37	5.907
090	General TOU Network				
	Network access charge	cents/day	28.60	27.66	30.426
	Energy consumption at business times	cents/kWh	14.223	14.00	15.400
	Energy consumption at evening times	cents/kWh	7.832	7.32	8.052
	Energy consumption at off-peak times	cents/kWh	3.234	3.08	3.388

Code	Description	Unit	Network Charges incl. GST 2009/10	Network Charges excl. GST 2010/11	Network Charges incl. GST 2010/11
Low voltage time of use demand network					
101	LV TOU kVA Demand Network				
	Network access charge per connection point	cents/day	35.20	35.00	38.50
	Maximum demand charge	c/kVA/day	36.52	37.60	41.36
	Energy consumption at business times	cents/kWh	4.631	4.42	4.862
	Energy consumption at evening times	cents/kWh	3.377	2.97	3.267
	Energy consumption at off-peak times	cents/kWh	1.738	1.64	1.804
103	LV TOU Capacity Network				
	Network access charge per connection point	cents/day	35.20	35.00	38.50
	Maximum demand charge	c/kVA/day	16.50	17.30	19.03
	Capacity charge	c/kVA/day	16.50	17.30	19.03
	Energy consumption at business times	cents/kWh	4.631	4.42	4.862
	Energy consumption at evening times	cents/kWh	3.377	2.97	3.267
	Energy consumption at off-peak times	cents/kWh	1.738	1.64	1.804
HIGH VOLTAGE TARIFFS					
High voltage time of use demand network with ActewAGL low voltage network					
111	HV TOU Demand Network				
	Network access charge per connection point	\$/day	13.20	13.00	14.30
	Maximum demand charge	c/kVA/day	14.30	15.20	16.72
	Capacity charge	c/kVA/day	14.30	15.20	16.72
	Energy consumption at business times	cents/kWh	4.290	3.95	4.345
	Energy consumption at evening times	cents/kWh	3.091	2.63	2.893
	Energy consumption at off-peak times	cents/kWh	1.628	1.50	1.650
112	HV TOU Demand Network – Customer HV				
	Network access charge per connection point	\$/day	13.20	13.00	14.30
	Maximum demand charge	c/kVA/day	13.20	14.20	15.62
	Capacity charge	c/kVA/day	13.20	14.20	15.62
	Energy consumption at business times	cents/kWh	4.290	3.95	4.345
	Energy consumption at evening times	cents/kWh	3.091	2.63	2.893
	Energy consumption at off-peak times	cents/kWh	1.628	1.50	1.650
High voltage time of use demand network without ActewAGL low voltage network					
121	HV TOU Demand Network – Customer LV				
	Network access charge per connection point	\$/day	13.20	13.00	14.30
	Maximum demand charge	c/kVA/day	14.30	15.20	16.72
	Capacity charge	c/kVA/day	14.30	15.20	16.72
	Energy consumption at business times	cents/kWh	3.817	3.53	3.883
	Energy consumption at evening times	cents/kWh	2.673	2.26	2.486
	Energy consumption at off-peak times	cents/kWh	1.441	1.34	1.474
122	HV TOU Demand Network – Customer HV and LV				
	Network access charge per connection point	\$/day	13.20	13.00	14.30
	Maximum demand charge	c/kVA/day	13.20	14.20	15.62
	Capacity charge	c/kVA/day	13.20	14.20	15.62
	Energy consumption at business times	cents/kWh	3.817	3.53	3.883
	Energy consumption at evening times	cents/kWh	2.673	2.26	2.486
	Energy consumption at off-peak times	cents/kWh	1.441	1.34	1.474

3.2 Miscellaneous Services Charges

Table 3-3 presents ActewAGL Distribution's charges for miscellaneous services for 2010/11 excluding and including GST. Also shown are the charges for miscellaneous services for 2009/10, including GST.

Table 3-3 Miscellaneous Service Charges

Code	Description	Unit	Prices incl. GST 2009/10	Prices excl. GST 2010/11	Prices incl. GST 2009/10
For visit to re-energise or de-energise a site					
501	Business hours – re-energise a site	per visit	\$52.00	\$49.09	\$54.00
502	After hours – re-energise a site	per visit	\$113.00	\$105.45	\$116.00
503	Business hours – de-energise a site	per visit	\$47.00	\$43.64	\$48.00
504	Meter test - during business hours (deposit)	per visit	\$65.00	\$60.91	\$67.00
505	De-energise a site for non-payment	per visit	\$87.00	\$81.82	\$90.00
506	Special meter reading, for example, check read (second in a billing period)	per visit	\$34.00	\$31.82	\$35.00
507	Install interval meter at customers request	per visit	\$162.00	\$152.73	\$168.00
508	Field visit only (De-energise a site for non-payment)	per visit	\$63.00	\$59.09	\$65.00
509	Replace meter to facilitate renewable energy installation	per visit	\$162.00	\$152.73	\$168.00
Temporary connections					
520	Overhead	per installation	\$374.00	\$350.00	\$385.00
521	Standard underground	per installation	\$543.00	\$508.18	\$559.00
522	Free-standing underground	per installation	\$658.00	\$616.36	\$678.00
Services					
530	Overhead: remove, reposition or disconnect service	per site visit	\$269.01	\$251.82	\$277.00
531	Underground: remove, reposition or disconnect service	per site visit	\$648.00	\$606.36	\$667.00
Upgrade service from single to three phase at customer's request where load does not justify three phase					
532	Overhead	per installation	\$348.00	\$325.45	\$358.00
533	Underground – service cable replacement not required	per installation	\$348.00	\$325.45	\$358.00
534	Underground – service cable replacement required	per installation	\$648.00	\$606.36	\$667.00
540	Rescheduled visit (applied where a revisit to a site is necessitated by obstructed access, non-compliance with the Service and Installation Rules or the client is not ready for the scheduled work.)		\$179.00	\$167.27	\$184.00
550	Issue of copies of electrical drawings	per sheet or electronic equivalent	\$14.00	\$13.09	\$14.40
560	De-energising wires (to allow safe approach, for example, for tree pruning, plant operation, oversize loads, construction activities)	per occurrence	\$432.00	\$404.55	\$445.01

Code	Description	Unit	Prices incl. GST 2009/10	Prices excl. GST 2010/11	Prices incl. GST 2009/10
570	Embedded generation - operational and maintenance charges for small embedded generators (other renewable <30KW)				
	for connection assets		2.0%	2.0%	2.0%
	for shared network assets (if applicable)		2.0%	2.0%	2.0%

3.3 Metering Services Charges

Table 3-4 presents ActewAGL Distribution's metering services charges for 2010/11 excluding and including GST. Also shown are the charges for metering services for 2009/10, including GST.

Table 3-4 Metering Service Charges

Code	Description	Unit	Prices incl. GST 2009/10	Prices excl. GST 2010/11	Prices incl. GST 2010/11
MP1	Quarterly basic metering rate	-			
	Accumulation and time-of-use meters read quarterly	cents per day per NMI	13.453	12.79	14.069
MP2	Monthly basic metering rate	-			
	Accumulation and time-of-use meters read monthly	cents per day per NMI	23.540	22.34	24.574
MP3	Time-of-use metering rate	-			
	Time-of-use meters read monthly	cents per day per NMI	23.540	22.34	24.574
MP4	Monthly manually-read interval metering rate				
	Interval meters recording at either 15- or 30-minute intervals, read manually and processed monthly	\$ per day per NMI	\$1.925	\$1.82	\$2.002
MP5	Internal metering rate	-			
	Sites entitled to the Internal network charge	cents per day per NMI	8.25	22.34	24.574
MP6	Quarterly manually-read interval metering rate				
	Interval meters recording at either 15- or 30-minute intervals, read manually and processed quarterly	cents per day per NMI	52.80	52.50	57.75

4. Expected Pricing Trends

4.1 Expected Distribution Use-of-System Charges

Table 4-1 provides a list of expected distribution use of system charges. The prices for 2010/11 are the actual prices for that year. The forecast prices have been calculated assuming inflation of 2.5 per cent per annum for the remainder of the regulatory period (to 2013/14). The AER has determined that average distribution charges may rise by 4 per cent in real terms in the remaining years of the regulatory period. The trend increase in prices reflects the anticipated inflation and the X factors.

Table 4-1 Expected Distribution Use-of-system charges (excluding GST)

Code	Description	Unit	2009/10	2010/11	2011/12	2012/13	2013/14
RESIDENTIAL TARIFFS							
010	Residential Basic Network						
	Network access charge	cents/day	12.970	14.010	15.04	16.04	17.16
	Energy consumption	cents/kWh	4.465	4.701	5.05	5.39	5.76
015	Residential TOU Network						
	Network access charge	cents/day	12.970	14.010	15.04	16.04	17.16
	Energy consumption at max times	cents/kWh	6.750	7.103	7.62	8.13	8.70
	Energy consumption at mid times	cents/kWh	3.516	3.607	3.87	4.13	4.42
	Energy consumption at economy times	cents/kWh	2.468	2.530	2.72	2.90	3.10
020	Residential 5000 Network						
	Network access charge	cents/day	34.370	35.510	38.12	40.65	43.48
	Energy consumption for the first 60 kWh per day	cents/kWh	2.865	3.101	3.33	3.55	3.80
	Energy consumption above 60 kWh per day	cents/kWh	4.465	4.701	5.05	5.39	5.76
030	Residential with Heat Pump Network						
	Network access charge	cents/day	77.270	78.510	84.28	89.88	96.13
	Energy consumption for the first 165 kWh per day	cents/kWh	1.365	1.591	1.71	1.82	1.95
	Energy consumption above 165 kWh per day	cents/kWh	4.465	4.701	5.05	5.39	5.76
060	Off-Peak (1) Night Network						
	Energy consumption	cents/kWh	0.272	0.302	0.32	0.34	0.36
070	Off-Peak (3) Day & Night Network						
	Energy consumption	cents/kWh	0.631	0.702	0.75	0.80	0.86
	Renewable Energy Generation						
	Energy consumption	cents/kWh	0.000	0.00	0.00	0.00	0.00
COMMERCIAL LOW VOLTAGE TARIFFS							
040	General Network						
	Network access charge	cents/day	26.000	27.660	29.69	31.66	33.86
	Energy consumption for the first 330 kWh per day	cents/kWh	7.020	7.414	7.96	8.49	9.08
	Energy consumption above 330 kWh per day	cents/kWh	9.622	10.134	10.88	11.60	12.41

Code	Description	Unit	2009/10	2010/11	2011/12	2012/13	2013/14
135	Small Unmetered Loads Network						
	Network access charge	cents/day	18.800	20.30	21.79	23.24	24.86
	Energy consumption	cents/kWh	8.476	8.459	9.08	9.68	10.35
141	Internal Network						
	Network access charge	cents/day	2.400	27.660	29.69	31.66	33.86
	Energy consumption	cents/kWh	0.509	7.414	7.96	8.49	9.08
080	Streetlighting Network						
	Network access charge	cents/day	26.000	28.00	30.06	32.06	34.29
	Energy consumption	cents/kWh	4.278	4.471	4.80	5.12	5.48
090	General TOU Network						
	Network access charge	cents/day	26.000	27.660	29.69	31.66	33.86
	Energy consumption at business times	cents/kWh	11.432	12.124	13.01	13.87	14.83
	Energy consumption at evening times	cents/kWh	5.955	6.051	6.50	6.93	7.41
	Energy consumption at off-peak times	cents/kWh	2.246	2.211	2.37	2.53	2.71
Low voltage time of use demand network							
101	LV TOU kVA Demand Network						
	Network access charge per connection point	cents/day	32.000	35.00	37.57	40.07	42.86
	Maximum demand charge	c/kVA/day	30.990	32.99	35.41	37.76	40.39
	Energy consumption at business times	cents/kWh	3.161	3.480	3.74	3.99	4.27
	Energy consumption at evening times	cents/kWh	2.123	2.075	2.23	2.38	2.55
	Energy consumption at off-peak times	cents/kWh	0.895	0.764	0.82	0.87	0.93
103	LV TOU Capacity Network						
	Network access charge per connection point	cents/day	32.000	35.00	37.57	40.07	42.86
	Maximum demand charge	c/kVA/day	14.000	15.18	16.30	17.38	18.59
	Capacity charge	c/kVA/day	14.000	15.18	16.30	17.38	18.59
	Energy consumption at business times	cents/kWh	3.161	3.480	3.74	3.99	4.27
	Energy consumption at evening times	cents/kWh	2.123	2.075	2.23	2.38	2.55
	Energy consumption at off-peak times	cents/kWh	0.895	0.764	0.82	0.87	0.93
HIGH VOLTAGE TARIFFS							
High voltage time of use demand network with ActewAGL low voltage network							
111	HV TOU Demand Network						
	Network access charge per connection point	\$/day	12.000	13.000	13.96	14.89	15.93
	Maximum demand charge	c/kVA/day	12.010	13.210	14.18	15.12	16.17
	Capacity charge	c/kVA/day	12.010	13.210	14.18	15.12	16.17
	Energy consumption at business times	cents/kWh	2.976	3.054	3.28	3.50	3.74
	Energy consumption at evening times	cents/kWh	1.927	1.758	1.89	2.02	2.16
	Energy consumption at off-peak times	cents/kWh	0.813	0.64	0.69	0.74	0.79
112	HV TOU Demand Network – Customer HV						
	Network access charge per connection point	\$/day	12.000	13.000	13.96	14.89	15.93
	Maximum demand charge	c/kVA/day	11.010	12.210	13.11	13.98	14.95
	Capacity charge	c/kVA/day	11.010	12.210	13.11	13.98	14.95
	Energy consumption at business times	cents/kWh	2.976	3.054	3.28	3.50	3.74
	Energy consumption at evening times	cents/kWh	1.927	1.758	1.890	2.02	2.16
	Energy consumption at off-peak times	cents/kWh	0.813	0.64	0.69	0.74	0.79

Code	Description	Unit	2009/10	2010/11	2011/12	2012/13	2013/14
High voltage time of use demand network without ActewAGL low voltage network							
121	HV TOU Demand Network – Customer LV						
	Network access charge per connection point	\$/day	12.000	13.000	13.96	14.89	15.93
	Maximum demand charge	c/kVA/day	12.010	13.210	14.18	15.12	16.17
	Capacity charge	c/kVA/day	12.010	13.210	14.18	15.12	16.17
	Energy consumption at business times	cents/kWh	2.546	2.634	2.83	3.02	3.23
	Energy consumption at evening times	cents/kWh	1.547	1.388	1.49	1.59	1.70
	Energy consumption at off-peak times	cents/kWh	0.643	0.480	0.52	0.55	0.59
122	HV TOU Demand Network – Customer HV and LV						
	Network access charge per connection point	\$/day	12.000	13.000	13.96	14.89	15.93
	Maximum demand charge	c/kVA/day	11.010	12.210	13.11	13.98	14.95
	Capacity charge	c/kVA/day	11.010	12.210	13.11	13.98	14.95
	Energy consumption at business times	cents/kWh	2.546	2.634	2.83	3.02	3.23
	Energy consumption at evening times	cents/kWh	1.547	1.388	1.49	1.59	1.70
	Energy consumption at off-peak times	cents/kWh	0.643	0.480	0.52	0.55	0.59

4.2 Expected Miscellaneous Service Charges

Table 4-2 provides a list of expected charges for miscellaneous services to 2013/14. The prices for 2010/11 are the actual prices for that year. While the revenue cap for standard control services (of which miscellaneous service are a part) rises by CPI plus 4 per cent, these prices are expected to rise at a lower rate reflecting rises in wages, which are a significant part of the cost in providing these services, and rising productivity.

Table 4-2 Expected Miscellaneous Service Charges (including GST)

Code	Description	Unit	2009/10	2010/11	2011/12	2012/13	2013/14
For visit to re-energise or de-energise a site							
501	Business hours – re-energise a site	per visit	\$52.00	\$54.00	\$56.00	\$57.00	\$59.00
502	After hours – re-energise a site	per visit	\$113.00	\$116.00	\$120.00	\$123.00	\$126.00
503	Business hours – de-energise a site	per visit	\$47.00	\$48.00	\$50.00	\$51.00	\$52.00
504	Meter test during business hours (deposit)	per test	\$65.00	\$67.00	\$69.00	\$71.00	\$73.00
505	De-energise a site for non-payment	per visit	\$87.00	\$90.00	\$93.00	\$95.00	\$98.00
506	Special meter reading, for example, check read (second in a billing period)	per read	\$34.00	\$35.00	\$36.00	\$37.00	\$38.00
507	Install interval meter at customer's request	per meter	\$162.00	\$168.00	\$173.00	\$177.00	\$182.00
508	Field visit only (De-energise a site for non-payment)	per visit	\$63.00	\$65.00	\$67.00	\$69.00	\$71.00
509	Replace meter for facilitate renewable energy generation	per meter	\$162.00	\$168.00	\$173.00	\$177.00	\$182.00
Temporary connections							
520	Overhead	per installation	\$374.00	\$385.00	\$397.00	\$407.00	\$419.00
521	Standard underground	per installation	\$543.00	\$559.00	\$577.00	\$592.00	\$609.00
522	Free-standing underground	per installation	\$658.00	\$678.00	\$700.00	\$718.00	\$738.00
Services							
530	Overhead: remove, reposition or disconnect service	per site visit	\$269.00	\$277.00	\$286.00	\$293.00	\$301.00
531	Underground: remove, reposition or disconnect service	per site visit	\$648.00	\$667.00	\$688.00	\$705.00	\$725.00

Code	Description	Unit	2009/10	2010/11	2011/12	2012/13	2013/14
Upgrade service from single to three phase at customer's request where load does not justify three phase							
532	Overhead	per installation	\$348.00	\$358.00	\$370.00	\$379.00	\$390.00
533	Underground – service cable replacement not required	per installation	\$348.00	\$358.00	\$370.00	\$379.00	\$390.00
534	Underground – service cable replacement required	per installation	\$648.00	\$667.00	\$688.00	\$705.00	\$725.00
540	Rescheduled visit (applied where a revisit to a site is necessitated by obstructed access, non-compliance with the Service and Installation Rules or the client is not ready for the scheduled work.)	per visit	\$179.00	\$184.00	\$190.00	\$195.00	\$201.00
550	Issue of copies of electrical drawings	per sheet or electronic equivalent	\$14.00	\$14.40	\$14.90	\$15.30	\$15.700
560	De-energising wires (to allow safe approach, for example, for tree pruning, plant operation, oversize loads, construction activities)	per occurrence	\$432.00	\$445.00	\$459.00	\$471.00	\$484.00
570	Embedded generation - operational and maintenance charges for small embedded generators (other than renewable <30KW)						
	for connection assets		2.0%	2.0%	2.0%	2.0%	2.0%
	for shared network assets (if applicable)		2.0%	2.0%	2.0%	2.0%	2.0%

4.3 Expected Metering Services Charges

Table 4-3 provides a list of expected charges for metering services to 2013/14. These charges apply to customers consuming less than 160 MWh per annum with a manually read meter. The prices for 2010/11 are the actual prices. The AER has determined that the revenue cap for these charges will rise with inflation over the remainder of the regulatory period. These prices rise by less than inflation because of the growth in customer numbers.

Table 4-3 Expected Metering Service Charges (excluding GST)

Code	Description	Unit	2009/10	2010/11	2011/12	2012/13	2013/14
MP1	Quarterly basic metering rate						
	Accumulation and time-of-use meters read quarterly	cents per day per NMI*	12.23	12.79	13.10	13.32	13.59
MP2	Monthly basic metering rate						
	Accumulation and time-of-use meters read monthly	cents per day per NMI	21.40	22.34	22.88	23.27	23.74
MP3	Time-of-use metering rate						
	Time-of-use meters read monthly	cents per day per NMI	21.40	22.34	22.88	23.27	23.74
MP4	Monthly manually-read interval metering rate						
	Interval meters recording at either 15 or 30 minute intervals, read manually and processed monthly	\$ per day per NMI	\$1.75	\$1.82	\$1.86	\$1.90	\$1.93
MP5	Internal metering rate						
	Sites entitled to the Internal Network charge	cents per day per NMI	7.50	22.34	22.88	23.27	23.74
MP6	Quarterly manually-read interval metering rate						
	Interval meters recording at either 15 or 30 minute intervals, read manually and processed quarterly	cents per day per NMI	48.00	52.50	52.81	53.03	53.30

*National metering identifier

