

# **ActewAGL Distribution 2012/13**

**Statement of Tariff  
Classes and Tariffs**



|                                                                             |           |
|-----------------------------------------------------------------------------|-----------|
| <b>List of tables</b>                                                       | <b>iv</b> |
| <b>Overview</b>                                                             | <b>v</b>  |
| <b>1 Introduction</b>                                                       | <b>1</b>  |
| 1.1 Purpose and scope of the document                                       | 1         |
| 1.2 Background                                                              | 1         |
| 1.3 Structure of this document                                              | 2         |
| <b>2 The structure and basis of ActewAGL Distribution's network tariffs</b> | <b>3</b>  |
| 2.1 Network tariff structure                                                | 3         |
| 2.2 ActewAGL Distribution's metering charges                                | 9         |
| <b>3 Network tariffs for 2012/13</b>                                        | <b>10</b> |
| 3.1 Network charges                                                         | 10        |
| 3.2 Changes to network tariffs                                              | 12        |
| 3.3 Miscellaneous services charges                                          | 14        |
| 3.4 Changes in metering charges                                             | 16        |
| <b>4 Expected pricing trends</b>                                            | <b>17</b> |
| 4.1 Expected distribution use-of-system charges                             | 17        |
| 4.2 Expected miscellaneous service charges                                  | 19        |
| 4.3 Expected metering services charges                                      | 20        |

## List of tables

|           |                                                                   |    |
|-----------|-------------------------------------------------------------------|----|
| Table 2.1 | Network tariff structure – residential .....                      | 4  |
| Table 2.2 | Network tariff structure - commercial low voltage.....            | 6  |
| Table 2.3 | Network tariff structure - high voltage.....                      | 8  |
| Table 3.1 | Network use of system charges 2012/13 .....                       | 10 |
| Table 3-2 | Comparison of Network Charges with GST .....                      | 12 |
| Table 3.3 | Miscellaneous services charges.....                               | 15 |
| Table 3-4 | Metering service charges .....                                    | 16 |
| Table 4-1 | Expected distribution use-of-system charges (excluding GST) ..... | 17 |
| Table 4-2 | Expected miscellaneous service charges (including GST) .....      | 19 |
| Table 4-3 | Expected metering service charges (excluding GST) .....           | 21 |

## Overview

- ActewAGL Distribution offers customers a range of network tariff options across three tariff classes—residential, commercial low voltage and high voltage. Customers are able to choose the tariff that best suits their needs, subject to some eligibility requirements as set out in this document.
- ActewAGL Distribution is allowing residential consumers with a meter with two registers, each capable of providing time-of-use consumption data, to have time-of-use charges applied separately to each register.
- As noted by the Australian Energy Regulator (AER) in the *Australian Capital Territory Distribution Determination 2009/10 to 2013/14: Final Decision*, over the course of the 2009-14 regulatory period, ActewAGL Distribution will significantly increase investment on its network.
- The proposed distribution use-of-system (DUOS) charges for 2012/13 are 0.43 cents per kWh, or 8.1 per cent higher on average than the charges for 2011/12.
- In addition, ActewAGL Distribution's network tariffs are influenced by significant increases in charges for transmission services. Transmission use-of-system (TUOS) charges are 0.16 cents per kWh, or 10.9 per cent higher on average than the charges for 2011/12.
- Charges for miscellaneous services for 2012/13 are around 3.4 per cent higher than the 2011/12 charges.
- Charges for metering services are subject to a separate regulatory cap. Most of the proposed metering charges for 2012/13 are the same as the charges for 2011/12.
- ActewAGL Distribution is reducing the charge applied when customers request an interval meter.
- ActewAGL Distribution estimates that the 2012/13 increases in network and metering charges will raise the electricity bill for an average residential customer<sup>1</sup> by \$0.91 per week (including GST).
- For an average commercial customer<sup>2</sup>, the network and metering price increases would raise their electricity bill by \$5.10 per week (including GST).

<sup>1</sup> For a customer on the residential basic network charge consuming 7,000 kWh per annum.

<sup>2</sup> For a customer on the general network charge consuming 30 MWh per annum.

# 1 Introduction

## 1.1 Purpose and scope of the document

ActewAGL Distribution has prepared this statement of tariff classes and tariffs in accordance with the requirements in Chapter 11 of the National Electricity Amendment Rules (the transitional Rules). The transitional Rules (clause 6.18.9) require ActewAGL to maintain on its website:

- a statement of ActewAGL's tariff classes<sup>3</sup> and tariffs that are applicable to each class;
- for each tariff within a tariff class, the charging parameters<sup>4</sup> and the elements of service to which they relate ; and
- a statement of expected price trends, giving an indication of how ActewAGL expects prices to change over the period to June 2014, and the reasons for those expected changes.

## 1.2 Background

The Australian Energy Regulator (the AER) is responsible for the economic regulation of distribution services provided by ActewAGL Distribution. The transitional Rules for the 2009-14 regulatory period require the AER to determine the maximum allowed average revenue (MAAR) for ActewAGL Distribution's standard control services and a revenue cap for alternative control (metering) services. The principles and requirements for translating the revenue requirements into schedules of prices are provided in Part I of the transitional Rules.

Following a detailed review process, commencing with ActewAGL Distribution's submission of its regulatory proposal in June 2008, the AER released the Australian Capital Territory Distribution Determination 2009/10 to 2013/14: Final Decision (the final decision) on 30 April 2009. The AER summarises the outcomes of the regulatory review as follows:

Over the course of the next regulatory control period, ActewAGL will significantly increase investment on its network, which will result in higher prices for electricity consumers in the ACT. Higher prices will be largely driven by significant investment in four major capital projects. These projects include construction of two new zone substations, which are the first to be built in the ACT since 1994, augmentation of a third substation and construction of new assets to improve the security of electricity supply to the ACT. In addition, ActewAGL has already undertaken significant capital works to reinforce and replace a large number of unsafe poles, and these costs will now flow through to consumers. While consumers within the ACT will face higher charges as a result of this investment, they will also benefit from a more reliable and secure network.<sup>5</sup>

<sup>3</sup> A *tariff class* is defined in Chapter 10 of the *Network Electricity Rules* as "a class of for one or more direct control services who are subject to a particular tariff or particular tariffs."

<sup>4</sup> Charging parameters are defined as "the constituent elements of a tariff" in chapter 10 of the *National Electricity Rules*.

<sup>5</sup> AER 2009, *Australian Capital Territory Distribution Determination 2009/10 to 2013/14: Final Decision*, April, p. viii

The AER also notes that, in addition to higher capital investment, increases in network charges are being driven by the introduction of the feed-in tariff scheme, which imposes costs on ActewAGL Distribution.<sup>6</sup>

In May 2012 the AER accepted ActewAGL Distribution's request to revoke the determination, in accordance with clause 6.13 of the transitional Rules, to correct an error in forecast superannuation payments. A copy of the AER decision is available on the AER website. As a result of the correction, the X factor for standard control services for 2012/13 and 2013/14 has changed from -4.00 per cent to -5.41 per cent.

### **1.3 Structure of this document**

ActewAGL Distribution's tariff structure for standard control services is set out in chapter 2. The chapter includes details on the components and rationale for each tariff.

ActewAGL Distribution's network tariffs for 2012/13 are presented in chapter 3. The chapter includes discussion of the changes relative to 2011/12.

ActewAGL Distribution's charges for miscellaneous services for 2012/13 are presented in chapter 3. The chapter includes discussion of the changes relative to 2011/12.

ActewAGL Distribution's charges for metering services for 2012/13 and the changes relative to 2011/12 are presented and explained in chapter 3.

The expected pricing trends over the remainder of the regulatory control period (to June 2014) are provided in chapter 4.

---

<sup>6</sup> AER 2009, *Australian Capital Territory Distribution Determination 2009/10 to 2013/14: Final Decision*, April, p. viii

## 2 The structure and basis of ActewAGL Distribution's network tariffs

### 2.1 Network tariff structure

ActewAGL Distribution's offers network tariffs in three tariff classes:

- Residential;
- Commercial low voltage (LV); and
- High voltage (HV).

Within each of these three tariff classes, ActewAGL Distribution has developed a suite of network tariffs that effectively meet the diverse needs of its customer base, encourage efficient use of the network and signal the costs of future network expansion. Residential customers are offered a choice of four network tariff options plus two controlled load off-peak options and an embedded renewable generation tariff option. Commercial LV customers are offered four main tariff options. Commercial customers on the general network charge also have access to the controlled load off-peak tariff options and the embedded renewable generation tariff option on a similar basis to customers in the residential class. Commercial HV customers are offered four tariff options. Customers are able to choose the option which best suits their needs, subject to the eligibility criteria set out in Tables 2.1 to 2.3 below.

The network tariffs comprise different combinations of the following *charging parameters*:

- Network access charges—these apply per customer for residential consumers and per connection point for commercial customers. They involve a fixed daily charge and do not vary with electricity consumption or capacity;
- Energy charges—these apply to each unit of electricity consumed. The c/kWh rate may vary with the level of consumption (with higher rates applying above certain thresholds) or with the time-of-use (with lower rates applying at off-peak periods);
- Maximum demand charges—these apply per connection point for some commercial tariffs. They involve a charge per unit of maximum demand (in c/kVA/day). The maximum demand is the highest demand calculated over a 30-minute interval during the billing period;
- Capacity charges—these apply on the same basis as maximum demand charges, but are for the maximum demand calculated over a 30-minute interval during the previous 12 months.

The tariffs and charging parameters for each tariff class are shown in the following tables (2.1 to 2.3). The tables include an explanation of the purpose of each tariff and the customers to which each tariff may apply.

### 2.1.1 Network tariffs for residential customers

ActewAGL Distribution's residential network tariff structure is shown in Table 2.1

**Error! Reference source not found..** The *Residential time-of-use (TOU)*, *Residential 5000* and *Residential with heat pump* tariffs are refinements of the *Residential basic* tariff to reflect customer load profiles. The *Residential TOU* tariff provides an opportunity and an incentive for customers with the necessary metering capability to respond to price signals at different times of the day, where reflected in the final price of their retailer, and manage their electricity bill in line with the costs they impose on the network. The *Residential 5000* and *Residential with heat pump* tariffs involve a higher connection charge and an inclining block structure with a higher energy charge (cents per kWh) applying above certain thresholds. These tariffs more accurately tailor costs to the load profile of these customers. The off-peak tariff options can be used in conjunction with the *Residential basic* and the *Residential TOU* network charges.

**Table 2.1 Network tariff structure – residential**

| Tariff                                             | Charging parameters                                                                                                                                                                                                                          | Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Residential basic network                          | Network access charge (c/day/customer)<br>Energy charge (c/kWh)                                                                                                                                                                              | <p>The residential basic network tariff is available to installations at private dwellings, excluding serviced apartments, but including:</p> <ul style="list-style-type: none"> <li>• Living quarters for members and staff of religious orders;</li> <li>• Living quarters on farms;</li> <li>• Charitable homes;</li> <li>• Retirement villages;</li> <li>• Residential sections of nursing homes and hospitals;</li> <li>• Churches, buildings or premises which are primarily used for public worship; and</li> <li>• Approved caravan sites.</li> </ul> <p>The energy charge varies neither with the level of consumption nor the time of day. However, customers on this tariff are also eligible for the off-peak tariffs.</p> |
| Residential time-of-use (TOU) network <sup>7</sup> | Network access charge (c/day/customer)<br>Energy at max times, ie 7am to 9am and 5pm to 8pm every day (c/kWh)<br>Energy at mid times, ie 9am to 5pm and 8pm to 10pm every day (c/kWh)<br>Energy at economy times, ie all other times (c/kWh) | <p>This tariff is available to residential customers (as defined above) with a meter able to be read as a time-of-use meter and to electric vehicle recharge facilities on residential premises.</p> <p>The energy charges relate to the supply of network services at various times. Higher rates apply at max or peak times to encourage users to shift their load to off-peak periods. Customers on this tariff are also eligible for the controlled load off-peak tariffs. Residential consumers with a meter with two registers capable of providing time-of-use consumption data from each register may have the time-of-use charges applied separately to each register.</p>                                                    |

<sup>7</sup> All times for metering are Eastern Standard Time.

| <b>Tariff</b>                      | <b>Charging parameters</b>                                                                                           | <b>Explanation</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Residential 5000 network           | Network access charge (c/day/customer)<br>Energy for the first 60 kWh/day (c/kWh)<br>Energy above 60 kWh/day (c/kWh) | This tariff is designed for residential customers who have large continuous (rather than time controlled) loads, such as electric hot water systems, and consume over 5,000 kWh per annum.<br>The energy charges relate to the supply of network services above and below certain volume thresholds. An inclining block structure applies (ie higher energy rates for the second block of energy).<br>The lower energy rate is limited to consumption up to 60 kWh per day, reflecting a typical domestic usage profile. This is sufficient to cover the energy requirements of many residential consumers.                                                                                                                                                                                                                     |
| Residential with heat pump         | Network access charge (c/day/customer)<br>Energy for the first 165 kWh/day (c/kWh)<br>Energy above 165 kWh (c/kWh)   | This tariff is only available to residential customers with a reverse cycle air conditioner. An inclining block structure applies (ie higher energy rates for the second block of energy).<br>The lower energy rate is set to recover the incremental cost of energy load on the network as a demand management tool to lower winter peak loads and improve utilisation of the network in summer and so improve overall network utilisation.                                                                                                                                                                                                                                                                                                                                                                                    |
| Off-peak (1) night network         | Energy at controlled times, ie between 10 pm and 7 am (c/kWh)                                                        | The off-peak (1) night charge is available only to customers utilising a controlled load element, and taking all other energy at residential basic network, residential time-off-use or general network rates. It is not available where the customer's meter is read as an interval meter. The off-peak (1) night charge is applicable to permanent heat (or cold) storage; electric vehicle recharge; and CNG vehicle gas compression installations. The design and rating must be acceptable to ActewAGL. The installation must use most energy during the controlled times but may be boosted at the principal charge, or charges, at other times.<br>The off-peak (1) night network energy charge relates to supply of network services at controlled times, for 6 to 8 hours per day between the hours of 10 pm and 7 am. |
| Off-peak (3) day and night network | Energy at controlled times, ie between 10 pm and 7 am and 9 am and 5 pm (c/kWh)                                      | Available only to customers utilising a controlled load element, and taking all other energy at residential basic network, residential time-off-use or general network rates. This charge is not available where the customer's meter is read as an interval meter. This charge is applicable to permanent heat (or cold) storage installations. The design and rating must be acceptable to ActewAGL.<br>The off-peak (3) day and night network energy rate applies to power supplied for up to 13 hours per day between 10 pm and 7 am and again between 9 am and 5 pm.                                                                                                                                                                                                                                                       |
| Renewable generation               | Energy charges (c/kWh)                                                                                               | This tariff applies to customers with grid connected solar or wind energy generation systems. Different arrangements apply to customers participating in the ACT feed-in tariff scheme, in accordance with the <i>Electricity Feed-in (Renewable Energy Premium) Act 2008</i> (ACT).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

### 2.1.2 Network tariffs for low voltage commercial customers

ActewAGL Distribution sets different tariffs for commercial low voltage (LV) and commercial high voltage (HV) customers recognising the different costs associated with supplying each group. Within the commercial LV tariff class a range of tariff options has been developed to

meet the diverse needs of commercial customers and to accommodate their differing load profiles and ability to respond to price signals. Of the four main options offered to commercial LV customers, all but the *General network* tariff involve time-of-use charges. The *General network* tariff does, however, involve an inclining block tariff structure with higher energy charges (c/kWh) applying above certain thresholds. Also, the off-peak (controlled load) tariffs are available to customers on the *General network* tariff.

Two of the commercial LV options involve capacity and/or maximum demand charges, in conjunction with time-of-use charges. Customers able to improve their load factor<sup>8</sup> have an incentive to choose a tariff with a demand or capacity charge, and reduce their energy bills. Customers on the *General network* and *General time-of-use network* charges can move to the demand charges and lower their network costs if they have a sufficiently large load (for the cost savings to offset the higher cost of interval metering) and a reasonable load profile.

**Table 2.2 Network tariff structure - commercial low voltage**

| <i>Tariff</i>             | <i>Charging parameters</i>                                                                                                                                                                                    | <i>Explanation</i>                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General network           | Network access charge (c/day/customer)<br>Energy for the first 330 kWh/day (c/kWh)<br>Energy above 330 kWh/day (c/kWh)                                                                                        | This tariff is available to all customers.<br>The tariff is most suitable for small commercial consumers operating in regular business hours or larger customers with poorer load factors (peaky loads).<br>This tariff may be used in conjunction with the off-peak tariffs.                                                                                                                                                                             |
| General TOU network       | Network access charge (c/day/customer)<br>Energy at business times* (c/kWh)<br>Energy at evening times (c/kWh)<br>Energy at off-peak times (c/kWh)                                                            | This tariff is particularly suitable for small commercial customers with discretionary or relatively large off-peak loads such as bakers, freezer installations and irrigators.<br>The energy charges relate to supply of network services at different times.                                                                                                                                                                                            |
| LV TOU kVA demand network | Network access charge (c/day/connection point).<br>Maximum demand (in billing period) (c/kVA/day)<br>Energy at business times* (c/kWh)<br>Energy at evening times (c/kWh)<br>Energy at off-peak times (c/kWh) | This tariff is appropriate for customers with an average or stable commercial load.<br>The maximum demand charge is designed to encourage consumers to manage their demand upon the network.<br>The energy charges relate to supply of energy at different times, with lower rates in off-peak times reflecting the availability of capacity and encouraging consumers to shift their load from peak to off-peak times to utilise the available capacity. |

<sup>8</sup> The load factor is the actual energy consumed relative to the energy the customer would have consumed if it had consumed at its maximum rate of consumption for the full period.

| <b>Tariff</b>           | <b>Charging parameters</b>                                                                                                                                                                                                                                     | <b>Explanation</b>                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LV TOU capacity network | Network access charge (c/day/connection point)<br>Maximum demand (in billing period) (c/kVA/day)<br>Capacity (max demand in last year) (c/kVA/day)<br>Energy at business times* (c/kWh)<br>Energy at evening times (c/kWh)<br>Energy at off-peak times (c/kWh) | This tariff is prescribed for low voltage customers with embedded generation. It is open to all low voltage consumers and intended to reward those customers with seasonally stable loads. The tariff provides an incentive for customers with embedded generation to manage their output and their down-times (eg for servicing) so as to minimise their demand on the network. |
| Streetlighting          | Network access charge (c/day/customer)<br>Energy at any time (c/kWh)                                                                                                                                                                                           | This tariff applies to the night-time lighting of streets and public ways and places.                                                                                                                                                                                                                                                                                            |
| Small unmetered loads   | Network access charge (c/day/customer)<br>Energy at any time (c/kWh)                                                                                                                                                                                           | This tariff applies to eligible installations as determined by ActewAGL, including: <ul style="list-style-type: none"> <li>• telephone boxes</li> <li>• telecommunication devices</li> <li>• other, as determined by the National Metrology Coordinator.</li> </ul> Energy charges are calculated based on the assessed rating of the load and the charge period.                |
| Internal (Obsolete)     | Network access charge (c/day/customer)<br>Energy at any time (c/kWh)                                                                                                                                                                                           | This tariff applies only to ActewAGL Distribution sites and fully recovers the economic costs of supply. The energy charge is set at the rate of the first step in the general network tariff.                                                                                                                                                                                   |

\* Business times are between 7 am and 5 pm Eastern Standard Time on weekdays. Evening times are between 5 pm and 10 am Eastern Standard Time on weekdays. Off-peak times are all other times.

### 2.1.3 Network tariffs for high voltage customers

ActewAGL Distribution's high voltage network tariff structure is shown in Table 2.3. To qualify for the high voltage demand network charges, consumers must take their energy at high voltage (nominal voltage not less than 11 kV) and make a capital contribution towards their connection assets and transformers. High voltage consumers have the option of owning and operating their own high voltage assets. Some customers have aggregated their load, incorporating part of ActewAGL Distribution's low voltage network to become a high voltage customer. A separate high voltage network charge is available for such customers.

Customers taking their energy at high voltage also have the option of selecting the network tariffs available to low voltage consumers. For example, a high voltage customer with a poor load factor could select the *General* or the *General time-of-use* network charge.

**Table 2.3 Network tariff structure - high voltage**

| <i>Tariff (code)</i>                             | <i>Charging parameters</i>                                                                                                                                                                                                                                                            | <i>Explanation</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HV TOU Demand Network (111)                      | <p>Network access charge (c/day/connection point)</p> <p>Max demand (in billing period) (c/kVA/day)</p> <p>Capacity (max demand in past year) (c/kVA/day)</p> <p>Energy at business times* (c/kWh)</p> <p>Energy at evening times (c/kWh)</p> <p>Energy at off-peak times (c/kWh)</p> | <p>This tariff is appropriate for large customers taking supply at high voltage with a low voltage network owned and maintained by ActewAGL.</p> <p>The energy charges relate to supply of network services at different times, with lower rates in off-peak times encouraging customers to increase their utilisation of the network in off-peak periods.</p> <p>The demand charge is applied to the maximum demand in the billing period while the capacity charge is applied to the maximum demand in the previous 12 months. The capacity charge encourages consumers to monitor and manage their peak demand over the year while the demand charge continues to encourage consumers to manage their demand requirements each month.</p>                                                                                                                                       |
| HV TOU Demand Network – Customer HV (112)        | <p>Network access charge (c/day/connection point)</p> <p>Max demand (in billing period) (c/kVA/day)</p> <p>Capacity (max demand in past year) (c/kVA/day)</p> <p>Energy at business times* (c/kWh)</p> <p>Energy at evening times (c/kWh)</p> <p>Energy at off-peak times (c/kWh)</p> | <p>This tariff is appropriate for large customers taking supply at high voltage with a low voltage network owned and maintained by ActewAGL, where the customer owns and is responsible for their high voltage assets (including transformers and switch gear).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| HV TOU Demand Network – Customer LV (121)        | <p>Network access charge (c/day/connection point)</p> <p>Max demand (in billing period) (c/kVA/day)</p> <p>Capacity (max demand in past year) (c/kVA/day)</p> <p>Energy at business times* (c/kWh)</p> <p>Energy at evening times (c/kWh)</p> <p>Energy at off-peak times (c/kWh)</p> | <p>This network charge is appropriate for large customers taking supply at high voltage where the customer owns and is fully responsible for their own low voltage network.</p> <p>The network access charge relates to the connection services provided to the customer including provision of the current transformer necessary to meter these large loads.</p> <p>The capacity charge encourages the consumer to monitor and manage their peak demand over the year while the demand charge continues to encourage consumers to manage their capacity requirements each month.</p> <p>The energy charges relate to supply of network services at different times, with lower rates in off-peak times reflecting the relatively low costs of off-peak supply, and thereby providing incentives for customers to switch their utilisation of the network to off-peak periods.</p> |
| HV TOU Demand Network – Customer HV and LV (122) | <p>Network access charge (c/day/connection point)</p> <p>Max demand (in billing period) (c/kVA/day)</p> <p>Capacity (max demand in past year) (c/kVA/day)</p> <p>Energy at business times* (c/kWh)</p> <p>Energy at evening times (c/kWh)</p> <p>Energy at off-peak times (c/kWh)</p> | <p>This network charge is appropriate for large customers taking supply at high voltage where the customer owns and is fully responsible for their own low voltage network and where the customer owns and is responsible for their high voltage assets (including transformers and switch gear).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

\* Business times are between 7 am and 5 pm Eastern Standard Time on weekdays. Evening times are between 5 pm and 10 am Eastern Standard Time on weekdays. Off-peak times are all other times.

#### **2.1.4 Miscellaneous charges and fees**

In addition to the network tariffs set out above, ActewAGL Distribution offers a range of miscellaneous services with charges for each service. These services are part of ActewAGL Distribution's standard control services. Some services are charged on a per visit basis, others per installation or per test. The charges for miscellaneous services are set on a cost reflective basis. For example, separate rates apply for temporary connections depending on whether they relate to an overhead, standard underground or free-standing underground connection, as these will involve different costs.

ActewAGL Distribution also provides some miscellaneous services as part of its alternative control (metering) services. These include meter tests, installation of interval meters at a customer's request, and special meter reads.

## **2.2 ActewAGL Distribution's metering charges**

ActewAGL Distribution's schedule of metering charges comprises daily charges for the provision of each of five different types of metering services and charges for special meter reads.

## 3 Network tariffs for 2012/13

### 3.1 Network charges

ActewAGL's network charges are made up of distribution charges and transmission charges. The distribution charges recover the cost of ActewAGL's electricity distribution service within the ACT. The transmission charges recover TransGrid's charges to ActewAGL for the delivery of energy to the ACT. The AER regulates both ActewAGL's distribution charges and TransGrid's transmission charges.

ActewAGL Distribution is required to provide tariffs designed to pass on to customers the charges it will incur for transmission services. The amount passed on to customers is not to exceed the estimated amount of transmission charges for each year adjusted for over or under recovery in the previous regulatory year.

Table 3-1 shows the distribution, transmission and network charges for 2011/12, excluding GST.

**Table 3.1 Network use of system charges 2012/13**

| Code                       | Description                                      | Pricing Unit | Distribution Charges 2012/13 | Transmission Charges 2012/13 | Network Charges 2012/13 |
|----------------------------|--------------------------------------------------|--------------|------------------------------|------------------------------|-------------------------|
| <b>Residential tariffs</b> |                                                  |              |                              |                              |                         |
| <b>010</b>                 | <b>Residential Basic Network</b>                 |              |                              |                              |                         |
|                            | Network access charge                            | cents/day    | 16.45                        | 0.00                         | 16.45                   |
|                            | Energy consumption                               | cents/kWh    | 5.207                        | 1.653                        | 6.860                   |
| <b>015</b>                 | <b>Residential TOU Network</b>                   |              |                              |                              |                         |
|                            | Network access charge                            | cents/day    | 16.45                        | 0.00                         | 16.45                   |
|                            | Energy consumption at max times                  | cents/kWh    | 9.360                        | 0.190                        | 9.550                   |
|                            | Energy consumption at mid times                  | cents/kWh    | 5.366                        | 0.154                        | 5.520                   |
|                            | Energy consumption at economy times              | cents/kWh    | 3.960                        | 0.130                        | 4.090                   |
| <b>020</b>                 | <b>Residential 5000 Network</b>                  |              |                              |                              |                         |
|                            | Network access charge                            | cents/day    | 37.65                        | 0.00                         | 37.65                   |
|                            | Energy consumption for the first 60 kWh per day  | cents/kWh    | 3.646                        | 1.674                        | 5.320                   |
|                            | Energy consumption above 60 kWh per day          | cents/kWh    | 5.207                        | 1.653                        | 6.860                   |
| <b>030</b>                 | <b>Residential with Heat Pump Network</b>        |              |                              |                              |                         |
|                            | Network access charge                            | cents/day    | 80.35                        | 0.00                         | 80.35                   |
|                            | Energy consumption for the first 165 kWh per day | cents/kWh    | 2.203                        | 1.657                        | 3.860                   |
|                            | Energy consumption above 165 kWh per day         | cents/kWh    | 5.207                        | 1.653                        | 6.860                   |
| <b>060</b>                 | <b>Off-Peak (1) Night Network</b>                |              |                              |                              |                         |
|                            | Energy consumption                               | cents/kWh    | 0.078                        | 1.462                        | 1.540                   |
| <b>070</b>                 | <b>Off-Peak (3) Day &amp; Night Network</b>      |              |                              |                              |                         |
|                            | Energy consumption                               | cents/kWh    | 0.206                        | 1.854                        | 2.060                   |
|                            | Renewable Energy Generation                      |              |                              |                              |                         |
|                            | Energy consumption                               | cents/kWh    | 0.000                        | 0.000                        | 0.000                   |

| Code                                                                             | Description                                      | Pricing Unit | Distribution Charges<br>2012/13 | Transmission Charges<br>2012/13 | Network Charges<br>2012/13 |
|----------------------------------------------------------------------------------|--------------------------------------------------|--------------|---------------------------------|---------------------------------|----------------------------|
| <b>Commercial low voltage tariffs</b>                                            |                                                  |              |                                 |                                 |                            |
| <b>040</b>                                                                       | <b>General Network</b>                           |              |                                 |                                 |                            |
|                                                                                  | Network access charge                            | cents/day    | 32.71                           | 0.00                            | 32.71                      |
|                                                                                  | Energy consumption for the first 330 kWh per day | cents/kWh    | 8.312                           | 2.108                           | 10.420                     |
|                                                                                  | Energy consumption above 330 kWh per day         | cents/kWh    | 11.432                          | 2.288                           | 13.720                     |
| <b>135</b>                                                                       | <b>Small Unmetered Loads Network</b>             |              |                                 |                                 |                            |
|                                                                                  | Network access charge                            | cents/day    | 26.80                           | 0.00                            | 26.80                      |
|                                                                                  | Energy consumption                               | cents/kWh    | 10.546                          | 1.574                           | 12.120                     |
| <b>141</b>                                                                       | <b>Internal Network (Obsolete)</b>               |              |                                 |                                 |                            |
|                                                                                  | Network access charge                            | cents/day    | 32.71                           | 0.00                            | 32.71                      |
|                                                                                  | Energy consumption                               | cents/kWh    | 8.312                           | 2.108                           | 10.420                     |
| <b>080</b>                                                                       | <b>Streetlighting Network</b>                    |              |                                 |                                 |                            |
|                                                                                  | Network access charge                            | cents/day    | 33.00                           | 0.00                            | 33.00                      |
|                                                                                  | Energy consumption                               | cents/kWh    | 5.607                           | 1.403                           | 7.010                      |
| <b>090</b>                                                                       | <b>General TOU Network</b>                       |              |                                 |                                 |                            |
|                                                                                  | Network access charge                            | cents/day    | 32.71                           | 0.00                            | 32.71                      |
|                                                                                  | Energy consumption at business times             | cents/kWh    | 16.336                          | 0.224                           | 16.560                     |
|                                                                                  | Energy consumption at evening times              | cents/kWh    | 8.286                           | 0.154                           | 8.440                      |
|                                                                                  | Energy consumption at off-peak times             | cents/kWh    | 3.547                           | 0.113                           | 3.660                      |
| <b>Low voltage time of use demand network</b>                                    |                                                  |              |                                 |                                 |                            |
| <b>101</b>                                                                       | <b>LV TOU kVA Demand Network</b>                 |              |                                 |                                 |                            |
|                                                                                  | Network access charge per connection point       | cents/day    | 39.00                           | 0.00                            | 39.00                      |
|                                                                                  | Maximum demand charge                            | c/kVA/day    | 37.496                          | 5.304                           | 42.800                     |
|                                                                                  | Energy consumption at business times             | cents/kWh    | 4.238                           | 1.222                           | 5.460                      |
|                                                                                  | Energy consumption at evening times              | cents/kWh    | 2.527                           | 1.173                           | 3.700                      |
|                                                                                  | Energy consumption at off-peak times             | cents/kWh    | 0.956                           | 0.964                           | 1.920                      |
| <b>103</b>                                                                       | <b>LV TOU Capacity Network</b>                   |              |                                 |                                 |                            |
|                                                                                  | Network access charge per connection point       | cents/day    | 39.00                           | 0.00                            | 39.00                      |
|                                                                                  | Maximum demand charge                            | c/kVA/day    | 17.387                          | 2.313                           | 19.700                     |
|                                                                                  | Capacity charge                                  | c/kVA/day    | 17.387                          | 2.313                           | 19.700                     |
|                                                                                  | Energy consumption at business times             | cents/kWh    | 4.309                           | 1.151                           | 5.460                      |
|                                                                                  | Energy consumption at evening times              | cents/kWh    | 2.553                           | 1.147                           | 3.700                      |
|                                                                                  | Energy consumption at off-peak times             | cents/kWh    | 0.980                           | 0.940                           | 1.920                      |
| <b>High voltage tariffs</b>                                                      |                                                  |              |                                 |                                 |                            |
| <b>High voltage time of use demand network with ActewAGL low voltage network</b> |                                                  |              |                                 |                                 |                            |
| <b>111</b>                                                                       | <b>HV TOU Demand Network</b>                     |              |                                 |                                 |                            |
|                                                                                  | Network access charge per connection point       | \$/day       | 14.00                           | 0.00                            | 14.00                      |
|                                                                                  | Maximum demand charge                            | c/kVA/day    | 14.383                          | 2.417                           | 16.800                     |
|                                                                                  | Capacity charge                                  | c/kVA/day    | 14.383                          | 2.417                           | 16.800                     |
|                                                                                  | Energy consumption at business times             | cents/kWh    | 3.375                           | 1.165                           | 4.540                      |
|                                                                                  | Energy consumption at evening times              | cents/kWh    | 1.909                           | 1.111                           | 3.020                      |
|                                                                                  | Energy consumption at off-peak times             | cents/kWh    | 0.727                           | 0.903                           | 1.630                      |
| <b>112</b>                                                                       | <b>HV TOU Demand Network – Customer HV</b>       |              |                                 |                                 |                            |
|                                                                                  | Network access charge per connection point       | \$/day       | 14.00                           | 0.00                            | 14.00                      |
|                                                                                  | Maximum demand charge                            | c/kVA/day    | 13.383                          | 2.417                           | 15.800                     |
|                                                                                  | Capacity charge                                  | c/kVA/day    | 13.383                          | 2.417                           | 15.800                     |
|                                                                                  | Energy consumption at business times             | cents/kWh    | 3.375                           | 1.165                           | 4.540                      |
|                                                                                  | Energy consumption at evening times              | cents/kWh    | 1.909                           | 1.111                           | 3.020                      |
|                                                                                  | Energy consumption at off-peak times             | cents/kWh    | 0.727                           | 0.903                           | 1.630                      |

| Code                                                                                | Description                                       | Pricing Unit | Distribution Charges<br>2012/13 | Transmission Charges<br>2012/13 | Network Charges<br>2012/13 |
|-------------------------------------------------------------------------------------|---------------------------------------------------|--------------|---------------------------------|---------------------------------|----------------------------|
| <b>High voltage time of use demand network without ActewAGL low voltage network</b> |                                                   |              |                                 |                                 |                            |
| <b>121</b>                                                                          | <b>HV TOU Demand Network – Customer LV</b>        |              |                                 |                                 |                            |
|                                                                                     | Network access charge per connection point        | \$/day       | 14.00                           | 0.00                            | 14.00                      |
|                                                                                     | Maximum demand charge                             | c/kVA/day    | 14.383                          | 2.417                           | 16.800                     |
|                                                                                     | Capacity charge                                   | c/kVA/day    | 14.383                          | 2.417                           | 16.800                     |
|                                                                                     | Energy consumption at business times              | cents/kWh    | 2.975                           | 1.165                           | 4.140                      |
|                                                                                     | Energy consumption at evening times               | cents/kWh    | 1.559                           | 1.111                           | 2.670                      |
|                                                                                     | Energy consumption at off-peak times              | cents/kWh    | 0.587                           | 0.903                           | 1.490                      |
| <b>122</b>                                                                          | <b>HV TOU Demand Network – Customer HV and LV</b> |              |                                 |                                 |                            |
|                                                                                     | Network access charge per connection point        | \$/day       | 14.00                           | 0.00                            | 14.00                      |
|                                                                                     | Maximum demand charge                             | c/kVA/day    | 13.383                          | 2.417                           | 15.800                     |
|                                                                                     | Capacity charge                                   | c/kVA/day    | 13.383                          | 2.417                           | 15.800                     |
|                                                                                     | Energy consumption at business times              | cents/kWh    | 2.975                           | 1.165                           | 4.140                      |
|                                                                                     | Energy consumption at evening times               | cents/kWh    | 1.559                           | 1.111                           | 2.670                      |
|                                                                                     | Energy consumption at off-peak times              | cents/kWh    | 0.587                           | 0.903                           | 1.490                      |

### 3.2 Changes to network tariffs

Table 3.2 compares the network charges in 2012/13 with and without GST. Also, it compares network charges in 2012/13 with those in 2011/12. On average, tariffs have increased about 0.65 c/kWh including GST. This represents an average increase of about 8.7%. About 73 per cent of the increase is attributable to distribution price increases and the remainder to transmission price increases.

**Table 3-2 Comparison of Network Charges with GST**

| Code                       | Description                                     | Unit      | Network Charges<br>incl.<br>GST<br>2011/12 | Network Charges<br>excl.<br>GST<br>2012/13 | Network Charges<br>incl.<br>GST<br>2012/13 |
|----------------------------|-------------------------------------------------|-----------|--------------------------------------------|--------------------------------------------|--------------------------------------------|
| <b>RESIDENTIAL TARIFFS</b> |                                                 |           |                                            |                                            |                                            |
| <b>010</b>                 | <b>Residential Basic Network</b>                |           |                                            |                                            |                                            |
|                            | Network access charge                           | cents/day | 16.775                                     | 16.45                                      | 18.095                                     |
|                            | Energy consumption                              | cents/kWh | 6.941                                      | 6.86                                       | 7.546                                      |
| <b>015</b>                 | <b>Residential TOU Network</b>                  |           |                                            |                                            |                                            |
|                            | Network access charge                           | cents/day | 16.775                                     | 16.45                                      | 18.095                                     |
|                            | Energy consumption at max times                 | cents/kWh | 10.098                                     | 9.55                                       | 10.505                                     |
|                            | Energy consumption at mid times                 | cents/kWh | 5.577                                      | 5.52                                       | 6.072                                      |
|                            | Energy consumption at economy times             | cents/kWh | 4.114                                      | 4.09                                       | 4.499                                      |
| <b>020</b>                 | <b>Residential 5000 Network</b>                 |           |                                            |                                            |                                            |
|                            | Network access charge                           | cents/day | 40.425                                     | 37.65                                      | 41.415                                     |
|                            | Energy consumption for the first 60 kWh per day | cents/kWh | 5.203                                      | 5.32                                       | 5.852                                      |
|                            | Energy consumption above 60 kWh per day         | cents/kWh | 6.941                                      | 6.86                                       | 7.546                                      |

| Code                                          | Description                                      | Unit      | Network Charges incl. GST 2011/12 | Network Charges excl. GST 2012/13 | Network Charges incl. GST 2012/13 |
|-----------------------------------------------|--------------------------------------------------|-----------|-----------------------------------|-----------------------------------|-----------------------------------|
| <b>030</b>                                    | <b>Residential with Heat Pump Network</b>        |           |                                   |                                   |                                   |
|                                               | Network access charge                            | cents/day | 87.945                            | 80.35                             | 88.385                            |
|                                               | Energy consumption for the first 165 kWh per day | cents/kWh | 3.564                             | 3.86                              | 4.246                             |
|                                               | Energy consumption above 165 kWh per day         | cents/kWh | 6.941                             | 6.86                              | 7.546                             |
| <b>060</b>                                    | <b>Off-Peak (1) Night Network</b>                |           |                                   |                                   |                                   |
|                                               | Energy consumption                               | cents/kWh | 1.496                             | 1.54                              | 1.694                             |
| <b>070</b>                                    | <b>Off-Peak (3) Day &amp; Night Network</b>      |           |                                   |                                   |                                   |
|                                               | Energy consumption                               | cents/kWh | 2.024                             | 2.06                              | 2.266                             |
|                                               | <b>Renewable Energy Generation</b>               |           |                                   |                                   |                                   |
|                                               | Energy consumption                               | cents/kWh | 0.00                              | 0.00                              | 0.000                             |
| <b>COMMERCIAL LOW VOLTAGE TARIFFS</b>         |                                                  |           |                                   |                                   |                                   |
| <b>040</b>                                    | <b>General Network</b>                           |           |                                   |                                   |                                   |
|                                               | Network access charge                            | cents/day | 33.781                            | 32.71                             | 35.981                            |
|                                               | Energy consumption for the first 330 kWh per day | cents/kWh | 10.604                            | 10.42                             | 11.462                            |
|                                               | Energy consumption above 330 kWh per day         | cents/kWh | 13.948                            | 13.72                             | 15.092                            |
| <b>135</b>                                    | <b>Small Unmetered Loads Network</b>             |           |                                   |                                   |                                   |
|                                               | Network access charge                            | cents/day | 27.28                             | 26.80                             | 29.48                             |
|                                               | Energy consumption                               | cents/kWh | 11.968                            | 12.12                             | 13.332                            |
| <b>141</b>                                    | <b>Internal Network (Obsolete)</b>               |           |                                   |                                   |                                   |
|                                               | Network access charge                            | cents/day | 33.781                            | 32.71                             | 35.981                            |
|                                               | Energy consumption                               | cents/kWh | 10.604                            | 10.42                             | 11.462                            |
| <b>080</b>                                    | <b>Streetlighting Network</b>                    |           |                                   |                                   |                                   |
|                                               | Network access charge                            | cents/day | 33.00                             | 33.00                             | 36.300                            |
|                                               | Energy consumption                               | cents/kWh | 7.084                             | 7.01                              | 7.711                             |
| <b>090</b>                                    | <b>General TOU Network</b>                       |           |                                   |                                   |                                   |
|                                               | Network access charge                            | cents/day | 33.781                            | 32.71                             | 35.981                            |
|                                               | Energy consumption at business times             | cents/kWh | 16.819                            | 16.56                             | 18.216                            |
|                                               | Energy consumption at evening times              | cents/kWh | 8.525                             | 8.44                              | 9.284                             |
|                                               | Energy consumption at off-peak times             | cents/kWh | 3.663                             | 3.66                              | 4.026                             |
| <b>Low voltage time of use demand network</b> |                                                  |           |                                   |                                   |                                   |
| <b>101</b>                                    | <b>LV TOU kVA Demand Network</b>                 |           |                                   |                                   |                                   |
|                                               | Network access charge per connection point       | cents/day | 39.60                             | 39.00                             | 42.900                            |
|                                               | Maximum demand charge                            | c/kVA/day | 44.44                             | 42.80                             | 47.080                            |
|                                               | Energy consumption at business times             | cents/kWh | 5.280                             | 5.46                              | 6.006                             |
|                                               | Energy consumption at evening times              | cents/kWh | 3.619                             | 3.70                              | 4.070                             |
|                                               | Energy consumption at off-peak times             | cents/kWh | 1.859                             | 1.92                              | 2.112                             |
| <b>103</b>                                    | <b>LV TOU Capacity Network</b>                   |           |                                   |                                   |                                   |
|                                               | Network access charge per connection point       | cents/day | 39.60                             | 39.00                             | 42.900                            |
|                                               | Maximum demand charge                            | c/kVA/day | 20.46                             | 19.70                             | 21.670                            |
|                                               | Capacity charge                                  | c/kVA/day | 20.46                             | 19.70                             | 21.670                            |
|                                               | Energy consumption at business times             | cents/kWh | 5.280                             | 5.46                              | 6.006                             |
|                                               | Energy consumption at evening times              | cents/kWh | 3.619                             | 3.70                              | 4.070                             |
|                                               | Energy consumption at off-peak times             | cents/kWh | 1.859                             | 1.92                              | 2.112                             |

| Code                                                                                | Description                                       | Unit      | Network Charges incl. GST 2011/12 | Network Charges excl. GST 2012/13 | Network Charges incl. GST 2012/13 |
|-------------------------------------------------------------------------------------|---------------------------------------------------|-----------|-----------------------------------|-----------------------------------|-----------------------------------|
| <b>HIGH VOLTAGE TARIFFS</b>                                                         |                                                   |           |                                   |                                   |                                   |
| <b>High voltage time of use demand network with ActewAGL low voltage network</b>    |                                                   |           |                                   |                                   |                                   |
| <b>111</b>                                                                          | <b>HV TOU Demand Network</b>                      |           |                                   |                                   |                                   |
|                                                                                     | Network access charge per connection point        | \$/day    | 14.30                             | 14.00                             | 15.400                            |
|                                                                                     | Maximum demand charge                             | c/kVA/day | 18.15                             | 16.80                             | 18.480                            |
|                                                                                     | Capacity charge                                   | c/kVA/day | 18.15                             | 16.80                             | 18.480                            |
|                                                                                     | Energy consumption at business times              | cents/kWh | 4.576                             | 4.54                              | 4.994                             |
|                                                                                     | Energy consumption at evening times               | cents/kWh | 3.102                             | 3.02                              | 3.322                             |
|                                                                                     | Energy consumption at off-peak times              | cents/kWh | 1.639                             | 1.63                              | 1.793                             |
| <b>112</b>                                                                          | <b>HV TOU Demand Network – Customer HV</b>        |           |                                   |                                   |                                   |
|                                                                                     | Network access charge per connection point        | \$/day    | 14.30                             | 14.00                             | 15.400                            |
|                                                                                     | Maximum demand charge                             | c/kVA/day | 17.05                             | 15.80                             | 17.380                            |
|                                                                                     | Capacity charge                                   | c/kVA/day | 17.05                             | 15.80                             | 17.380                            |
|                                                                                     | Energy consumption at business times              | cents/kWh | 4.576                             | 4.54                              | 4.994                             |
|                                                                                     | Energy consumption at evening times               | cents/kWh | 3.102                             | 3.02                              | 3.322                             |
|                                                                                     | Energy consumption at off-peak times              | cents/kWh | 1.639                             | 1.63                              | 1.793                             |
| <b>High voltage time of use demand network without ActewAGL low voltage network</b> |                                                   |           |                                   |                                   |                                   |
| <b>121</b>                                                                          | <b>HV TOU Demand Network – Customer LV</b>        |           |                                   |                                   |                                   |
|                                                                                     | Network access charge per connection point        | \$/day    | 14.30                             | 14.00                             | 15.400                            |
|                                                                                     | Maximum demand charge                             | c/kVA/day | 18.15                             | 16.80                             | 18.480                            |
|                                                                                     | Capacity charge                                   | c/kVA/day | 18.15                             | 16.80                             | 18.480                            |
|                                                                                     | Energy consumption at business times              | cents/kWh | 4.125                             | 4.14                              | 4.554                             |
|                                                                                     | Energy consumption at evening times               | cents/kWh | 2.706                             | 2.67                              | 2.937                             |
|                                                                                     | Energy consumption at off-peak times              | cents/kWh | 1.474                             | 1.49                              | 1.639                             |
| <b>122</b>                                                                          | <b>HV TOU Demand Network – Customer HV and LV</b> |           |                                   |                                   |                                   |
|                                                                                     | Network access charge per connection point        | \$/day    | 14.30                             | 14.00                             | 15.400                            |
|                                                                                     | Maximum demand charge                             | c/kVA/day | 17.05                             | 15.80                             | 17.380                            |
|                                                                                     | Capacity charge                                   | c/kVA/day | 17.05                             | 15.80                             | 17.380                            |
|                                                                                     | Energy consumption at business times              | cents/kWh | 4.125                             | 4.14                              | 4.554                             |
|                                                                                     | Energy consumption at evening times               | cents/kWh | 2.706                             | 2.67                              | 2.937                             |
|                                                                                     | Energy consumption at off-peak times              | cents/kWh | 1.474                             | 1.49                              | 1.639                             |

### 3.3 Miscellaneous services charges

Table 3.3 presents ActewAGL Distribution's charges for miscellaneous services for 2012/13 excluding and including GST. Also shown are the charges for miscellaneous services for 2011/12, including GST.

**Table 3.3 Miscellaneous services charges**

| Code                                                                                                            | Description                                                                                                                                                                                                  | Unit                               | Prices incl. GST<br>2011/12 | Prices excl. GST<br>2012/13 | Prices incl. GST<br>2012/13 |
|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-----------------------------|-----------------------------|-----------------------------|
| <b>For visit to re-energise or de-energise a site</b>                                                           |                                                                                                                                                                                                              |                                    |                             |                             |                             |
| 501                                                                                                             | Business hours – re-energise a site                                                                                                                                                                          | per visit                          | \$56.00                     | \$52.73                     | \$58.00                     |
| 502                                                                                                             | After hours – re-energise a site                                                                                                                                                                             | per visit                          | \$120.00                    | \$112.73                    | \$124.00                    |
| 503                                                                                                             | Business hours – de-energise a site                                                                                                                                                                          | per visit                          | \$49.00                     | \$46.36                     | \$51.00                     |
| 504                                                                                                             | <b>Meter test</b> during business hours (refunded if the meter proves to be faulty)                                                                                                                          | per visit                          | \$68.00                     | \$65.45                     | \$72.00                     |
| 505                                                                                                             | De-energise a site for non-payment                                                                                                                                                                           | per visit                          | \$93.00                     | \$87.27                     | \$96.00                     |
| 506                                                                                                             | <b>Special meter reading</b> , or check read deposit (refunded if the original reading was incorrect).                                                                                                       | per visit                          | \$35.00                     | \$33.64                     | \$37.00                     |
| 507                                                                                                             | Install interval meter at customers request                                                                                                                                                                  | per visit                          | \$169.00                    | \$63.00                     | \$69.30                     |
| 508                                                                                                             | Field visit only (De-energise a site for non-payment)                                                                                                                                                        | per visit                          | \$67.00                     | \$62.73                     | \$69.00                     |
| 509                                                                                                             | Replace or install a meter to facilitate renewable energy installation                                                                                                                                       | per visit                          | \$169.00                    | \$63.00                     | \$69.30                     |
| <b>Temporary connections</b>                                                                                    |                                                                                                                                                                                                              |                                    |                             |                             |                             |
| 520                                                                                                             | Overhead                                                                                                                                                                                                     | per installation                   | \$397.00                    | \$372.73                    | \$410.00                    |
| 521                                                                                                             | Standard underground                                                                                                                                                                                         | per installation                   | \$576.00                    | \$541.82                    | \$596.00                    |
| 522                                                                                                             | Free-standing underground                                                                                                                                                                                    | per installation                   | \$699.00                    | \$657.27                    | \$723.00                    |
| <b>Services</b>                                                                                                 |                                                                                                                                                                                                              |                                    |                             |                             |                             |
| 530                                                                                                             | Overhead: remove, reposition or disconnect service                                                                                                                                                           | per site visit                     | \$286.00                    | \$269.09                    | \$296.00                    |
| 531                                                                                                             | Underground: remove, reposition or disconnect service                                                                                                                                                        | per site visit                     | \$688.00                    | \$646.36                    | \$711.00                    |
| <b>Upgrade service from single to three phase at customer's request where load does not justify three phase</b> |                                                                                                                                                                                                              |                                    |                             |                             |                             |
| 532                                                                                                             | Overhead                                                                                                                                                                                                     | per installation                   | \$369.00                    | \$347.27                    | \$382.00                    |
| 533                                                                                                             | Underground – service cable replacement not required                                                                                                                                                         | per installation                   | \$369.00                    | \$347.27                    | \$382.00                    |
| 534                                                                                                             | Underground – service cable replacement required                                                                                                                                                             | per installation                   | \$688.00                    | \$646.36                    | \$711.00                    |
| 540                                                                                                             | <b>Rescheduled visit</b> (applied where a revisit to a site is necessitated by obstructed access, non-compliance with the Service and Installation Rules or the client is not ready for the scheduled work.) | per visit                          | \$190.00                    | \$178.18                    | \$196.00                    |
| 550                                                                                                             | Issue of copies of electrical drawings                                                                                                                                                                       | per sheet or electronic equivalent | \$14.80                     | \$13.91                     | \$15.30                     |
| 560                                                                                                             | De-energising wires (to allow safe approach, for example, for tree pruning, plant operation, oversize loads, construction activities)                                                                        | per occurrence                     | \$459.00                    | \$431.82                    | \$475.00                    |
| 570                                                                                                             | <b>Embedded generation</b> - operational and maintenance charges for small embedded generators (other renewable <30KW)                                                                                       |                                    |                             |                             |                             |
|                                                                                                                 | for connection assets                                                                                                                                                                                        |                                    | 2.0%                        | 2.0%                        | 2.0%*                       |
|                                                                                                                 | for shared network assets (if applicable)                                                                                                                                                                    |                                    | 2.0%                        | 2.0%                        | 2.0%*                       |
| *This is a % of the capital cost of the assets.                                                                 |                                                                                                                                                                                                              |                                    |                             |                             |                             |

### 3.3.1 Metering services charges

Table 3-4 presents ActewAGL Distribution's metering services charges for 2012/13 excluding and including GST. Also shown are the charges for metering services for 2011/12, including GST. Note there have been no changes in 2012/13.

**Table 3-4 Metering service charges**

| Code       | Description                                                                                           | Unit                  | Prices<br>incl.<br>GST<br>2011/12 | Prices<br>excl.<br>GST<br>2012/13 | Prices<br>incl.<br>GST<br>2012/13 |
|------------|-------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| <b>MP1</b> | <b>Quarterly basic metering rate</b>                                                                  | -                     |                                   |                                   |                                   |
|            | Accumulation and time-of-use meters read quarterly                                                    | cents per day per NMI | 14.025                            | 12.75                             | 14.025                            |
| <b>MP2</b> | <b>Monthly basic metering rate</b>                                                                    | -                     |                                   |                                   |                                   |
|            | Accumulation and time-of-use meters read monthly                                                      | cents per day per NMI | 24.519                            | 22.29                             | 24.519                            |
| <b>MP3</b> | <b>Time-of-use metering rate</b>                                                                      | -                     |                                   |                                   |                                   |
|            | Time-of-use meters read monthly                                                                       | cents per day per NMI | 24.519                            | 22.29                             | 24.519                            |
| <b>MP4</b> | <b>Monthly manually-read interval metering rate</b>                                                   | -                     |                                   |                                   |                                   |
|            | Interval meters recording at either 15- or 30-minute intervals, read manually and processed monthly   | \$ per day per NMI    | \$1.991                           | \$1.81                            | \$1.991                           |
| <b>MP5</b> | <b>Internal metering rate</b>                                                                         | -                     |                                   |                                   |                                   |
|            | Sites entitled to the Internal network charge                                                         | cents per day per NMI | 24.519                            | 22.29                             | 24.519                            |
| <b>MP6</b> | <b>Quarterly manually-read interval metering rate</b>                                                 | -                     |                                   |                                   |                                   |
|            | Interval meters recording at either 15- or 30-minute intervals, read manually and processed quarterly | cents per day per NMI | 57.200                            | 52.00                             | 57.200                            |

### 3.4 Changes in metering charges

The only changes to the metering services offered are that the:

- “Meter test during business hours (deposit) has been amended to read “Meter test during business hours (refunded if the meter proves to be faulty)”; and
- “Special meter reading, for example, check read (second in a billing period)” has been amended to “Special meter reading, or check read deposit (refunded if the original reading was incorrect)”.

These amendments are to bring the charges into line with the requirements in the National Electricity Customer Framework<sup>9</sup>.

<sup>9</sup> National Energy Retail Rules, Part 2, Division 4 Section 29 (5), page 17.

## 4 Expected pricing trends

### 4.1 Expected distribution use-of-system charges

Table 4-1 provides a list of expected distribution use of system charges. The prices for 2012/13 are the actual prices for that year. The forecast prices have been calculated in 2012/13 dollars for the remaining year of the regulatory period (2013/14). The AER has determined that average distribution charges may rise by 5.41 per cent in real terms in the remaining year of the regulatory period. The trend increase in prices reflects the anticipated inflation and the X factors.

**Table 4-1 Expected distribution use-of-system charges (excluding GST)**

| Code                                  | Description                                      | Unit      | 2012/13 | 2013/14 |
|---------------------------------------|--------------------------------------------------|-----------|---------|---------|
| <b>RESIDENTIAL TARIFFS</b>            |                                                  |           |         |         |
| <b>010</b>                            | <b>Residential Basic Network</b>                 |           |         |         |
|                                       | Network access charge                            | cents/day | 16.450  | 16.94   |
|                                       | Energy consumption                               | cents/kWh | 5.207   | 5.63    |
| <b>015</b>                            | <b>Residential TOU Network</b>                   |           |         |         |
|                                       | Network access charge                            | cents/day | 16.450  | 16.94   |
|                                       | Energy consumption at max times                  | cents/kWh | 9.360   | 9.74    |
|                                       | Energy consumption at mid times                  | cents/kWh | 5.366   | 5.63    |
|                                       | Energy consumption at economy times              | cents/kWh | 3.960   | 4.24    |
| <b>020</b>                            | <b>Residential 5000 Network</b>                  |           |         |         |
|                                       | Network access charge                            | cents/day | 37.650  | 38.14   |
|                                       | Energy consumption for the first 60 kWh per day  | cents/kWh | 3.646   | 4.12    |
|                                       | Energy consumption above 60 kWh per day          | cents/kWh | 5.207   | 5.63    |
| <b>030</b>                            | <b>Residential with Heat Pump Network</b>        |           |         |         |
|                                       | Network access charge                            | cents/day | 80.350  | 80.84   |
|                                       | Energy consumption for the first 165 kWh per day | cents/kWh | 2.203   | 2.69    |
|                                       | Energy consumption above 165 kWh per day         | cents/kWh | 5.207   | 5.63    |
| <b>060</b>                            | <b>Off-Peak (1 ) Night Network</b>               |           |         |         |
|                                       | Energy consumption                               | cents/kWh | 0.078   | 0.15    |
| <b>070</b>                            | <b>Off-Peak (3) Day &amp; Night Network</b>      |           |         |         |
|                                       | Energy consumption                               | cents/kWh | 0.206   | 0.34    |
|                                       | <b>Renewable Energy Generation</b>               |           |         |         |
|                                       | Energy consumption                               | cents/kWh | 0.00    | 0.00    |
| <b>COMMERCIAL LOW VOLTAGE TARIFFS</b> |                                                  |           |         |         |
| <b>040</b>                            | <b>General Network</b>                           |           |         |         |
|                                       | Network access charge                            | cents/day | 32.710  | 33.74   |
|                                       | Energy consumption for the first 330 kWh per day | cents/kWh | 8.312   | 9.00    |
|                                       | Energy consumption above 330 kWh per day         | cents/kWh | 11.432  | 12.38   |

| Code                                          | Description                                | Unit      | 2012/13 | 2013/14 |
|-----------------------------------------------|--------------------------------------------|-----------|---------|---------|
| <b>135</b>                                    | <b>Small Unmetered Loads Network</b>       |           |         |         |
|                                               | Network access charge                      | cents/day | 26.800  | 26.90   |
|                                               | Energy consumption                         | cents/kWh | 10.546  | 10.74   |
| <b>141</b>                                    | <b>Internal Network</b>                    |           |         |         |
|                                               | Network access charge                      | cents/day | 32.710  | 33.74   |
|                                               | Energy consumption                         | cents/kWh | 8.312   | 9.00    |
| <b>080</b>                                    | <b>Streetlighting Network</b>              |           |         |         |
|                                               | Network access charge                      | cents/day | 33.0    | 34.0    |
|                                               | Energy consumption                         | cents/kWh | 5.607   | 5.85    |
| <b>090</b>                                    | <b>General TOU Network</b>                 |           |         |         |
|                                               | Network access charge                      | cents/day | 32.710  | 33.74   |
|                                               | Energy consumption at business times       | cents/kWh | 16.336  | 17.15   |
|                                               | Energy consumption at evening times        | cents/kWh | 8.286   | 8.77    |
|                                               | Energy consumption at off-peak times       | cents/kWh | 3.547   | 3.77    |
| <b>Low voltage time of use demand network</b> |                                            |           |         |         |
| <b>101</b>                                    | <b>LV TOU kVA Demand Network</b>           |           |         |         |
|                                               | Network access charge per connection point | cents/day | 39.0    | 40.00   |
|                                               | Maximum demand charge                      | c/kVA/day | 37.496  | 38.23   |
|                                               | Energy consumption at business times       | cents/kWh | 4.238   | 4.22    |
|                                               | Energy consumption at evening times        | cents/kWh | 2.527   | 2.55    |
|                                               | Energy consumption at off-peak times       | cents/kWh | 0.956   | 0.95    |
| <b>103</b>                                    | <b>LV TOU Capacity Network</b>             |           |         |         |
|                                               | Network access charge per connection point | cents/day | 39.0    | 40.00   |
|                                               | Maximum demand charge                      | c/kVA/day | 17.387  | 17.64   |
|                                               | Capacity charge                            | c/kVA/day | 17.387  | 17.64   |
|                                               | Energy consumption at business times       | cents/kWh | 4.309   | 4.22    |
|                                               | Energy consumption at evening times        | cents/kWh | 2.553   | 2.55    |
|                                               | Energy consumption at off-peak times       | cents/kWh | 0.980   | 0.95    |
| <b>HIGH VOLTAGE TARIFFS</b>                   |                                            |           |         |         |
| <b>111</b>                                    | <b>HV TOU Demand Network</b>               |           |         |         |
|                                               | Network access charge per connection point | \$/day    | 14.00   | 14.00   |
|                                               | Maximum demand charge                      | c/kVA/day | 14.383  | 14.30   |
|                                               | Capacity charge                            | c/kVA/day | 14.383  | 14.30   |
|                                               | Energy consumption at business times       | cents/kWh | 3.375   | 3.21    |
|                                               | Energy consumption at evening times        | cents/kWh | 1.909   | 1.79    |
|                                               | Energy consumption at off-peak times       | cents/kWh | 0.727   | 0.65    |
| <b>112</b>                                    | <b>HV TOU Demand Network – Customer HV</b> |           |         |         |
|                                               | Network access charge per connection point | \$/day    | 14.00   | 14.00   |
|                                               | Maximum demand charge                      | c/kVA/day | 13.383  | 13.30   |
|                                               | Capacity charge                            | c/kVA/day | 13.383  | 13.30   |
|                                               | Energy consumption at business times       | cents/kWh | 3.375   | 3.21    |
|                                               | Energy consumption at evening times        | cents/kWh | 1.909   | 1.79    |
|                                               | Energy consumption at off-peak times       | cents/kWh | 0.727   | 0.65    |

| Code       | Description                                       | Unit      | 2012/13 | 2013/14 |
|------------|---------------------------------------------------|-----------|---------|---------|
| <b>121</b> | <b>HV TOU Demand Network – Customer LV</b>        |           |         |         |
|            | Network access charge per connection point        | \$/day    | 14.00   | 14.00   |
|            | Maximum demand charge                             | c/kVA/day | 14.383  | 14.30   |
|            | Capacity charge                                   | c/kVA/day | 14.383  | 14.30   |
|            | Energy consumption at business times              | cents/kWh | 2.975   | 2.82    |
|            | Energy consumption at evening times               | cents/kWh | 1.559   | 1.46    |
|            | Energy consumption at off-peak times              | cents/kWh | 0.587   | 0.52    |
| <b>122</b> | <b>HV TOU Demand Network – Customer HV and LV</b> |           |         |         |
|            | Network access charge per connection point        | \$/day    | 14.00   | 14.00   |
|            | Maximum demand charge                             | c/kVA/day | 13.383  | 13.30   |
|            | Capacity charge                                   | c/kVA/day | 13.383  | 13.30   |
|            | Energy consumption at business times              | cents/kWh | 2.975   | 2.82    |
|            | Energy consumption at evening times               | cents/kWh | 1.559   | 1.46    |
|            | Energy consumption at off-peak times              | cents/kWh | 0.587   | 0.52    |

## 4.2 Expected miscellaneous service charges

Table 4-2 provides a list of expected charges for miscellaneous services to 2013/14 in 2012/13 dollar terms. The prices for 2012/13 are the actual prices for that year. While the revenue cap for standard control services (of which miscellaneous service are a part) rises by CPI plus 4 per cent, these prices are kept constant in real terms.

**Table 4-2 Expected miscellaneous service charges (including GST)**

| Code                                                  | Description                                                                                            | Unit      | 2012/13  | 2013/14  |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------|----------|----------|
| <b>For visit to re-energise or de-energise a site</b> |                                                                                                        |           |          |          |
| <b>501</b>                                            | Business hours – re-energise a site                                                                    | per visit | \$58.00  | \$59.00  |
| <b>502</b>                                            | After hours – re-energise a site                                                                       | per visit | \$124.00 | \$125.00 |
| <b>503</b>                                            | Business hours – de-energise a site                                                                    | per visit | \$51.00  | \$52.00  |
| <b>504</b>                                            | <b>Meter test</b> during business hours - deposit. (The deposit is refunded if the meter is faulty.)   | per test  | \$72.00  | \$73.00  |
| <b>505</b>                                            | De-energise a site for non-payment                                                                     | per visit | \$96.00  | \$97.00  |
| <b>506</b>                                            | <b>Special meter reading</b> , or check read deposit (refunded if the original reading was incorrect). | per read  | \$37.00  | \$37.00  |
| <b>507</b>                                            | Install interval meter at customer's request                                                           | per meter | \$69.30  | \$120.00 |
| <b>508</b>                                            | Field visit only (De-energise a site for non-payment)                                                  | per visit | \$69.00  | \$70.00  |
| <b>509</b>                                            | Replace meter for facilitate renewable energy generation                                               | per meter | \$69.30  | \$120.00 |

| Code                                            | Description                                                                                                                                                                                                  | Unit                               | 2012/13  | 2013/14  |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|----------|----------|
| <b>Temporary connections</b>                    |                                                                                                                                                                                                              |                                    |          |          |
| 520                                             | Overhead                                                                                                                                                                                                     | per installation                   | \$410.00 | \$414.00 |
| 521                                             | Standard underground                                                                                                                                                                                         | per installation                   | \$596.00 | \$602.00 |
| 522                                             | Free-standing underground                                                                                                                                                                                    | per installation                   | \$723.00 | \$730.00 |
| <b>Services</b>                                 |                                                                                                                                                                                                              |                                    |          |          |
| 530                                             | Overhead: remove, reposition or disconnect service                                                                                                                                                           | per site visit                     | \$296.00 | \$299.00 |
| 531                                             | Underground: remove, reposition or disconnect service                                                                                                                                                        | per site visit                     | \$711.00 | \$718.00 |
| 532                                             | Overhead                                                                                                                                                                                                     | per installation                   | \$382.00 | \$386.00 |
| 533                                             | Underground – service cable replacement not required                                                                                                                                                         | per installation                   | \$382.00 | \$386.00 |
| 534                                             | Underground – service cable replacement required                                                                                                                                                             | per installation                   | \$711.00 | \$718.00 |
| 540                                             | <b>Rescheduled visit</b> (applied where a revisit to a site is necessitated by obstructed access, non-compliance with the Service and Installation Rules or the client is not ready for the scheduled work.) | per visit                          | \$196.00 | \$198.00 |
| 550                                             | Issue of copies of electrical drawings                                                                                                                                                                       | per sheet or electronic equivalent | \$15.30  | \$15.50  |
| 560                                             | De-energising wires (to allow safe approach, for example, for tree pruning, plant operation, oversize loads, construction activities)                                                                        | per occurrence                     | \$475.00 | \$480.00 |
| 570                                             | <b>Embedded generation</b> - charges for small embedded generators (excluding renewable < 30KW)                                                                                                              |                                    |          |          |
|                                                 | for connection assets                                                                                                                                                                                        |                                    | 2.0%     | 2.0%*    |
|                                                 | for shared network assets (if applicable)                                                                                                                                                                    |                                    | 2.0%     | 2.0%*    |
| *This is a % of the capital cost of the assets. |                                                                                                                                                                                                              |                                    |          |          |

### 4.3 Expected metering services charges

Table 4-3 provides a list of expected charges for metering services to 2013/14. These charges apply to customers consuming less than 160 MWh per annum with a manually read meter. The prices for 2012/13 are the actual prices. The AER has determined that the revenue cap for these charges will rise with inflation over the remainder of the regulatory period. These prices are in real 2012/13 dollars and are expected to remain the same.

**Table 4-3 Expected metering service charges (excluding GST)**

| Code       | Description                                                                                          | Unit                   | 2012/13 | 2013/14 |
|------------|------------------------------------------------------------------------------------------------------|------------------------|---------|---------|
| <b>MP1</b> | <b>Quarterly basic metering rate</b>                                                                 |                        |         |         |
|            | Accumulation and time-of-use meters read quarterly                                                   | cents per day per NMI* | 12.75   | 12.75   |
| <b>MP2</b> | <b>Monthly basic metering rate</b>                                                                   |                        |         |         |
|            | Accumulation and time-of-use meters read monthly                                                     | cents per day per NMI  | 22.29   | 22.29   |
| <b>MP3</b> | <b>Time-of-use metering rate</b>                                                                     |                        |         |         |
|            | Time-of-use meters read monthly                                                                      | cents per day per NMI  | 22.29   | 22.29   |
| <b>MP4</b> | <b>Monthly manually-read interval metering rate</b>                                                  |                        |         |         |
|            | Interval meters recording at either 15 or 30 minute intervals, read manually and processed monthly   | \$ per day per NMI     | \$1.81  | \$1.81  |
| <b>MP5</b> | <b>Internal metering rate</b>                                                                        |                        |         |         |
|            | Sites entitled to the Internal Network charge                                                        | cents per day per NMI  | 22.29   | 22.29   |
| <b>MP6</b> | <b>Quarterly manually-read interval metering rate</b>                                                |                        |         |         |
|            | Interval meters recording at either 15 or 30 minute intervals, read manually and processed quarterly | cents per day per NMI  | 52.00   | 52.00   |

\* National metering identifier