

Evoenergy 2022/23 Statement of tariff classes and tariffs

Effective date: 1 July 2022

Table of contents

List of tables	iv
Glossary	v
Overview	vi
1 Introduction	1
1.1 Purpose and scope of the document	1
1.2 Structure of the document	1
2 Tariffs classes and structure	2
2.1 Network tariffs for residential customers	3
2.2 Network tariffs for low voltage commercial customers	8
2.3 Network tariffs for high voltage customers	13
2.4 Network charges for 2022/23	17
2.5 Changes in network charges in 2022/23	23
3 Charges for alternative control services	26
3.1 The structure and basis of Evoenergy's metering charges	26
3.2 Ancillary services	29
4 Expected price trends	37

List of tables

Table 2.1	Network tariff structure: residential	4
Table 2.2	Residential tariff assignment policy	7
Table 2.3	Network tariff structure: LV commercial	9
Table 2.4	Commercial tariff assignment policy	12
Table 2.5	Network tariff structure: HV commercial	13
Table 2.6	Network use of system (NUOS) charges 2021/22, excluding GST	17
Table 2.7	2020/21 and 2021/22 NUOS tariffs, excluding metering (nominal)	23
Table 3.1	Application of metering charges	27
Table 3.2	Metering non-capital charges, 2021/22	28
Table 3.3	Metering capital charges, 2021/22	28
Table 3.4	Fee-based ancillary services charges, 2021/22	29
Table 3.5	Change to codes	36
Table 4.1	Indicative NUOS charges (excluding metering) for future regulatory years: actual 2021/22 and indicative 2022/23–2023/24 (nominal)	37

Glossary

Term	Definition
ACT	Australian Capital Territory
AEMC	Australian Energy Market Commission
AER	Australian Energy Regulator
c	cents
CNG	Compressed Natural Gas
C and I	Commercial and Industrial
CT	Current Transformer
Cu	copper
DPPC	Designated Pricing Proposal Charges
DUOS	Distribution Use of System
FiT	Feed-in Tariff
GST	Goods and Services Tax
HV	High Voltage
JS	Jurisdictional Schemes
kVA	kilovolt-ampere
kW	kilowatt
kWh	kilowatt hour
LRMC	long run marginal cost
LV	Low Voltage
LVABC	Low Voltage Aluminium Bundled Conductors
m	million
mm	millimetre
MW	megawatt
NMI	National Metering Identifier
NUOS	Network Use of System
POE	Point Of Entry
PTRM	Post tax revenue model
PV	photovoltaic
SLCC	Streetlight Control Cubicle
TAR	Total allowable revenue
TNSP	Transmission network service provider
TOU	Time of Use
TSS	Tariff Structure Statement
TUOS	Transmission Use of System
VT	Voltage Transformer
XMC	Excludes Metering Charge

Overview

- Electricity bills are made up of distribution costs (covering the poles and wires), transmission costs (covering the generators costs), ACT jurisdictional schemes,¹ metering costs, and the retailer's costs and margins (covering wholesale energy costs) as well as GST. This report covers only the network components (distribution, transmission, jurisdictional schemes and some metering costs).
- Evoenergy offers customers a range of network tariff options across three tariff classes—residential, commercial low voltage and commercial high voltage.
- The 2022/23 tariffs and charges shown in this statement have been approved by the AER in its determination on Evoenergy's 2022/23 Network Pricing Proposal.²
- The network use of system (NUOS) charges for 2022/23 are, on average, 9.6 per cent lower in nominal terms than charges in 2021/22.³
- 2022/23 network and metering charges will decrease the electricity network bill for a typical ACT residential customer, consuming 7,500 kWh on the Residential Basic Network tariff, by about \$1.80 a week (excluding GST).
- 2022/23 network and metering charges will decrease the electricity network bill for a typical ACT low voltage commercial customer, consuming 30 MWh on the General Network tariff, by about \$13.30 a week (excluding GST).

¹ For example, the Energy Industry Levy, the Utilities Network Facilities Tax and the feed-in tariffs under the *Electricity Feed-in (Large-scale Renewable Energy Generation) Act 2011 (ACT)*.

² AER 2020, *Final Decision – Evoenergy 2022-23 Annual Pricing Proposal*, May 2022.

³ This is calculated by comparing the forecast NUOS revenue in 2022/23 with estimated NUOS revenue in 2021/22. Both revenue estimates are calculated using 2022/23 forecast volumes.

1 Introduction

1.1 Purpose and scope of the document

Evoenergy has prepared this Statement of Tariff Classes and Tariffs (hereafter ‘Statement’) in accordance with the requirements in chapter 6 of the National Electricity Rules (the Rules). Clause 6.18.9(a)(3) requires Evoenergy to maintain on its website: a statement of tariff classes⁴ and tariffs that are applicable to each class.

This Statement covers Evoenergy’s Standard Control Services and Alternative Control Services, as classified in the AER’s Final Decision Evoenergy Determination 2019–24 (Final Decision). Standard Control Services are services that are central to the electricity supply and therefore relied upon by most customers. This service classification includes network services (e.g. construction, maintenance and repair of the network), some connection services (e.g. small customer connections) and Type 7 metering services (i.e. unmetered connections such as traffic lights). Alternative Control Services include metering and ancillary network services specific to a particular customer. The Statement presents network prices from 1 July 2022 to 30 June 2023 that were approved by the AER on 13 May 2022.

This Statement should be read in conjunction with the following documents:

- The AER’s Final Decision 2019-24⁵ – April 2019
- Evoenergy’s Annual Pricing Proposal⁶ – March 2022
- Evoenergy’s Revised Proposed Tariff Structure Statement⁷ – November 2018

These documents are published on the AER’s website, and set out in detail how the tariff structures and levels have been developed.

1.2 Structure of the document

Evoenergy’s tariff classes and structure are set out in chapter 2 along with approved 2022/23 charges for network services. The chapter also includes a comparison of the changes relative to 2021/22.

The structure and basis of Evoenergy’s charges for metering and ancillary network services are presented and explained in chapter 3.

Indicative NUOS tariffs for future regulatory years are provided in chapter 4.

⁴ A *tariff class* is defined in Chapter 10 of the *Network Electricity Rules* as “A class of retail customers for one or more direct control services who are subject to a particular tariff or particular tariffs.”

⁵ AER 2019, *Final Decision – Evoenergy Distribution Determination 2019 to 2024, Overview*, April 2019.

⁶ AER 2022, *Final Decision – Evoenergy 2022-23 Annual Pricing Proposal*, May 2022.

⁷ Evoenergy 2018, *Revised Regulatory Proposal 2019–24*, Appendix 1.1 Revised Tariff Structure Statement – Explanatory Statement.

2 Tariffs classes and structure

The Rules (clause 6.18.9) require a description of the tariff classes⁸, and the tariffs that apply to each class in 2022/23, to be published on Evoenergy's website.

Evoenergy offers network tariffs in three tariff classes:

- residential;
- low voltage (LV) commercial; and
- high voltage (HV).

The Rules stipulate that tariff classes must be constituted with regard to the need to group customers together on an economically efficient basis and the need to avoid unnecessary transactions costs (clause 6.18.3(d)). Evoenergy meets this requirement by grouping customers according to type of connection (residential or commercial), and connection voltage (LV or HV). Customers within each class have similar load and connection characteristics. The relevant costs for each class can then be identified and reflected in the tariffs for each class.

Within each of the three tariff classes, Evoenergy has developed a suite of network tariffs that encourage efficient use of the network, signals the costs of future network expansion, and facilitate the integration of renewable technologies.

Each of the tariffs has been reviewed to base them on the long run marginal cost (LRMC) of the network (as per clause 6.18.5(f) of the Rules).

The network tariffs from each tariff class comprise different combinations of the following charging parameters:

- **Fixed (network access) charges**—these apply per customer for residential customers and per connection point for commercial customers. The fixed charge is a daily charge that does not vary with electricity consumption, demand or capacity. The fixed charge excludes non-capital metering charges.
- **Energy charges**—these apply to each unit of electricity consumed. The cents per kilowatt hour (c/kWh) rate may vary with the level of consumption (with higher rates applying above certain thresholds) or with the time-of-use (with lower rates applying outside of peak periods).
- **Maximum demand charges**—these are a charge per unit of maximum demand (in c/kVA/day or c/kW/day⁹). The maximum demand is the highest demand calculated coincident over a 30-minute clocked interval, starting on the full or half hour, during the specified peak time within a billing period (generally per calendar month).
- **Capacity charges**—these are a charge per unit of maximum demand (in c/kVA/day). The maximum demand is the highest demand recorded over a 30-minute clocked interval during the previous 13 months inclusive of the current billing month.

The tariffs, charging parameters and eligibility criteria for each tariff are shown in Table 2.1, Table 2.3 and Table 2.5. The tables include an explanation of the purpose of each tariff and the customers to whom each tariff may apply.

⁸ A tariff class is defined in chapter 10 of the *National Electricity Rules* as "A class of retail customers for one or more direct control services who are subject to a particular tariff or particular tariffs."

⁹ c/kVA/day refers to cents per kilo-volt ampere per day, and c/kW/day refers to cents per kilowatt per day

2.1 Network tariffs for residential customers

Residential tariffs are available to installations at private dwellings, excluding serviced apartments, but including:

- living quarters for members and staff of religious orders;
- living quarters on farms;
- charitable homes;
- retirement villages;
- residential sections of nursing homes and hospitals;
- churches, buildings or premises which are primarily used for public worship; and
- approved caravan sites.

Evoenergy's residential customers are currently assigned to the following tariffs:

- **Residential kW Demand** – default for new connections and meter replacements from 1/12/17. (See Section 3.1.1 for more details.)
- **Residential TOU** – opt-out option for new connections and meter replacements from 1/12/17.
- **Residential Basic** – closed to new connections from 1/12/17. Remains available to existing customers
- **Residential 5000** – closed to new connections from 1/12/17. Remains available to existing customers.
- **Residential with Heat Pump** – closed to new connections from 1/12/17. Remains available to existing customers.
- **Residential Battery** – trial tariff available on an opt-in basis for new connections and meter replacements. This trial is due to continue in 2022/23.
- **Off-peak (1) night** – available to residential (and LV commercial) customers utilising controlled loads elements.
- **Off-peak (3) day and night** – available to residential customers utilising controlled loads elements.

The two residential tariffs offered to new connections and customers with meter replacements are described below.

The Residential kW demand tariff gives residential customers the opportunity to actively manage and control the size of the network component of their electricity bills by considering when and how they use electricity.¹⁰ The demand tariff includes the following three components:

- A fixed component in cents per day.
- An anytime energy consumption component in cents per kilowatt-hour.
- A demand component - a maximum demand charge is based on the customer's highest demand (measured in kilowatts) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified peak time (i.e. 5:00pm¹¹, 5:30pm, 6:00pm, 6:30pm, 7:00pm, 7:30pm and 8:00pm) within the billing period (generally a calendar month). The charge is expressed in cents per kilowatt per day.

¹⁰ This statement assumes the retailer preserves the network tariff structure.

¹¹ The first period starts at 17:00:01 and ends at 17:30:00 AEST.

The Residential time-of-use (TOU) tariff provides an opportunity and an incentive for consumers with the necessary metering capability to respond to price signals at different times of the day¹² and manage their electricity bill.

Evoenergy is trialling a Residential Battery tariff.¹³ This tariff is designed for residential customers with a battery controlled by a Home Energy Management system or an electric vehicle. While this tariff is in a trial phase, it is available only to residential customers with a type 4 meter and a grid-connected battery or electric vehicle. Eligible residential customers can opt-in to this tariff. They can also opt-out of this tariff in accordance with Evoenergy's current tariff assignment policy. An explanation of this tariff is provided in Table 2.1 and charges for this tariff are published in Table 2.6.

Evoenergy's residential network tariff structure is shown in Table 2.1.

Table 2.1 Network tariff structure: residential

Tariff	Charging parameters	Explanation
Residential basic network (010)	- Fixed charge (c/day/customer) - Energy charge (c/kWh)	This tariff is available to customers who have an accumulation meter installed at their premises. The fixed charge applies per customer, is a daily charge and does not vary with usage. The energy charge varies with the level of consumption but not with the time of day. This tariff was closed to new customers from 1 December 2017 and will become obsolete over time.
Residential time-of-use (TOU) network (015)	- Fixed charge (c/day/customer) - Energy at max times (c/kWh): 7 am to 9 am and 5 pm to 8 pm every day - Energy at mid times (c/kWh): 9 am to 5 pm and 8 pm to 10 pm every day - Energy at economy times (c/kWh): all other times	This tariff is available to residential customers who have a meter capable of recording energy consumption in each of the three time of use intervals ('max', 'mid' and 'economy'). The fixed charge applies per customer, is a daily charge and does not vary with usage. The energy charges relate to the supply of network services at various times. A higher rate applies at max times to encourage users to shift their load to mid or economy periods.
Residential 5000 network (020)	- Fixed charge (c/day/customer) - Energy for the first 60 kWh/day (c/kWh) - Energy above 60 kWh/day (c/kWh)	This tariff is designed for residential customers who have large continuous (rather than time controlled) loads, and consume over 5,000 kWh per annum. The fixed charge applies per customer, is a daily charge and does not vary with usage. An inclinig block structure applies to energy charges (i.e. higher energy rates for the second block of energy). This tariff was closed to new customers from 1 December 2017 and will become obsolete over time.

¹² This statement assumes the retailer preserves the network tariff structure.

¹³ Further details of this tariff trial are provided in Evoenergy's 2022/23 annual pricing proposal approved by the AER and available here: <https://www.aer.gov.au/networks-pipelines/determinations-access-arrangements/pricing-proposals-tariffs/evoenergy-annual-pricing-2022%E2%80%9323/decision>

Tariff	Charging parameters	Explanation
Residential with heat pump (030)	- Fixed charge (c/day/customer) - Energy for the first 165 kWh/day (c/kWh) - Energy above 165 kWh (c/kWh)	This tariff is only available to residential customers with a reverse cycle air conditioner. The fixed charge applies per customer, is a daily charge and does not vary with usage. An inclining block structure applies to energy charges (i.e. higher energy rates for the second block of energy). This tariff was closed to new customers from 1 December 2017 and will become obsolete over time.
Residential kW demand (025)	- Fixed charge (c/day/customer) - Energy consumption charge (c/kWh) - Maximum demand charge (in billing period) (c/kW/day): 5 pm to 8 pm every day.	This tariff is available to residential customers from 1 December 2017 who have a Type 4 meter installed. The fixed charge applies per customer, is a daily charge and does not vary with usage. The energy charge varies neither with the level of consumption nor the time of day. The maximum demand charge is based on a customer's highest demand (measured in kilowatts) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified Peak time (i.e. 5:00pm*, 5:30pm, 6:00pm, 6:30pm, 7:00pm, 7:30pm and 8:00pm) within the billing period (a calendar month). This tariff became Evoenergy's default tariff for residential customers with a Type 4 meter from 1 December 2017.
Off-peak (1) night network (060)	Energy at controlled times (c/kWh): between 10 pm and 7am	The Off-peak (1) night tariff is a supplementary tariff available only to consumers utilising a controlled load element, and (from 1 July 2019) taking all other energy on the Residential kW Demand, Residential TOU, Residential Basic, General Network, General TOU or LV commercial kW Demand network tariff. The Off-peak (1) night network energy charge relates to supply of network services at controlled times, for 6 to 8 hours per day between the hours of 10 pm and 7 am. This charge is applicable to permanent heat (or cold) storage; electric vehicle recharge; and CNG vehicle gas compression installations. The design and rating must be acceptable to Evoenergy. The installation must use most energy during the controlled times but may be boosted at the principal charge, or charges, at other times.
Off-peak (3) day and night network (070)	Energy at controlled times (c/kWh): between 10 pm and 7 am and 9 am and 5 pm	The Off-peak (3) day and night tariff is a supplementary tariff available only to consumers utilising a controlled load element, and taking all other energy on the Residential kW Demand, Residential TOU or Residential Basic network tariff. Up to 30 June 2019 LV Commercial customers were also permitted to be assigned to this tariff, but this option became unavailable from 1 July 2019. The Off-peak (3) day and night network energy charge relates to supply of network services at controlled times, for up to 13 hours per day between 10 pm and 7 am and again between 9 am and 5 pm. This charge is applicable to permanent heat (or cold) storage; electric vehicle recharge; and CNG vehicle gas compression installations. The design and rating must be acceptable to Evoenergy. The installation must use most energy during the controlled times but may be boosted at the principal charge, or charges, at other times.

Tariff	Charging parameters	Explanation
Residential battery (027)	- Fixed charge (c/day/customer) - Energy at max times (c/kWh): 7 am to 9 am and 5 pm to 8 pm every day - Energy at mid times (c/kWh): 9 am to 11 am, 3 pm to 5 pm, and 8 pm to 10 pm every day - Energy at economy times (c/kWh): 10 pm to 7 am - Energy at solar sponge times (c/kWh): 11 am to 3 pm - Seasonal maximum demand charge (in billing period) (c/kW/day) - Seasonal export charge (c/kWh) - Critical peak export rebate (c/kWh)	This tariff continues to be trialled in 2022/23. This tariff is available to residential customers who have a Type 4 meter installed, and meet the eligibility requirements set by Evoenergy.^{***} The fixed charge applies per customer, is a daily charge and does not vary with usage. The energy charges relate to the supply of network services at various times. A higher rate applies at max times to encourage users to shift their load to mid, solar sponge, or economy periods. The seasonal maximum demand charge is based on a customer's highest demand (measured in kilowatts) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified peak time (i.e. 5:00pm^{**}, 5:30pm, 6:00pm, 6:30pm, 7:00pm, 7:30pm and 8:00pm) within the billing period (generally a calendar month). The maximum demand charge varies according to seasons. The seasonal export charge is levied on exports in excess of 3.75 kWh during any one-hour period between 11am – 3pm (AEST) every day^{**}. The export charge varies according to seasons. The critical peak export rebate provides customers who respond to a critical peak event with a credit on their network electricity bill. Customers on this tariff will be notified (by Evoenergy) of up to six critical peak events (per financial year) up to 48 hours before the event commences. The maximum duration of each critical peak event is three hours. Customers who export during the critical peak event will receive a rebate based on the level of electricity exported (measured in kWh) within the critical peak period.

All times refer to Australian Eastern Standard Time (AEST).

* The first period starts at 17:00:01 and ends at 17:30:00 AEST.

** The one-hour periods are 11am – 12pm; 12pm – 1pm; 1pm – 2pm; and 2pm – 3pm (AEST). The first period commences at 11:00:01 and ends at 12:00:00 AEST, and subsequent one-hour periods follow the same approach.

*** See Section 2.1.1 for eligibility requirements regarding the Residential battery tariff being trialled in 2021/22.

2.1.1 Residential tariff assignment policy

The Residential kW Demand tariff was introduced to coincide with the introduction of Type 4 meters from 1 December 2017. Only customers who have a Type 4 meter installed from 1 December 2017 are assigned, by default, to the kW Demand tariff.

New residential customers are currently assigned by default to the Residential kW Demand tariff, with the ability to opt-out to the Residential Time-of-Use (TOU) tariff. The Residential TOU tariff was the default tariff for all new residential customers from 1 October 2010 to 30 November 2017.

Customers on the Residential kW Demand or TOU tariffs are also able to opt-in to one of the off-peak tariffs (off-peak 1 and off-peak 3). The Off-peak tariffs (codes 060 and 070) apply to controlled loads to encourage electricity usage at off-peak times.

From 1 December 2017, the Residential Basic, Residential 5000, and Residential with Heat Pump tariffs were closed to new Evoenergy customers because these tariffs were not sufficiently cost reflective. Customers currently assigned to these tariffs may remain on them until they receive a Type 4 meter. Evoenergy's assignment policy means that because customers with a

Type 4 meter are automatically assigned to the Residential kW Demand tariff (with a provision to opt out to TOU), the above three residential tariffs will eventually become obsolete. The table below outlines the residential tariff assignment policy.

Table 2.2 Residential tariff assignment policy

	Default	Opt-out	Opt-in
Residential (new connection or customer initiated)	Residential kW Demand*	Residential Time-of-Use	
Residential: replacement meter	Residential kW Demand tariff 12 months after type 4 meter is installed	Residential Time-of-Use	Residential kW Demand or Residential Time-of-Use tariff (any time after type 4 meter is installed)

Note: Customers are ineligible to switch to one of these tariffs if they have been on the tariff in the previous 12 months.

*When requested by retailers, under specific scenarios, Evoenergy currently offers to backdate a Residential kW Demand tariff to a Residential TOU tariff once per site in a 12-month period. Evoenergy reverses and reissues the bill (NUOS) for no more than 120 calendar days for residential sites. This process applies to the Residential kW Demand tariff.

As explained in the AER's Draft Decision for 2019–24, customers who receive a Type 4 meter as a replacement for a Type 5 or 6 meter are to remain on their existing network tariff for 12 months before moving to a more cost-reflective network tariff.¹⁴ Under this arrangement, customers with new connections or customer-initiated meter replacements will continue to be assigned to the cost-reflective Residential kW Demand tariff when their Type 4 meter is installed (with the option to opt-out to the Residential TOU tariff). When a new meter is installed for any other reason, the shift to a more cost reflective tariff (i.e. the Residential kW Demand tariff) will be delayed by 12 months. These customers are able to opt-in to more cost reflective residential tariffs within the first 12 months of their type 4 meter installation. This change in requirements is reflected in Evoenergy's Revised TSS, which was approved in the AER's Final Decision.¹⁵

Residential battery tariff trial

The residential battery tariff will be provided to residential customers on an opt-in basis. To be eligible for the residential battery tariff, a customer must:

- 1) be a residential customer;¹⁶
- 2) have a behind-the-meter battery or an EV which is charged on the premises;¹⁷ and
- 3) have a smart meter.

Customers can register their interest for the tariff trial by completing a form on Evoenergy's website.¹⁸ Evoenergy will then verify the customer's eligibility based on the information provided through the registration of interest. Once Evoenergy has confirmed a customer is eligible, they

¹⁴ AER 2018, *Draft Decision - Evoenergy Distribution Determination 2019 to 2024, Attachment 18*, September 2018, p. 18-17 to 18-18.

¹⁵ AER 2019, *Final Decision – Evoenergy Distribution Determination 2019 to 2024, Overview*, April 2019, pg 56.

¹⁶ As defined under Evoenergy's Statement of Tariff Classes and Tariffs

¹⁷ For the purposes of the trial, the tariff is restricted to customers with a behind-the-meter connected battery to allow Evoenergy to collect relevant data on customer responses to price signals. However, to ensure the tariff is technologically neutral, this requirement may be removed if the tariff is incorporated into Evoenergy's future tariff structure (noting that the tariff is designed for, and can provide more benefits to, customers with a battery).

¹⁸ <https://www.evoenergy.com.au/residential-tariff-trial>

will be invited to register for the tariff trial and will be notified of participating retailers.¹⁹ The customer will then be assigned to the residential battery network tariff when the trial commences.

Customers on the residential battery tariff can opt-out to an eligible tariff at any time in accordance with Evoenergy's current tariff assignment policy. This means that residential customers can opt out to either the residential demand tariff (tariff codes 025, 026) or the residential time of use tariff (tariff codes 015, 016).

2.2 Network tariffs for low voltage commercial customers

For LV commercial customers, a range of tariff options has been developed to meet their diverse needs. Evoenergy's low voltage commercial customers are currently assigned to the following tariffs.

- LV kW Demand
- LV TOU kVA Demand
- LV TOU kVA Capacity
- General TOU
- General Network

Three of the LV commercial options involve capacity and/or maximum demand charges, in conjunction with consumption charges. These tariff options are described below.

The LV kW Demand tariff was introduced in December 2017 and gives LV commercial customers the opportunity to actively manage and control the size of the network component of their electricity bills by considering when and how they use electricity.²⁰ The LV kW Demand tariff includes the following three components:

- A fixed component in cents per day.
- An anytime energy consumption component in cents per kilowatt hour.
- A demand component – a maximum demand charge is based on the customer's highest demand calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified Business time (i.e. 7:00am²¹, 7:30am, 8:00am, 8:30am, etc. up to 5:00pm), within the billing period (generally a calendar month).

The kVA-based demand tariffs (LV TOU kVA Demand and LV TOU Capacity) changed from 1 July 2019. As approved by the AER in its Final Decision on Evoenergy's Revised TSS,²² the maximum demand component of the LV TOU kVA Demand and LV TOU Capacity tariffs is based on 'peak-period' maximum demand. The peak period for these LV Commercial tariffs is the Business Time, specified as 7:00am to 5:00pm (AEST) on weekdays.

The General TOU tariff provides an opportunity and an incentive for consumers with the necessary metering capability to respond to price signals at different times of the day²³ and manage their electricity bill in line with the costs they impose on the network.

Evoenergy's LV commercial network tariff structure is shown in Table 2.3.

¹⁹ It is possible that no retailer will choose to offer an equivalent retail tariff that reflects the network residential battery tariff. However, customers will still be given the opportunity to opt-in to the network residential battery tariff. In this situation, the network usage data and network bill impact will be analysed by Evoenergy, noting that the customers' retailer (rather than end customer) faced the network price signals.

²⁰ This statement assumes the retailer preserves on the network tariff structure.

²¹ The first period starts at 07:00:01 and ends at 07:30:00 AEST.

²² AER 2019, *Final Decision – Evoenergy Distribution Determination 2019 to 2024, Overview*, April 2019, page 56.

²³ This statement assumes the retailer preserves on the network tariff structure.

Table 2.3 Network tariff structure: LV commercial

Tariff	Charging parameters	Explanation
General network (040)	• Network access charge (c/day/connection point) • Energy for the first 330 kWh/day (c/kWh) • Energy above 330 kWh/day (c/kWh)	This tariff has been closed to new connections since 1 December 2017 and will become obsolete over time. The fixed charge applies per connection point, is a daily charge and does not vary with usage. An inclining block structure applies to energy charges (i.e. higher energy rates for the second block of energy). This tariff may be used in conjunction with the off-peak (1) tariff (code 060).
General TOU network (090)	• Network access charge (c/day/connection point) • Energy at business times* (c/kWh) • Energy at evening times* (c/kWh) • Energy at off-peak times* (c/kWh)	This tariff was the default tariff available to new LV commercial customers until 30 November 2017. It is now available for all LV commercial customers as an opt-out option. The fixed charge applies per connection point, is a daily charge and does not vary with usage. The energy charges relate to supply of energy at different times, with a lower rate in off-peak times reflecting the availability of capacity and encouraging consumers to shift their load from 'business' to 'off-peak times' to utilise the available capacity.
LV TOU kVA demand network (101)	• Network access charge (c/day/connection point) • Maximum demand (in billing period) (c/kVA/day) • Energy at business times* (c/kWh) • Energy at evening times* (c/kWh) • Energy at off-peak times* (c/kWh)	This tariff is the default tariff available to LV commercial customers who have a Type 4 meter installed as well as a current transformer (CT) meter. The fixed charge applies per connection point, is a daily charge and does not vary with usage. The maximum demand charge is based on the customer's highest demand (measured in kVA) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified business times (i.e. 7:00am**, 7:30am, 8:00am, 8:30am, etc. up to 5:00pm), within the billing period (generally a calendar month). The energy charges relate to supply of energy at different times, with a lower rate in off-peak times, reflecting the availability of capacity and encouraging consumers to shift their load from peak to off-peak times to utilise the available capacity.
LV TOU capacity network (103)	• Network access charge (c/day/connection point) • Maximum demand (in billing period) (c/kVA/day) • Capacity (max demand in last year) (c/kVA/day) • Energy at business times* (c/kWh) • Energy at evening times* (c/kWh) • Energy at off-peak times* (c/kWh)	This tariff is available to customers with an interval meter and a current transformer (CT) meter installed. The fixed charge applies per connection point, is a daily charge and does not vary with usage. The maximum demand charge is based on the highest demand (measured in kVA) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified business times (i.e. 7:00am**, 7:30am, 8:00am, 8:30am, etc. up to 5:00pm), within the billing period (generally a calendar month). The capacity charge is based on a customer's maximum half hourly demand over the previous 13 months inclusive of the current billing month. The energy charges relate to supply of energy at different times, with a lower rate in off-peak times, reflecting the availability of capacity and encouraging consumers to shift their load from peak to off-peak times to utilise the available capacity.

Tariff	Charging parameters	Explanation
LV kW Demand network (106)	• Network access charge (c/day/connection point) • Energy charge (c/kWh) • Maximum demand (in billing period) (c/kW/day)	This tariff is the default tariff available to new LV commercial customers from 1 December 2017 who have a Type 4 meter installed without a CT meter. The fixed charge applies per connection point, is a daily charge and does not vary with usage. The energy charge varies with the level of consumption but not the time of day. The maximum demand charge is based on the customer's highest demand (measured in kW) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified business times (i.e. 7:00am**, 7:30am, 8:00am, 8:30am, etc. up to 5:00pm), within the billing period (generally a calendar month).
Large scale battery – residential area (108)	• Net energy (c/kWh) • Maximum demand (in billing period) (c/kVA/day) • Capacity (maximum demand in past year) (c/kVA/day) • Critical peak export rebate (c/kVAh) • Critical peak export charge (c/kVAh)	This tariff is being trialled in 2022/23. This tariff is available to commercial customers who meet the eligibility requirements set by Evoenergy.*** The net energy charge is levied on the electricity imported minus electricity exported (measured in kWh) by the large scale battery. The maximum demand charge will be based on the highest demand (measured in kVA) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified residential area peak demand period (i.e. 5:00pm, 5:30pm, 6:00pm, 6:30pm, 7:00pm, 7:30pm, 8:00pm), within the billing period (generally a calendar month). The capacity charge is based on a customer's maximum half hourly demand over the previous 13 months inclusive of the current billing month. The critical peak export rebate provides customers who respond to a critical peak event with a credit on their network electricity bill. Customers on this tariff will be notified (by Evoenergy) of up to six critical peak rebate events (per financial year) up to 48 hours before the event commences. The maximum duration of each critical peak event is three hours. Customers who export during the critical peak event will receive a rebate based on the level of electricity exported (measured in kVAh) within the critical peak period. The critical peak export charge will apply when customers export during a critical peak event. Customers on this tariff will be notified (by Evoenergy) of up to six critical peak charge events (per financial year) up to 48 hours before the event commences. The maximum duration of each critical peak event is three hours. Customers who export during the critical peak event will pay the critical peak export charge based on the level of electricity exported (measured in kVAh) within the critical peak period.

Tariff	Charging parameters	Explanation
Large scale battery – commercial area (109)	• Net energy (c/kWh) • Maximum demand (in billing period) (c/kVA/day) • Capacity (maximum demand in past year) (c/kVA/day) • Critical peak export rebate (c/kVAh) • Critical peak export charge (c/kVAh)	This tariff is being trialled in 2022/23. This tariff is available to commercial customers who meet the eligibility requirements set by Evoenergy.** The net energy charge is levied on the electricity imported minus electricity exported (measured in kWh) by the large-scale battery. The maximum demand charge will be based on the highest demand (measured in kVA) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified commercial area peak demand period (i.e. 7:00am**, 7:30am, 8:00am, 8:30am, etc. up to 5:00pm), within the billing period (generally a calendar month). The capacity charge is based on a customer's maximum half hourly demand over the previous 13 months inclusive of the current billing month. The critical peak export rebate provides customers who respond to a critical peak event with a credit on their network electricity bill. Customers on this tariff will be notified (by Evoenergy) of up to six critical peak rebate events (per financial year) up to 48 hours before the event commences. The maximum duration of each critical peak event is three hours. Customers who export during the critical peak event will receive a rebate based on the level of electricity exported (measured in kVAh) within the critical peak period. The critical peak export charge will apply when customers export during a critical peak event. Customers on this tariff will be notified (by Evoenergy) of up to six critical peak charge events (per financial year) up to 48 hours before the event commences. The maximum duration of each critical peak event is three hours. Customers who export during the critical peak event will pay the critical peak export charge based on the level of electricity exported (measured in kVAh) within the critical peak period.
Streetlighting (080)	• Network access charge (c/day/customer) • Energy at any time (c/kWh)	This tariff applies to the night-time lighting of streets and public ways and places. The fixed charge applies per customer, is a daily charge and does not vary with usage. The energy charge varies with the level of consumption but not the time of day.
Small unmetered loads (135)	• Network access charge (c/day/customer) • Energy at any time (c/kWh)	This tariff applies to eligible installations as determined by Evoenergy, including: • telephone boxes; • telecommunication devices; and • other, as determined by the National Metrology Coordinator. Energy charges are calculated based on the assessed rating of the load and the charge period.

All times refer to Australian Eastern Standard Time (AEST).

* Business times are between 7 am and 5 pm Australian Eastern Standard Time on weekdays. Evening times are between 5 pm and 10 pm Australian Eastern Standard Time on weekdays. Off-peak times are all other times.

** The first period starts at 07:00:01 and ends at 07:30:00 AEST.

2.2.1 Low voltage commercial tariff assignment policy

LV commercial customers with Current Transformer (CT) meters are assigned by default to the LV kVA TOU demand tariff, while customers without a CT meter (i.e. with a Whole Current meter) meter are assigned by default to the LV kW demand tariff. Both customer types (those with and without CT meters) have cost reflective opt-out options, as shown in Table 2.4 below.

The LV kW demand tariff is designed for smaller commercial customers (i.e. customers who generally do not have CT meters) who share common assets. These customers tend to have peakier loads than large commercial customers. The LV kW demand tariff is generally better suited to small commercial customers.

LV commercial customers without Type 4 meters will remain on their existing tariff until their meter is changed to a Type 4 meter. The General Network tariff was closed to new connections from 1 December 2017 and will eventually become obsolete as customers receive Type 4 meters and are placed onto more cost-reflective tariffs.

For completeness, Table 2.4 shows Evoenergy's commercial tariff assignment policy.

The exception to the above assignment policy is for small unmetered loads (code 135) and streetlighting (code 080). These tariffs do not vary with usage, or load profile, and therefore there is no need to transition these loads onto a demand tariff.

Table 2.4 Commercial tariff assignment policy

	Default	Opt-out
LV commercial without a CT meter	LV kW Demand*	1. LV kVA TOU Demand 2. LV kVA TOU Capacity 3. General TOU
LV commercial with a CT meter	LV kVA TOU Demand	1. LV TOU kVA Capacity 2. General TOU
HV commercial	HV TOU Demand (code 122)	Not applicable (mandatory default)

Notes: LV commercial customers with a replacement meter will remain on their existing network tariff until 12 months after their smart meter is installed, however they can opt-in to a cost reflective LV commercial tariffs according to the assignment policy shown in the table above. Customers are ineligible to switch to one of these tariffs if they have been on the tariff in the previous 12 months.

*When requested by retailers, under specific scenarios, Evoenergy currently offers to backdate a LV kW demand tariff to a General TOU tariff once per site in a 12-month period. Evoenergy reverses and reissues the bill (NUOS) for no more than 40 calendar days for commercial sites. This process applies to the LV kW demand tariff.

As explained in the AER's Draft Decision for 2019–24, customers who receive a Type 4 meter as a replacement for a Type 5 or 6 meter are to remain on their existing network tariff for 12 months before moving to a more cost-reflective network tariff.²⁴ Under this arrangement, customers with new connections or customer-initiated meter replacements will continue to be assigned to cost-reflective tariffs when their type 4 meter is installed (with the option to opt-out, as per the table above). When a new meter is installed for any other reason, the shift to a more cost reflective tariff (i.e. the default tariff option listed in Table 2.4) will be delayed by 12 months. These customers are able to opt-in to more cost reflective LV commercial tariffs (as per the tariff assignment policy in Table 2.4) within the first 12 months of their type 4 meter installation. This change in requirements is reflected in Evoenergy's Revised TSS, which was approved in the AER's Final Decision.²⁵

²⁴ AER 2018, *Draft Decision - Evoenergy Distribution Determination 2019 to 2024, Attachment 18*, September 2018, p. 18-17 to 18-18.

²⁵ AER 2019, *Final Decision – Evoenergy Distribution Determination 2019 to 2024, Overview*, April 2019, page 56.

As per Evoenergy's Revised TSS, which was approved by the AER in its Final Decision²⁶, the Off-peak (3) tariff (code 070) has been obsolete to new commercial connections from 1 July 2019.

2.3 Network tariffs for high voltage customers

To qualify for the High Voltage tariffs, customers must take energy at high voltage (nominal voltage not less than 11 kV).

The structure of the demand charges within these HV tariffs changed from 1 July 2019. As approved by the AER in its Final Decision on Evoenergy's Revised TSS²⁷, the maximum demand charge of these tariffs changed from being based on 'anytime' maximum demand to 'peak-period' maximum demand. The peak period for these HV Commercial tariffs is the Business Time, specified as 7:00am²⁸ to 5:00pm on weekdays.

Evoenergy is trialling a Large-scale Battery tariff.²⁹ This tariff is available only to commercial customers with a stand-alone grid-connected battery that is a minimum size of 200kVA. Eligible commercial customers can opt-in to this tariff. They can also opt-out of this tariff in accordance with Evoenergy's current tariff assignment policy. An explanation of this tariff is provided in Table 2.5 and charges for this tariff will be published when the tariff is available.

Evoenergy's High Voltage network tariff structure is shown in Table 2.5.

Table 2.5 Network tariff structure: HV commercial

Tariff	Charging parameters	Explanation
HV TOU Demand Network (111)	• Network access charge (c/day/connection point) • Maximum demand (in billing period) (c/kVA/day) • Capacity (maximum demand in past year) (c/kVA/day) • Energy at business times* (c/kWh) • Energy at evening times* (c/kWh) • Energy at off-peak times* (c/kWh)	This tariff is appropriate for large customers taking supply at high voltage with a LV network owned and maintained by Evoenergy. The network access charge relates to the connection services provided to the customer. The maximum demand charge will be based on the highest demand (measured in kVA) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified business times (i.e. 7:00am^{**}, 7:30am, 8:00am, 8:30am, etc. up to 5:00pm), within the billing period (a calendar month). The capacity charge is based on a customer's maximum half hourly demand over the previous 13 months inclusive of the current billing month. The energy charges relate to supply of network services at different times, with a lower rate in off-peak times, reflecting the relatively low costs of off-peak supply, and thereby providing incentives for customers to switch their utilisation of the network to off-peak periods. This tariff closed to new connections on 1 July 2019.

²⁶ Ibid.

²⁷ Ibid

²⁸ The first period starts at 07:00:01 and ends at 07:30:00 AEST.

²⁹ Further details of this tariff trial are provided in Evoenergy's 2021/22 annual pricing proposal approved by the AER and available here: <https://www.aer.gov.au/networks-pipelines/determinations-access-arrangements/pricing-proposals-tariffs/evoenergy-annual-pricing-2021-22>

Tariff	Charging parameters	Explanation
HV TOU Demand Network – Customer LV (121)	• Network access charge (c/day/connection point) • Maximum demand (in billing period) (c/kVA/day) • Capacity (maximum demand in past year) (c/kVA/day) • Energy at business times* (c/kWh) • Energy at evening times* (c/kWh) • Energy at off-peak times* (c/kWh)	This network tariff is appropriate for large customers taking supply at high voltage where the customer owns and is fully responsible for their own LV network. The network access charge relates to the connection services provided to the customer. The maximum demand charge will be based on the highest demand (measured in kVA) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified business times (i.e. 7:00am**, 7:30am, 8:00am, 8:30am, etc. up to 5:00pm), within the billing period (a calendar month). The capacity charge is based on a customer's maximum half hourly demand over the previous 13 months inclusive of the current billing month. The energy charges relate to supply of network services at different times, with a lower rate in off-peak times, reflecting the relatively low costs of off-peak supply, and thereby providing incentives for customers to switch their utilisation of the network to off-peak periods. This tariff closed to new connections on 1 July 2019.
HV TOU Demand Network – Customer HV and LV (122)	• Network access charge (c/day/connection point) • Maximum demand (in billing period) (c/kVA/day) • Capacity (maximum demand in past year) (c/kVA/day) • Energy at business times* (c/kWh) • Energy at evening times* (c/kWh) • Energy at off-peak times* (c/kWh)	This network tariff is appropriate for large customers taking supply at high voltage where the customer owns and is fully responsible for their own LV network and where the customer owns and is responsible for their HV assets (including transformers and switch gear). The network access charge relates to the connection services provided to the customer. The maximum demand charge will be based on the highest demand (measured in kVA) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified business times (i.e. 7:00am**, 7:30am, 8:00am, 8:30am, etc. up to 5:00pm), within the billing period (a calendar month). The capacity charge is based on a customer's maximum half hourly demand over the previous 13 months inclusive of the current billing month. The energy charges relate to supply of network services at different times, with a lower rate in off-peak times, reflecting the relatively low costs of off-peak supply, and thereby providing incentives for customers to switch their utilisation of the network to off-peak periods.

Tariff	Charging parameters	Explanation
Large scale battery – residential area (123)	• Net energy (c/kWh) • Maximum demand (in billing period) (c/kVA/day) • Capacity (maximum demand in past year) (c/kVA/day) • Critical peak export rebate (c/kVAh) • Critical peak export charge (c/kVAh)	This tariff continues to be trialled in 2022/23. This tariff is available to commercial customers who meet the eligibility requirements set by Evoenergy. *** The net energy charge is levied on the electricity imported minus electricity exported (measured in kWh) by the large scale battery. The maximum demand charge will be based on the highest demand (measured in kVA) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified residential area peak demand period (i.e. 5:00pm, 5:30pm, 6:00pm, 6:30pm, 7:00pm, 7:30pm, 8:00pm), within the billing period (generally a calendar month). The capacity charge is based on a customer's maximum half hourly demand over the previous 13 months inclusive of the current billing month. The critical peak export rebate provides customers who respond to a critical peak event with a credit on their network electricity bill. Customers on this tariff will be notified (by Evoenergy) of up to six critical peak rebate events (per financial year) up to 48 hours before the event commences. The maximum duration of each critical peak event is three hours. Customers who export during the critical peak event will receive a rebate based on the level of electricity exported (measured in kVAh) within the critical peak period. The critical peak export charge will apply when customers export during a critical peak event. Customers on this tariff will be notified (by Evoenergy) of up to six critical peak charge events (per financial year) up to 48 hours before the event commences. The maximum duration of each critical peak event is three hours. Customers who export during the critical peak event will pay the critical peak export charge based on the level of electricity exported (measured in kVAh) within the critical peak period.

Tariff	Charging parameters	Explanation
Large scale battery – commercial area (124)	• Net energy (c/kWh) • Maximum demand (in billing period) (c/kVA/day) • Capacity (maximum demand in past year) (c/kVA/day) • Critical peak export rebate (c/kVAh) • Critical peak export charge (c/kVAh)	This tariff continues to be trialled in 2022/23. This tariff is available to commercial customers who meet the eligibility requirements set by Evoenergy. *** The net energy charge is levied on the electricity imported minus electricity exported (measured in kWh) by the large-scale battery. The maximum demand charge will be based on the highest demand (measured in kVA) calculated over a 30-minute clocked interval, starting on the full or half hour, during the specified commercial area peak demand period (i.e. 7:00am**, 7:30am, 8:00am, 8:30am, etc. up to 5:00pm), within the billing period (generally a calendar month). The capacity charge is based on a customer's maximum half hourly demand over the previous 13 months inclusive of the current billing month. The critical peak export rebate provides customers who respond to a critical peak event with a credit on their network electricity bill. Customers on this tariff will be notified (by Evoenergy) of up to six critical peak rebate events (per financial year) up to 48 hours before the event commences. The maximum duration of each critical peak event is three hours. Customers who export during the critical peak event will receive a rebate based on the level of electricity exported (measured in kVAh) within the critical peak period. The critical peak export charge will apply when customers export during a critical peak event. Customers on this tariff will be notified (by Evoenergy) of up to six critical peak charge events (per financial year) up to 48 hours before the event commences. The maximum duration of each critical peak event is three hours. Customers who export during the critical peak event will pay the critical peak export charge based on the level of electricity exported (measured in kVAh) within the critical peak period.

All times refer to Australian Eastern Standard Time (AEST).

* Business times are between 7 am and 5 pm AEST on weekdays. Evening times are between 5 pm and 10 pm AEST on weekdays. Off-peak times are all other times.

** The first period starts at 07:00:01 and ends at 07:30:00 AEST.

*** See Section 2.3.1 for eligibility requirements regarding the large-scale battery tariff being trialled.

2.3.1 High voltage tariff assignment policy

As per Evoenergy's Revised TSS, which was approved by the AER in its Final Decision³⁰, all new High Voltage customers are assigned by default to Tariff 122 (HV TOU Demand Network – Customer HV and LV). On this tariff, the customer owns and is responsible for LV and HV assets at their premises that are beyond the connection point to the network.

From 1 July 2019, Tariff 111 and Tariff 121 were closed to new connections. However, existing customers assigned to these tariffs may remain on them or switch to Tariff 122 following consultation with Evoenergy.

³⁰ Ibid.

Large-scale battery tariff

To be eligible for the large-scale battery tariffs (codes 123 and 124), a customer must:

- 1) be a commercial low voltage (LV) or high voltage (HV) customer;³¹
- 2) have a stand-alone grid-connected battery; and
- 3) have a minimum battery size of 200kVA.

Customers interested in the large scale battery tariff can contact Evoenergy to discuss eligibility. Customers on a large-scale battery tariff can opt-out to an eligible commercial tariff at any time in accordance with Evoenergy's current assignment policy.

2.4 Network charges for 2022/23

Evoenergy's network charges for 2022/23 are made up of distribution charges, transmission charges, jurisdictional scheme charges and metering charges.³²

- The distribution (DUOS) charges recover the cost of Evoenergy's electricity distribution service within the ACT.
- The transmission (TUOS) charges recover TransGrid's charges to Evoenergy for the delivery of energy to the ACT and most of Evoenergy's costs for sub-transmission services.
- Jurisdictional schemes (JS) charges include the ACT feed-in tariff, the Utilities Network Facilities Tax and the Energy Industry Levy.

The AER regulates both Evoenergy's distribution charges and TransGrid's transmission charges. The National Electricity Rules (NER) also provide that Evoenergy is to recover the cost of jurisdictional schemes.

Table 2.6 shows the AER approved distribution, transmission, jurisdictional scheme and metering charges for 2022/23, excluding GST.

Table 2.6 Network use of system (NUOS) charges 2022/23, excluding GST

Unit		DUOS price	TUOS price	JS price	Metering capital price	Metering non-capital price	NUOS price
Residential Tariffs							
010 Residential Basic Network							
Network access charge	cents/day	27.855	0.000	1.256	9.610	4.720	43.441
Energy at any time	cents/kWh	4.116	2.001	4.377			10.494
011 Residential Basic Network XMC*							
Network access charge	cents/day	27.855	0.000	1.256		4.720	33.831
Energy at any time	cents/kWh	4.116	2.001	4.377			10.494
015 Residential TOU Network							
Network access charge	cents/day	27.855	0.000	1.256	9.610	4.720	43.441
Energy consumption at max times	cents/kWh	8.112	3.742	5.657			17.511
Energy consumption at mid times	cents/kWh	2.863	1.615	4.828			9.306
Energy consumption at economy times	cents/kWh	1.403	0.792	2.365			4.560

³¹ As defined under Evoenergy's Statement of Tariff Classes and Tariffs

³² Metering charges are discussed in Chapter 3.

	Unit	DUOS price	TUOS price	JS price	Metering capital price	Metering non-capital price	NUOS price
016 Residential TOU Network XMC							
Network access charge	cents/day	27.855	0.000	1.256		4.720	33.831
Energy consumption at max times	cents/kWh	8.112	3.742	5.657			17.511
Energy consumption at mid times	cents/kWh	2.863	1.615	4.828			9.306
Energy consumption at economy times	cents/kWh	1.403	0.792	2.365			4.560
020 Residential 5000 Network							
Network access charge	cents/day	51.315	0.000	1.301	9.610	4.720	66.946
Energy consumption for the first 60 kWh per day	cents/kWh	2.723	1.941	4.283			8.947
Energy consumption above 60 kWh per day	cents/kWh	3.194	2.276	5.024			10.494
021 Residential 5000 Network XMC							
Network access charge	cents/day	51.315	0.000	1.301		4.720	57.336
Energy consumption for the first 60 kWh per day	cents/kWh	2.723	1.941	4.283			8.947
Energy consumption above 60 kWh per day	cents/kWh	3.194	2.276	5.024			10.494
025 Residential Demand Network							
Network access charge	cents/day	27.855	0.000	1.256	9.610		38.721
Energy consumption	cents/kWh	0.486	0.866	3.208			4.560
Peak period maximum demand	cents/kW/day	12.106	3.724	3.514			19.344
026 Residential Demand Network XMC							
Network access charge	cents/day	27.855	0.000	1.256			29.111
Energy consumption	cents/kWh	0.486	0.866	3.208			4.560
Peak period maximum demand	cents/kW/day	12.106	3.724	3.514			19.344
027 Residential Battery Network							
Network access charge	cents/day	27.855	0.000	1.256	9.610		38.721
Energy consumption at max times	cents/kWh	3.034	1.417	6.078			10.529
Energy consumption at mid times	cents/kWh	1.025	0.612	5.179			6.816
Energy consumption at economy times	cents/kWh	0.501	0.300	2.553			3.354
Energy consumption at solar sponge times	cents/kWh	0.250	0.150	1.276			1.676
Peak period maximum demand - high season	cents/kWh	9.685	5.668	0.000			15.353
Peak period maximum demand - low season	cents/kWh	7.412	2.834	0.000			10.246
Critical peak export rebate	cents/kWh	-195.647	0.000	0.000			-195.647
Export threshold charge: high season	cents/kWh	2.367	0.000	0.000			2.367
Export threshold charge: low season	cents/kWh	1.552	0.000	0.000			1.552
028 Residential Battery Network XMC							
Network access charge	cents/day	27.855	0.000	1.256			29.111

	Unit	DUOS price	TUOS price	JS price	Metering capital price	Metering non-capital price	NUOS price
Energy consumption at max times	cents/kWh	3.034	1.417	6.078			10.529
Energy consumption at mid times	cents/kWh	1.025	0.612	5.179			6.816
Energy consumption at economy times	cents/kWh	0.501	0.300	2.553			3.354
Energy consumption at solar sponge times	cents/kWh	0.250	0.150	1.276			1.676
Peak period maximum demand - high season	cents/kWh	9.685	5.668	0.000			15.353
Peak period maximum demand - low season	cents/kWh	7.412	2.834	0.000			10.246
Critical peak export rebate	cents/kWh	-195.647	0.000	0.000			-195.647
Export threshold charge: high season	cents/kWh	2.367	0.000	0.000			2.367
Export threshold charge: low season	cents/kWh	1.552	0.000	0.000			1.552
030 Residential with Heat Pump Network							
Network access charge	cents/day	98.650	0.000	1.300	9.610	4.720	114.280
Energy consumption for the first 165 kWh per day	cents/kWh	1.124	1.869	4.181			7.174
Energy consumption above 165 kWh per day	cents/kWh	1.645	2.733	6.116			10.494
031 Residential with Heat Pump Network XMC							
Network access charge	cents/day	98.650	0.000	1.300		4.720	104.670
Energy consumption for the first 165 kWh per day	cents/kWh	1.124	1.869	4.181			7.174
Energy consumption above 165 kWh per day	cents/kWh	1.645	2.733	6.116			10.494
060 Off-Peak (1) Night Network							
Energy at controlled times	cents/kWh	0.234	0.873	2.533			3.640
070 Off-Peak (3) Day & Night Network							
Energy at controlled times	cents/kWh	0.356	1.343	3.332			5.031
LV Commercial Tariffs							
040 General Network							
Network access charge	cents/day	51.937	0.000	1.301	16.810	8.280	78.328
Energy consumption for the first 330 kWh per day	cents/kWh	7.738	2.486	5.226			15.450
Energy consumption above 330 kWh per day	cents/kWh	10.051	3.229	6.789			20.069
041 General Network XMC							
Network access charge	cents/day	51.937	0.000	1.301		8.280	61.518
Energy consumption for the first 330 kWh per day	cents/kWh	7.738	2.486	5.226			15.450
Energy consumption above 330 kWh per day	cents/kWh	10.051	3.229	6.789			20.069
135 Small Unmetered Loads Network							
Network access charge	cents/day	41.990	0.000	1.301			43.291

	Unit	DUOS price	TUOS price	JS price	Metering capital price	Metering non-capital price	NUOS price
Energy consumption	cents/kWh	8.492	2.243	4.857			15.592
080 Streetlighting Network							
Network access charge	cents/day	52.265	0.000	1.300	16.810	8.280	78.655
Energy consumption	cents/kWh	4.824	1.882	4.245			10.951
081 Streetlighting Network XMC							
Network access charge	cents/day	52.265	0.000	1.300		8.280	61.845
Energy consumption	cents/kWh	4.824	1.882	4.245			10.951
090 General TOU Network							
Network access charge	cents/day	51.937	0.000	1.301	16.810	8.280	78.328
Energy consumption at business times	cents/kWh	11.057	5.023	6.888			22.968
Energy consumption at evening times	cents/kWh	6.207	0.686	5.556			12.449
Energy consumption at off-peak times	cents/kWh	2.807	0.310	2.512			5.629
091 General TOU Network XMC							
Network access charge	cents/day	51.937	0.000	1.301		8.280	61.518
Energy consumption at business times	cents/kWh	11.057	5.023	6.888			22.968
Energy consumption at evening times	cents/kWh	6.207	0.686	5.556			12.449
Energy consumption at off-peak times	cents/kWh	2.807	0.310	2.512			5.629
101 LV TOU kVA Demand Network							
Network access charge per connection point	cents/day	58.518	0.000	1.300	135.700	67.000	262.518
Maximum demand charge	c/KVA/day	34.693	11.939	0.452			47.084
Energy consumption at business times	cents/kWh	2.303	1.612	7.086			11.001
Energy consumption at evening times	cents/kWh	1.271	0.889	3.910			6.070
Energy consumption at off-peak times	cents/kWh	0.692	0.484	2.128			3.304
103 LV TOU Capacity Network							
Network access charge per connection point	c/day	58.518	0.000	1.300	135.700	67.000	262.518
Maximum demand charge	c/KVA/day	17.212	4.010	0.000			21.222
Capacity charge	c/KVA/day	17.212	4.010	0.000			21.222
Energy consumption at business times	cents/kWh	1.825	2.155	7.076			11.056
Energy consumption at evening times	cents/kWh	1.007	1.189	3.905			6.101
Energy consumption at off-peak times	cents/kWh	0.548	0.647	2.125			3.320
104 LV TOU kVA Demand Network XMC							
Network access charge per connection point	cents/day	58.518	0.000	1.300		67.000	126.818
Maximum demand charge	c/KVA/day	34.693	11.939	0.452			47.084
Energy consumption at business times	cents/kWh	2.303	1.612	7.086			11.001
Energy consumption at evening times	cents/kWh	1.271	0.889	3.910			6.070

	Unit	DUOS price	TUOS price	JS price	Metering capital price	Metering non-capital price	NUOS price
Energy consumption at off-peak times	cents/kWh	0.692	0.484	2.128			3.304
105 LV TOU Capacity Network XMC							
Network access charge per connection point	c/day	58.518	0.000	1.300		67.000	126.818
Maximum demand charge	c/KVA/day	17.212	4.010	0.000			21.222
Capacity charge	c/KVA/day	17.212	4.010	0.000			21.222
Energy consumption at business times	cents/kWh	1.825	2.155	7.076			11.056
Energy consumption at evening times	cents/kWh	1.007	1.189	3.905			6.101
Energy consumption at off-peak times	cents/kWh	0.548	0.647	2.125			3.320
106 LV Demand Network							
Network access charge	cents/day	51.937	0.000	1.301	16.810		70.048
Energy consumption	cents/kWh	1.524	0.724	5.079			7.327
Peak period maximum demand	cents/kW/day	34.456	13.649	0.530			48.635
107 LV Demand Network XMC							
Network access charge	cents/day	51.937	0.000	1.301			53.238
Energy consumption	cents/kWh	1.524	0.724	5.079			7.327
Peak period maximum demand	cents/kW/day	34.456	13.649	0.530			48.635
HV Commercial Tariffs							
111 HV TOU Demand Network							
Network access charge per connection point	\$/day	20.990	0.000	0.875			21.865
Maximum demand charge	c/KVA/day	10.359	7.981	0.000			18.340
Capacity charge	c/KVA/day	10.359	7.981	0.000			18.340
Energy consumption at business times	cents/kWh	1.590	0.726	6.352			8.668
Energy consumption at evening times	cents/kWh	0.903	0.413	3.608			4.924
Energy consumption at off-peak times	cents/kWh	0.526	0.240	2.100			2.866
121 HV TOU Demand Network – Customer LV							
Network access charge per connection point	\$/day	20.990	0.000	0.875			21.865
Maximum demand charge	c/KVA/day	10.032	8.307	0.000			18.339
Capacity charge	c/KVA/day	10.032	8.307	0.000			18.339
Energy consumption at business times	cents/kWh	1.120	0.527	6.147			7.794
Energy consumption at evening times	cents/kWh	0.662	0.312	3.636			4.610
Energy consumption at off-peak times	cents/kWh	0.398	0.187	2.186			2.771
122 HV TOU Demand Network – Customer HV and LV							
Network access charge per connection point	\$/day	20.990	0.000	0.875			21.865
Maximum demand charge	c/KVA/day	8.201	8.753	0.000			16.954
Capacity charge	c/KVA/day	8.201	8.753	0.000			16.954

	Unit	DUOS price	TUOS price	JS price	Metering capital price	Metering non-capital price	NUOS price
Energy consumption at business times	cents/kWh	1.058	0.674	6.062			7.794
Energy consumption at evening times	cents/kWh	0.626	0.398	3.585			4.609
Energy consumption at off-peak times	cents/kWh	0.376	0.240	2.156			2.772
123 HV Residential Stand-Alone Battery Network							
Capacity charge	c/KVA/day	1.640	1.152	0.000			2.792
Maximum demand charge: high season	c/KVA/day	18.912	9.219	0.000			28.131
Maximum demand charge: low season	c/KVA/day	16.121	4.610	0.000			20.731
Net energy consumption	cents/kWh	0.000	0.000	3.638			3.638
Critical peak export rebate	cents/kVAh	-80.307	0.000	0.000			-80.307
Critical peak export charge	cents/kVAh	119.023	0.000	0.000			119.023
124 HV Commercial Stand-Alone Battery Network							
Capacity charge	c/KVA/day	8.201	1.152	0.000			9.353
Maximum demand charge: high season	c/KVA/day	9.904	9.219	0.000			19.123
Maximum demand charge: low season	c/KVA/day	7.114	4.610	0.000			11.724
Net energy consumption	cents/kWh	0.000	0.000	3.638			3.638
Critical peak export rebate	cents/kVAh	-80.307	0.000	0.000			-80.307
Critical peak export charge	cents/kVAh	119.023	0.000	0.000			119.023

* XMC tariffs exclude metering capital charges

2.5 Changes in network charges in 2022/23

The proposed NUOS charges for 2022/23 are, on average, 9.6 per cent lower in nominal terms than charges in 2021/22,³³ reflecting a decrease in the total NUOS revenue requirement between 2021/22 and 2022/23. Table 2.7 compares Evoenergy's 2022/23 and 2021/22 NUOS tariff charges (which exclude metering charges).

Table 2.7 2021/22 and 2022/23 NUOS tariffs, excluding metering (nominal)

Description	Unit	NUOS actual 2021/22	NUOS proposed 2022/23	Change (units)	Change (%)
Residential tariffs					
010 Residential Basic Network					
Network access charge	cents/day	29.111	29.111	0.000	0%
Energy consumption	cents/kWh	11.742	10.494	-1.248	-11%
015 Residential TOU Network					
Network access charge	cents/day	29.111	29.111	0.000	0%
Energy at max times	cents/kWh	19.364	17.511	-1.853	-10%
Energy at mid times	cents/kWh	10.614	9.306	-1.308	-12%
Energy at economy times	cents/kWh	5.200	4.560	-0.640	-12%
020 Residential 5000 Network					
Network access charge	cents/day	52.616	52.616	0.000	0%
Energy for the first 60 kWh per day	cents/kWh	10.034	8.947	-1.087	-11%
Energy above 60 kWh per day	cents/kWh	11.742	10.494	-1.248	-11%
025 Residential Demand Network					
Network access charge	cents/day	29.110	29.111	0.001	0%
Energy consumption	cents/kWh	4.657	4.560	-0.097	-2%
Peak period maximum demand	cents/kW/day	23.243	19.344	-3.899	-17%
027 Residential Battery Network					
Network access charge	cents/day	29.110	29.111	0.001	0%
Energy consumption at max times	cents/kWh	12.786	10.529	-2.257	-18%
Energy consumption at mid times	cents/kWh	8.957	6.816	-2.141	-24%
Energy consumption at economy times	cents/kWh	5.088	3.354	-1.734	-34%
Energy consumption at solar sponge times	cents/kWh	2.894	1.677	-1.217	-42%
Peak period maximum demand: high season	c/kW/day	12.259	15.353	3.094	25%
Peak period maximum demand: low season	c/kW/day	8.070	10.246	2.176	27%
Critical peak export rebate	cents/kWh	-100.000	-195.647	-95.647	96%
Export threshold charge: high season	cents/kWh	2.287	2.367	0.080	3%
Export threshold charge: low season	cents/kWh	1.500	1.552	0.052	3%
030 Residential with Heat Pump Network					
Network access charge	cents/day	99.950	99.950	0.000	0%
Energy for the first 165 kWh per day	cents/kWh	7.994	7.174	-0.820	-10%
Energy above 165 kWh per day	cents/kWh	11.743	10.494	-1.249	-11%
060 Off-Peak (1) Night Network					

³³ This is calculated by comparing the forecast NUOS revenue in 2022/23 to estimated NUOS revenue in 2021/22. Both revenue estimates are calculated using 2022/23 forecast volumes.

Description	Unit	NUOS actual 2021/22	NUOS proposed 2022/23	Change (units)	Change (%)
Energy consumption	cents/kWh	3.543	3.640	0.097	3%
070 Off-Peak (3) Day & Night Network					
Energy consumption	cents/kWh	5.204	5.031	-0.173	-3%
LV Commercial tariffs					
040 General Network					
Network access charge	cents/day	53.238	53.238	0.000	0%
Energy for the first 330 kWh per day	cents/kWh	17.761	15.450	-2.311	-13%
Energy above 330 kWh per day	cents/kWh	23.071	20.069	-3.002	-13%
135 Small Unmetered Loads Network					
Network access charge	cents/day	43.291	43.291	0.000	0%
Energy consumption	cents/kWh	17.689	15.592	-2.097	-12%
080 Streetlighting Network					
Network access charge	cents/day	53.566	53.565	-0.001	0%
Energy consumption	cents/kWh	12.129	10.951	-1.178	-10%
090 General TOU Network					
Network access charge	cents/day	53.238	53.238	0.000	0%
Energy at business times	cents/kWh	24.483	22.968	-1.515	-6%
Energy at evening times	cents/kWh	15.482	12.449	-3.033	-20%
Energy at off-peak times	cents/kWh	7.002	5.629	-1.373	-20%
101 LV TOU kVA Demand Network					
Network access per connection point	cents/day	59.818	59.818	0.000	0%
Maximum demand charge	c/KVA/day	49.277	47.084	-2.193	-4%
Energy at business times	cents/kWh	12.473	11.001	-1.472	-12%
Energy at evening times	cents/kWh	6.885	6.070	-0.815	-12%
Energy at off-peak times	cents/kWh	3.747	3.304	-0.443	-12%
103 LV TOU Capacity Network					
Network access per connection point	cents/day	59.818	59.818	0.000	0%
Maximum demand charge	c/KVA/day	22.155	21.222	-0.933	-4%
Capacity charge	c/KVA/day	22.155	21.222	-0.933	-4%
Energy at business times	cents/kWh	12.321	11.056	-1.265	-10%
Energy at evening times	cents/kWh	6.799	6.101	-0.698	-10%
Energy at off-peak times	cents/kWh	3.700	3.320	-0.380	-10%
106 LV Demand Network					
Network access charge	cents/day	53.238	53.238	0.000	0%
Energy consumption	cents/kWh	8.853	7.327	-1.526	-17%
Peak period maximum demand	cents/kW/day	49.982	48.635	-1.347	-3%
HV Commercial tariffs					
111 HV TOU Demand Network					
Network access per connection point	cents/day	2186.400	2186.500	0.100	0%
Maximum demand charge	c/KVA/day	17.421	18.340	0.919	5%
Capacity charge	c/KVA/day	17.421	18.340	0.919	5%
Energy at business times	cents/kWh	10.155	8.668	-1.487	-15%

Description	Unit	NUOS actual 2021/22	NUOS proposed 2022/23	Change (units)	Change (%)
Energy at evening times	cents/kWh	5.769	4.924	-0.845	-15%
Energy at off-peak times	cents/kWh	3.359	2.866	-0.493	-15%
121 HV TDU Demand Network – Customer LV					
Network access per connection point	cents/day	2186.400	2186.500	0.100	0%
Maximum demand charge	c/KVA/day	17.420	18.339	0.919	5%
Capacity charge	c/KVA/day	17.420	18.339	0.919	5%
Energy at business times	cents/kWh	9.130	7.794	-1.336	-15%
Energy at evening times	cents/kWh	5.400	4.610	-0.790	-15%
Energy at off-peak times	cents/kWh	3.246	2.771	-0.475	-15%
122 HV TDU Demand Network – Customer HV and LV					
Network access per connection point	cents/day	2186.400	2186.500	0.100	0%
Maximum demand charge	c/KVA/day	14.728	16.954	2.226	15%
Capacity charge	c/KVA/day	14.728	16.954	2.226	15%
Energy at business times	cents/kWh	9.129	7.794	-1.335	-15%
Energy at evening times	cents/kWh	5.398	4.609	-0.789	-15%
Energy at off-peak times	cents/kWh	3.246	2.772	-0.474	-15%
123 HV Stand-Alone Battery Network (residential)					
Capacity charge	c/KVA/day	12.591	2.792	-9.799	-78%
Net energy consumption	cents/kWh	4.499	3.638	-0.861	-19%
Peak period maximum demand: high season	c/KVA/day	19.180	28.131	8.951	47%
Peak period maximum demand: low season	c/KVA/day	12.877	20.731	7.854	61%
Critical peak export rebate	cents/kVAh	-77.593	-80.307	-2.714	3%
Critical peak export charge	cents/kVAh	115.000	119.023	4.023	3%
124 HV Stand-Alone Battery Network (commercial)					
Capacity charge	c/KVA/day	12.591	9.353	-3.238	-26%
Net energy consumption	cents/kWh	4.499	3.638	-0.861	-19%
Peak period maximum demand: high season	c/KVA/day	19.180	19.123	-0.057	0%
Peak period maximum demand: low season	c/KVA/day	12.877	11.724	-1.153	-9%
Critical peak export rebate	cents/kVAh	-77.593	-80.307	-2.714	3%
Critical peak export charge	cents/kVAh	115.000	119.023	4.023	3%

3 Charges for alternative control services

Evoenergy's Alternative Control Services comprise Type 5 and Type 6 metering services, ancillary services and quoted services. Metering charges are set out in section 3.1 followed by ancillary service charges in section 3.2.

3.1 The structure and basis of Evoenergy's metering charges

There are two types of Evoenergy metering service charges, as per the AER's Final Decision for the 2019–24 regulatory control period.³⁴

- A capital cost component that is applied to customers who were connected prior to 1 July 2015.
- A non-capital cost component that is applied to customers connected prior to 1 July 2015 and also to those with new connections from 1 July 2015 that have paid in full for their meters. This charge continues to apply until a customer's meter is replaced with an unregulated Type 4 meter (from 1 December 2017).

Both of these charges are a fixed charge in cents per day – the charge does not vary with electricity consumption or demand.

For meters installed before 1 July 2015, Evoenergy paid upfront for the capital costs of the meters which were then added to the regulated asset base and recovered gradually, over the life of the meter, through annual charges. These charges will continue until the value of Evoenergy's metering Regulated Asset Base has fallen to a value of zero.

The capital cost of regulated meters installed between 1 July 2015 and 31 March 2018³⁵ was paid by consumers upon installation, and as a result these customers do not pay ongoing metering capital charges to Evoenergy. Evoenergy and retailers are able to identify, through the network billing system, which customers have paid for their meters upfront and are therefore not liable for the metering capital charge.

Non-capital charges are paid by all customers with a regulated Type 5 or Type 6 meter installed. Non-capital charges cover ongoing operational costs such as meter reading and data processing.

In accordance with the Metering Rule Change,³⁶ Type 4 meters became the standard electricity meter in the ACT for new connections and meter replacements from 1 December 2017³⁷. No new network connections from 1 December 2017 with an unregulated Type 4 meter pay metering capital charges to Evoenergy. These customers instead pay unregulated Metering Co-ordinator charges to their retailer.

The AER set caps for the annual metering capital and non-capital charges in its Final Decision for the 2019–24 regulatory control period.³⁸ Attachment 1 contains a table showing all 2022/23 NUOS tariff charges including metering charges.

The application of metering charges is shown in Table 3.1.

³⁴ AER 2019, *Final Decision – Evoenergy Distribution Determination 2019 to 2024, Attachment 15: Alternative Control Services*, April 2019, page 15-22.

³⁵ The final day Evoenergy was permitted to install meters under transitional arrangements.

³⁶ AEMC 2015, *National Electricity Amendment (Expanding competition in metering and related services) Rule 2015*, 26 November 2015.

³⁷ Evoenergy were permitted to continue installing Type 5 and Type 6 meters until 31 March 2018, at premises where a service order had been received prior to 1 December 2017.

³⁸ AER 2019, *Evoenergy 2019–24 – Final Decision – Ancillary services cost build-up*, April 2019.

Table 3.1 Application of metering charges

Type of customer	Pays Evoenergy ongoing metering capital charge	Paid Evoenergy upfront metering capital charge	Metering capital charge excluded from tariff	Pays Evoenergy ongoing metering non-capital charge
• Meter installed before 1/7/15 • Meter replaced (in accordance with law) between 1/7/15 and 1/12/17 • Evoenergy continues to provide metering services	Yes	No	No	Yes
• Meter installed before 1/7/15 • Customer requested new meter (e.g., for PV system) • Evoenergy installed new meter (before 1/12/17) • Evoenergy continues to provide metering services	Yes	Yes	No	Yes
• Meter installed before 1/7/15 • Customer requested new meter (e.g., for PV system) • Evoenergy installed new meter (before 1/12/17) • Customer switches to another metering provider after 1/12/17	Yes	Yes	No	No
• Meter is replaced (in accordance with law) between 1/7/15 and 1/12/17 by Responsible Person • Meter is replaced (in accordance with law) after 1/12/17 by Metering Coordinator • Evoenergy does not provide metering services				
• New meter (not a replacement) installed between 1/7/15 and 1/12/17 • Evoenergy continues to provide metering services	No	Yes	Yes	Yes
• Meter installed before 1/7/15 • Meter is replaced (in accordance with law) after 1/12/17 by Metering Coordinator • Evoenergy does not provide metering services after meter is replaced	Yes	No	No	No
• New connection between 1/7/15 and 1/12/17 • Meter is replaced (in accordance with the law) after 1/12/17 by Metering Coordinator (not Evoenergy) • Evoenergy does not provide metering services after meter is replaced	No	Yes	Yes	No
• New connection from 1/12/17 • Evoenergy does not install the new meter • Evoenergy does not provide metering services	No	No	Yes	No

The small unmetered loads tariff does not include metering charges because Evoenergy has not connected meters to these loads. Also, the off-peak network tariffs do not include metering charges because the metering charges are associated with the customer's primary tariff, not the supplementary off-peak tariff. Furthermore, high voltage network tariffs exclude metering

charges as Evoenergy has not provided manually read meters to these customers since they are required to use remotely read (types 1- 4) meters.

The AER set caps for the annual metering capital and non-capital charges in its Final Decision for the 2019–24 regulatory control period.³⁹ These price caps are shown in Table 3.2 and 3.3 for metering non-capital and metering capital, respectively. Table 2.6 shows the 2022/23 NUOS tariff charges including metering charges.

3.1.1 Metering non-capital charges for 2022/23

Evoenergy recovers metering non-capital charges from all customers with a Type 5 or Type 6 meter installed. A schedule of these fees is set out in Table 3.2. Evoenergy's schedule of metering non-capital charges comprises five separate charges. The charge applied to a customer depends on whether they have a basic or interval meter, and whether the meter is read monthly or quarterly.

Table 3.2 Metering non-capital charges, 2022/23

Code	Description	Unit	GST exclusive price	GST inclusive price
MP1	Quarterly metering non-capital rate	c/day/NMI	4.72	5.19
MP2	Monthly non-interval metering non-capital rate	c/day/NMI	8.28	9.11
MP3	Monthly interval metering non-capital rate	c/day/NMI	8.28	9.11
MP4	Monthly manually-read interval metering non-capital rate	c/day/NMI	67.00	73.70
MP6	Quarterly manually-read interval metering non-capital rate	c/day/NMI	19.08	20.99

3.1.2 Metering capital charges for 2022/23

Evoenergy recovers metering capital charges from customers with a Type 5 or Type 6 meter that was installed before 1 July 2015, through ongoing metering capital charges. A schedule of these fees is set out in Table 3.3. Evoenergy's schedule of metering capital charges comprises four separate charges. The charge applied to a customer depends on whether they have a basic or interval meter, and whether the meter is read monthly or quarterly.

Table 3.3 Metering capital charges, 2022/23

Code	Description	Unit	GST exclusive price	GST inclusive price
MP7	Quarterly manually-read interval metering capital rate	c/day/NMI	9.61	10.57
MP8	Monthly non-interval metering capital rate	c/day/NMI	16.81	18.49
MP9	Monthly multi-register non-interval metering capital rate	c/day/NMI	16.81	18.49
MP10	Monthly manually-read interval metering capital rate	c/day/NMI	135.70	149.27

³⁹ AER 2019, *Evoenergy 2019–24 – Final Decision – Ancillary services cost build-up*, April 2019.

3.2 Ancillary services

Evoenergy is introducing two additional network ancillary services as quoted services in the 2022/23 regulatory year in accordance with clause 13.5.1 of the AER's Draft Decision for Evoenergy's 2019-24 Distribution Determination attachment 13 Control Mechanisms, which was confirmed in the AER's Final Decision. The two new services that Evoenergy proposes to introduce from 1 July 2022 regulatory year are detailed below. The prices of these services are included in Table 3.4.

1. Complex Micro Embedded Generation Connection Enquiry – Class 1 (Residential)

This service includes undertaking a review of complex micro embedded generation connection applications to ensure compliance with Evoenergy's technical requirements. Upon approval of an application, a letter is provided to inform the installer of the approval. Evoenergy then updates an internal database that is then uploaded to the Australian Energy Market Operator (AEMO). A complex micro residential generation application is one that:

- is for a site with existing equipment for PV systems; or
- is for a site with a battery; or
- has single phase inverters totalling over 5 kVA; or
- has three phase inverters totalling over 15 kVA; or
- located in greenfield areas; or
- are part of an embedded network.

There is an existing ancillary service to process connection enquiries for embedded generation installations in commercial applications (ACS code 570). The addition of the above service will apply to residential applications (new ACS code 571).

2. Installation of Possum Guards

This service includes provision and installation of a possum guard on the overhead service cable to prevent possums from entering a customer's roof space and causing damage. The new ACS code for this service 559.

Charges for fee-based services are typically set by the AER to reflect the cost of providing the service. Table 3.4 shows the price cap charges for fee-based services in 2022/23 in accordance with the AER's Final Decision.⁴⁰

Table 3.4 Fee-based ancillary services charges, 2022/23

Code	Description	Unit	GST exclusive price	GST inclusive price
Premise re-energisation - Existing network connection*				
501	Re-energise premise – Business Hours	per visit	\$85.59	\$94.15
502	Re-energise premise – After Hours	per visit	\$106.87	\$117.56
Premise De-energisation – Existing Network Connection				
503	De-energise premise – Business Hours	per visit	\$85.59	\$94.15
505	De-energise premise for debt non-payment	per visit	\$171.18	\$188.30
Meter investigations				
504	Meter Test (Whole Current) – Business Hours	per test	\$342.37	\$376.61

⁴⁰ AER 2019, *Final Decision – Evoenergy Distribution Determination 2019 to 2024, Attachment 15: Alternative Control Services*, April 2019, p 15-13 to 15-20.

Code	Description	Unit	GST exclusive price	GST inclusive price
510	Meter Test (CT/VT) – Business Hours	per test	\$513.69	\$565.06
Special meter services				
506	Special meter read	per read	\$37.03	\$40.73
Power of Choice services				
515	Move, remove, inspect or reconfigure meter	per movement, inspection or re-configure	\$171.18	\$188.30
516	Establish temporary/permanent supply	per establishment	\$128.38	\$141.22
517	Faults investigation (meter malfunction)	per investigation	\$128.38	\$141.22
518	Faults investigation (meter bypassed)	per investigation	\$171.18	\$188.30
519	Faults investigation (customer's side of network boundary)	per investigation	\$85.59	\$94.15
Temporary Network Connections				
520	Temporary Builders' Supply – Overhead (Business Hours)	per installation	\$556.40	\$612.04
522	Temporary Builders' Supply – Underground (Business Hours)	per installation	\$1,069.95	\$1,176.95
New Network Connections				
523	New Underground Service Connection – Greenfield	per installation	\$0.00	\$0.00
526	New Overhead Service Connection – Brownfield (Business Hours)	per installation	\$813.93	\$895.32
527	New Underground Service Connection – Brownfield from Front	per installation	\$1,326.72	\$1,459.39
528	New Underground Service Connection – Brownfield from Rear	per installation	\$1,326.72	\$1,459.39
Network Connection Alterations and Additions				
541	Overhead Service Relocation – Single Visit (Business Hours)	per installation	\$684.72	\$753.19
542	Overhead Service Relocation – Two Visits (Business Hours)	per installation	\$1,369.46	\$1,506.41
543	Overhead Service Upgrade – Service Cable Replacement Not Required	per installation	\$684.72	\$753.19
544	Overhead Service Upgrade – Service Cable Replacement Required	per installation	\$727.58	\$800.34
545	Underground Service Upgrade – Service Cable Replacement Not Required	per installation	\$513.54	\$564.89
546	Underground Service Upgrade – Service Cable Replacement Required	per installation	\$1,326.72	\$1,459.39
547	Underground Service Relocation – Single Visit (Business Hours)	per installation	\$1,326.72	\$1,459.39
548	Install surface mounted point of entry (POE) box	per installation	\$628.37	\$691.21
549	Overhead Service Temporary Disconnect Reconnect same day (Business Hours)	per installation	\$1,027.09	\$1,129.80
Temporary Network Infrastructure De-energisation				
560	LV temporary network infrastructure de-energisation (Business Hours)	per occurrence	\$684.72	\$753.19

Code	Description	Unit	GST exclusive price	GST inclusive price
561	HV temporary network infrastructure de-energisation (Business Hours)	per occurrence	\$684.72	\$753.19
Supply Abolishment / Removal				
562	Supply Abolishment / Removal – Overhead (Business Hours)	per site visit	\$513.54	\$564.89
563	Supply Abolishment / Removal - Underground (Business Hours)	per site visit	\$1,283.86	\$1,412.25
Miscellaneous Customer Initiated Services				
564	Install & Remove Tiger Tails – Establishment (Business Hours)	per installation	\$1,283.01	\$1,411.31
565	Install & Remove Tiger Tails - Per Span (Business Hours)	per installation	\$1,974.89	\$2,172.38
566	Install & Remove Warning Flags – Installation (Business Hours)	per installation	\$1,283.01	\$1,411.31
567	Install & Remove Warning Flags – Per span (Business Hours)	per installation	\$1,709.50	\$1,880.45
Operational & Maintenance Fees - Export Only Embedded Generation Installations up to 5MW				
568	Embedded Generation OPEX Fees - Connection Assets	per annum	2%	2%
569	Embedded Generation OPEX Fees - Shared Network Asset	per annum	2%	2%
Connection Enquiry Processing - Embedded Generation Installations				
570	Embedded Generation Connection Enquiry – Class 1 (Commercial)	per installation	\$470.75	\$517.83
596	Embedded Generation Connection Enquiry – Class 2	per installation	\$588.42	\$647.26
597	Embedded Generation Connection Enquiry – Class 3	per installation	\$706.11	\$776.72
598	Embedded Generation Connection Enquiry – Class 4	per installation	\$823.79	\$906.17
599	Embedded Generation Connection Enquiry – Class 5	per installation	\$941.47	\$1,035.62
600	Embedded Generation Connection Enquiry – Class 6	per installation	\$1,059.17	\$1,165.09
Network Design & Investigation / Analysis Services - Embedded Generation Installations				
574	Embedded Generation Network Technical Study - Class 1 (Commercial)	per installation	\$1,882.96	\$2,071.26
575	Embedded Generation Network Technical Study - Class 2	per installation	\$3,765.91	\$4,142.50
576	Embedded Generation Network Technical Study - Class 3	per installation	\$7,531.83	\$8,285.01
577	Embedded Generation Network Technical Study - Class 4	per installation	\$11,297.74	\$12,427.51
578	Embedded Generation Network Technical Study - Class 5	per installation	\$15,063.64	\$16,570.00
579	Embedded Generation - Network Technical Study - Class 6	per installation	\$18,829.56	\$20,712.52

Code	Description	Unit	GST exclusive price	GST inclusive price
Contract Administration, Commissioning and Testing - Embedded generation installations up to 5MW				
669	Embedded Generation - Connection Contract Establishment - Class 1 (Commercial) to Class 6	per establishment	\$3,765.91	\$4,142.50
Provision of Data for Network Technical Study - Embedded generation installations over 5MW				
670	Embedded Generator Network Technical Study - Embedded Generation over 5MW	per provision	\$18,829.56	\$20,712.52
Rescheduled Site Visits				
590	Rescheduled Site Visit – One Person	per site visit	\$171.18	\$188.30
591	Rescheduled Site Visit – Service Team	per site visit	\$736.42	\$810.06
Trenching charges				
592	Trenching - first 2 meters	per visit	\$611.32	\$672.45
593	Trenching - subsequent meters	per meter	\$142.16	\$156.38
Boring charges				
594	Under footpath	per occurrence	\$1,108.91	\$1,219.80
595	Under driveway	per occurrence	\$1,322.18	\$1,454.40
Cable Testing				
603	Spiking/Cable Testing (Business Hours) - Evoenergy network cables only	per test	\$1,007.22	\$1,107.94
604	Spiking/Cable Testing (After Hours) - Evoenergy network cables only	per test	\$1,296.21	\$1,425.83
Testing of Substation HV/LV Earthing or Soil Resistivity				
605	Substation HV/LV Earthing/Soil Resistivity Testing (Business Hours)	per test	\$1,187.83	\$1,306.61
606	Substation HV/LV Earthing/Soil Resistivity Testing (After Hours)	per test	\$1,549.09	\$1,704.00
Termination of Consumer Mains - up to 50mm² Al or Cu - Note 1				
607	1x 4 Core Or 4x 1 Core (1 Set) Consumer Mains (Business Hours)	per termination	\$1,397.19	\$1,536.91
608	1x 4 Core Or 4x 1 Core(1 Set) Consumer Mains (After Hours)	per termination	\$1,758.42	\$1,934.26
Termination of Consumer Mains - Above 50mm² Cu or Al - Note 1				
609	1x 4 Core Or 4x 1 Core (1 Set) Consumer Mains (Business Hours)	per termination	\$1,758.42	\$1,934.26
610	1x 4 Core Or 4x 1 Core(1 Set) Consumer Mains (After Hours)	per termination	\$2,264.17	\$2,490.59
611	2 x 4 Core Or 8 x 1 Core (2 Set) Consumer Mains (Business Hours)	per termination	\$2,119.67	\$2,331.64
612	2 x 4 Core Or 8 x 1 Core (2 Set) Consumer Mains (After Hours)	per termination	\$2,769.92	\$3,046.91
613	3 x 4 Core Or 12 x 1 Core (3 Set) Consumer Mains (Business Hours)	per termination	\$2,480.93	\$2,729.02
614	3 x 4 Core Or 12 x 1 Core (3 Set) Consumer Mains (After Hours)	per termination	\$3,275.66	\$3,603.23
615	4 x 4 Core Or 16 x 1 Core (4 Set) Consumer Mains (Business Hours)	per termination	\$2,661.54	\$2,927.69

Code	Description	Unit	GST exclusive price	GST inclusive price
616	4 x 4 Core Or 16 x 1 Core (4 Set) Consumer Mains (After Hours)	per termination	\$3,528.54	\$3,881.39
LV Underground Network Disconnection (permanent disconnection of existing network)				
617	Including Capping/Abandoning - Underground (Business Hours)	per disconnection or per visit	\$1,939.05	\$2,132.96
618	Including Capping/Abandoning - Underground (After Hours)	per disconnection or per visit	\$2,517.05	\$2,768.76
Consumer Mains Disconnection at Evoenergy Network Asset such as Point of Entry/Substation				
619	Temporary or Permanent Consumer Mains as a Separate Request (Business Hours)	per disconnection or per visit	\$1,939.05	\$2,132.96
620	Temporary or Permanent Consumer Mains as a Separate Request (After Hours)	per disconnection or per visit	\$2,517.05	\$2,768.76
Substation Supervised Access				
621	1- 4 (Business Hours)	per visit per substation	\$1,226.17	\$1,348.79
622	1- 4 (After Hours)	per visit per substation	\$1,587.42	\$1,746.16
623	4- 8 (Business Hours)	per visit per substation	\$1,948.66	\$2,143.53
624	4- 8 (After Hours)	per visit per substation	\$2,598.91	\$2,858.80
Temporary De-energisation/Isolation of Overhead LV Network				
625	Business Hours Work - Per isolation or de-energisation and re-energisation on a same day	per day	\$1,546.35	\$1,700.99
626	After Hours Work - Per isolation or de-energisation and re-energisation on a same day	per day	\$1,979.85	\$2,177.84
Temporary De-energisation/Isolation of Overhead HV Network – Note 2				
627	Business Hours Work - Per isolation or de-energisation and re-energisation on a same day	per day	\$2,785.23	\$3,063.75
628	After Hours Work - Per isolation or de-energisation and re-energisation on a same day	per day	\$3,507.73	\$3,858.50
Temporary De-energisation/Isolation of Underground/Overhead SLCC supply – Note 3				
629	Business Hours Work - Per isolation or de-energisation and re-energisation on a same day	per day	\$684.31	\$752.74
630	After Hours Work - Per isolation or de-energisation and re-energisation on a same day	per day	\$828.81	\$911.69
Temporary De-energisation/Isolation of Underground HV Or LV Network – Note 3				
631	Business Hours Work - Per isolation or de-energisation and re-energisation on a same day	per day	\$1,365.73	\$1,502.30
632	After Hours Work - Per isolation or de-energisation and re-energisation on a same day	per day	\$1,726.98	\$1,899.68

Code	Description	Unit	GST exclusive price	GST inclusive price
Temporary De-energisation/Isolation of Underground HV Network – Note 4				
633	Business Hours Work - Per isolation or de-energisation and re-energisation on a same day	per day	\$1,907.61	\$2,098.37
634	After Hours Work - Per isolation or de-energisation and re-energisation on a same day	per day	\$2,485.60	\$2,734.16
Temporary Pole Support Work - Using Lifter/Borer – Note 5				
635	Business Hours Work	Per pole support per day as well as per visit	\$3,941.26	\$4,335.39
636	After Hours Work	Per pole support per day as well as per visit	\$4,596.43	\$5,056.07
Temporary Pole Support Work - Using Concrete Blocks – Note 5				
637	Business Hours Work	per Pole per Installation as well as per visit	\$3,026.44	\$3,329.08
638	After Hours Work	per Pole per Installation as well as per visit	\$3,464.87	\$3,811.36
Pole Stay Replacement				
639	With Standard Stay -Business Hours	per pole stay	\$4,382.31	\$4,820.54
640	With Standard Stay -After Hours	per pole stay	\$5,396.43	\$5,936.07
641	With Side Walk Stay -Business Hours	per pole stay	\$5,164.73	\$5,681.20
642	With Side Walk Stay -After Hours	per pole stay	\$6,193.26	\$6,812.59
LVABC Replacement				
643	1 Span- Business Hours	per installation	\$10,157.65	\$11,173.42
644	1 Span - After Hours	per installation	\$13,047.63	\$14,352.39
645	2 Span- Business Hours	per installation	\$15,119.12	\$16,631.03
646	2 Span - After Hours	per installation	\$19,237.34	\$21,161.07
647	3 Span- Business Hours	per installation	\$19,943.00	\$21,937.30
648	3 Span - After Hours	per installation	\$25,217.19	\$27,738.91
649	Cut & Shackle for LVABC Replacement - Per Cross arm One Direction - Business Hours	per installation	\$1,360.49	\$1,496.54
650	Cut & Shackle for LVABC Replacement - Per Cross arm One Direction - After Hours	per installation	\$1,716.80	\$1,888.48
651	Installation of LV Fuse Switch Disconnecter for LVABC Replacement Work- Business Hours	per installation	\$1,564.49	\$1,720.94
652	Installation of LV Fuse Switch Disconnecter for LVABC Replacement Work- After Hours	per installation	\$1,920.79	\$2,112.87
653	Installation of LV termination cross-arm for LVABC Replacement Work - Business Hours	per installation	\$1,582.65	\$1,740.92

Code	Description	Unit	GST exclusive price	GST inclusive price
654	Installation of LV termination cross-arm for LVABC Replacement Work - After Hours	per installation	\$1,980.04	\$2,178.04
655	Installation of LV double strain cross - arm for LVABC Replacement Work - Business Hours	per installation	\$1,815.37	\$1,996.91
656	Installation of LV double strain cross - arm for LVABC Replacement Work - After Hours	per installation	\$2,424.55	\$2,667.01
657	1 Way 630A Weber Fuse Switch Disconnecter Installation for consumer mains termination work - Business Hours	per installation	\$834.02	\$917.42
658	1 Way 630A Weber Fuse Switch Disconnecter Installation for consumer mains termination work - After Hours	per installation	\$906.27	\$996.90
659	1 Way 1000A Weber Fuse Switch Disconnecter Installation for consumer mains termination work - Business Hours	per installation	\$954.10	\$1,049.51
660	1 Way 1000A Weber Fuse Switch Disconnecter Installation for consumer mains termination work - After Hours	per installation	\$1,026.34	\$1,128.97
661	1 Way 1250A Jean Muller Installation for consumer mains termination work - Business Hours	per installation	\$4,475.49	\$4,923.04
662	1 Way 1250A Jean Muller Installation for consumer mains termination work - After Hours	per installation	\$4,583.87	\$5,042.26
663	1 Way Weber POE Kit Installation for consumer mains termination work- Business Hours	per installation	\$2,723.04	\$2,995.34
664	1 Way Weber POE Kit Installation for consumer mains termination work- After Hours	per installation	\$2,795.30	\$3,074.83
665	3 Way Weber POE Kit Installation for consumer mains termination work - Business Hours	per installation	\$3,553.16	\$3,908.48
666	3 Way Weber POE Kit Installation for consumer mains termination work - After Hours	per installation	\$3,625.42	\$3,987.96
667	Holec Fuse Kit Installation for Termination of Consumer Mains - Business Hours	per installation	\$317.15	\$348.87
668	Holec Fuse Kit Installation for Termination of Consumer Mains - After Hours	per installation	\$389.40	\$428.34
New Services				
571	Complex Micro Embedded Generation Connection Enquiry – Class 1 (Residential)	per installation	\$235.36	\$258.90
559	Installation of Possum Guard on overhead service cable	per installation	\$881.88	\$970.07

Notes to Table 3.1

- * These charges also apply where Evoenergy responds to a customer initiated call out and determines that the premise is energised at the connection point.

- 1 Includes termination of temporary supply consumer mains. Crimp Lugs to be supplied by Customer/Applicant. Charges includes disconnection of existing temporary consumer mains if present.
- 2 Includes establishment of temporary earthing to overhead network and includes plant as required
- 3 Excludes the type of work done by supply and installation officer. Excludes streetlight controller isolation work by Connection and Installation (C & I) Officer or Services and Installation (S & I) Officer
- 4 Includes insulation testing of isolated HV cable prior re-energisation
- 5 Includes plant operator as required however temporary network isolation charges to apply separately.

Following the submission of the Revised Regulatory Proposal in November 2018, Evoenergy identified two of the proposed ancillary service charges had been assigned a billing code that conflicted with a service already assigned in the billing system. Specifically, in the Revised Regulatory Proposal, Evoenergy assigned the following codes.

- 601 – Contract Administration, Commissioning and Testing – Embedded Generation Installations up to 5MW
- 602 – Provision of Data for Network Technical Study – Embedded Generation Installations over 5MW

This was an error, as codes 601 and 602 are currently in use in the billing system as tariff codes for customers assigned to the ACT Government's now-closed Premium FiT arrangements. As a result, Evoenergy re-assigned the above two services to codes 669 and 670, respectively, as shown in Table 3.5.

Table 3.5 Change to codes

Code description	Code assignment – Revised Regulatory Proposal	Code assignment – 2020/21 Pricing Proposal
Contract Administration, Commissioning and Testing - Embedded Generation Installations up to 5MW	601	669
Provision of Data for Network Technical Study - Embedded Generation Installations over 5MW	602	670

4 Expected price trends

Table 4.1 sets out Evoenergy's approved charges for 2022/23 and indicative NUOS charges (excluding metering) for the future regulatory years of the 2019–24 regulatory control period.

Table 4.1 Indicative NUOS charges (excluding metering) for future regulatory years: actual 2022/23 and indicative 2023/24 (nominal)

Tariff	Unit	2022/23 Proposed	2023/24 Indicative
010 Residential Basic Network			
Network access charge	cents/day	29.11	30.00
Energy consumption	cents/kWh	10.49	10.49
015 Residential TOU Network			
Network access charge	cents/day	29.11	30.00
Energy consumption at max times	cents/kWh	17.51	17.55
Energy consumption at mid times	cents/kWh	9.31	9.24
Energy consumption at economy times	cents/kWh	4.56	4.53
020 Residential 5000 Network			
Network access charge	cents/day	52.62	54.21
Energy consumption for the first 60 kWh per day	cents/kWh	8.95	9.04
Energy consumption above 60 kWh per day	cents/kWh	10.49	10.82
025 Residential Demand Network			
Network access charge	cents/day	29.11	30.00
Energy consumption	cents/kWh	4.56	4.28
Peak period maximum demand	cents/kW	19.34	20.59
027 Residential Battery Network (Trial Tariff)			
Network access charge	cents/day	29.11	30.00
Energy consumption at max times	cents/kWh	10.53	8.18
Energy consumption at mid times	cents/kWh	6.82	5.90
Energy consumption at economy times	cents/kWh	3.35	2.91
Energy consumption at solar sponge times	cents/kWh	1.68	1.45
Peak period maximum demand: high season	cents/kW	15.35	15.50
Peak period maximum demand: low season	cents/kW	10.25	10.58
Critical peak export rebate	cents/kWh	-195.65	-197.31
Export threshold charge: high season	cents/kWh	2.37	2.41
Export threshold charge: low season	cents/kWh	1.55	1.59
030 Residential with Heat Pump Network			
Network access charge	cents/day	99.95	102.99
Energy consumption for the first 165 kWh per day	cents/kWh	7.17	7.45
Energy consumption above 165 kWh per day	cents/kWh	10.49	11.65
040 General Network			
Network access charge	cents/day	53.24	54.86
Energy consumption for the first 330 kWh per day	cents/kWh	15.45	14.62
Energy consumption above 330 kWh per day	cents/kWh	20.07	18.99
135 Small Unmetered Loads Network			
Network access charge	cents/day	43.29	44.61

Tariff	Unit	2022/23 Proposed	2023/24 Indicative
Energy consumption	cents/kWh	15.59	14.98
060 Off-Peak (1) Night Network			
Energy consumption	cents/kWh	3.64	4.75
070 Off-Peak (3) Day & Night Network			
Energy consumption	cents/kWh	5.03	5.93
080 Streetlighting Network			
Network access charge	cents/day	53.57	55.19
Energy consumption	cents/kWh	10.95	11.06
090 General TOU Network			
Network access charge	cents/day	53.24	54.86
Energy consumption at business times	cents/kWh	22.97	21.92
Energy consumption at evening times	cents/kWh	12.45	12.65
Energy consumption at off-peak times	cents/kWh	5.63	5.72
101 LV TOU kVA Demand Network			
Network access charge per connection point	cents/day	59.82	61.64
Maximum demand charge	c/KVA/day	47.08	46.53
Energy consumption at business times	cents/kWh	11.00	11.43
Energy consumption at evening times	cents/kWh	6.07	6.31
Energy consumption at off-peak times	cents/kWh	3.30	3.43
103 LV TOU Capacity Network			
Network access charge per connection point	cents/day	59.82	61.64
Maximum demand charge	c/KVA/day	21.22	21.08
Capacity charge	c/KVA/day	21.22	21.08
Energy consumption at business times	cents/kWh	11.06	11.70
Energy consumption at evening times	cents/kWh	6.10	6.46
Energy consumption at off-peak times	cents/kWh	3.32	3.51
106 LV Demand Network			
Network access charge	cents/day	53.24	54.86
Energy consumption	cents/kWh	7.33	7.14
Peak period maximum demand	c/kW/day	48.64	47.82
108 LV Stand-Alone Battery Network (residential)			
Capacity Charge	c/kVA/day	2.80	2.78
Peak period maximum demand high season	c/kVA/day	4.10	4.25
Peak period maximum demand low season	c/kVA/day	43.05	42.90
Net energy consumption	c/kWh	37.53	37.41
Critical peak export rebate	c/kVAh	-159.34	-159.34
Critical peak export charge	c/kVAh	119.02	119.02
109 LV Stand-Alone Battery Network (commercial)			
Capacity Charge	c/kVA/day	18.29	17.93
Peak period maximum demand high season	c/kVA/day	4.10	4.25
Peak period maximum demand low season	c/kVA/day	21.71	21.35
Net energy consumption	c/kWh	16.19	16.19
Critical peak export rebate	c/kVAh	-159.34	-163.20
Critical peak export charge	c/kVAh	119.02	121.91

Tariff	Unit	2022/23 Proposed	2023/24 Indicative
111 HV TOU Demand Network			
Network access charge per connection point	\$/day	21.87	22.53
Maximum demand charge	c/KVA/day	18.34	18.62
Capacity charge	c/KVA/day	18.34	18.62
Energy consumption at business times	cents/kWh	8.67	9.28
Energy consumption at evening times	cents/kWh	4.92	5.27
Energy consumption at off-peak times	cents/kWh	2.87	3.07
121 HV TOU Demand Network – Customer LV			
Network access charge per connection point	\$/day	21.87	22.53
Maximum demand charge	c/KVA/day	18.34	18.62
Capacity charge	c/KVA/day	18.34	18.62
Energy consumption at business times	cents/kWh	7.79	8.51
Energy consumption at evening times	cents/kWh	4.61	5.03
Energy consumption at off-peak times	cents/kWh	2.77	3.03
122 HV TOU Demand Network – Customer HV and LV			
Network access charge per connection point	\$/day	21.87	22.53
Maximum demand charge	c/KVA/day	16.95	18.48
Capacity charge	c/KVA/day	16.95	18.48
Energy consumption at business times	cents/kWh	7.79	8.51
Energy consumption at evening times	cents/kWh	4.61	5.03
Energy consumption at off-peak times	cents/kWh	2.77	3.03
123 HV Stand-Alone Battery Network (residential)			
Capacity Charge	c/kVA/day	2.79	2.90
Peak period maximum demand high season	c/kVA/day	28.13	26.51
Peak period maximum demand low season	c/kVA/day	20.73	19.44
Net energy consumption	c/kWh	3.64	4.05
Critical peak export rebate	c/kVAh	-80.31	-82.25
Critical peak export charge	c/kVAh	119.02	121.91
124 HV Stand-Alone Battery Network (commercial)			
Capacity Charge	c/kVA/day	9.35	9.90
Peak period maximum demand high season	c/kVA/day	19.12	17.80
Peak period maximum demand low season	c/kVA/day	11.72	10.73
Net energy consumption	c/kWh	3.64	4.05
Critical peak export rebate	c/kVAh	-80.31	-82.25
Critical peak export charge	c/kVAh	119.02	121.91