

AGL Electricity Network Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
----------------	------	-------------	-------	------

Residential

Available to residential customers.

A100	General Purpose	<i>Single rate all times.</i>		
	- Standing charge	\$/customer pa		\$27.600
	- Unit rate	¢/kWh		5.919
A140	Time of Use	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
	- Standing charge	\$/customer pa		\$49.700
	- Peak Unit rate	¢/kWh		7.501
	- Off Peak Unit rate	¢/kWh		1.499
A180	Off Peak Heating Only	<i>11.00 PM to 7.00 AM all days.</i>		
	- Standing charge	\$/customer pa		\$0.000
	- Off Peak Unit rate	¢/kWh		1.499

Small Business

Available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation.

A200	General Purpose	<i>Single rate all times.</i>		
	- Standing charge	\$/customer pa		\$65.000
	- Unit rate	¢/kWh		6.838
A210	Time of Use Weekdays	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
	- Standing charge	\$/customer pa		\$136.000
	- Peak Unit rate	¢/kWh		8.266
	- Off Peak Unit rate	¢/kWh		1.478
A230	Time of Use Weekdays - Demand	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
	- Standing charge	\$/customer pa		\$449.800
	- Peak Unit rate	¢/kWh		4.990
	- Off Peak Unit rate	¢/kWh		1.481
	- Demand rate	\$/kW pa		\$40.312
	Minimum Chargeable Demand	60 kW		
A250	Time of Use Extended	<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times.</i>		
	- Standing charge	\$/customer pa		\$136.000
	- Peak Unit rate	¢/kWh		7.144
	- Off Peak Unit rate	¢/kWh		1.685

AGL Electricity Network Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
----------------	------	-------------	-------	------

A270 Time of Use Extended - Demand

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times.

- Standing charge	\$/customer pa	\$449.800
- Peak Unit rate	¢/kWh	4.015
- Off Peak Unit rate	¢/kWh	1.701
- Demand rate	\$/kW pa	\$40.312
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Peak Unit rate	¢/kWh	7.671
- Off Peak Unit rate	¢/kWh	1.489

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation.

A300 LV 0.4 - 0.8 GWh

Available to customers with annual consumption ≤ 0.8 GWh.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$2,057.000
- Peak Unit rate	¢/kWh	2.936
- Off Peak Unit rate	¢/kWh	0.725
- Demand rate	\$/kW pa	\$67.911
Minimum Chargeable Demand	120 kW	

A30M LV_{MS} 0.4 - 0.8 GWh

Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is ≥ 0.4 GWh BUT ≤ 0.8 GWh.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$1,197.500
- Peak Unit rate	¢/kWh	2.491
- Off Peak Unit rate	¢/kWh	0.725
- Demand rate	\$/kW pa	\$47.849
Minimum Chargeable Demand	250 kW	

A320 LV 0.8* - 2.2 GWh

Available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$2,934.900
- Peak Unit rate	¢/kWh	2.729
- Off Peak Unit rate	¢/kWh	0.708
- Demand rate	\$/kW pa	\$61.936
Minimum Chargeable Demand	250 kW	

AGL Electricity Network Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
----------------	------	-------------	-------	------

A32M LV_{MS} 0.8⁺ - 2.2 GWh

Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 0.8 GWh BUT ≤ 2.2 GWh.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$1,863.200
- Peak Unit rate	¢/kWh	2.501
- Off Peak Unit rate	¢/kWh	0.708
- Demand rate	\$/kW pa	\$43.623
Minimum Chargeable Demand	250 kW	

A32R LV_{RF} 0.8⁺ - 2.2 GWh

Available to existing customers as at 31 Dec. 2001 with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh AND a Reserve Feeder connection.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$2,934.900
- Peak Unit rate	¢/kWh	2.712
- Off Peak Unit rate	¢/kWh	0.708
- Demand rate	\$/kW pa	\$48.826
Minimum Chargeable Demand	250 kW	

A340 LV 2.2⁺ - 6.0 GWh

Available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$7,457.900
- Peak Unit rate	¢/kWh	2.664
- Off Peak Unit rate	¢/kWh	0.549
- Demand rate	\$/kW pa	\$61.336
Minimum Chargeable Demand	250 kW	

A34M LV_{MS} 2.2⁺ - 6.0 GWh

Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$5,111.700
- Peak Unit rate	¢/kWh	2.325
- Off Peak Unit rate	¢/kWh	0.549
- Demand rate	\$/kW pa	\$43.394
Minimum Chargeable Demand	250 kW	

AGL Electricity Network Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
----------------	------	-------------	-------	------

A34R LV_{RF} 2.2* - 6.0 GWh

Available to existing customers as at 31 Dec. 2001 with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh AND a Reserve Feeder connection.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$7,457.900
- Peak Unit rate	¢/kWh	2.604
- Off Peak Unit rate	¢/kWh	0.549
- Demand rate	\$/kW pa	\$48.226
Minimum Chargeable Demand	250 kW	

A370 LV 6.0* GWh

Available to customers with annual consumption > 6.0 GWh.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$8,362.300
- Peak Unit rate	¢/kWh	2.678
- Off Peak Unit rate	¢/kWh	0.509
- Demand rate	\$/kW pa	\$58.617
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0* GWh

Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$6,228.600
- Peak Unit rate	¢/kWh	2.581
- Off Peak Unit rate	¢/kWh	0.509
- Demand rate	\$/kW pa	\$41.814
Minimum Chargeable Demand	450 kW	

A37R LV_{RF} 6.0* GWh

Available to existing customers as at 31 Dec. 2001 with annual consumption > 6.0 GWh AND a Reserve Feeder connection.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$8,362.300
- Peak Unit rate	¢/kWh	2.634
- Off Peak Unit rate	¢/kWh	0.509
- Demand rate	\$/kW pa	\$45.507
Minimum Chargeable Demand	450 kW	

AGL Electricity Network Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
----------------	------	-------------	-------	------

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$8,780.600
- Peak Unit rate	¢/kWh	2.378
- Off Peak Unit rate	¢/kWh	0.267
- Demand rate	\$/kW pa	\$55.744
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF}

Available to existing customers as at 31 Dec. 2001 with annual consumption < 55 GWh
AND a Reserve Feeder connection.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$8,780.600
- Peak Unit rate	¢/kWh	2.378
- Off Peak Unit rate	¢/kWh	0.267
- Demand rate	\$/kW pa	\$42.634
Minimum Chargeable Demand	1,000 kW	

A480 HV - Annual Consumption ≥ 55 GWh

Available to customers with annual consumption ≥ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$9,040.100
- Peak Unit rate	¢/kWh	2.374
- Off Peak Unit rate	¢/kWh	0.227
- Demand rate	\$/kW pa	\$52.596
Minimum Chargeable Demand	10,000 kW	

AGL Electricity Network Tariffs for The 2005 Calender Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
Subtransmission Tariffs (nominal voltage > 22,000 Volts)				
	A500	Subtransmission		
		<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
		- Standing charge	\$/customer pa	\$33,638.500
		- Peak Unit rate	¢/kWh	1.599
		- Off Peak Unit rate	¢/kWh	0.094
		- Demand rate	\$/kW pa	\$17.424
		Minimum Chargeable Demand	15,000 kW	
	A50A	Subtransmission MA		
		<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
		- Standing charge	\$/customer pa	\$33,638.500
		- Peak Unit rate	¢/kWh	1.546
		- Off Peak Unit rate	¢/kWh	0.094
		- Demand rate	\$/kW pa	\$17.424
		Minimum Chargeable Demand	15,000 kW	
	A50E	Subtransmission EG		
		<i>Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.</i>		
		<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
		- Standing charge	\$/customer pa	\$35,473.100
		- Peak Unit rate	¢/kWh	1.688
		- Off Peak Unit rate	¢/kWh	0.100
		- Demand rate	\$/kW pa	\$5.924
		Minimum Chargeable Demand	15,000 kW	

* Other terms and conditions apply

AGL Electricity Distribution Tariffs for The 2005 Calender Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
----------------	------	-------------	-------	------

Residential

Available to residential customers.

A100 General Purpose

Single rate all times.

- Standing charge	\$/customer pa	\$20.900
- Unit rate	¢/kWh	5.210

A140 Time of Use

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$34.000
- Peak Unit rate	¢/kWh	6.300
- Off Peak Unit rate	¢/kWh	1.038

A180 Off Peak Heating Only

11.00 PM to 7.00 AM all days.

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	1.038

Small Business

Available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation.

A200 General Purpose

Single rate all times.

- Standing charge	\$/customer pa	\$51.000
- Unit rate	¢/kWh	5.851

A210 Time of Use Weekdays

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$71.000
- Peak Unit rate	¢/kWh	6.904
- Off Peak Unit rate	¢/kWh	1.110

A230 Time of Use Weekdays - Demand

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$48.000
- Peak Unit rate	¢/kWh	3.616
- Off Peak Unit rate	¢/kWh	1.113
- Demand rate	\$/kW pa	\$38.189
Minimum Chargeable Demand	60 kW	

A250 Time of Use Extended

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times.

- Standing charge	\$/customer pa	\$71.000
- Peak Unit rate	¢/kWh	6.052
- Off Peak Unit rate	¢/kWh	1.217

AGL Electricity Distribution Tariffs for The 2005 Calender Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
----------------	------	-------------	-------	------

A270 Time of Use Extended - Demand

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times.

- Standing charge	\$/customer pa	\$48.000
- Peak Unit rate	¢/kWh	2.918
- Off Peak Unit rate	¢/kWh	1.233
- Demand rate	\$/kW pa	\$38.189
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Peak Unit rate	¢/kWh	6.742
- Off Peak Unit rate	¢/kWh	1.097

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation.

A300 LV 0.4 - 0.8 GWh

Available to customers with annual consumption ≤ 0.8 GWh.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$1,131.000
- Peak Unit rate	¢/kWh	1.221
- Off Peak Unit rate	¢/kWh	0.433
- Demand rate	\$/kW pa	\$67.111
Minimum Chargeable Demand	120 kW	

A30M LV_{MS} 0.4 - 0.8 GWh

Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is ≥ 0.4 GWh BUT ≤ 0.8 GWh.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$565.500
- Peak Unit rate	¢/kWh	1.221
- Off Peak Unit rate	¢/kWh	0.433
- Demand rate	\$/kW pa	\$46.978
Minimum Chargeable Demand	250 kW	

A320 LV 0.8* - 2.2 GWh

Available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$1,856.000
- Peak Unit rate	¢/kWh	0.782
- Off Peak Unit rate	¢/kWh	0.416
- Demand rate	\$/kW pa	\$61.270
Minimum Chargeable Demand	250 kW	

AGL Electricity Distribution Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
A32M LV_{MS} 0.8⁺ - 2.2 GWh				
Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 0.8 GWh BUT ≤ 2.2 GWh.*				
Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.				
- Standing charge			\$/customer pa	\$928.000
- Peak Unit rate			¢/kWh	0.782
- Off Peak Unit rate			¢/kWh	0.416
- Demand rate			\$/kW pa	\$42.890
Minimum Chargeable Demand			250 kW	
A32R LV_{RF} 0.8⁺ - 2.2 GWh				
Available to existing customers as at 31 Dec. 2001 with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh AND a Reserve Feeder connection.*				
Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.				
- Standing charge			\$/customer pa	\$1,856.000
- Peak Unit rate			¢/kWh	0.782
- Off Peak Unit rate			¢/kWh	0.416
- Demand rate			\$/kW pa	\$48.160
Minimum Chargeable Demand			250 kW	
A340 LV 2.2⁺ - 6.0 GWh				
Available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh.				
Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.				
- Standing charge			\$/customer pa	\$2,842.000
- Peak Unit rate			¢/kWh	0.716
- Off Peak Unit rate			¢/kWh	0.305
- Demand rate			\$/kW pa	\$60.057
Minimum Chargeable Demand			250 kW	
A34M LV_{MS} 2.2⁺ - 6.0 GWh				
Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh.*				
Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.				
- Standing charge			\$/customer pa	\$1,421.000
- Peak Unit rate			¢/kWh	0.716
- Off Peak Unit rate			¢/kWh	0.305
- Demand rate			\$/kW pa	\$42.041
Minimum Chargeable Demand			250 kW	

AGL Electricity Distribution Tariffs for The 2005 Calender Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
A34R LV_{RF} 2.2* - 6.0 GWh				
Available to existing customers as at 31 Dec. 2001 with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh AND a Reserve Feeder connection.*				
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>				
	- Standing charge		\$/customer pa	\$2,842.000
	- Peak Unit rate		¢/kWh	0.716
	- Off Peak Unit rate		¢/kWh	0.305
	- Demand rate		\$/kW pa	\$46.947
	Minimum Chargeable Demand		250 kW	
A370 LV 6.0* GWh				
Available to customers with annual consumption > 6.0 GWh.				
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>				
	- Standing charge		\$/customer pa	\$3,701.000
	- Peak Unit rate		¢/kWh	0.697
	- Off Peak Unit rate		¢/kWh	0.265
	- Demand rate		\$/kW pa	\$57.755
	Minimum Chargeable Demand		450 kW	
A37M LV_{MS} 6.0* GWh				
Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh.*				
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>				
	- Standing charge		\$/customer pa	\$1,850.500
	- Peak Unit rate		¢/kWh	0.697
	- Off Peak Unit rate		¢/kWh	0.265
	- Demand rate		\$/kW pa	\$40.429
	Minimum Chargeable Demand		450 kW	
A37R LV_{RF} 6.0* GWh				
Available to existing customers as at 31 Dec. 2001 with annual consumption > 6.0 GWh AND a Reserve Feeder connection.*				
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>				
	- Standing charge		\$/customer pa	\$3,701.000
	- Peak Unit rate		¢/kWh	0.697
	- Off Peak Unit rate		¢/kWh	0.265
	- Demand rate		\$/kW pa	\$44.645
	Minimum Chargeable Demand		450 kW	

AGL Electricity Distribution Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
----------------	------	-------------	-------	------

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$1,971.000
- Peak Unit rate	¢/kWh	0.559
- Off Peak Unit rate	¢/kWh	0.130
- Demand rate	\$/kW pa	\$48.006
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF}

Available to existing customers as at 31 Dec. 2001 with annual consumption < 55 GWh
AND a Reserve Feeder connection.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$1,971.000
- Peak Unit rate	¢/kWh	0.559
- Off Peak Unit rate	¢/kWh	0.130
- Demand rate	\$/kW pa	\$34.896
Minimum Chargeable Demand	1,000 kW	

A480 HV - Annual Consumption ≥ 55 GWh

Available to customers with annual consumption ≥ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$1,964.000
- Peak Unit rate	¢/kWh	0.538
- Off Peak Unit rate	¢/kWh	0.094
- Demand rate	\$/kW pa	\$44.603
Minimum Chargeable Demand	10,000 kW	

AGL Electricity Distribution Tariffs for The 2005 Calender Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
Subtransmission Tariffs (nominal voltage > 22,000 Volts)				
	A500	Subtransmission		
		<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
		- Standing charge	\$/customer pa	\$14,807.000
		- Peak Unit rate	¢/kWh	0.076
		- Off Peak Unit rate	¢/kWh	0.011
		- Demand rate	\$/kW pa	\$12.525
		Minimum Chargeable Demand	15,000 kW	
	A50A	Subtransmission MA		
		<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
		- Standing charge	\$/customer pa	\$14,807.000
		- Peak Unit rate	¢/kWh	0.076
		- Off Peak Unit rate	¢/kWh	0.011
		- Demand rate	\$/kW pa	\$12.525
		Minimum Chargeable Demand	15,000 kW	
	A50E	Subtransmission EG		
		<i>Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.</i>		
		<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
		- Standing charge	\$/customer pa	\$17,284.000
		- Peak Unit rate	¢/kWh	0.115
		- Off Peak Unit rate	¢/kWh	0.017
		- Demand rate	\$/kW pa	\$2.633
		Minimum Chargeable Demand	15,000 kW	

* Other terms and conditions apply

AGL Electricity Transmission Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
----------------	------	-------------	-------	------

Residential

Available to residential customers.

A100	General Purpose	<i>Single rate all times.</i>		
	- Standing charge	\$/customer pa		\$6.700
	- Unit rate	¢/kWh		0.709
A140	Time of Use	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
	- Standing charge	\$/customer pa		\$15.700
	- Peak Unit rate	¢/kWh		1.201
	- Off Peak Unit rate	¢/kWh		0.461
A180	Off Peak Heating Only	<i>11.00 PM to 7.00 AM all days.</i>		
	- Standing charge	\$/customer pa		\$0.000
	- Off Peak Unit rate	¢/kWh		0.461

Small Business

Available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation.

A200	General Purpose	<i>Single rate all times.</i>		
	- Standing charge	\$/customer pa		\$14.000
	- Unit rate	¢/kWh		0.987
A210	Time of Use Weekdays	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
	- Standing charge	\$/customer pa		\$65.000
	- Peak Unit rate	¢/kWh		1.362
	- Off Peak Unit rate	¢/kWh		0.368
A230	Time of Use Weekdays - Demand	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
	- Standing charge	\$/customer pa		\$401.800
	- Peak Unit rate	¢/kWh		1.374
	- Off Peak Unit rate	¢/kWh		0.368
	- Demand rate	\$/kW pa		\$2.123
	Minimum Chargeable Demand	60 kW		
A250	Time of Use Extended	<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times.</i>		
	- Standing charge	\$/customer pa		\$65.000
	- Peak Unit rate	¢/kWh		1.092
	- Off Peak Unit rate	¢/kWh		0.468

AGL Electricity Transmission Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
----------------	------	-------------	-------	------

A270 Time of Use Extended - Demand

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times.

- Standing charge	\$/customer pa	\$401.800
- Peak Unit rate	¢/kWh	1.097
- Off Peak Unit rate	¢/kWh	0.468
- Demand rate	\$/kW pa	\$2.123
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Peak Unit rate	¢/kWh	0.929
- Off Peak Unit rate	¢/kWh	0.392

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation.

A300 LV 0.4 - 0.8 GWh

Available to customers with annual consumption ≤ 0.8 GWh.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$926.000
- Peak Unit rate	¢/kWh	1.715
- Off Peak Unit rate	¢/kWh	0.292
- Demand rate	\$/kW pa	\$0.800
Minimum Chargeable Demand	120 kW	

A30M LV_{MS} 0.4 - 0.8 GWh

Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is ≥ 0.4 GWh BUT ≤ 0.8 GWh.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$632.000
- Peak Unit rate	¢/kWh	1.270
- Off Peak Unit rate	¢/kWh	0.292
- Demand rate	\$/kW pa	\$0.871
Minimum Chargeable Demand	250 kW	

A320 LV 0.8* - 2.2 GWh

Available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$1,078.900
- Peak Unit rate	¢/kWh	1.947
- Off Peak Unit rate	¢/kWh	0.292
- Demand rate	\$/kW pa	\$0.666
Minimum Chargeable Demand	250 kW	

AGL Electricity Transmission Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
A32M LV_{MS} 0.8⁺ - 2.2 GWh				
Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 0.8 GWh BUT ≤ 2.2 GWh.*				
Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.				
- Standing charge			\$/customer pa	\$935.200
- Peak Unit rate			¢/kWh	1.719
- Off Peak Unit rate			¢/kWh	0.292
- Demand rate			\$/kW pa	\$0.733
Minimum Chargeable Demand			250 kW	
A32R LV_{RF} 0.8⁺ - 2.2 GWh				
Available to existing customers as at 31 Dec. 2001 with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh AND a Reserve Feeder connection.*				
Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.				
- Standing charge			\$/customer pa	\$1,078.900
- Peak Unit rate			¢/kWh	1.930
- Off Peak Unit rate			¢/kWh	0.292
- Demand rate			\$/kW pa	\$0.666
Minimum Chargeable Demand			250 kW	
A340 LV 2.2⁺ - 6.0 GWh				
Available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh.				
Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.				
- Standing charge			\$/customer pa	\$4,615.900
- Peak Unit rate			¢/kWh	1.948
- Off Peak Unit rate			¢/kWh	0.244
- Demand rate			\$/kW pa	\$1.279
Minimum Chargeable Demand			250 kW	
A34M LV_{MS} 2.2⁺ - 6.0 GWh				
Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh.*				
Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.				
- Standing charge			\$/customer pa	\$3,690.700
- Peak Unit rate			¢/kWh	1.609
- Off Peak Unit rate			¢/kWh	0.244
- Demand rate			\$/kW pa	\$1.353
Minimum Chargeable Demand			250 kW	

AGL Electricity Transmission Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
A34R LV_{RF} 2.2* - 6.0 GWh				
Available to existing customers as at 31 Dec. 2001 with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh AND a Reserve Feeder connection.*				
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>				
- Standing charge			\$/customer pa	\$4,615.900
- Peak Unit rate			¢/kWh	1.888
- Off Peak Unit rate			¢/kWh	0.244
- Demand rate			\$/kW pa	\$1.279
Minimum Chargeable Demand			250 kW	
A370 LV 6.0* GWh				
Available to customers with annual consumption > 6.0 GWh.				
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>				
- Standing charge			\$/customer pa	\$4,661.300
- Peak Unit rate			¢/kWh	1.981
- Off Peak Unit rate			¢/kWh	0.244
- Demand rate			\$/kW pa	\$0.862
Minimum Chargeable Demand			450 kW	
A37M LV_{MS} 6.0* GWh				
Available to a customer taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh.*				
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>				
- Standing charge			\$/customer pa	\$4,378.100
- Peak Unit rate			¢/kWh	1.884
- Off Peak Unit rate			¢/kWh	0.244
- Demand rate			\$/kW pa	\$1.385
Minimum Chargeable Demand			450 kW	
A37R LV_{RF} 6.0* GWh				
Available to existing customers as at 31 Dec. 2001 with annual consumption > 6.0 GWh AND a Reserve Feeder connection.*				
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>				
- Standing charge			\$/customer pa	\$4,661.300
- Peak Unit rate			¢/kWh	1.937
- Off Peak Unit rate			¢/kWh	0.244
- Demand rate			\$/kW pa	\$0.862
Minimum Chargeable Demand			450 kW	

AGL Electricity Transmission Tariffs for The 2005 Calendar Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
----------------	------	-------------	-------	------

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$6,809.600
- Peak Unit rate	¢/kWh	1.819
- Off Peak Unit rate	¢/kWh	0.137
- Demand rate	\$/kW pa	\$7.738
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF}

Available to existing customers as at 31 Dec. 2001 with annual consumption < 55 GWh
AND a Reserve Feeder connection.*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$6,809.600
- Peak Unit rate	¢/kWh	1.819
- Off Peak Unit rate	¢/kWh	0.137
- Demand rate	\$/kW pa	\$7.738
Minimum Chargeable Demand	1,000 kW	

A480 HV - Annual Consumption ≥ 55 GWh

Available to customers with annual consumption ≥ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$7,076.100
- Peak Unit rate	¢/kWh	1.836
- Off Peak Unit rate	¢/kWh	0.133
- Demand rate	\$/kW pa	\$7.993
Minimum Chargeable Demand	10,000 kW	

AGL Electricity Transmission Tariffs for The 2005 Calender Year Exclusive of GST

Customer Class	Code	Tariff Name	Units	Rate
Subtransmission Tariffs (nominal voltage > 22,000 Volts)				
	A500	Subtransmission		
		<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
		- Standing charge	\$/customer pa	\$18,831.500
		- Peak Unit rate	¢/kWh	1.523
		- Off Peak Unit rate	¢/kWh	0.083
		- Demand rate	\$/kW pa	\$4.899
		Minimum Chargeable Demand	15,000 kW	
	A50A	Subtransmission MA		
		<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
		- Standing charge	\$/customer pa	\$18,831.500
		- Peak Unit rate	¢/kWh	1.470
		- Off Peak Unit rate	¢/kWh	0.083
		- Demand rate	\$/kW pa	\$4.899
		Minimum Chargeable Demand	15,000 kW	
	A50E	Subtransmission EG		
		<i>Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.</i>		
		<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
		- Standing charge	\$/customer pa	\$18,189.100
		- Peak Unit rate	¢/kWh	1.573
		- Off Peak Unit rate	¢/kWh	0.083
		- Demand rate	\$/kW pa	\$3.291
		Minimum Chargeable Demand	15,000 kW	

* Other terms and conditions apply