

Alinta AE Ltd - Network Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100 General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$19.800
- Unit rate	¢/kWh	5.972

A10I Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$19.800
- Peak Unit rate	¢/kWh	9.467
- Off Peak Unit rate	¢/kWh	1.762

A140 Time of Use (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$33.960
- Peak Unit rate	¢/kWh	7.460
- Off Peak Unit rate	¢/kWh	1.589

A180 Off Peak Heating Only

11.00 PM to 7.00 AM all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	1.430

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$50.640
- Unit rate	¢/kWh	6.822

A210 Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$88.320
- Peak Unit rate	¢/kWh	8.192
- Off Peak Unit rate	¢/kWh	1.661

Alinta AE Ltd - Network Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A230	Time of Use Weekdays - Demand		
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$229.680
- Peak Unit rate	¢/kWh		4.677
- Off Peak Unit rate	¢/kWh		1.665
- Demand rate	\$/kW pa		\$42.732
Minimum Chargeable Demand	60 kW		
A250	Time of Use Extended		
Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$88.320
- Peak Unit rate	¢/kWh		7.200
- Off Peak Unit rate	¢/kWh		1.766
A270	Time of Use Extended - Demand		
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$229.680
- Peak Unit rate	¢/kWh		3.825
- Off Peak Unit rate	¢/kWh		1.788
- Demand rate	\$/kW pa		\$42.732
Minimum Chargeable Demand	60 kW		
A290	Unmetered Supply		
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Peak Unit rate	¢/kWh		7.323
- Off Peak Unit rate	¢/kWh		1.648

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300	LV 0.4 - 0.8 GWh		
Only available to customers with annual consumption ≤ 0.8 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$1,500.000
- Peak Unit rate	¢/kWh		2.508
- Off Peak Unit rate	¢/kWh		0.911
- Demand rate	\$/kW pa		\$71.688
Minimum Chargeable Demand	120 kW		

Alinta AE Ltd - Network Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A30E	LV_{EN} Annual Consumption ≤ 0.8 GWh		
Only available to embedded network customers with annual consumption ≤ 0.8 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$1,500.000
- Peak Unit rate	¢/kWh		2.427
- Off Peak Unit rate	¢/kWh		0.911
- Demand rate	\$/kW pa		\$75.396
Minimum Chargeable Demand	120 kW		
A320	LV 0.8⁺ - 2.2 GWh		
Only available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,844.000
- Peak Unit rate	¢/kWh		2.095
- Off Peak Unit rate	¢/kWh		0.893
- Demand rate	\$/kW pa		\$66.036
Minimum Chargeable Demand	250 kW		
A32E	LV_{EN} 0.8⁺ - 2.2 GWh		
Only available to embedded network customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,844.000
- Peak Unit rate	¢/kWh		1.930
- Off Peak Unit rate	¢/kWh		0.893
- Demand rate	\$/kW pa		\$67.596
Minimum Chargeable Demand	250 kW		
A340	LV 2.2⁺ - 6.0 GWh		
Only available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$4,872.000
- Peak Unit rate	¢/kWh		2.088
- Off Peak Unit rate	¢/kWh		0.783
- Demand rate	\$/kW pa		\$65.592
Minimum Chargeable Demand	250 kW		
A34E	LV_{EN} 2.2⁺ - 6.0 GWh		
Only available to embedded network customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$4,872.000
- Peak Unit rate	¢/kWh		1.768
- Off Peak Unit rate	¢/kWh		0.783
- Demand rate	\$/kW pa		\$66.864
Minimum Chargeable Demand	250 kW		

Alinta AE Ltd - Network Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A34M	LV_{MS} 2.2⁺ - 6.0 GWh		
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh*			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$3,450.000
- Peak Unit rate	¢/kWh		2.108
- Off Peak Unit rate	¢/kWh		0.783
- Demand rate	\$/kW pa		\$47.100
Minimum Chargeable Demand	250 kW		
A370	LV 6.0⁺ GWh		
Only available to customers with annual consumption > 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$7,356.000
- Peak Unit rate	¢/kWh		1.881
- Off Peak Unit rate	¢/kWh		0.743
- Demand rate	\$/kW pa		\$62.640
Minimum Chargeable Demand	450 kW		
A37E	LV_{EN} 6.0⁺ GWh		
Only available to embedded network customers with annual consumption > 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$7,356.000
- Peak Unit rate	¢/kWh		1.923
- Off Peak Unit rate	¢/kWh		0.743
- Demand rate	\$/kW pa		\$63.912
Minimum Chargeable Demand	450 kW		
A37M	LV_{MS} 6.0⁺ GWh		
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh*			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$5,502.000
- Peak Unit rate	¢/kWh		1.890
- Off Peak Unit rate	¢/kWh		0.743
- Demand rate	\$/kW pa		\$44.856
Minimum Chargeable Demand	450 kW		

Alinta AE Ltd - Network Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$8,952.000
- Peak Unit rate	¢/kWh	1.880
- Off Peak Unit rate	¢/kWh	0.523
- Demand rate	\$/kW pa	\$53.304
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers with annual consumption ≤ 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,952.000
- Peak Unit rate	¢/kWh	1.708
- Off Peak Unit rate	¢/kWh	0.523
- Demand rate	\$/kW pa	\$53.964
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$8,952.000
- Peak Unit rate	¢/kWh	1.880
- Off Peak Unit rate	¢/kWh	0.523
- Demand rate	\$/kW pa	\$39.004
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers with annual consumption > 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,952.000
- Peak Unit rate	¢/kWh	1.706
- Off Peak Unit rate	¢/kWh	0.523
- Demand rate	\$/kW pa	\$53.916
Minimum Chargeable Demand	2,000 kW	

Alinta AE Ltd - Network Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A480 HV - Annual Consumption $\geq$ 55 GWh

Only available to customers with annual consumption $\geq$ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$9,588.000
- Peak Unit rate	¢/kWh	1.830
- Off Peak Unit rate	¢/kWh	0.488
- Demand rate	\$/kW pa	\$48.684
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$32,952.000
- Peak Unit rate	¢/kWh	1.194
- Off Peak Unit rate	¢/kWh	0.271
- Demand rate	\$/kW pa	\$16.476
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$32,952.000
- Peak Unit rate	¢/kWh	1.194
- Off Peak Unit rate	¢/kWh	0.271
- Demand rate	\$/kW pa	\$16.476
Minimum Chargeable Demand	15,000 kW	

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$21,528.000
- Peak Unit rate	¢/kWh	1.191
- Off Peak Unit rate	¢/kWh	0.270
- Demand rate	\$/kW pa	\$5.472
Minimum Chargeable Demand	15,000 kW	

* Other terms and conditions apply

The *Deemed Distribution Contract* and Alinta AE's *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:
<http://www.alinta.net.au/operations/distribution/alintaVICElecNetworks/>

Alinta AE Ltd - Distribution Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100 General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$16.440
- Unit rate	¢/kWh	5.363

A10I Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$16.440
- Peak Unit rate	¢/kWh	8.789
- Off Peak Unit rate	¢/kWh	1.236

A140 Time of Use (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$28.800
- Peak Unit rate	¢/kWh	6.495
- Off Peak Unit rate	¢/kWh	1.063

A180 Off Peak Heating Only

11.00 PM to 7.00 AM all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	1.063

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$44.400
- Unit rate	¢/kWh	5.973

A210 Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$62.400
- Peak Unit rate	¢/kWh	7.099
- Off Peak Unit rate	¢/kWh	1.133

Alinta AE Ltd - Distribution Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A230	Time of Use Weekdays - Demand		
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$48.000
- Peak Unit rate	¢/kWh		3.720
- Off Peak Unit rate	¢/kWh		1.137
- Demand rate	\$/kW pa		\$39.204
Minimum Chargeable Demand	60 kW		
A250	Time of Use Extended		
Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$62.400
- Peak Unit rate	¢/kWh		6.228
- Off Peak Unit rate	¢/kWh		1.238
A270	Time of Use Extended - Demand		
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$48.000
- Peak Unit rate	¢/kWh		3.001
- Off Peak Unit rate	¢/kWh		1.260
- Demand rate	\$/kW pa		\$39.204
Minimum Chargeable Demand	60 kW		
A290	Unmetered Supply		
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Peak Unit rate	¢/kWh		6.905
- Off Peak Unit rate	¢/kWh		1.120

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300	LV 0.4 - 0.8 GWh		
Only available to customers with annual consumption ≤ 0.8 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$1,128.000
- Peak Unit rate	¢/kWh		1.235
- Off Peak Unit rate	¢/kWh		0.438
- Demand rate	\$/kW pa		\$68.892
Minimum Chargeable Demand	120 kW		

Alinta AE Ltd - Distribution Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A30E	LV_{EN} Annual Consumption ≤ 0.8 GWh		
Only available to embedded network customers with annual consumption ≤ 0.8 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$1,128.000
- Peak Unit rate	¢/kWh		1.288
- Off Peak Unit rate	¢/kWh		0.438
- Demand rate	\$/kW pa		\$72.600
Minimum Chargeable Demand	120 kW		
A320	LV 0.8⁺ - 2.2 GWh		
Only available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$1,860.000
- Peak Unit rate	¢/kWh		0.792
- Off Peak Unit rate	¢/kWh		0.420
- Demand rate	\$/kW pa		\$62.880
Minimum Chargeable Demand	250 kW		
A32E	LV_{EN} 0.8⁺ - 2.2 GWh		
Only available to embedded network customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$1,860.000
- Peak Unit rate	¢/kWh		0.801
- Off Peak Unit rate	¢/kWh		0.420
- Demand rate	\$/kW pa		\$64.440
Minimum Chargeable Demand	250 kW		
A340	LV 2.2⁺ - 6.0 GWh		
Only available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,844.000
- Peak Unit rate	¢/kWh		0.727
- Off Peak Unit rate	¢/kWh		0.307
- Demand rate	\$/kW pa		\$61.644
Minimum Chargeable Demand	250 kW		
A34E	LV_{EN} 2.2⁺ - 6.0 GWh		
Only available to embedded network customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,844.000
- Peak Unit rate	¢/kWh		0.733
- Off Peak Unit rate	¢/kWh		0.307
- Demand rate	\$/kW pa		\$62.916
Minimum Chargeable Demand	250 kW		

Alinta AE Ltd - Distribution Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A34M	LV_{MS} 2.2⁺ - 6.0 GWh		
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh*			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$1,422.000
- Peak Unit rate	¢/kWh		0.727
- Off Peak Unit rate	¢/kWh		0.307
- Demand rate	\$/kW pa		\$43.152
Minimum Chargeable Demand	250 kW		
A370	LV 6.0⁺ GWh		
Only available to customers with annual consumption > 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$3,708.000
- Peak Unit rate	¢/kWh		0.706
- Off Peak Unit rate	¢/kWh		0.267
- Demand rate	\$/kW pa		\$59.280
Minimum Chargeable Demand	450 kW		
A37E	LV_{EN} 6.0⁺ GWh		
Only available to embedded network customers with annual consumption > 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$3,708.000
- Peak Unit rate	¢/kWh		0.718
- Off Peak Unit rate	¢/kWh		0.267
- Demand rate	\$/kW pa		\$60.552
Minimum Chargeable Demand	450 kW		
A37M	LV_{MS} 6.0⁺ GWh		
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh*			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$1,854.000
- Peak Unit rate	¢/kWh		0.706
- Off Peak Unit rate	¢/kWh		0.267
- Demand rate	\$/kW pa		\$41.496
Minimum Chargeable Demand	450 kW		

Alinta AE Ltd - Distribution Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$1,968.000
- Peak Unit rate	¢/kWh	0.562
- Off Peak Unit rate	¢/kWh	0.132
- Demand rate	\$/kW pa	\$49.284
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers with annual consumption ≤ 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,968.000
- Peak Unit rate	¢/kWh	0.582
- Off Peak Unit rate	¢/kWh	0.132
- Demand rate	\$/kW pa	\$50.484
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$1,968.000
- Peak Unit rate	¢/kWh	0.562
- Off Peak Unit rate	¢/kWh	0.132
- Demand rate	\$/kW pa	\$35.508
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers with annual consumption > 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,968.000
- Peak Unit rate	¢/kWh	0.585
- Off Peak Unit rate	¢/kWh	0.132
- Demand rate	\$/kW pa	\$50.100
Minimum Chargeable Demand	2,000 kW	

Alinta AE Ltd - Distribution Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A480 HV - Annual Consumption $\geq$ 55 GWh

Only available to customers with annual consumption $\geq$ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,956.000
- Peak Unit rate	¢/kWh	0.546
- Off Peak Unit rate	¢/kWh	0.094
- Demand rate	\$/kW pa	\$45.756
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$15,420.000
- Peak Unit rate	¢/kWh	0.090
- Off Peak Unit rate	¢/kWh	0.017
- Demand rate	\$/kW pa	\$13.980
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$15,420.000
- Peak Unit rate	¢/kWh	0.090
- Off Peak Unit rate	¢/kWh	0.017
- Demand rate	\$/kW pa	\$13.980
Minimum Chargeable Demand	15,000 kW	

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$15,420.000
- Peak Unit rate	¢/kWh	0.087
- Off Peak Unit rate	¢/kWh	0.016
- Demand rate	\$/kW pa	\$2.856
Minimum Chargeable Demand	15,000 kW	

* Other terms and conditions apply

The *Deemed Distribution Contract* and Alinta AE's *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:
<http://www.alinta.net.au/operations/distribution/alintaVICElecNetworks/>

Alinta AE Ltd - Transmission Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100 General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$3.360
- Unit rate	¢/kWh	0.609

A10I Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3.360
- Peak Unit rate	¢/kWh	0.678
- Off Peak Unit rate	¢/kWh	0.526

A140 Time of Use (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5.160
- Peak Unit rate	¢/kWh	0.965
- Off Peak Unit rate	¢/kWh	0.526

A180 Off Peak Heating Only

11.00 PM to 7.00 AM all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	0.367

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$6.240
- Unit rate	¢/kWh	0.849

A210 Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$25.920
- Peak Unit rate	¢/kWh	1.093
- Off Peak Unit rate	¢/kWh	0.528

Alinta AE Ltd - Transmission Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A230	Time of Use Weekdays - Demand		
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$181.680
- Peak Unit rate	¢/kWh		0.957
- Off Peak Unit rate	¢/kWh		0.528
- Demand rate	\$/kW pa		\$3.528
Minimum Chargeable Demand	60 kW		
A250	Time of Use Extended		
Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$25.920
- Peak Unit rate	¢/kWh		0.972
- Off Peak Unit rate	¢/kWh		0.528
A270	Time of Use Extended - Demand		
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$181.680
- Peak Unit rate	¢/kWh		0.824
- Off Peak Unit rate	¢/kWh		0.528
- Demand rate	\$/kW pa		\$3.528
Minimum Chargeable Demand	60 kW		
A290	Unmetered Supply		
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Peak Unit rate	¢/kWh		0.418
- Off Peak Unit rate	¢/kWh		0.528

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300	LV 0.4 - 0.8 GWh		
Only available to customers with annual consumption ≤ 0.8 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$372.000
- Peak Unit rate	¢/kWh		1.273
- Off Peak Unit rate	¢/kWh		0.473
- Demand rate	\$/kW pa		\$2.796
Minimum Chargeable Demand	120 kW		

Alinta AE Ltd - Transmission Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A30E	LV_{EN} Annual Consumption ≤ 0.8 GWh		
Only available to embedded network customers with annual consumption ≤ 0.8 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$372.000
- Peak Unit rate	¢/kWh		1.139
- Off Peak Unit rate	¢/kWh		0.473
- Demand rate	\$/kW pa		\$2.796
Minimum Chargeable Demand	120 kW		
A320	LV 0.8⁺ - 2.2 GWh		
Only available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$984.000
- Peak Unit rate	¢/kWh		1.303
- Off Peak Unit rate	¢/kWh		0.473
- Demand rate	\$/kW pa		\$3.156
Minimum Chargeable Demand	250 kW		
A32E	LV_{EN} 0.8⁺ - 2.2 GWh		
Only available to embedded network customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$984.000
- Peak Unit rate	¢/kWh		1.129
- Off Peak Unit rate	¢/kWh		0.473
- Demand rate	\$/kW pa		\$3.156
Minimum Chargeable Demand	250 kW		
A340	LV 2.2⁺ - 6.0 GWh		
Only available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,028.000
- Peak Unit rate	¢/kWh		1.361
- Off Peak Unit rate	¢/kWh		0.476
- Demand rate	\$/kW pa		\$3.948
Minimum Chargeable Demand	250 kW		
A34E	LV_{EN} 2.2⁺ - 6.0 GWh		
Only available to embedded network customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,028.000
- Peak Unit rate	¢/kWh		1.035
- Off Peak Unit rate	¢/kWh		0.476
- Demand rate	\$/kW pa		\$3.948
Minimum Chargeable Demand	250 kW		

Alinta AE Ltd - Transmission Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A34M **LV_{MS} 2.2⁺ - 6.0 GWh**

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,028.000
- Peak Unit rate	¢/kWh	1.381
- Off Peak Unit rate	¢/kWh	0.476
- Demand rate	\$/kW pa	\$3.948
Minimum Chargeable Demand	250 kW	

A370 **LV 6.0⁺ GWh**

Only available to customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,648.000
- Peak Unit rate	¢/kWh	1.175
- Off Peak Unit rate	¢/kWh	0.476
- Demand rate	\$/kW pa	\$3.360
Minimum Chargeable Demand	450 kW	

A37E **LV_{EN} 6.0⁺ GWh**

Only available to embedded network customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,648.000
- Peak Unit rate	¢/kWh	1.205
- Off Peak Unit rate	¢/kWh	0.476
- Demand rate	\$/kW pa	\$3.360
Minimum Chargeable Demand	450 kW	

A37M **LV_{MS} 6.0⁺ GWh**

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,648.000
- Peak Unit rate	¢/kWh	1.184
- Off Peak Unit rate	¢/kWh	0.476
- Demand rate	\$/kW pa	\$3.360
Minimum Chargeable Demand	450 kW	

Alinta AE Ltd - Transmission Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$6,984.000
- Peak Unit rate	¢/kWh	1.318
- Off Peak Unit rate	¢/kWh	0.391
- Demand rate	\$/kW pa	\$4.020
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers with annual consumption ≤ 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,984.000
- Peak Unit rate	¢/kWh	1.126
- Off Peak Unit rate	¢/kWh	0.391
- Demand rate	\$/kW pa	\$3.480
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$6,984.000
- Peak Unit rate	¢/kWh	1.318
- Off Peak Unit rate	¢/kWh	0.391
- Demand rate	\$/kW pa	\$3.496
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers with annual consumption > 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,984.000
- Peak Unit rate	¢/kWh	1.121
- Off Peak Unit rate	¢/kWh	0.391
- Demand rate	\$/kW pa	\$3.816
Minimum Chargeable Demand	2,000 kW	

Alinta AE Ltd - Transmission Tariffs For The 2008 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A480 HV - Annual Consumption $\geq$ 55 GWh

Only available to customers with annual consumption $\geq$ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$7,632.000
- Peak Unit rate	¢/kWh	1.284
- Off Peak Unit rate	¢/kWh	0.394
- Demand rate	\$/kW pa	\$2.928
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$17,532.000
- Peak Unit rate	¢/kWh	1.104
- Off Peak Unit rate	¢/kWh	0.254
- Demand rate	\$/kW pa	\$2.496
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$17,532.000
- Peak Unit rate	¢/kWh	1.104
- Off Peak Unit rate	¢/kWh	0.254
- Demand rate	\$/kW pa	\$2.496
Minimum Chargeable Demand	15,000 kW	

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,108.000
- Peak Unit rate	¢/kWh	1.104
- Off Peak Unit rate	¢/kWh	0.254
- Demand rate	\$/kW pa	\$2.616
Minimum Chargeable Demand	15,000 kW	

* Other terms and conditions apply

The *Deemed Distribution Contract* and Alinta AE's *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:
<http://www.alinta.net.au/operations/distribution/alintaVICElecNetworks/>

Alinta AE Ltd - Prescribed Metering Service Tariffs For The 2008 Calendar Year (Exclusive of GST)



Units	Rate
-------	------

Metering Data Services

- Monthly Read Meter	\$/NMI pa	\$55.210
- Quarterly Read Meter	\$/NMI pa	\$18.400
- Unmetered Supplies	\$/light pa	\$0.122

Meter Provision

- Single Phase Non Off Peak Meter	\$/meter pa	\$3.050
- Single Phase Off Peak Meter*	\$/meter pa	\$31.440
- Three Phase Direct Connected Meter	\$/meter pa	\$52.300
- Three Phase Current Transformer Connected Meter	\$/meter pa	\$1.050

* A single phase off peak accumulation meter has one logical meter for charging but two physical single phase meters.