

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100 General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$15.600
- Unit rate	¢/kWh	5.511

A10I Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$15.600
- Peak Unit rate	¢/kWh	9.038
- Off Peak Unit rate	¢/kWh	1.263

A140 Time of Use (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$27.600
- Peak Unit rate	¢/kWh	6.700
- Off Peak Unit rate	¢/kWh	1.086

A180 Off Peak Heating Only

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation*

11.00 PM to 7.00 AM all days

- Standing charge	\$/customer pa	\$0.000
-------------------	----------------	---------

- Off Peak Unit rate	¢/kWh	1.086
----------------------	-------	-------

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$42.000
- Unit rate	¢/kWh	6.137

A210 Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$58.800
- Peak Unit rate	¢/kWh	7.266
- Off Peak Unit rate	¢/kWh	1.157

A230 Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$49.200
- Peak Unit rate	¢/kWh	3.807
- Off Peak Unit rate	¢/kWh	1.161
- Demand rate	\$/kW pa	\$40.140
Minimum Chargeable Demand	60 kW	

A250 Time of Use Extended

Only available to customers with a two rate accumulation meter OR to customers

with annual consumption < 160 MWh and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$58.800
- Peak Unit rate	¢/kWh	6.376
- Off Peak Unit rate	¢/kWh	1.265

A270 Time of Use Extended - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$49.200
- Peak Unit rate	¢/kWh	3.072
- Off Peak Unit rate	¢/kWh	1.287
- Demand rate	\$/kW pa	\$40.140
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Peak Unit rate	¢/kWh	7.053
- Off Peak Unit rate	¢/kWh	1.144

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 LV 0.4 - 0.8 GWh

Only available to customers with annual consumption ≤ 0.8 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,152.000
- Peak Unit rate	¢/kWh	1.248
- Off Peak Unit rate	¢/kWh	0.441

- Demand rate	\$/kW pa	\$70.440
Minimum Chargeable Demand	120 kW	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers with annual consumption ≤ 0.8 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,152.000
- Peak Unit rate	¢/kWh	1.301
- Off Peak Unit rate	¢/kWh	0.441
- Demand rate	\$/kW pa	\$74.232
Minimum Chargeable Demand	120 kW	

A320 LV 0.8⁺ - 2.2 GWh

Only available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,896.000
- Peak Unit rate	¢/kWh	0.800
- Off Peak Unit rate	¢/kWh	0.423
- Demand rate	\$/kW pa	\$64.296
Minimum Chargeable Demand	250 kW	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,896.000
- Peak Unit rate	¢/kWh	0.809
- Off Peak Unit rate	¢/kWh	0.423
- Demand rate	\$/kW pa	\$65.892
Minimum Chargeable Demand	250 kW	

A340 LV 2.2⁺ - 6.0 GWh

Only available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,892.000
- Peak Unit rate	¢/kWh	0.734
- Off Peak Unit rate	¢/kWh	0.309
- Demand rate	\$/kW pa	\$63.036
Minimum Chargeable Demand	250 kW	

A34E LV_{EN} 2.2⁺ - 6.0 GWh

Only available to embedded network customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,892.000
- Peak Unit rate	¢/kWh	0.741
- Off Peak Unit rate	¢/kWh	0.309
- Demand rate	\$/kW pa	\$64.332
Minimum Chargeable Demand	250 kW	

A34M LV_{MS} 2.2⁺ - 6.0 GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh**

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,446.000
- Peak Unit rate	¢/kWh	0.734
- Off Peak Unit rate	¢/kWh	0.309
- Demand rate	\$/kW pa	\$44.124
Minimum Chargeable Demand	250 kW	

A370 LV 6.0⁺ GWh

Only available to customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,768.000
- Peak Unit rate	¢/kWh	0.713
- Off Peak Unit rate	¢/kWh	0.269
- Demand rate	\$/kW pa	\$60.612
Minimum Chargeable Demand	450 kW	

A37E LV_{EN} 6.0⁺ GWh

Only available to embedded network customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,768.000
- Peak Unit rate	¢/kWh	0.725
- Off Peak Unit rate	¢/kWh	0.269
- Demand rate	\$/kW pa	\$61.920
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0⁺ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh**

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,884.000
- Peak Unit rate	¢/kWh	0.713
- Off Peak Unit rate	¢/kWh	0.269
- Demand rate	\$/kW pa	\$42.432
Minimum Chargeable Demand	450 kW	

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 HV

Only available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$2,004.000
- Peak Unit rate	¢/kWh	0.568
- Off Peak Unit rate	¢/kWh	0.133
- Demand rate	\$/kW pa	\$50.388
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers with annual consumption ≤ 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,004.000
- Peak Unit rate	¢/kWh	0.587
- Off Peak Unit rate	¢/kWh	0.133
- Demand rate	\$/kW pa	\$51.612
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$2,004.000
- Peak Unit rate	¢/kWh	0.568
- Off Peak Unit rate	¢/kWh	0.133
- Demand rate	\$/kW pa	\$36.360
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers with annual consumption > 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,004.000
- Peak Unit rate	¢/kWh	0.591
- Off Peak Unit rate	¢/kWh	0.133
- Demand rate	\$/kW pa	\$51.276

Minimum Chargeable Demand 2,000 kW

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers with annual consumption ≥ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,992.000
- Peak Unit rate	¢/kWh	0.552
- Off Peak Unit rate	¢/kWh	0.095
- Demand rate	\$/kW pa	\$46.836
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$15,672.000
- Peak Unit rate	¢/kWh	0.093
- Off Peak Unit rate	¢/kWh	0.018
- Demand rate	\$/kW pa	\$14.556
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$15,672.000
- Peak Unit rate	¢/kWh	0.093
- Off Peak Unit rate	¢/kWh	0.018
- Demand rate	\$/kW pa	\$14.556
Minimum Chargeable Demand	15,000 kW	

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$15,672.000
- Peak Unit rate	¢/kWh	0.088
- Off Peak Unit rate	¢/kWh	0.016
- Demand rate	\$/kW pa	\$2.916
Minimum Chargeable Demand	15,000 kW	

* The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

** Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>