

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2012 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100^a / T100^b General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$21.970
- Unit rate	¢/kWh	7.413

A10I / F10I^a / T10I^b Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$21.970
- Peak Unit rate	¢/kWh	11.804
- Off Peak Unit rate	¢/kWh	2.054

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$38.390
- Peak Unit rate	¢/kWh	9.309
- Off Peak Unit rate	¢/kWh	2.244

A180 Off Peak Heating Only (dedicated circuit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation^c

11.00 PM to 7.00 AM AEST all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	2.054

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 / F200^a / T200^b General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$57.100
- Unit rate	¢/kWh	8.586

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2012 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A210 / F210^a / T210^b Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$99.140
- Peak Unit rate	¢/kWh	10.340
- Off Peak Unit rate	¢/kWh	2.204

A230 / F230^a / T230^b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$227.070
- Peak Unit rate	¢/kWh	6.243
- Off Peak Unit rate	¢/kWh	2.252
- Demand rate	\$/kW pa	\$55.012
Minimum Chargeable Demand	60 kW	

A250 / F250^a / T250^b Time of Use Extended

Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$99.140
- Peak Unit rate	¢/kWh	9.112
- Off Peak Unit rate	¢/kWh	2.365

A270 / F270^a / T270^b Time of Use Extended - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$227.070
- Peak Unit rate	¢/kWh	5.119
- Off Peak Unit rate	¢/kWh	2.406
- Demand rate	\$/kW pa	\$55.012
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Peak Unit rate	¢/kWh	9.180
- Off Peak Unit rate	¢/kWh	2.218

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2012 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300^a / T300^b LV 0.4 - 0.8 GWh

Only available to customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,714.420
- Peak Unit rate	¢/kWh	3.461
- Off Peak Unit rate	¢/kWh	1.301
- Demand rate	\$/kW pa	\$87.714
Minimum Chargeable Demand	120 kW	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,714.420
- Peak Unit rate	¢/kWh	3.348
- Off Peak Unit rate	¢/kWh	1.301
- Demand rate	\$/kW pa	\$91.993
Minimum Chargeable Demand	120 kW	

A320 LV 0.8⁺ - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,122.590
- Peak Unit rate	¢/kWh	3.016
- Off Peak Unit rate	¢/kWh	1.260
- Demand rate	\$/kW pa	\$81.784
Minimum Chargeable Demand	250 kW	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,122.590
- Peak Unit rate	¢/kWh	2.857
- Off Peak Unit rate	¢/kWh	1.260
- Demand rate	\$/kW pa	\$83.718
Minimum Chargeable Demand	250 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2012 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
A340				
LV 2.2⁺ - 6.0 GWh				
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$5,384.190
- Peak Unit rate			¢/kWh	3.010
- Off Peak Unit rate			¢/kWh	1.164
- Demand rate			\$/kW pa	\$81.539
Minimum Chargeable Demand			250 kW	
A34E				
LV_{EN} 2.2⁺ - 6.0 GWh				
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$5,384.190
- Peak Unit rate			¢/kWh	2.599
- Off Peak Unit rate			¢/kWh	1.156
- Demand rate			\$/kW pa	\$82.188
Minimum Chargeable Demand			250 kW	
A34M				
LV_{MS} 2.2⁺ - 6.0 GWh				
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh ^d				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$3,664.940
- Peak Unit rate			¢/kWh	3.087
- Off Peak Unit rate			¢/kWh	1.154
- Demand rate			\$/kW pa	\$57.823
Minimum Chargeable Demand			250 kW	
A370				
LV 6.0⁺ GWh				
Only available to customers consuming > 6.0 GWh pa				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$8,547.840
- Peak Unit rate			¢/kWh	2.694
- Off Peak Unit rate			¢/kWh	1.108
- Demand rate			\$/kW pa	\$78.306
Minimum Chargeable Demand			450 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2012 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A37E LV_{EN} 6.0⁺ GWh

Only available to embedded network customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,547.840
- Peak Unit rate	¢/kWh	2.725
- Off Peak Unit rate	¢/kWh	1.108
- Demand rate	\$/kW pa	\$78.315
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0⁺ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh^d

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,310.760
- Peak Unit rate	¢/kWh	2.747
- Off Peak Unit rate	¢/kWh	1.108
- Demand rate	\$/kW pa	\$56.689
Minimum Chargeable Demand	450 kW	

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 HV

Only available to customers consuming < 55 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$10,378.240
- Peak Unit rate	¢/kWh	2.685
- Off Peak Unit rate	¢/kWh	0.843
- Demand rate	\$/kW pa	\$64.788
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers consuming ≤ 10 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$10,378.240
- Peak Unit rate	¢/kWh	2.453
- Off Peak Unit rate	¢/kWh	0.843
- Demand rate	\$/kW pa	\$64.161
Minimum Chargeable Demand	1,000 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2012 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$10,378.240
- Peak Unit rate	¢/kWh	2.685
- Off Peak Unit rate	¢/kWh	0.843
- Demand rate	\$/kW pa	\$60.108
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers consuming > 10 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$10,378.240
- Peak Unit rate	¢/kWh	2.412
- Off Peak Unit rate	¢/kWh	0.843
- Demand rate	\$/kW pa	\$64.495
Minimum Chargeable Demand	2,000 kW	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers consuming ≥ 55 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$10,685.530
- Peak Unit rate	¢/kWh	2.495
- Off Peak Unit rate	¢/kWh	0.772
- Demand rate	\$/kW pa	\$58.576
Minimum Chargeable Demand	10,000 kW	

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$40,691.950
- Peak Unit rate	¢/kWh	1.763
- Off Peak Unit rate	¢/kWh	0.494
- Demand rate	\$/kW pa	\$20.807
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$40,691.950
- Peak Unit rate	¢/kWh	1.763
- Off Peak Unit rate	¢/kWh	0.494
- Demand rate	\$/kW pa	\$20.807
Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2012 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$27,209.170
- Peak Unit rate	¢/kWh	1.790
- Off Peak Unit rate	¢/kWh	0.499
- Demand rate	\$/kW pa	\$7.224
Minimum Chargeable Demand	15,000 kW	

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In-Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Tariff reassignment requests to a tariff starting with the letter "T" can only be made by the customer's retailer.

^c The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^d Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>