



DISTRIBUTION TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2005 – 31 DECEMBER 2005

Table 1. Distribution tariffs effective 1 January 2005

DUoS Tariff	Code	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
					First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Small single rate	D1	28.191			6.515	7.693	8.871	10.049	
ClimateSaver	D1.CS				6.340	7.486	8.633	9.779	3.370
ClimateSaver Interval	D3.CS				6.340	7.486	8.633	9.779	3.370
Small two rate	D2	35.522			9.060	9.547	10.311	11.265	1.087
Small two rate - Bulk	D2.DK	32.758			8.589	9.755	10.536	11.511	1.001
Small Customer Interval	D3	35.522			9.060	9.547	10.311	11.265	1.087
Dedicated circuit	DD1	7.128							0.344
Hot Water Interval	D3.HW	7.128							0.344
Medium single rate	ND1	28.191			6.466	7.634	8.804	9.972	
Medium single rate (R)	ND1.R	28.191			6.466	7.634	8.804	9.972	
Medium two rate-5d	ND2	35.522			8.939	9.419	10.173	11.114	1.087
Business Sunraysia	ND2.BS	35.522			8.939	9.419	10.173	11.114	1.087
Medium two rate-7d	ND3	37.761			8.082	8.783	10.079	11.190	1.087
Unmetered supplies	PL2				10.232	10.232	10.232	10.232	2.402
Large Tariff (kW)	DL		70.155	250	2.224	2.224	2.224	2.224	1.369
Large Tariff A (kW)	DL.A		68.610	250	2.113	2.113	2.113	2.113	1.207
Large Tariff C (kW)	DL.C		67.584	250	2.257	2.257	2.257	2.257	1.290
Large Tariff S (kW)	DL.S		73.480	120	2.469	2.469	2.469	2.469	1.520
Large Tariff DK (kW)	DL.DK		47.966	120	1.205	1.205	1.205	1.205	1.072
Large Tariff CXX (kW)	DL.CXX		73.628	120	2.431	2.431	2.431	2.431	1.497
High voltage (kW)	DH		60.975	1,000	1.445	1.445	1.445	1.445	0.394
High voltage A (kW)	DH.A		33.222	1,000	0.844	0.844	0.844	0.844	0.256
High voltage C (kW)	DH.C		59.743	1,000	1.434	1.434	1.434	1.434	0.391
High voltage D1 (kW)	DH.D1		28.638	20,000	0.275	0.275	0.275	0.275	0.088
High voltage D2 (kW)	DH.D2		38.677	8,000	0.180	0.180	0.180	0.180	0.179
High Voltage DH.DK (kW)	DH.DK		27.308	1,000	0.886	0.886	0.886	0.886	0.421
High Voltage DH.D3 (kW)	DH.D3		36.411	10,000	0.872	0.872	0.872	0.872	0.109
High Voltage DH.D4 (kW)	DH.D4		27.952	10,000	0.686	0.686	0.686	0.686	0.208
High Voltage DH.D5 (kW)	DH.D5		27.952	12,000	0.686	0.686	0.686	0.686	0.208
Subtransmission (voltage > 22 000 volts) A# (kW)	DS.A		5.524	10,000	0.727	0.727	0.727	0.727	0.034
Subtransmission (voltage > 22 000 volts) G# (kW)	DS.G		5.524	10,000	0.719	0.719	0.719	0.719	0.034
Subtransmission (voltage > 22 000 volts) S# (kW)	DS.S		5.560	10,000	0.729	0.729	0.729	0.729	0.033



TRANSMISSION TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2005 – 31 DECEMBER 2005

Table 2. Transmission tariffs effective 1 January 2005

TUoS Tariff	Code	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
					First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Small single rate	D1	7.048			0.710	0.710	0.710	0.710	
ClimateSaver	D1.CS				1.088	1.088	1.088	1.088	0.312
ClimateSaver Interval	D3.CS				1.088	1.088	1.088	1.088	0.312
Small two rate	D2	8.881			0.560	0.560	0.560	0.560	0.312
Small two rate - Bulk	D2.DK	8.189			1.446	1.446	1.446	1.446	0.312
Small Customer Interval	D3	8.881			0.560	0.560	0.560	0.560	0.312
Dedicated circuit	DD1	7.128							0.798
Hot Water Interval	D3.HW	7.128							0.798
Medium single rate	ND1	7.048			0.722	0.722	0.722	0.722	
Medium single rate (R)	ND1.R	7.048			0.722	0.722	0.722	0.722	
Medium two rate-5d	ND2	8.881			0.813	0.813	0.813	0.813	0.312
Business Sunraysia	ND2.BS	8.881			0.813	0.813	0.813	0.813	0.312
Medium two rate-7d	ND3	9.440			0.758	0.758	0.758	0.758	0.312
Unmetered supplies	PL2				0.846	0.846	0.846	0.846	0.312
Large Tariff (kW)	DL		23.606	250	0.775	0.775	0.775	0.775	0.312
Large Tariff A (kW)	DL.A		24.368	250	0.800	0.800	0.800	0.800	0.312
Large Tariff C (kW)	DL.C		23.697	250	0.778	0.778	0.778	0.778	0.312
Large Tariff S (kW)	DL.S		22.571	120	0.741	0.741	0.741	0.741	0.312
Large Tariff DK (kW)	DL.DK		23.128	120	0.760	0.760	0.760	0.760	0.312
Large Tariff CXX (kW)	DL.CXX		23.459	120	0.771	0.771	0.771	0.771	0.312
High voltage (kW)	DH		21.403	1,000	0.795	0.795	0.795	0.795	0.312
High voltage A (kW)	DH.A		24.718	1,000	0.918	0.918	0.918	0.918	0.312
High voltage C (kW)	DH.C		21.809	1,000	0.810	0.810	0.810	0.810	0.312
High voltage D1 (kW)	DH.D1		39.930	20,000	1.006	1.006	1.006	1.006	
High voltage D2 (kW)	DH.D2		24.648	8,000	0.903	0.903	0.903	0.903	
High Voltage DH.DK (kW)	DH.DK		22.644	1,000	0.841	0.841	0.841	0.841	0.312
High Voltage DH.D3 (kW)	DH.D3		23.906	10,000	0.107	0.107	0.107	0.107	
High Voltage DH.D4 (kW)	DH.D4		14.130	10,000	0.837	0.837	0.837	0.837	0.312
High Voltage DH.D5 (kW)	DH.D5		14.130	12,000	0.837	0.837	0.837	0.837	0.312
Subtransmission (voltage > 22 000 volts) A# (kW)	DS.A		8.313	10,000	1.269	1.269	1.269	1.269	0.312
Subtransmission (voltage > 22 000 volts) G# (kW)	DS.G		8.326	10,000	1.271	1.271	1.271	1.271	0.312
Subtransmission (voltage > 22 000 volts) S# (kW)	DS.S		8.271	10,000	1.263	1.263	1.263	1.263	0.312



NETWORK TARIFF SCHEDULE **(GST EXCLUSIVE)** **1 JANUARY 2005 – 31 DECEMBER 2005**

Table 3. Network tariffs effective 1 January 2005

NUoS Tariff	Code	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
					First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Small single rate	D1	35.239			7.225	8.403	9.581	10.759	
ClimateSaver	D1.CS				7.428	8.574	9.721	10.867	3.682
ClimateSaver Interval	D3.CS				7.428	8.574	9.721	10.867	3.682
Small two rate	D2	44.403			9.620	10.107	10.871	11.825	1.399
Small two rate - Bulk	D2.DK	40.947			10.035	11.201	11.982	12.957	1.313
Small Customer Interval	D3	44.403			9.620	10.107	10.871	11.825	1.399
Dedicated circuit	DD1	14.256							1.142
Hot Water Interval	D3.HW	14.256							1.142
Medium single rate	ND1	35.239			7.188	8.356	9.526	10.694	
Medium single rate (R)	ND1.R	35.239			7.188	8.356	9.526	10.694	
Medium two rate-5d	ND2	44.403			9.752	10.232	10.986	11.927	1.399
Business Sunraysia	ND2.BS	44.403			9.752	10.232	10.986	11.927	1.399
Medium two rate-7d	ND3	47.201			8.840	9.541	10.837	11.948	1.399
Unmetered supplies	PL2				11.078	11.078	11.078	11.078	2.714
Large Tariff (kW)	DL		93.761	250	2.999	2.999	2.999	2.999	1.681
Large Tariff A (kW)	DL.A		92.978	250	2.913	2.913	2.913	2.913	1.519
Large Tariff C (kW)	DL.C		91.281	250	3.035	3.035	3.035	3.035	1.602
Large Tariff S (kW)	DL.S		96.051	120	3.210	3.210	3.210	3.210	1.832
Large Tariff DK (kW)	DL.DK		71.094	120	1.965	1.965	1.965	1.965	1.384
Large Tariff CXX (kW)	DL.CXX		97.087	120	3.202	3.202	3.202	3.202	1.809
High voltage (kW)	DH		82.378	1,000	2.240	2.240	2.240	2.240	0.706
High voltage A (kW)	DH.A		57.940	1,000	1.762	1.762	1.762	1.762	0.568
High voltage C (kW)	DH.C		81.552	1,000	2.244	2.244	2.244	2.244	0.703
High voltage D1 (kW)	DH.D1		68.568	20,000	1.281	1.281	1.281	1.281	0.088
High voltage D2 (kW)	DH.D2		63.325	8,000	1.083	1.083	1.083	1.083	0.179
High Voltage DH.DK (kW)	DH.DK		49.952	1,000	1.727	1.727	1.727	1.727	0.733
High Voltage DH.D3 (kW)	DH.D3		60.317	10,000	0.979	0.979	0.979	0.979	0.109
High Voltage DH.D4 (kW)	DH.D4		42.082	10,000	1.523	1.523	1.523	1.523	0.520
High Voltage DH.D5 (kW)	DH.D5		42.082	12,000	1.523	1.523	1.523	1.523	0.520
Subtransmission (voltage > 22 000 volts) A# (kW)	DS.A		13.837	10,000	1.996	1.996	1.996	1.996	0.346
Subtransmission (voltage > 22 000 volts) G# (kW)	DS.G		13.850	10,000	1.990	1.990	1.990	1.990	0.346
Subtransmission (voltage > 22 000 volts) S# (kW)	DS.S		13.831	10,000	1.992	1.992	1.992	1.992	0.345



NETWORK TARIFF SCHEDULE **(GST EXCLUSIVE)** **1 JANUARY 2005 – 31 DECEMBER 2005**

The following terms apply:

- (a) D1.CS, D2, DD1, ND2 and ND3 are only available to existing customers who have these configurations.
- (b) D3.CS "Climate Saver Interval" is a seasonal tariff and is available to small and medium interval meter customers who have an approved reverse cycle air conditioner. The peak rate applies between 1 November – 31 March and the off peak rate applies between 1 April – 31 October.
- (c) D3 small customer interval meter tariff is available to small and medium interval meter customers.
- (d) D3.HW interval meter tariff is only available to hot water interval meter customers with controllable loads.
- (e) ND1.R is a seasonal tariff which applies to approved electrically heated bridge decks on the Calder Highway.
- (f) PL2 is restricted to supply points with a demand less than 500 Watts.
- (g) DL.S is a tariff for customers using less than 400 MWh per annum and a demand less than 250 kW who were on Retail Tariffs "L" and "V" as at 1 April 1998.
- (h) DH.D1 applies to customers with a maximum demand in excess of 20,000 kW connected with dual parallel dedicated high voltage jumbo feeders at 22kV supplied from Brooklyn Terminal Station.
- (i) DH.D2 applies to customers with a high load factor (80 %) and a maximum demand of 8,000 kW connected to high voltage feeders with interruptible supply at 11kV supplied from Laverton North zone substation.
- (j) DH.DK, DL.DK and D2.DK apply to customers supplied by feeders at 22kV from Fishermans Bend Terminal Station.
- (k) DH.D3 applies to customers with maximum demand greater than 10,000kW who are connected at 22kV via a dedicated feeder of length less than 50 metres.
- (l) DH.D4 applies to customers with a maximum demand greater than 12,000kW who are connected at 11kV via two shared overhead feeders and less than 1km from Powercor Australia supply point.
- (m) DH.D5 applies to customers with a maximum demand greater than 12,000kW who are connected at 11kV via a single dedicated underground feeder and a single shared overhead feeder and less than 1km from Powercor Australia supply point.
- (n) Powercor Australia will provide specific information on request for the allocation of customers to specific feeders for tariffs ND2.BS, DL.A, DL.C, DH.A, DH.C, DS.A, DS.G and DS.S.