



2005 Network Tariff Report

1 March 2005

Powercor Australia
40 Market Street
Melbourne 3000

Contents

1.	INTRODUCTION	3
2.	NETWORK TARIFFS	3
2.1	Network tariff components	3
2.1.1	Distribution tariffs	3
2.1.2	Transmission tariffs	3
2.2	Customer types	3
3.	POLICY FRAMEWORK	4
3.1	Pricing objectives	4
3.2	Fixed charge tariffs	4
3.3	Block Tariffs	5
3.4	Time of use tariffs	5
3.5	Location based tariffs	6
3.6	Interval meter tariffs	6
3.7	Tariff equalisation	7
3.8	Transmission use of system charge allocation	7
3.8.1	Land Tax	8
3.9	Current distribution tariffs are efficient	8
4.	2005 TARIFFS	9
4.1	Domestic customers	9
4.1.1	D1 – Small single rate	9
4.1.2	D1.CS - Climate saver	9
4.1.3	D3.CS – Climate Saver Interval	9
4.1.4	D2 – Small two rate	9
4.1.5	D2.DK – Small two rate - Docklands region	10
4.1.6	D3 – Small Customer Interval	10
4.1.7	DD1 – Dedicated circuit	10
4.1.8	D3.HW – Hot Water Interval	10
4.2	Medium customers	11
4.2.1	ND1 – Medium single rate	11
4.2.2	ND1.R – Bridge heating	11
4.2.3	ND2 – Medium two rate, 5 day	11
4.2.4	ND2.BS – Business Sunraysia	11
4.2.5	ND3 – Medium two rate, 7 day	11
4.3	Large customers	12
4.3.1	Low voltage demand tariffs	12
4.3.2	High voltage demand tariffs	12
4.3.3	Sub-transmission demand tariffs	12
4.4	Average bill by customer class	13
4.4.1	Domestic customers	13
4.4.2	Medium customers	13
4.4.3	Large low voltage customers	14
4.4.4	High voltage customers	14
5.	CONCLUSION	15

1. INTRODUCTION

This document outlines the principles and policies adopted by Powercor Australia during the setting of network tariffs for the 2005 calendar year. Network tariffs are a charge for the services associated with using the network to transport electricity from the generator gate to the end-use customer.

2. NETWORK TARIFFS

2.1 Network tariff components

Network tariffs consist of two primary components, a transmission tariff and a distribution tariff. Both transmission and distribution tariffs have a fixed and variable component. A variable component can vary by day or time in addition to varying depending on the level of consumption.

2.1.1 Distribution tariffs

Powercor Australia has designed its distribution tariffs to be reflective of the costs that each customer segment imposes on the distribution system. The principle cost drivers in the distribution system are the voltage at which customers receive supply, the location of the customer and the connection characteristics of the customer.

Distribution tariffs are regulated by the Essential Services Commission (“ESC”) and are required to satisfy the constraints set out in the *Electricity Distribution Price Determination 2001-05 Volume II Price Controls (“Determination”)*. For 2005, the Commission’s Determination requires Powercor Australia to deliver an average real decrease in distribution tariffs of 1 per cent. Individual distribution tariffs are also constrained such that they can not increase by more than 2 per cent in real terms (adjusted for S-Factor).

2.1.2 Transmission tariffs

Transmission use of system charges are levied on Powercor Australia by Vencorp and SPI Powernet. As with distribution charges, transmission charges passed through to Powercor Australia and in turn to customers, are regulated. The quantum of transmission charges is regulated by the Australian Competition and Consumer Commission and subject to review every five years.

Transmission costs are subsidised through a mechanism known as the Grid Equalisation Scheme. The Grid Equalisation Scheme transfers transmission charges from rural and remote customers to urban customers thus reducing the transmission tariffs paid by rural and remote customers. For the financial period 1994-2000 the Grid Equalisation Scheme transferred \$19 million per annum to Powercor Australia customers to offset transmission tariffs. For the financial period 2001-05 the amount transferred to Powercor Australia’s customers is \$15 million per annum.

2.2 Customer types

Network tariffs are priced based on five distinct customer segments, determined by the voltage at which they receive supply, their level of consumption and their maximum demand. The chart below defines Powercor Australia’s customer groups.

Table 1: Network Tariffs Grouped by Customer Type

CUSTOMER	CONSUMPTION (MWh pa)	DEMAND (kW)	VOLTAGE	SEGMENT
Domestic	Less than 70		Below 1 kV	Residential
Business	Less than 400		Below 1 kV	Commercial / Small Industrial
Large low voltage	Greater than 400	Greater than 120 kW	Below 6.6 kV	Small to Medium Industrial/ Large Commercial
High voltage	Greater than 400	Greater than 1 MW	6.6 kV or above	Industrial
Subtransmission	Greater than 400	Greater than 10 MW	> 66 kV	Industrial

3. POLICY FRAMEWORK

3.1 Pricing objectives

Preparation of network tariffs requires a robust set of objectives that can be used to evaluate the suitability of network tariffs. The objectives employed by Powercor Australia in setting both distribution and transmission tariffs can be summarised as follows:

- **Economic signals:** Ensure there is appropriate signaling to customers of their impact on the distribution and transmission system;
- **Stability:** Distribution and transmission tariffs should be stable and predictable through time;
- **Simplicity:** Distribution and transmission tariffs should be readily understood by customers and easy to apply;
- **Equity:** Distribution and transmission tariffs should avoid undue discrimination between customers; and
- **Regulatory compliance:** Distribution and transmission tariffs should comply with the requirements set out in *Electricity Distribution Price Determination 2001-05 Volume II Price Controls*.

Distribution and transmission tariffs can be designed to include a number of tariff components. Typically a distribution or transmission tariff will consist of 3 or more components. How tariff components are included will have a significant impact on the economic signals provided by the tariff to the customer and how a customer is impacted by a tariff.

3.2 Fixed charge tariffs

A large proportion of a distribution business' costs are fixed. A consequence of a predominantly fixed cost business is that a customer's consumption pattern may only impact on costs when the distribution assets servicing that customer fall due for renewal.

Levying a customer a variable charge where costs are fixed will result in large energy users subsidising small energy users. Hence where suitable metering is available Powercor Australia has sought to closely align the recovery of fixed costs through fixed charges ie. through minimum demand charges. At present the minimum demand thresholds are 10,000 kW, 1,000 kW, 250 kW and 120 kW.

For domestic and small customers a standing charge is applied as a proxy for the recovery of fixed costs. In the interests of not disadvantaging small customers, Powercor Australia has

placed a relatively low reliance on standing charges. After analysis of the current application of standing charges, Powercor Australia has implemented the following amendments from 1 January 2005:

3.2.1.1 Abolition of distribution standing charges for large customers

This applies to all large low voltage, high voltage and subtransmission distribution tariffs. Standing charges for these customers were largely insignificant; comprising less than 3 per cent of the average customer bill. Powercor Australia has withdrawn standing charges for these distribution tariffs. These customers continue to make a contribution to the fixed costs of the network through demand charges.

3.2.1.2 Amendments to standing charges for smaller customers

This applies to all domestic, dedicated supplies and small business distribution tariffs. Standing charges were levied on the distribution but not transmission tariffs for small customers. Given the fixed nature of part of the transmission costs incurred by Powercor Australia, it is appropriate for part of the transmission costs to be recouped by way of a standing charge. This will align small customers with large customers, where transmission costs are recouped partly by way of a fixed (i.e. demand) charge.

However, small customers are very sensitive to increases in standing charges, especially those for whom standing charges make up a large proportion of their electricity bill. Powercor Australia is aware of this and has offset the new transmission standing charges by reducing the distribution standing charges so that, at a network tariff level, 2005 standing charges are equal to their 2004 levels. From a distribution perspective, this has the added benefit of providing a stronger demand management signal to customers, as the inclining block structure (see below) is now of increased importance.

3.3 Block Tariffs

In 2001, Powercor introduced a block tariff structure designed for pricing small and medium tariff customers. The block tariff works as a demand management tool by increasing price as consumption increases. The tariffs progressively rise at the commencement of each block providing a graduated incentive to reduce consumption.

The number of blocks has been chosen to reflect discrete steps in a customer's consumption. 333 kWh per month represents the average consumption of a domestic customer. 1,667 kWh per month represents the point where a customer shifts from domestic to more general use. Finally 4,166 kWh per month represents the point where a customer becomes a medium usage customer. Off peak tariffs will remain uniform.

3.4 Time of use tariffs

The purpose of a time of use tariff is to provide pricing signals to customers to encourage usage during periods of low demand on the network and discourage use during times when the network is heavily utilised. Correctly specified, time of use tariffs create an incentive for customers to use the network in an optimal manner. Optimal usage of the network benefits customers through reduced expenditure on capital and operating expenditure whilst also providing valuable environmental signals.

Most Powercor Australia distribution tariffs contain variable time of use charges, typically based on a peak/off peak split where the definition off peak depends on the tariff. The major restriction on the introduction of time of use tariffs has been the lack of adequate metering technology, particularly for domestic and small business customers. The gradual introduction of meters with a capacity for multiple registers and half-hourly readings will enable the further introduction of time of use tariffs.

3.5 Location based tariffs

Many of the costs incurred in operating a distribution network are location based. The majority of cost drivers such as customer density, line length from zone sub station, vegetation control, storm activity, corrosion, bush fire, and alike are all dependent on a customer's location.

Powercor Australia has reviewed closely the introduction of location based tariffs. Indeed, many of Powercor Australia's present large customer tariffs have a location basis. Introducing customers in the domestic and medium segments to location based pricing would impact significantly on rural customers resulting in many cases, major increases in these customer's bills. Introduction of location based pricing to medium and domestic customers would also prove administratively difficult to manage and would result in a significant increase in complexity, confusing customers and creating a potential for dispute.

Powercor Australia will continue to provide location based signals to large customers to ensure development occurs where it is most appropriate, and that Powercor Australia's network remains competitive with other available alternatives. No introduction of location based tariffs is proposed for medium or domestic customer tariffs at this time.

3.6 Interval meter tariffs

The Commission is amending the Electricity Customer Metering Code to require distributors to complete an accelerated roll out of interval meters to off peak customers by 2012. All new and replacement meters will also be required to be interval meters and some new Powercor Australia customers will receive an interval meter in 2005.

Given this, Powercor Australia has introduced new interval meter tariffs from 1 January 2005. Powercor Australia now offers three interval meter tariffs, small customer interval (D3), hot water (D3.HW) and ClimateSaver (D3.CS). The purpose of the tariffs is two-fold:

- To support the gathering of information from Powercor Australia's meter data management system to better understand the consumption patterns of customers that have interval meters installed; and
- To allow for distribution tariffs for interval metered customers to be amended over time to create more efficient price signals for customers.

Initially the charges and structures for these interval meter tariffs will be equivalent to their two rate equivalents i.e. $D3 = D2$, $D3.CS = D1.CS$ etc. The D3.HW interval meter tariff, unlike its predecessor, is only available to hot water customers with controllable loads. D3.HW also includes a larger controlled load window in order to assist in further flattening system peak demand in selected locations. As a consequence of these changes, only D1, D3, D3.HW, D3.CS and ND1 are intended to remain available to new residential and small business customers.

3.7 Tariff equalisation

Domestic and small business customers do not see network tariffs as bundled retail electricity prices have remained broadly equalised throughout Victoria. However, with the introduction of full retail competition, domestic customers will be exposed to network tariffs as some retailers disaggregate network and energy components.

As Powercor Australia's network tariffs are generally higher than other businesses' network tariffs (due to the inherent higher cost structure of Powercor Australia's network), Powercor Australia customers will have relatively higher electricity bills. In other words, Powercor Australia's domestic customers will pay more than their equivalent urban neighbours in other business territories. Many of Powercor Australia's customers and their representatives have indicated that they would prefer uniform prices across the State and that urban-rural price differentials should be kept to a minimum.

The current network tariffs already have a declining cross subsidy from users outside Powercor's network. From 2001, the annual grid subsidy received by Powercor Australia declined from \$19m to \$15m per financial year. The grid subsidy represents a commitment from the previous Victorian Government to transition rural and remote customers to cost reflective prices. Powercor Australia notes the Victorian Government has introduced the Network Tariff Rebate to maintain some degree of urban/rural parity.

Given these issues, Powercor Australia supports an extension of the existing grid equalisation scheme to deliver a uniform postage stamp network tariffs across Victoria. The extension of the established Victorian-wide equalisation scheme is however an issue outside the control of Powercor Australia. Powercor Australia unsuccessfully advocated through the Electricity Distribution Price Review with both the former Office of the Regulator-General and the Victorian Government for an extension to the existing equalisation scheme. Powercor Australia continues to seek the Victorian Government and the Essential Services Commission's co-operation in developing an equalisation scheme that ensures rural customers are not penalised through the reform process.

3.8 Transmission use of system charge allocation

Powercor Australia is required, through the *Victorian Electricity Industry Tariff Order*, to collect transmission use of system fees on behalf of Vencorp and a connection charge for SPI Powernet. The transmission charges applied to Powercor Australia are as follows:

- A TUOS Usage Charge (Summer Demand) based on the average of the ten highest peaks during weekdays (between 7am and 11pm) for each of Powercor Australia's 11 terminal stations during the extended summer period from November to March.
- A TUOS General Charge This price is based on the total actual energy supplied to each terminal station for the billing period from the previous financial year.
- A Common Service Charge that includes costs for planning and operating the network and the costs related to reactive plant; and
- A fixed connection charge levied by SPI Powernet.

In addition to these charges, Powercor Australia also receives the grid equalisation payment as a fixed quantity.

Powercor Australia's transmission tariffs reflect the incurrence of fixed and variable charges except in the case of domestic and medium customers, where adequate metering is not available. Details of Powercor Australia's transmission charges are contained in Section 4.

3.8.1 Land Tax

The Victorian Government on 1 July 2004 abolished the smelter levy charged on retailers under the National Electricity Code and replaced it with a land tax on transmission easements resulting in a marked increase in TUoS charges levied by SPI Powernet and VENCORP to the distribution businesses. The impact of the land tax on transmission easements on the distributor's TUoS charges commenced from 1 July 2004. However, the price controls only provide for adjustment to tariffs on an annual basis. Therefore, the land tax recovery in 2005 will be for the period 1 July 2004 to 31 December 2004 of \$9.5M and 1 January 2005 to 31 December 2005 of \$19.6M. As a result, customers TUoS energy component of their network bill will increase in 2005 in proportion to the original smelter levy.

3.9 Current distribution tariffs are efficient

Under clause 2.3.12 of the *Electricity Distribution Price Determination 2001-2005 -Volume II Price Controls* of September 2000 distributors are required to have regard to the "efficient window" in the setting of distribution tariffs. The "efficient window" is defined as follows:

- the lower bound - each distribution tariff should be above the marginal cost of serving the customers assigned to that tariff; and
- the upper bound - each distribution tariff should be below the stand-alone cost of serving the customers assigned to that tariff.

Powercor Australia's distribution tariffs are within the efficient cost window according to the Commission's criteria. Powercor Australia will continue to monitor its existing tariffs and all proposed new tariffs to ensure they remain efficient.

4. 2005 TARIFFS

The following chapter outlines, in detail, the tariffs developed by Powercor Australia for the calendar year 2005.

4.1 Domestic customers

Domestic customers include all residential customers plus multiple occupancy dwellings such as boarding houses and special accommodation houses.

Standing charges have been reduced significantly in the domestic sector. This will offer domestic customers the opportunity to minimise their electricity bill through management of their consumption.

Following is a description of the network tariffs available to domestic customers:

4.1.1 D1 – Small single rate

This is the basic network tariff for general domestic usage such as lights and power. This is the network tariff under which most domestic customers are supplied. This tariff has a fixed standing charge and an energy charge that applies 24 hours per day, 7 days per week. There is no off-peak charge associated with this tariff.

4.1.2 D1.CS - Climate saver

This network tariff applies to domestic customers who are using approved energy efficient reverse cycle heaters/air conditioners. The D1.CS network tariff is only available to customers whose site is being connected to the distribution network for the first time.

This is a seasonal tariff with no standing charge. The peak charge applies to the hotter months (November to March) when the network is heavily used. The off-peak charge applies to colder months (April to October) when the network is less utilised. This structure enables Powercor Australia to offer very competitive rates during winter for heating.

D1.CS is only available to customers who have an existing D1.CS configuration.

4.1.3 D3.CS – Climate Saver Interval

This network tariff applies to small and medium interval meter customers who are using approved energy efficient reverse cycle heaters/air conditioners. The D3.CS network tariff is only available to customers whose site is being connected to the distribution network for the first time.

This is a seasonal tariff with no standing charge. The peak charge applies to the hotter months (November to March) when the network is heavily used. The off-peak charge applies to colder months (April to October) when the network is less utilised. This structure enables Powercor Australia to offer very competitive rates during winter for heating.

4.1.4 D2 – Small two rate

This network tariff applies to domestic customers who have a meter capable of measuring peak and off peak energy usage. This network tariff is also for general domestic usage such as lights and power. It is the cheapest network tariff available for storage space heating (off-peak hot water units and heating).

The tariff includes a fixed standing charge, peak and off-peak energy charge. The peak charge applies between 7am and 11pm, Monday to Friday. Off-peak periods, such as the weekend and overnight, have a very low rate relative to the peak charge.

D2 is only available to customers who have an existing D2 configuration.

4.1.5 D2.DK – Small two rate - Docklands region

The D2.DK network tariff applies to domestic customers located in the Docklands region, who have a meter capable of measuring peak and off peak energy usage. This network tariff is for general usage such as lights and power.

The network tariff includes a fixed standing charge, peak and off-peak energy charge. The peak charge applies between 7am and 11pm, Monday to Friday. Off-peak periods, such as the weekend and overnight, have a very low rate relative to the peak charge.

4.1.6 D3 – Small Customer Interval

The D3 small customer interval meter tariff applies to small and medium interval meter customers. This network tariff is also for general domestic usage such as lights and power.

The tariff includes a fixed standing charge, peak and off-peak energy charge. The peak charge applies between 7am and 11pm, Monday to Friday. Off-peak periods, such as the weekend and overnight, have a very low rate relative to the peak charge.

4.1.7 DD1 – Dedicated circuit

This network tariff relates mainly to customers with off-peak hot water but also includes storage heating. The network tariff includes a fixed standing charge and an off peak energy charge.

DD1 is only available to customers who have an existing DD1 configuration.

4.1.8 D3.HW – Hot Water Interval

The D3.HW interval meter tariff is only available to hot water interval meter customers with controllable loads. Customers installing off-peak floor heating or other off-peak heating appliances (excluding hot water) that would previously have been connected on D1/DD1, will be able to take supply under Powercor's D3 small customer interval meter network tariff. There is no afternoon boost provided for any customer installation devices including floor slab heating loads. Customers installing off-peak hot water that would previously have been connected on D1/DD1, will be able to take supply under D3.HW.

Powercor will continue to control the hot water load via a signalling service to a maximum of 30amps. Multi phase customers will need to purchase and install their own load breaking contactor.

If suitable interval metering is not available (as will be the case with multi phase customers initially) new customers will continue to be connected to Powercor's D2 small two rate tariff.

4.2 Medium customers

Medium customers are those customers consuming less than 400 MWh per annum and a maximum demand less than 120 kW. Examples of this customer class include restaurants, farms and small business.

Medium tariffs are comparable with small customer tariffs based on the principle that very little cost differential exists between the costs to serve these two customer groups. Medium tariffs have remained uniform across Powercor Australia's distribution area, except for a selection of heavy off peak users in Sunraysia who, for reasons discussed below, have their own network tariff.

The following is a list of network tariffs available to medium customers:

4.2.1 ND1 – Medium single rate

This network tariff is for business customers with little overnight or weekend usage. This network tariff is similar to the standard domestic network tariff (D1), having both a fixed standing charge and a peak energy charge that applies 24 hours per day, 7 days per week.

4.2.2 ND1.R – Bridge heating

This network tariff has been specifically designed for bridge heaters installed in the Powercor network. These bridges only operate in the winter months, making this tariff unique. This network tariff is similar to the standard medium network tariff (ND1), having both a fixed standing charge and a peak energy charge that applies 24 hours per day, 7 days per week. This tariff is not available to new medium customers.

4.2.3 ND2 – Medium two rate, 5 day

This network tariff is suited to customers with some overnight or weekend usage. Customers will benefit through lower charges during off-peak periods that extend both overnight and into the weekend. The network tariff includes a fixed standing charge, peak and off-peak charge. The peak charge applies between 7am and 11pm, Monday to Friday. The off-peak period includes overnight and into the weekend.

ND2 is only available to customers who have an existing ND2 configuration.

4.2.4 ND2.BS – Business Sunraysia

This tariff was designed for heavy off peak users in the Sunraysia area. A combination of low off peak rates and limited off peak periods allowed Powercor Australia to relieve congestion during off peak periods. The network tariff includes a fixed standing charge, peak and off-peak charge. The peak charge generally applies between 7am and 11pm, 5 days a week. The peak days are dependent on the planning of the off peak times. This tariff is not available to new medium customers.

4.2.5 ND3 – Medium two rate, 7 day

The network tariff includes a fixed standing charge, peak and off-peak energy charge. The peak charge applies between 7am and 11pm, Monday to Sunday. Customers are charged lower off-peak rates during the remaining period.

ND3 is only available to customers who have an existing ND3 configuration.

4.3 Large customers

Large customers include large industrial sites, commercial buildings, large hospitals, and any other customer using a large amount of energy. A large customer can be identified by the size of consumption. Any customer with a demand of 120 kW (150 kVA) or annual energy consumption greater than 400 MWh is considered a 'large customer'.

Large customers are divided into three segments, based on the customer's voltage. The criteria for each of the three categories are listed below:

	Minimum Demand	Consumption
Large low voltage	120 kW	<6.6 kV
High voltage	1,000 kW	>6.6 kV
Subtransmission	10,000 kW	>66 kV

4.3.1 Low voltage demand tariffs

Large low voltage customers are those customers receiving supply at less than 6.6 kV that have a minimum demand of at least 120 kW. Examples of this customer class include commercial buildings, department stores, supermarkets, large fast food outlets and small factories.

4.3.2 High voltage demand tariffs

High voltage customers are those customers receiving supply at 6.6 kV or above that have a minimum demand of at least 1 MW. Examples of this customer class include manufacturers, cold stores, food processors and other large industrial companies.

4.3.3 Sub-transmission demand tariffs

Sub-transmission customers are those customers receiving supply at 66 kV that have a minimum demand of at least 10 MW. Examples of this customer class include large manufacturers, refineries and other large industrial companies.


4.4 Average bill by customer class

This section presents the average yearly charge that Powercor Australia's customers are estimated to receive in 2005. All of the following graphs use an average consumption level to determine the average yearly charge for 2005.

The illustrations below have been set out in the four main customer classes: domestic, medium, large low voltage and high voltage.


4.4.1 Domestic customers

Figure 1




4.4.2 Medium customers

Figure 2




4.4.3 Large low voltage customers

Figure 3



4.4.4 High voltage customers

Figure 4



5. CONCLUSION

Powercor Australia's 2005 tariffs ensure a fair and equitable outcome for its entire customer base, with significant discounts offered to small and medium customers.

Powercor Australia has recognised the needs of customers in relation to fixed and variable charges with the continuation of low standing charges for small and medium customers. This low level of fixed charges will allow customers to more effectively control their bill through management of consumption levels.

The existence of an inverse block structure acts as an effective demand management tool. As tariffs progressively rise at the commencement of each block a graduating incentive to reduce consumption is provided.

Powercor Australia has ensured that the gains of electricity reform continue to be shared equitably between rural and urban customers. The adoption of common domestic and business network tariffs across the Powercor Australia region allows a domestic customer in Ouyen to continue to receive network services at the same rate as a customer in Sunshine. This is a continuation of Powercor Australia's commitment to providing reliable electricity supply at an affordable rate.



DISTRIBUTION TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2005 – 31 DECEMBER 2005

Table 1. Distribution tariffs effective 1 January 2005

DUoS Tariff	Code	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
					First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Small single rate	D1	28.191			6.515	7.693	8.871	10.049	
ClimateSaver	D1.CS				6.340	7.486	8.633	9.779	3.370
ClimateSaver Interval	D3.CS				6.340	7.486	8.633	9.779	3.370
Small two rate	D2	35.522			9.060	9.547	10.311	11.265	1.087
Small two rate - Bulk	D2.DK	32.758			8.589	9.755	10.536	11.511	1.001
Small Customer Interval	D3	35.522			9.060	9.547	10.311	11.265	1.087
Dedicated circuit	DD1	7.128							0.344
Hot Water Interval	D3.HW	7.128							0.344
Medium single rate	ND1	28.191			6.466	7.634	8.804	9.972	
Medium single rate (R)	ND1.R	28.191			6.466	7.634	8.804	9.972	
Medium two rate-5d	ND2	35.522			8.939	9.419	10.173	11.114	1.087
Business Sunraysia	ND2.BS	35.522			8.939	9.419	10.173	11.114	1.087
Medium two rate-7d	ND3	37.761			8.082	8.783	10.079	11.190	1.087
Unmetered supplies	PL2				10.232	10.232	10.232	10.232	2.402
Large Tariff (kW)	DL		70.155	250	2.224	2.224	2.224	2.224	1.369
Large Tariff A (kW)	DL.A		68.610	250	2.113	2.113	2.113	2.113	1.207
Large Tariff C (kW)	DL.C		67.584	250	2.257	2.257	2.257	2.257	1.290
Large Tariff S (kW)	DL.S		73.480	120	2.469	2.469	2.469	2.469	1.520
Large Tariff DK (kW)	DL.DK		47.966	120	1.205	1.205	1.205	1.205	1.072
Large Tariff CXX (kW)	DL.CXX		73.628	120	2.431	2.431	2.431	2.431	1.497
High voltage (kW)	DH		60.975	1,000	1.445	1.445	1.445	1.445	0.394
High voltage A (kW)	DH.A		33.222	1,000	0.844	0.844	0.844	0.844	0.256
High voltage C (kW)	DH.C		59.743	1,000	1.434	1.434	1.434	1.434	0.391
High voltage D1 (kW)	DH.D1		28.638	20,000	0.275	0.275	0.275	0.275	0.088
High voltage D2 (kW)	DH.D2		38.677	8,000	0.180	0.180	0.180	0.180	0.179
High Voltage DH.DK (kW)	DH.DK		27.308	1,000	0.886	0.886	0.886	0.886	0.421
High Voltage DH.D3 (kW)	DH.D3		36.411	10,000	0.872	0.872	0.872	0.872	0.109
High Voltage DH.D4 (kW)	DH.D4		27.952	10,000	0.686	0.686	0.686	0.686	0.208
High Voltage DH.D5 (kW)	DH.D5		27.952	12,000	0.686	0.686	0.686	0.686	0.208
Subtransmission (voltage > 22 000 volts) A# (kW)	DS.A		5.524	10,000	0.727	0.727	0.727	0.727	0.034
Subtransmission (voltage > 22 000 volts) G# (kW)	DS.G		5.524	10,000	0.719	0.719	0.719	0.719	0.034
Subtransmission (voltage > 22 000 volts) S# (kW)	DS.S		5.560	10,000	0.729	0.729	0.729	0.729	0.033

Some Tariffs apply to specific customer groups in specific areas within the Powercor distribution network only. Powercor will provide specific information on request.

Issued by Manager Network Pricing – 1 January 2005.



TRANSMISSION TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2005 – 31 DECEMBER 2005

Table 2. Transmission tariffs effective 1 January 2005

TUoS Tariff	Code	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
					First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Small single rate	D1	7.048			0.710	0.710	0.710	0.710	
ClimateSaver	D1.CS				1.088	1.088	1.088	1.088	0.312
ClimateSaver Interval	D3.CS				1.088	1.088	1.088	1.088	0.312
Small two rate	D2	8.881			0.560	0.560	0.560	0.560	0.312
Small two rate - Bulk	D2.DK	8.189			1.446	1.446	1.446	1.446	0.312
Small Customer Interval	D3	8.881			0.560	0.560	0.560	0.560	0.312
Dedicated circuit	DD1	7.128							0.798
Hot Water Interval	D3.HW	7.128							0.798
Medium single rate	ND1	7.048			0.722	0.722	0.722	0.722	
Medium single rate (R)	ND1.R	7.048			0.722	0.722	0.722	0.722	
Medium two rate-5d	ND2	8.881			0.813	0.813	0.813	0.813	0.312
Business Sunraysia	ND2.BS	8.881			0.813	0.813	0.813	0.813	0.312
Medium two rate-7d	ND3	9.440			0.758	0.758	0.758	0.758	0.312
Unmetered supplies	PL2				0.846	0.846	0.846	0.846	0.312
Large Tariff (kW)	DL		23.606	250	0.775	0.775	0.775	0.775	0.312
Large Tariff A (kW)	DL.A		24.368	250	0.800	0.800	0.800	0.800	0.312
Large Tariff C (kW)	DL.C		23.697	250	0.778	0.778	0.778	0.778	0.312
Large Tariff S (kW)	DL.S		22.571	120	0.741	0.741	0.741	0.741	0.312
Large Tariff DK (kW)	DL.DK		23.128	120	0.760	0.760	0.760	0.760	0.312
Large Tariff CXX (kW)	DL.CXX		23.459	120	0.771	0.771	0.771	0.771	0.312
High voltage (kW)	DH		21.403	1,000	0.795	0.795	0.795	0.795	0.312
High voltage A (kW)	DH.A		24.718	1,000	0.918	0.918	0.918	0.918	0.312
High voltage C (kW)	DH.C		21.809	1,000	0.810	0.810	0.810	0.810	0.312
High voltage D1 (kW)	DH.D1		39.930	20,000	1.006	1.006	1.006	1.006	
High voltage D2 (kW)	DH.D2		24.648	8,000	0.903	0.903	0.903	0.903	
High Voltage DH.DK (kW)	DH.DK		22.644	1,000	0.841	0.841	0.841	0.841	0.312
High Voltage DH.D3 (kW)	DH.D3		23.906	10,000	0.107	0.107	0.107	0.107	
High Voltage DH.D4 (kW)	DH.D4		14.130	10,000	0.837	0.837	0.837	0.837	0.312
High Voltage DH.D5 (kW)	DH.D5		14.130	12,000	0.837	0.837	0.837	0.837	0.312
Subtransmission (voltage > 22 000 volts) A# (kW)	DS.A		8.313	10,000	1.269	1.269	1.269	1.269	0.312
Subtransmission (voltage > 22 000 volts) G# (kW)	DS.G		8.326	10,000	1.271	1.271	1.271	1.271	0.312
Subtransmission (voltage > 22 000 volts) S# (kW)	DS.S		8.271	10,000	1.263	1.263	1.263	1.263	0.312

Some Tariffs apply to specific customer groups in specific areas within the Powercor distribution network only. Powercor will provide specific information on request.

Issued by Manager Network Pricing – 1 January 2005.



NETWORK TARIFF SCHEDULE (GST EXCLUSIVE)

1 JANUARY 2005 – 31 DECEMBER 2005

Table 3. Network tariffs effective 1 January 2005

NUoS Tariff	Code	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
					First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Small single rate	D1	35.239			7.225	8.403	9.581	10.759	
ClimateSaver	D1.CS				7.428	8.574	9.721	10.867	3.682
ClimateSaver Interval	D3.CS				7.428	8.574	9.721	10.867	3.682
Small two rate	D2	44.403			9.620	10.107	10.871	11.825	1.399
Small two rate - Bulk	D2.DK	40.947			10.035	11.201	11.982	12.957	1.313
Small Customer Interval	D3	44.403			9.620	10.107	10.871	11.825	1.399
Dedicated circuit	DD1	14.256							1.142
Hot Water Interval	D3.HW	14.256							1.142
Medium single rate	ND1	35.239			7.188	8.356	9.526	10.694	
Medium single rate (R)	ND1.R	35.239			7.188	8.356	9.526	10.694	
Medium two rate-5d	ND2	44.403			9.752	10.232	10.986	11.927	1.399
Business Sunraysia	ND2.BS	44.403			9.752	10.232	10.986	11.927	1.399
Medium two rate-7d	ND3	47.201			8.840	9.541	10.837	11.948	1.399
Unmetered supplies	PL2				11.078	11.078	11.078	11.078	2.714
Large Tariff (kW)	DL		93.761	250	2.999	2.999	2.999	2.999	1.681
Large Tariff A (kW)	DL.A		92.978	250	2.913	2.913	2.913	2.913	1.519
Large Tariff C (kW)	DL.C		91.281	250	3.035	3.035	3.035	3.035	1.602
Large Tariff S (kW)	DL.S		96.051	120	3.210	3.210	3.210	3.210	1.832
Large Tariff DK (kW)	DL.DK		71.094	120	1.965	1.965	1.965	1.965	1.384
Large Tariff CXX (kW)	DL.CXX		97.087	120	3.202	3.202	3.202	3.202	1.809
High voltage (kW)	DH		82.378	1,000	2.240	2.240	2.240	2.240	0.706
High voltage A (kW)	DH.A		57.940	1,000	1.762	1.762	1.762	1.762	0.568
High voltage C (kW)	DH.C		81.552	1,000	2.244	2.244	2.244	2.244	0.703
High voltage D1 (kW)	DH.D1		68.568	20,000	1.281	1.281	1.281	1.281	0.088
High voltage D2 (kW)	DH.D2		63.325	8,000	1.083	1.083	1.083	1.083	0.179
High Voltage DH.DK (kW)	DH.DK		49.952	1,000	1.727	1.727	1.727	1.727	0.733
High Voltage DH.D3 (kW)	DH.D3		60.317	10,000	0.979	0.979	0.979	0.979	0.109
High Voltage DH.D4 (kW)	DH.D4		42.082	10,000	1.523	1.523	1.523	1.523	0.520
High Voltage DH.D5 (kW)	DH.D5		42.082	12,000	1.523	1.523	1.523	1.523	0.520
Subtransmission (voltage > 22 000 volts) A# (kW)	DS.A		13.837	10,000	1.996	1.996	1.996	1.996	0.346
Subtransmission (voltage > 22 000 volts) G# (kW)	DS.G		13.850	10,000	1.990	1.990	1.990	1.990	0.346
Subtransmission (voltage > 22 000 volts) S# (kW)	DS.S		13.831	10,000	1.992	1.992	1.992	1.992	0.345

Some Tariffs apply to specific customer groups in specific areas within the Powercor distribution network only. Powercor will provide specific information on request.

Issued by Manager Network Pricing – 1 January 2005.



ADDITIONAL TERMS

The following terms apply:

- (a) D1.CS, D2, DD1, ND2 and ND3 are only available to existing customers who have these configurations.
- (b) D3.CS "Climate Saver Interval" is a seasonal tariff and is available to small and medium interval meter customers who have an approved reverse cycle air conditioner. The peak rate applies between 1 November – 31 March and the off peak rate applies between 1 April – 31 October.
- (c) D3 small customer interval meter tariff is available to small and medium interval meter customers.
- (d) D3.HW interval meter tariff is only available to hot water interval meter customers with controllable loads.
- (e) ND1.R is a seasonal tariff which applies to approved electrically heated bridge decks on the Calder Highway.
- (f) PL2 is restricted to supply points with a demand less than 500 Watts.
- (g) DL.S is a tariff for customers using less than 400 MWh per annum and a demand less than 250 kW who were on Retail Tariffs "L" and "V" as at 1 April 1998.
- (h) DH.D1 applies to customers with a maximum demand in excess of 20,000 kW connected with dual parallel dedicated high voltage jumbo feeders at 22kV supplied from Brooklyn Terminal Station.
- (i) DH.D2 applies to customers with a high load factor (80 %) and a maximum demand of 8,000 kW connected to high voltage feeders with interruptible supply at 11kV supplied from Laverton North zone substation.
- (j) DH.DK, DL.DK and D2.DK apply to customers supplied by feeders at 22kV from Fishermans Bend Terminal Station.
- (k) DH.D3 applies to customers with maximum demand greater than 10,000kW who are connected at 22kV via a dedicated feeder of length less than 50 metres.
- (l) DH.D4 applies to customers with a maximum demand greater than 12,000kW who are connected at 11kV via two shared overhead feeders and less than 1km from Powercor Australia supply point.
- (m) DH.D5 applies to customers with a maximum demand greater than 12,000kW who are connected at 11kV via a single dedicated underground feeder and a single shared overhead feeder and less than 1km from Powercor Australia supply point.
- (n) Powercor Australia will provide specific information on request for the allocation of customers to specific feeders for tariffs ND2.BS, DL.A, DL.C, DH.A, DH.C, DS.A, DS.G and DS.S