



2006 Annual Tariff Report

November 2005

Powercor Australia
40 Market Street
Melbourne 3000

TABLE OF CONTENTS

1. CURRENT TARIFFS.....	3
1.1 REGULATORY ARRANGEMENTS	3
1.2 TARIFFS	3
1.2.1 Distribution tariffs	3
1.2.2 Transmission tariffs	3
1.2.3 Network tariffs.....	3
1.2.4 Prescribed Metering Tariffs	3
1.2.5 Eligibility of each tariff.....	3
1.3 PARENT TARIFFS	9
1.4 2006 TARIFF CHANGES	9
1.4.1 ND5 – Non-Residential Interval meter tariff.....	9
1.4.2 Tariff naming convention.....	9
1.5 UPPER AND LOWER BOUNDS.....	10
1.6 DEMONSTRATION HOW PRICES HAVE TAKEN FUTURE INVESTMENT REQUIREMENTS INTO ACCOUNT	10
1.7 EXCLUDED SERVICE CHARGES AND PRESCRIBED METERING SERVICE CHARGES	10
1.7.1 Prescribed Metering Service Tariffs	10
1.7.1.1 Meter Provision.....	10
1.7.1.2 Meter Data Services.....	11
1.8 RE-ASSIGNMENTS	11
1.9 DEMAND RESETS	11
2. USAGE/QUANTITY INFORMATION.....	11
2.1 USAGE AND QUANTITIES	11
2.2 NETWORK CONSTRAINTS	11
3. ANNUAL ADJUSTMENT VARIABLES.....	11
3.1 ADJUSTMENT VARIABLES	11
3.2 IMPACT ON TARIFFS	12
4. RATIONALE FOR AMENDMENT	12
4.1 COMPARISON WITH TARIFF STRATEGY REPORT	12
5. CONSULTATION	12

TABLE OF FIGURES

Figure 1 2004 Actual Quantities by Tariff.....	13
Figure 2 2006 Forecast Quantities by Tariff.....	14
Figure 3 DUOS and TUOS rebalancing constraints.....	15

LIST OF TABLES

Table 1 Eligibility of Network Tariffs.....	4
Table 2 Annual adjustment variables	11
Table 3 Distribution tariffs effective 1 January 2006	16
Table 4 Transmission tariffs effective 1 January 2006	17
Table 5 Network tariffs effective 1 January 2006.....	18
Table 6 Prescribed Metering Service tariffs effective 1 January 2006.....	19

1. CURRENT TARIFFS

This document provides distribution customers information on current and closed tariffs, annual adjustment variables and the differences with respect to the tariff strategy report.

1.1 Regulatory arrangements

The Essential Services Commission (ESC) regulates 'charges for connection to, and use of, any distribution system' and certain excluded services. Distribution tariffs are required to satisfy the constraints set out in the *Electricity Distribution Price Review 2006-10 Final Decision Volume 2 Price Determination* ("Determination"). For 2006, the Commission's Determination requires Powercor Australia to deliver an average real decrease in distribution tariffs of 17.3 cent. Individual distribution tariffs are also constrained such that they can not increase by more than CPI + 2 per cent (adjusted for S-Factor and L-Factor).

Transmission use of system charges are levied on Powercor Australia by Vencorp and SPI Powernet. Powercor Australia recovers those costs through transmission tariffs regulated by the ESC. Transmission tariffs are required to satisfy the constraints set out in the *Determination*. Individual transmission tariffs are also constrained such that they can not increase by more than the average increase in transmission costs plus 2 per cent in real terms, where the average increase in transmission costs is capped at 18 per cent in any one year.

From 1 January 2006, Powercor Australia will be exclusively responsible for providing metering services to distribution customers with annual consumption less than 160 MWh/pa who do not have an interval meter that is remotely read. Metering services comprise of meter provision and meter data services. These meter services will be regulated as a prescribed service similar to the tariff basket approach for distribution and transmission tariffs for calendar years 2007-10. Prescribed metering services are required to satisfy the constraints set out in the *Determination*. For 2006, the Commission's Determination requires Powercor Australia to set tariffs to meet a revenue constraint of \$15.8M (\$2004). For 2007-10, the prescribed metering service tariffs increase 20% per annum in real terms adjusted for a metering incentive mechanism (m-factor). Individual prescribed metering provision and meter data services tariffs for 2007-10 are also constrained as provided in the *Determination Cls 4.6.6*.

1.2 Tariffs

The distribution, transmission and prescribed metering tariffs charged by Powercor Australia and the applicability of each tariff are as follows.

1.2.1 Distribution tariffs

Powercor Australia 2006 distribution tariffs are shown in Table 3 in the Appendix.

1.2.2 Transmission tariffs

Powercor Australia 2006 transmission tariffs are shown in Table 4 in the Appendix.

1.2.3 Network tariffs

Powercor Australia 2006 network tariffs are shown in Table 5 in the Appendix.

1.2.4 Prescribed Metering Tariffs

Powercor Australia 2006 prescribed metering provision and prescribed meter data service tariffs are shown in Table 6 in the Appendix.

1.2.5 Eligibility of each tariff

In determining which distribution tariff a distribution customer will be assigned to, or reassigned to, Powercor Australia takes into account the customer's load and connection characteristics and whether the customer has an interval meter installed. The table below outlines the eligibility of Powercor Australia's network tariffs with respect to the various customer segments and connection characteristics.

Table 1 Eligibility of Network Tariffs

Tariffs Available to New and Existing Customers -2006

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (kW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
RESIDENTIAL CUSTOMERS							
D1	Residential Single Rate	<1,000	<120	7 days, 24 hrs	N/A	– 1-phase non-interval metered residential customers Note: tariff only open to new customers if a suitable interval meter is not available	None
D2.DK	Docklands Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	– 1-phase residential customers with a controlled load connected to nominated feeders supplying the Docklands area. – Residential customers without a controlled load connected to nominated feeders supplying the Docklands area	1-phase electric hot water service with a total load of <30Amps. <u>Switching Times:</u> Mon-Sun 2300-0700
D3	Residential Interval	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	– Interval metered residential customers	None
D3.CS	ClimateSaver Interval	<1,000	<120	01 Nov – 31 Mar	01 Apr – 31 Oct	– Interval metered residential customers on D3 tariff with dedicated circuit connected to a reverse-cycle air-conditioning load Notes: Dedicated circuit must include a primary reverse-cycle air-conditioner (RCAC) load with the following specification: - must be split system and have a minimum output capacity of 4.0kW on the heating cycle - must have a minimum 3 star rating according to the Australian Energy labelling program OR - Ducted system or inverter technology system, regardless of star rating or whether they are a split system Provided primary RCAC meets requirements, any additional hard-wired RCAC or hard-wired electric heater may be connected to the dedicated circuit	None

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (kW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
D3.HW	Hot Water Interval	<1,000	<120	N/A	7 days	Interval metered 1-phase residential customers on D3 tariff with dedicated circuit connected to a controlled load	1-phase electric hot water service with a total load of <30Amps. <u>Switching Times:</u> Any 7-day switching configuration (at Powercor's discretion) providing a total of up to 8 hours supply daily between 2100-0700 only.
NON-RESIDENTIAL CUSTOMERS							
ND1	Non-Residential Single Rate	<1,000	<120	7 days, 24 hrs	N/A	1-phase non-interval metered non-residential customers 1-phase, non-interval metered, builder's temporary supplies Note: tariff only open to new customers if a suitable interval meter is not available	None
ND5	Non-Residential Interval	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Interval metered non-residential customers - Interval metered builder's temporary supply	None
D2.DK	Docklands Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Non-residential customers connected to nominated feeders supplying the Docklands area	None
PL2	Unmetered Supplies	<1,000	N/A	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Customers with an approved unmetered load Note: New customer connections are required to install a load-limiting device	None
LARGE LOW VOLTAGE CONTRACT DEMAND CUSTOMERS							
DL	Large Low Voltage Demand	<1,000	≥250	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Large Customers	None
DL.A	Large Low Voltage Demand A	<1,000	≥250	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Large Customers connected to nominated feeders	None
DL.C	Large Low Voltage Demand C	<1,000	≥250	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Large Customers connected to nominated feeders	None
DL.DK	Large Low Voltage Demand Docklands	<1,000	≥120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Large customers connected to nominated feeders in Docklands area	None
DL.CXX	Large Low Voltage Demand CXX	<1,000	≥120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	Large customers with demands up to 250kW	None

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (kW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
HIGH VOLTAGE CONTRACT DEMAND CUSTOMERS							
DH	High Voltage Demand	≥1,000 and ≤22,000	≥1,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers	None
DH.A	High Voltage Demand A	≥1,000 and ≤22,000	≥1,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers connected to nominated feeders	None
DH.C	High Voltage Demand C	≥1,000 and ≤22,000	≥1,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers connected to nominated feeders	None
DH.D1	High Voltage Demand D1	≥1,000 and ≤22,000	≥20,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers with dual parallel dedicated 22kV jumbo feeders connected to Brooklyn zone substation (BLT)	None
DH.D2	High Voltage Demand D2	≥1,000 and ≤22,000	≥8,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers with a high load factor (>80%) connected to 11kV high voltage feeders with interruptible supply from Laverton North (LVN) zone substation	None
DH.D3	High Voltage Demand D3	≥1,000 and ≤22,000	≥10,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers with a dedicated feeder of length less than 50m.	None
DH.D4	High Voltage Demand D4	≥1,000 and ≤22,000	≥10,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers with 2 shared overhead feeders of less than 1km from the Powercor Supply point	None
DH.D5	High Voltage Demand D5	≥1,000 and ≤22,000	≥12,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers with a single dedicated underground feeder and a single shared overhead feeders and less than 1km from Powercor Australia supply point	None
DH.DK	High Voltage Demand Docklands	≥1,000 and ≤22,000	≥1,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- High voltage customers connected to nominated feeders in the Docklands Area	None
SUBTRANSMISSION VOLTAGE DEMAND CUSTOMERS							
DS.A	Subtransmission Demand A	>22,000	≥10,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Subtransmission voltage customers supplied by a Altona terminal station - Brooklyn terminal station 66kV loop	None
DS.G	Subtransmission Demand G	>22,000	≥10,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Subtransmission voltage customer	None
DS.S	Subtransmission Demand S	>22,000	≥10,000	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Subtransmission voltage customer directly supplied from both Altona terminal station and Brooklyn terminal station	None

Tariffs only available to existing customers already assigned to tariff @1 January 2006. (ie closed to new customers)

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
RESIDENTIAL CUSTOMERS							
D1	Residential Single Rate	<1,000	<120	7 days, 24 hours	N/A	- Residential multi-phase customers	None
D2	Residential Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Residential customers without a controlled load who requested a 2-rate tariff - Residential customers with a controlled load - Residential customers with embedded generation (ie solar cells)	
DD1	Dedicated Circuit	<1,000	<120	N/A	7 days	- Residential customers on D1 tariff with dedicated circuit connected to a controlled load	Electric hot water service Slab heating / heat banks
D1.CS	ClimateSaver	<1,000	<120	01 Nov – 31 Mar	01 Apr – 31 Oct	- Residential customers on D1 tariff with dedicated circuit connected to a reverse-cycle air-conditioning load Notes: Dedicated circuit must include a primary reverse-cycle air-conditioner (RCAC) load with the following specification: - must be split system and have a minimum output capacity of 4.0kW on the heating cycle - must have a minimum 3 star rating according to the Australian Energy labelling program OR - Ducted system or inverter technology system, regardless of star rating or whether they are a spilt system - Provided primary RCAC meets requirements, any additional hard-wired RCAC or hard-wired electric heater may be connected to the dedicated circuit	None
NON-RESIDENTIAL CUSTOMERS							
ND1	Non-Residential Single Rate	<1,000	<120	7 days, 24 hours	N/A	- Non-residential multi-phase customers	None
ND1.R	Non-Residential Single Rate (R)	<1,000	<120	7 days, 24 Hours	N/A	- Non-residential road bridge heating	None

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
ND2	Non-Residential Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Non-residential customers who requested a 2 rate tariff - Non-residential customers with a controlled load	
ND2.BS	Business Sunraysia	<1,000	<120	Mon-Thurs 2300-0700 Fri 2300 – Mon 0700	Mon-Fri 0700-2300	- Non-residential customers connected to nominated feeders supplying the Sunraysia area	None
ND3	Non-Residential Two Rate 7d	<1,000	<120	Mon-Sun 0700-2300	Mon-Sun 2300-0700	- Non-residential customers	None
DD1	Dedicated Circuit	<1,000	<120	N/A	7 days	- Non-residential customers with dedicated circuit connected to a controlled load	Electric hot water service Slab heating / heat banks
LARGE LOW VOLTAGE CONTRACT DEMAND CUSTOMERS							
DL.S	Large Low Voltage Demand S	<1,000	≥120	Mon-Fri 0700-2300	Mon-Thurs 2300-0700 Fri 2300 - Mon 0700	- Large customers who were on retail tariff "L", or "V" as at 1st April 1998	None

1.3 Parent Tariffs

Details of the parent tariff categories to sub categories for each sub tariff are shown in the table below.

SUB TARIFF DESCRIPTION	TARIFF CODE	PARENT TARIFF DESCRIPTION	PARENT TARIFF CODE
Climate Saver	D1.CS	Residential single rate	D1
Climate Saver Interval	D3.CS	Residential Interval	D3
Dedicated Circuit	DD1	Residential single rate	D1
Dedicated Circuit	DD1	Non-Residential Single Rate	ND1
Hot Water Interval	D3.HW	Residential Interval	D3

1.4 2006 Tariff Changes

1.4.1 ND5 – Non-Residential Interval meter tariff

In 2005 Powercor Australia introduced a new distribution tariff D3 which was called “Small Customer Interval”. The D3 tariff was initially designed to cater for all small and medium interval customers, regardless of residential or non-residential use. Feedback from retailers, the Commission and connections field staff acknowledged it would be more appropriate if the existing D3 tariff was broken into two versions, residential and non-residential. Powercor Australia will therefore split the D3 tariff into two sub-tariffs from 1 Jan 2006, D3 Residential Interval and ND5 Non-Residential Interval. The two sub-tariffs will have exactly the same structure as the existing D3 tariff and the rates for each component will be equal for both sub-tariffs. This means there will be no impact on customers from this change.

1.4.2 Tariff naming convention

Powercor Australia has modified a number of tariff descriptors for 2006 as per the table below. The intention of the tariff name change is to better support the customer tariff eligibility criteria.

Tariff Code	Former Tariff Description	2006 Tariff Description
D1	Small Single Rate	Residential Single Rate
D1.CS	ClimateSaver	ClimateSaver
D3.CS	ClimateSaver Interval	ClimateSaver Interval
D2	Small 2 Rate	Residential Two Rate 5d
D2.DK	Small two rate – Bulk	Docklands Two Rate 5d
DD1	Dedicated Circuit	Dedicated Circuit
D3	Small Customer Interval	Residential Interval
D3.HW	Hot Water Interval	Hot Water Interval
ND1	Medium Single Rate	Non-Residential Single Rate
ND1.R	Medium Single Rate (R)	Non-Residential Single Rate (R)
ND2	Medium 2 rate -5d	Non-Residential Two Rate 5d
ND2.BS	Business Sunraysia	Business Sunraysia
ND3	Medium 2 Rate -7d	Non-Residential Two Rate 7d
ND5		Non-Residential Interval
PL2	Unmetered Supplies	Unmetered Supplies
DL	Large Tariff (kW)	Large Low Voltage Demand
DL.A	Large Tariff A (kW)	Large Low Voltage Demand A
DL.C	Large Tariff C (kW)	Large Low Voltage Demand C
DL.S	Large Tariff S (kW)	Large Low Voltage Demand S
DL.DK	Large Tariff DK (kW)	Large Low Voltage Demand Docklands
DL.CXX	Large Tariff CXX (kW)	Large Low Voltage Demand CXX
DH	High Voltage (kW)	High Voltage Demand
DH.A	High Voltage A (kW)	High Voltage Demand A
DH.C	High Voltage C (kW)	High Voltage Demand C
DH.D1	High Voltage D1 (kW)	High Voltage Demand D1
DH.D2	High Voltage D2 (kW)	High Voltage Demand D2
DH.D3	High Voltage DH.D3 (kW)	High Voltage Demand D3
DH.D4	High Voltage DH.D4 (kW)	High Voltage Demand D4
DH.D5	High Voltage DH.D5 (kW)	High Voltage Demand D5
DH.DK	High Voltage DH.DK (kW)	High Voltage Demand Docklands
DS.A	Subtransmission (voltage >22 000 volts) A# (kW)	Subtransmission Demand A
DS.G	Subtransmission (voltage >22 000 volts) G# (kW)	Subtransmission Demand G
DS.S	Subtransmission (voltage >22 000 volts) S# (kW)	Subtransmission Demand S

1.5 Upper and Lower bounds

Under clauses 2.3.16 and 3.3.6 of the *Determination* distributors are required to have regard to the "efficient window" in the setting of distribution and transmission tariffs. The "efficient window" is defined as follows:

- the lower bound - each tariff should be above the avoidable cost of serving customers assigned to that tariff; and
- the upper bound - each tariff should be below the cost of providing the service on a stand alone basis to customers assigned to that tariff.

Powercor Australia engaged Harding Katz to undertake a detailed study to ensure all distribution tariffs were within the efficient cost window according to the Commission's criteria. Powercor Australia will continue to monitor its existing tariffs and all proposed new tariffs to ensure they remain efficient.

1.6 Demonstration how prices have taken future investment requirements into account

Under clauses 2.3.16 and 3.3.6 of the *Determination* distributors are required to, in the setting of distribution and transmission tariffs, have regard to the principle that each tariff should signal the impact of additional usage on future investment costs.

Powercor Australia notes that the present state of metering technology is a practical limitation to the extent of pricing signals that can be provided to customers. Powercor Australia introduced interval meter tariffs in 2005 and has adjusted these slightly for 2006 with the introduction of ND5 to allow for appropriate segmentation between residential and non-residential use. As outlined in the Tariff Strategy Report, Powercor Australia will continue to develop its interval meter tariffs to provide appropriate pricing signals to customers.

1.7 Excluded service charges and prescribed metering service charges

Powercor Australia's existing Excluded Service Charges are as outlined in Attachment 15 of the *Determination*. Powercor Australia's current Excluded Services charges can also be found at http://www.powercor.com.au/infocentre/std_services_prices.htm. Powercor Australia has applied to the Commission to review these charges. More detail regarding the quantum and application of Powercor Australia's excluded services charges will be available as the application progresses.

1.7.1 Prescribed Metering Service Tariffs

Prescribed metering service tariffs are a charge for the provision of interval meters and meter data services for customers consuming less than 160 MWh/pa. Powercor Australia's metering tariff structure for 2006 is as follows.

1.7.1.1 Meter Provision

The capital and operating costs of providing metering services will, from 1 January 2006, be funded via new meter provision charges. There are four types of charges to reflect differing costs to serve different meter classes:

- Single Phase Non-off peak
- Single Phase Off peak
- Poly Phase Direct Connect
- Three Phase CT

Powercor Australia will levy these to customers on a per NMI basis. The 2006 charges consist of a flat charge per NMI per annum. Customers receive the same charge regardless of the type of meter (interval or accumulation) that they have.

1.7.1.2 Meter Data Services

The capital and operating costs of providing meter data services will, from 1 January 2006, be funded via new meter provision charges. There are three types of charges to reflect differing costs:

- Quarterly read meter
- Monthly read meter
- Unmetered supplies

Powercor Australia will levy the first two charges to customers on a per NMI basis and the third on a per light basis. The 2006 charges consist of a flat charge per NMI (or light) per annum. Customers receive the same charge regardless of the type of meter (interval or accumulation) that they have.

1.8 Re-assignments

It is intended that Powercor Australia customers who receive an interval meter will be automatically assigned to the appropriate interval meter tariffs. The exact process and policy for tariff reassignment will be determined once the Commission's interval meter reassignment requirements have been finalised.

1.9 Demand resets

Powercor Australia processed demand resets for 177 customers during 2004.

2. USAGE/QUANTITY INFORMATION

2.1 Usage and quantities

Powercor Australia's actual usage and quantities associated with each tariff for 2004 are shown in Figure 1 in the Appendix.

Powercor Australia's forecast usage and quantities associated with each tariff for 2006 are shown in Figure 2 2006 Forecast Quantities by Tariff in the Appendix.

2.2 Network constraints

Powercor Australia produces a Distribution System Planning Report each year which details, at a zone substation and subtransmission line level, network capacity issues and future network investment requirements. A copy of the most recent report can be found here: http://www.powercor.com.au/infocentre/fs_electricity.html

It is anticipated that future developments in the variable tariff components of Powercor Australia's interval meter tariffs will have regard to the long run marginal costs of consumption.

3. ANNUAL ADJUSTMENT VARIABLES

3.1 Adjustment variables

Table 2 Annual adjustment variables

Variable	%
CPI	3.03%
X Factor	17.3%
L Factor	1
M Factor	0
S-Factor	1.72%

3.2 Impact on tariffs

The individual distribution and transmission tariff rebalancing constraints as calculated by the Commission's tariff approval model are shown in Figure 3. The individual tariff allowable annual movement is constrained within these controls. The impact of the Commission's distribution and transmission rebalancing constraints on each customer segment are shown in the table below.

Customer segment	DUOS Rebalancing Control	DUOS approx actual movement	TUOS Allowable Movement	TUOS approx actual movement
Residential	6.9%	-13%	-10% to 14%	-4% to -21%
Non-residential	6.9%	-11% to -14%	-5% to 14%	-5% to -30%
Demand Customers	6.9%	-12% to -15%	-13% to 14%	0% to -14%

4. RATIONALE FOR AMENDMENT

4.1 Comparison with tariff strategy report

As this report is being finalised at the same time as the Tariff Strategy Report, there have been no changes from the tariff strategies outlined therein.

5. CONSULTATION

Powercor Australia has undertaken the following process in the development of the Tariff Strategy Report and the associated 2006 Annual Tariff Report:

- Regular updates and consultation regarding tariff issues and the draft tariff strategy report with the Powercor and CitiPower Customer Consultative Committee (PACCCC);
- Forum held for retailers to provide guidance and consult on tariff issues and the draft tariff strategy report;
- Tariff Strategy Report made available to all stakeholders via the Powercor Australia website;
- Establishment of the Powercor Australia stakeholder register

Any customers, retailers or other interested parties who would like to be on the stakeholder register are requested to email their details to register@powercor.com.au.

Powercor Australia intends to consult with the PACCCC and other key stakeholders on the Annual Tariff Report each year as part of its tariff development process. Further information regarding the future development of the Annual Tariff Reports will be provided to all parties on the stakeholder register.

Figure 1 2004 Actual Quantities by Tariff

Source:			Max Demand	Peak consumption				Off Peak consumption
Network Tariffs	Network Tariff Category	Customer No	kW	Block1 kWh	Block 2 kWh	Block 3 kWh	Block 4 kWh	Block 1 kWh
Small single rate	D1	480,685	-	1,469,091,188	621,005,089	18,428,697	5,134,872	-
ClimateSaver	D1.CS	16,034	-	7,650,679	1,531,422	34,512	-	23,715,131
Small two rate	D2	47,074	-	112,090,104	21,832,151	805,398	79,222	262,940,261
Small two rate - Bulk	D2.DK	530	-	1,709,399	294,058	-	-	2,444,014
Dedicated circuit	DD1	187,263	-	-	-	-	-	671,835,073
Medium single rate	ND1	47,475	-	90,834,295	108,579,852	53,052,660	22,729,077	-
Medium single rate (R)	ND1.R	-	-	-	-	-	-	-
Medium two rate-5d	ND2	34,928	-	102,569,629	231,059,876	236,251,731	152,769,627	612,691,222
Business Sunraysia	ND2.BS	-	-	-	-	-	-	-
Medium two rate-7d	ND3	10,526	-	26,886,629	51,255,337	43,732,626	53,101,539	73,512,969
Unmetered supplies	PL2	5,861	-	24,183,115	-	-	-	59,713,949
Large Tariff (kW)	DL	654	295,812	504,253,136	-	-	-	360,184,834
Large Tariff A (kW)	DL.A	3	1,414	3,654,464	-	-	-	3,414,892
Large Tariff C (kW)	DL.C	462	218,028	393,365,431	-	-	-	267,043,519
Large Tariff S (kW)	DL.S	86	24,708	23,948,360	-	-	-	14,755,719
Large Tariff DK (kW)	DL.DK	6	1,158	2,353,000	-	-	-	2,221,220
Large Tariff CXX (kw)	DL.CXX	187	34,709	56,239,100	-	-	-	39,615,044
High voltage (kW)	DH	82	209,208	429,174,532	-	-	-	377,778,784
High voltage A (kW)	DH.A	5	21,708	54,533,032	-	-	-	57,867,756
High voltage C (kW)	DH.C	46	119,897	286,293,868	-	-	-	254,992,113
High voltage D1 (kW)	DH.D1	1	22,003	89,655,156	-	-	-	97,202,008
High voltage D2 (kW)	DH.D2	1	13,074	37,172,220	-	-	-	41,114,489
High Voltage DH.DK (kW)	DH.DK	1	1,093	946,986	-	-	-	389,578
High Voltage DH.D3 (KW)	DH.D3	1	14,491	36,639,275	-	-	-	20,197,689
High Voltage DH.D5 (kW)	DH.D5	-	-	-	-	-	-	-
Subtransmission (voltage > 22 000 volts) A# (kW)	DS.A	3	48,405	120,059,070	-	-	-	104,330,372
Subtransmission (voltage > 22 000 volts) G# (kW)	DS.G	2	64,371	171,747,795	-	-	-	176,241,931
Subtransmission (voltage > 22 000 volts) S# (kW)	DS.S	2	90,804	206,719,139	-	-	-	253,858,336
Total		628,623	1,180,885	4,251,769,605	1,035,557,785	352,305,624	233,814,337	3,778,060,903

Figure 2 2006 Forecast Quantities by Tariff

			Max Demand	Peak consumption				Off Peak consumption
Network Tariffs	Network Tariff Category	Customer No	kW	Block1	Block 2	Block 3	Block 4	Block 1
				kWh	kWh	kWh	kWh	kWh
Residential Single Rate	D1	487,885	-	1,495,739,366	632,269,640	18,762,980	5,228,014	-
Climate Saver	D1.CS	19,804	-	9,724,581	1,946,551	43,867	-	30,885,000
Climate Saver Interval	D3.CS	-	-	-	-	-	-	-
Residential Two Rate 5d	D2	52,045	-	124,506,796	24,250,590	894,616	87,998	270,840,000
Docklands Two Rate 5d	D2.DK	877	-	3,075,534	529,066	-	-	4,064,800
Residential Interval	D3	6,921	-	8,172,562	1,591,796	58,722	5,776	19,171,144
Dedicated Circuit	DD1	169,596	-	-	-	-	-	656,130,000
Hot Water Interval	D3.HW	-	-	-	-	-	-	-
Non-Residential Single Rate	ND1	46,385	-	86,600,837	103,519,338	50,580,067	21,669,757	-
Non-Residential Single Rate (R)	ND1.R	-	-	-	-	-	-	-
Non-Residential Two Rate 5d	ND2	36,567	-	107,012,080	241,067,440	246,484,162	159,386,318	645,720,000
Business Sunraysia	ND2.BS	-	-	-	-	-	-	-
Non-Residential Interval	ND5	1,790	-	5,091,217	11,469,048	11,726,755	7,582,979	38,050,000
Non-Residential Two Rate 7d	ND3	9,856	-	24,030,706	45,810,947	39,087,305	47,461,043	63,093,000
Unmetered Supplies	PL2	5,959	-	25,442,450	-	-	-	62,823,550
Large Low Voltage Demand	DL	672	296,958	531,970,040	-	-	-	379,982,843
Large Low Voltage Demand A	DL.A	3	1,424	3,855,336	-	-	-	3,602,596
Large Low Voltage Demand C	DL.C	474	220,511	414,987,253	-	-	-	281,721,900
Large Low Voltage Demand S	DL.S	89	24,803	25,264,712	-	-	-	15,566,785
Large Low Voltage Demand Docklands	DL.DK	6	1,020	2,482,336	-	-	-	2,343,312
Large Low Voltage Demand CXX	DL.CXX	192	32,233.48	59,330,353	-	-	-	41,792,534
High Voltage Demand	DH	84	206,339	444,196,604	-	-	-	391,001,889
High Voltage Demand A	DH.A	4	8,540	21,636,908	-	-	-	21,229,679
High Voltage Demand C	DH.C	47	114,902	296,314,796	-	-	-	263,917,409
High Voltage Demand D1	DH.D1	1	22,037	92,793,288	-	-	-	100,604,296
High Voltage Demand D2	DH.D2	1	12,063	38,473,331	-	-	-	42,553,589
High Voltage Demand Docklands	DH.DK	1	1,093	980,132	-	-	-	403,214
High Voltage Demand D3	DH.D3	1	14,494	37,921,732	-	-	-	20,904,653
High Voltage Demand D4	DH.D4	1	12,510	34,804,902	-	-	-	38,663,579
High Voltage Demand D5	DH.D5	-	-	-	-	-	-	-
Subtransmission Demand A	DS.A	3	47,157	123,495,176	-	-	-	107,316,322
Subtransmission Demand G	DS.G	2	58,768	176,663,240	-	-	-	181,285,999
Subtransmission Demand S	DS.S	2	91,164	212,635,469	-	-	-	261,123,795
Total		649,868	1,166,016	4,407,201,735	1,062,454,417	367,638,474	241,421,886	3,944,791,887

Figure 3 DUOS and TUOS rebalancing constraints

Tariff Code	2006 Tariff Description	DUOS Rebalancing Control	TUOS Rebalancing Control
D1	Residential Single Rate	106.9%	101.1%
D1.CS	ClimateSaver	106.9%	90.7%
D3.CS	ClimateSaver Interval	106.9%	113.7%
D2	Residential Two Rate 5d	106.9%	91.0%
D2.DK	Docklands Two Rate 5d	106.9%	104.7%
DD1	Dedicated Circuit	106.9%	102.9%
D3	Residential Interval	106.9%	113.7%
D3.HW	Hot Water Interval	106.9%	113.7%
ND1	Non-Residential Single Rate	106.9%	99.7%
ND1.R	Non-Residential Single Rate (R)	106.9%	113.7%
ND2	Non-Residential Two Rate 5d	106.9%	95.0%
ND2.BS	Business Sunraysia	106.9%	113.7%
ND3	Non-Residential Two Rate 7d	106.9%	96.5%
ND5	Non-Residential Interval	88.4%	113.7%
PL2	Unmetered Supplies	106.9%	90.0%
DL	Large Low Voltage Demand	106.9%	105.5%
DL.A	Large Low Voltage Demand A	106.9%	102.7%
DL.C	Large Low Voltage Demand C	106.9%	105.4%
DL.S	Large Low Voltage Demand S	106.9%	108.1%
DL.DK	Large Low Voltage Demand Docklands	106.9%	100.0%
DL.CXX	Large Low Voltage Demand CXX	106.9%	105.1%
DH	High Voltage Demand	106.9%	103.5%
DH.A	High Voltage Demand A	106.9%	86.2%
DH.C	High Voltage Demand C	106.9%	102.8%
DH.D1	High Voltage Demand D1	106.9%	101.5%
DH.D2	High Voltage Demand D2	106.9%	99.5%
DH.D3	High Voltage Demand D3	106.9%	97.0%
DH.D4	High Voltage Demand D4	106.9%	113.7%
DH.D5	High Voltage Demand D5	106.9%	113.7%
DH.DK	High Voltage Demand Docklands	106.9%	109.3%
DS.A	Subtransmission Demand A	106.9%	102.5%
DS.G	Subtransmission Demand G	106.9%	101.1%
DS.S	Subtransmission Demand S	106.9%	101.3%



DISTRIBUTION TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2006 – 31 DECEMBER 2006

Table 3 Distribution tariffs effective 1 January 2006

DUoS Tariff	Code	Available to new customers?	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
						First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Residential Single Rate	D1	Yes	24.339			5.625	6.641	7.659	8.676	
Climate Saver	D1.CS	No				5.625	6.641	7.659	8.676	2.852
Climate Saver Interval	D3.CS	Yes				5.625	6.641	7.659	8.676	2.852
Residential Two Rate 5d	D2	No	30.668			8.057	8.489	9.169	10.017	0.835
Docklands Two Rate 5d	D2.DK	Yes	32.758			8.589	9.755	10.536	11.511	1.001
Residential Interval	D3	Yes	30.668			8.057	8.489	9.169	10.017	0.835
Dedicated Circuit	DD1	No	3.564							0.264
Hot Water Interval	D3.HW	Yes	3.564							0.264
Non-Residential Single Rate	ND1	Yes	24.339			5.625	6.641	7.659	8.676	
Non-Residential Single Rate (R)	ND1.R	No	24.339			5.625	6.641	7.659	8.676	
Non-Residential Two Rate 5d	ND2	No	30.668			8.057	8.489	9.169	10.017	0.835
Business Sunraysia	ND2.BS	No	30.668			8.057	8.489	9.169	10.017	0.835
Non-Residential Interval	ND5	Yes	30.668			8.057	8.489	9.169	10.017	0.835
Non-Residential Two Rate 7d	ND3	No	32.601			6.977	7.583	8.702	9.661	0.938
Unmetered Supplies	PL2	Yes				8.842	8.842	8.842	8.842	2.072
Large Low Voltage Demand	DL	Yes		60.568	250	1.922	1.922	1.922	1.922	1.183
Large Low Voltage Demand A	DL.A	Yes		59.111	250	1.821	1.821	1.821	1.821	1.040
Large Low Voltage Demand C	DL.C	Yes		58.349	250	1.948	1.948	1.948	1.948	1.114
Large Low Voltage Demand S	DL.S	No		63.439	120	2.132	2.132	2.132	2.132	1.313
Large Low Voltage Demand Docklands	DL.DK	Yes		47.966	120	1.205	1.205	1.205	1.205	1.072
Large Low Voltage Demand CXX	DL.CXX	Yes		63.567	120	2.099	2.099	2.099	2.099	1.292
High Voltage Demand	DH	Yes		51.853	1,000	1.229	1.229	1.229	1.229	0.335
High Voltage Demand A	DH.A	Yes		28.252	1,000	0.718	0.718	0.718	0.718	0.218
High Voltage Demand C	DH.C	Yes		50.806	1,000	1.216	1.216	1.216	1.216	0.334
High Voltage Demand D1	DH.D1	Yes		29.218	20,000	0.280	0.280	0.280	0.280	0.089
High Voltage Demand D2	DH.D2	Yes		33.391	8,000	0.155	0.155	0.155	0.155	0.155
High Voltage Demand Docklands	DH.DK	Yes		27.308	1,000	0.886	0.886	0.886	0.886	0.421
High Voltage Demand D3	DH.D3	Yes		31.436	10,000	0.753	0.753	0.753	0.753	0.094
High Voltage Demand D4	DH.D4	Yes		24.132	10,000	0.592	0.592	0.592	0.592	0.180
High Voltage Demand D5	DH.D5	Yes		24.132	12,000	0.592	0.592	0.592	0.592	0.180
Subtransmission Demand A	DS.A	Yes		4.841	10,000	0.637	0.637	0.637	0.637	0.030
Subtransmission Demand G	DS.G	Yes		4.841	10,000	0.630	0.630	0.630	0.630	0.030
Subtransmission Demand S	DS.S	Yes		4.872	10,000	0.639	0.639	0.639	0.639	0.029



TRANSMISSION TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2006 – 31 DECEMBER 2006

Table 4 Transmission tariffs effective 1 January 2006

TUoS Tariff	Code	Available to new customers?	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
						First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Residential Single Rate	D1	Yes	6.773			0.658	0.658	0.659	0.658	
Climate Saver	D1.CS	No				0.658	0.658	0.659	0.658	0.312
Climate Saver Interval	D3.CS	Yes				0.658	0.658	0.659	0.658	0.312
Residential Two Rate 5d	D2	No	8.064			0.509	0.509	0.509	0.509	0.282
Docklands Two Rate 5d	D2.DK	Yes	8.189			1.446	1.446	1.446	1.446	0.312
Residential Interval	D3	Yes	8.064			0.509	0.509	0.509	0.509	0.282
Dedicated Circuit	DD1	No	3.564							0.853
Hot Water Interval	D3.HW	Yes	3.564							0.853
Non-Residential Single Rate	ND1	Yes	6.773			0.658	0.658	0.659	0.658	
Non-Residential Single Rate (R)	ND1.R	No	6.773			0.658	0.658	0.659	0.658	
Non-Residential Two Rate 5d	ND2	No	8.064			0.509	0.509	0.509	0.509	0.282
Business Sunraysia	ND2.BS	No	8.064			0.509	0.509	0.509	0.509	0.282
Non-Residential Interval	ND5	Yes	8.064			0.509	0.509	0.509	0.509	0.282
Non-Residential Two Rate 7d	ND3	No	8.997			0.723	0.723	0.723	0.723	0.297
Unmetered Supplies	PL2	Yes				0.761	0.761	0.761	0.761	0.280
Large Low Voltage Demand	DL	Yes		22.685	250	0.745	0.745	0.745	0.745	0.300
Large Low Voltage Demand A	DL.A	Yes		23.417	250	0.769	0.769	0.769	0.769	0.300
Large Low Voltage Demand C	DL.C	Yes		22.772	250	0.748	0.748	0.748	0.748	0.300
Large Low Voltage Demand S	DL.S	No		21.690	120	0.713	0.713	0.713	0.713	0.300
Large Low Voltage Demand Docklands	DL.DK	Yes		23.128	120	0.760	0.760	0.760	0.760	0.312
Large Low Voltage Demand CXX	DL.CXX	Yes		22.543	120	0.741	0.741	0.741	0.741	0.300
High Voltage Demand	DH	Yes		18.835	1,000	0.700	0.700	0.700	0.700	0.274
High Voltage Demand A	DH.A	Yes		21.257	1,000	0.790	0.790	0.790	0.790	0.268
High Voltage Demand C	DH.C	Yes		19.192	1,000	0.713	0.713	0.713	0.713	0.274
High Voltage Demand D1	DH.D1	Yes		21.257	20,000	0.790	0.790	0.790	0.790	0.268
High Voltage Demand D2	DH.D2	Yes		23.686	8,000	0.868	0.868	0.868	0.868	
High Voltage Demand Docklands	DH.DK	Yes		22.644	1,000	0.841	0.841	0.841	0.841	0.312
High Voltage Demand D3	DH.D3	Yes		19.124	10,000	0.086	0.086	0.086	0.086	0.300
High Voltage Demand D4	DH.D4	Yes		13.578	10,000	0.804	0.804	0.804	0.804	0.300
High Voltage Demand D5	DH.D5	Yes		13.578	12,000	0.804	0.804	0.804	0.804	0.300
Subtransmission Demand A	DS.A	Yes		7.989	10,000	1.220	1.220	1.220	1.220	0.300
Subtransmission Demand G	DS.G	Yes		8.001	10,000	1.222	1.222	1.222	1.222	0.300
Subtransmission Demand S	DS.S	Yes		7.948	10,000	1.214	1.214	1.214	1.214	0.300



NETWORK TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2006 – 31 DECEMBER 2006

Table 5 Network tariffs effective 1 January 2006

NUoS Tariff	Code	Available to new customers?	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
						First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Residential Single Rate	D1	Yes	31.112			6.283	7.299	8.318	9.334	
Climate Saver	D1.CS	No				6.283	7.299	8.318	9.334	3.164
Climate Saver Interval	D3.CS	Yes				6.283	7.299	8.318	9.334	3.164
Residential Two Rate 5d	D2	No	38.732			8.566	8.998	9.678	10.526	1.117
Docklands Two Rate 5d	D2.DK	Yes	40.947			10.035	11.201	11.982	12.957	1.313
Residential Interval	D3	Yes	38.732			8.566	8.998	9.678	10.526	1.117
Dedicated Circuit	DD1	No	7.128							1.117
Hot Water Interval	D3.HW	Yes	7.128							1.117
Non-Residential Single Rate	ND1	Yes	31.112			6.283	7.299	8.318	9.334	
Non-Residential Single Rate (R)	ND1.R	No	31.112			6.283	7.299	8.318	9.334	
Non-Residential Two Rate 5d	ND2	No	38.732			8.566	8.998	9.678	10.526	1.117
Business Sunraysia	ND2.BS	No	38.732			8.566	8.998	9.678	10.526	1.117
Non-Residential Interval	ND5	Yes	38.732			8.566	8.998	9.678	10.526	1.117
Non-Residential Two Rate 7d	ND3	No	41.598			7.700	8.306	9.425	10.384	1.235
Unmetered Supplies	PL2	Yes				9.603	9.603	9.603	9.603	2.352
Large Low Voltage Demand	DL	Yes		83.253	250	2.667	2.667	2.667	2.667	1.483
Large Low Voltage Demand A	DL.A	Yes		82.528	250	2.590	2.590	2.590	2.590	1.340
Large Low Voltage Demand C	DL.C	Yes		81.121	250	2.696	2.696	2.696	2.696	1.414
Large Low Voltage Demand S	DL.S	No		85.129	120	2.845	2.845	2.845	2.845	1.613
Large Low Voltage Demand Docklands	DL.DK	Yes		71.094	120	1.965	1.965	1.965	1.965	1.384
Large Low Voltage Demand CXX	DL.CXX	Yes		86.110	120	2.840	2.840	2.840	2.840	1.592
High Voltage Demand	DH	Yes		70.688	1,000	1.929	1.929	1.929	1.929	0.609
High Voltage Demand A	DH.A	Yes		49.509	1,000	1.508	1.508	1.508	1.508	0.486
High Voltage Demand C	DH.C	Yes		69.998	1,000	1.929	1.929	1.929	1.929	0.608
High Voltage Demand D1	DH.D1	Yes		50.475	20,000	1.070	1.070	1.070	1.070	0.357
High Voltage Demand D2	DH.D2	Yes		57.077	8,000	1.023	1.023	1.023	1.023	0.155
High Voltage Demand Docklands	DH.DK	Yes		49.952	1,000	1.727	1.727	1.727	1.727	0.733
High Voltage Demand D3	DH.D3	Yes		50.560	10,000	0.839	0.839	0.839	0.839	0.394
High Voltage Demand D4	DH.D4	Yes		37.710	10,000	1.396	1.396	1.396	1.396	0.480
High Voltage Demand D5	DH.D5	Yes		37.710	12,000	1.396	1.396	1.396	1.396	0.480
Subtransmission Demand A	DS.A	Yes		12.830	10,000	1.857	1.857	1.857	1.857	0.330
Subtransmission Demand G	DS.G	Yes		12.842	10,000	1.852	1.852	1.852	1.852	0.330
Subtransmission Demand S	DS.S	Yes		12.820	10,000	1.853	1.853	1.853	1.853	0.329



PRESCRIBED METERING SERVICE TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2006 – 31 DECEMBER 2006

Table 6 Prescribed Metering Service tariffs effective 1 January 2006

Prescribed Metering Service Tariff	\$/NMI/pa	\$/light/pa
metering data services - monthly read NMI	39.192	
metering data services - quarterly read NMI	13.893	
metering data services - unmetered supplies		0.860
meter provision - single phase non off peak NMI	4.394	
meter provision - single phase off peak NMI	11.303	
meter provision - two or three phase direct connected NMI	33.433	
meter provision - three phase current transformer connected NMI	53.426	

ADDITIONAL TERMS

The same charge applies to interval and accumulation meters.

These charges only apply to customers consuming less than 160MWh/yr who do not have a remotely read interval meter.

A single phase non off peak NMI is defined as a NMI serviced by a single phase single element single register meter. All other single phase NMIs are single phase off peak.