

ETSA UTILITIES TRANSMISSION CHARGES SURCHARGE - EFFECTIVE 1 AUGUST 2002

ElectraNet SA recently advised ETSA Utilities of estimated surcharges to its transmission network charges (TUoS), effective from 1 July 2002. Chapter 6 of the Electricity Pricing Order (EPO) requires these surcharges be passed through to retailers. This increase is unrelated to ElectraNet SA's transmission costs, nor to ETSA Utilities' distribution costs. Both of us are acting as an agent to pass-through settlements residue proceeds and costs to customers. A surcharge, as opposed to a rebate, is required as the settlements residue auction proceeds during the period 1 January to 30 June 2002 were below the rebates applied during the same period.

Rather than alter our prices now to be effective 1 July 2002 and inconvenience Retailers with retrospective billing adjustments to their customers, ETSA Utilities will amend the TUoS surcharge effective 1 August 2002.

ETSA Utilities will maintain an unadjusted TUoS charge for the month of July 2002. For the period 1 August 2002 to 31 December 2002, each tariff component of the TUoS charge will increase by 11.67%. In accordance with the South Australian Electricity Pricing Order (EPO), the South Australian Independent Industry Regulator (SAIIR) has approved our pass-through proposal.

Any queries regarding invoicing matters, please contact ETSA Utilities' Manager Customer Service, Graeme Baker on (08) 8404 5163. If you require an explanation of the settlements residue auction process and the resultant TUoS surcharge, please call NEMMCO Information Centre on 1800 361 011.

ETSA UTILITIES DISTRIBUTION TARIFFS

APPLIES TO USAGE FROM 1 AUGUST 2002 - Includes TUoS Surcharges

Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	TUOS Surcharge 11.67%	Total incl GST	As billed on invoice incl Units GST	Rate	TUOS excl GST	DUOS excl GST	Total excl GST	TUOS Surcharge 11.67%	Total excl GST
Subtransmission														
(Cust Sub Supply Rate	\$ p.a.			4,066.830	4,066.830		4,066.8300	cents/day	1,114.20		3,697.118	3,697.118		3,697.118
Annual Demand Rate	\$/kVA p.a. 11.5 MVA		16.969	3.971	20.940	1.980	22.920	c/kVA/mth	191.00	15.426	3.610	19.036	1.800	20.836
Additional Demand	\$/kVA p.a.		1.675	3.971	5.646	0.198	5.844	c/kVA/mth	48.70	1.523	3.610	5.133	0.180	5.313
Peak Usage Rate	c/kWh		1.092	0.188	1.280	0.130	1.410	c/kWh	1.41	0.993	0.171	1.164	0.118	1.282
Off-Peak Usage Rate	c/kWh		0.325	0.135	0.460	0.040	0.500	c/kWh	0.50	0.295	0.123	0.418	0.037	0.455
Zone Sub-station														
(Cust Zone Supply Rate	\$ p.a.			1,738.641	1,738.641		1,738.641	cents/day	476.34		1,580.583	1,580.583		1,580.583
Annual Demand Rate	\$/kVA p.a. 5.75 MVA		16.669	11.399	28.068	1.944	30.012	c/kVA/mth	250.10	15.154	10.362	25.516	1.768	27.284
Additional Demand	\$/kVA p.a.		0.000	8.280	8.280	0.000	8.280	c/kVA/mth	69.00	0.000	7.527	7.527	0.000	7.527
Peak Usage Rate	c/kWh } 25 GWh		1.103	0.487	1.590	0.130	1.720	c/kWh	1.72	1.003	0.442	1.445	0.119	1.564
Off-Peak Usage Rate	c/kWh }		0.335	0.365	0.700	0.040	0.740	c/kWh	0.74	0.305	0.331	0.636	0.037	0.673
High Voltage														
(Cust HV Supply Rate	\$ p.a.			1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545	1,267.545		1,267.545
Annual Demand Rate	\$/kVA p.a. 1.15 MVA		15.648	23.826	39.474	1.824	41.298	c/kVA/mth	344.15	14.225	21.660	35.885	1.659	37.544
Additional Demand	\$/kVA p.a.		0.000	11.634	11.634	0.000	11.634	c/kVA/mth	96.95	0.000	10.576	10.576	0.000	10.576
Peak Usage Rate	c/kWh		1.134	1.066	2.200	0.130	2.330	c/kWh	2.33	1.031	0.969	2.000	0.118	2.118
Off-Peak Usage Rate	c/kWh		0.344	0.796	1.140	0.040	1.180	c/kWh	1.18	0.313	0.723	1.036	0.037	1.073
High Voltage Obsolete														
(Cust HV Supply Rate	\$ p.a.			1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545	1,267.545		1,267.545
Annual Demand Rate	\$/kVA p.a. 300 kVA		15.648	23.826	39.474	1.824	41.298	c/kVA/mth	344.15	14.225	21.660	35.885	1.659	37.544
Additional Demand	\$/kVA p.a.		0.000	11.634	11.634	0.000	11.634	c/kVA/mth	96.95	0.000	10.576	10.576	0.000	10.576
Peak Usage Rate	c/kWh		1.134	1.066	2.200	0.130	2.330	c/kWh	2.33	1.031	0.969	2.000	0.118	2.118
Off-Peak Usage Rate	c/kWh		0.344	0.796	1.140	0.040	1.180	c/kWh	1.18	0.313	0.723	1.036	0.037	1.073
Large Low Voltage Demand														
(Cust Larg Supply Rate	\$ p.a.			1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545	1,267.545		1,267.545
Annual Demand Rate	\$/kVA p.a. 1.15 MVA		15.365	30.427	45.792	1.794	47.586	c/kVA/mth	396.55	13.968	27.661	41.629	1.631	43.260
Additional Demand	\$/kVA p.a.		0.000	13.488	13.488	0.000	13.488	c/kVA/mth	112.40	0.000	12.262	12.262	0.000	12.262
Peak Usage Rate	c/kWh		1.143	1.367	2.510	0.130	2.640	c/kWh	2.64	1.039	1.243	2.282	0.118	2.400
Off-Peak Usage Rate	c/kWh		0.344	0.966	1.310	0.040	1.350	c/kWh	1.35	0.313	0.878	1.191	0.036	1.227
Low Voltage Demand														
(Cust LV D Supply Rate	\$ p.a.			1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545	1,267.545		1,267.545
Annual Demand Rate	\$/kVA p.a. 350 kVA		15.365	36.319	51.684	1.794	53.478	c/kVA/mth	445.65	13.968	33.017	46.985	1.631	48.616
Additional Demand	\$/kVA p.a.		0.000	15.222	15.222	0.000	15.222	c/kVA/mth	126.85	0.000	13.838	13.838	0.000	13.838
Peak Usage Rate	c/kWh		1.143	1.627	2.770	0.130	2.900	c/kWh	2.90	1.039	1.479	2.518	0.118	2.636
Off-Peak Usage Rate	c/kWh		0.344	1.146	1.490	0.040	1.530	c/kWh	1.53	0.313	1.042	1.355	0.036	1.391
Medium Low Voltage Demand														
(Cust Medi Supply Rate	\$ p.a.			697.150	697.150		697.150	cents/day	191.00		633.773	633.773		633.773
Annual Demand Rate	\$/kVA p.a. 120 kVA		14.801	51.589	66.390	1.728	68.118	c/kVA/mth	567.65	13.455	46.900	60.355	1.570	61.925
Additional Demand	\$/kVA p.a.		0.000	19.542	19.542	0.000	19.542	c/kVA/mth	162.85	0.000	17.765	17.765	0.000	17.765
Peak Usage Rate	c/kWh		1.143	2.357	3.500	0.130	3.630	c/kWh	3.63	1.039	2.143	3.182	0.118	3.300
Off-Peak Usage Rate	c/kWh		0.344	1.626	1.970	0.040	2.010	c/kWh	2.01	0.313	1.478	1.791	0.036	1.827
Subtransmission														
(Cust Sub Supply Rate	\$ p.a.			4,066.830	4,066.830		4,066.830	cents/day	1,114.20		3,697.118	3,697.118		3,697.118
Annual Demand Rate	\$/kW p.a. 10 MW		17.722	4.124	21.846	2.070	23.916	c/kW/mth	199.30	16.111	3.749	19.860	1.882	21.742
Additional Demand	\$/kW p.a.		2.772	4.122	6.894	0.324	7.218	c/kW/mth	60.15	2.520	3.747	6.267	0.295	6.562
Peak Usage Rate	c/kWh		1.136	0.304	1.440	0.130	1.570	c/kWh	1.57	1.033	0.276	1.309	0.118	1.427
Off-Peak Usage Rate	c/kWh		0.354	0.196	0.550	0.040	0.590	c/kWh	0.59	0.322	0.178	0.500	0.036	0.536
Zone Sub-station														
(Cust Zone Supply Rate	\$ p.a.			1,738.641	1,738.641		1,738.641	cents/day	476.34		1,580.583	1,580.583		1,580.583
Annual Demand Rate	\$/kW p.a. 5 MW		17.409	10.257	27.666	2.034	29.700	c/kW/mth	247.50	15.826	9.325	25.151	1.849	27.000
Additional Demand	\$/kW p.a.		0.000	10.254	10.254	0.000	10.254	c/kW/mth	85.45	0.000	9.322	9.322	0.000	9.322
Peak Usage Rate	c/kWh } 25 GWh		1.147	0.673	1.820	0.130	1.950	c/kWh	1.95	1.043	0.612	1.655	0.118	1.773
Off-Peak Usage Rate	c/kWh }		0.365	0.485	0.850	0.040	0.890	c/kWh	0.89	0.332	0.441	0.773	0.036	0.809
High Voltage														
(Cust HV Supply Rate	\$ p.a.			1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545	1,267.545		1,267.545
Annual Demand Rate	\$/kW p.a. 1 MW		17.305	22.205	39.510	2.022	41.532	c/kW/mth	346.10	15.732	20.186	35.918	1.838	37.756
Additional Demand	\$/kW p.a.		0.000	15.960	15.960	0.000	15.960	c/kW/mth	133.00	0.000	14.509	14.509	0.000	14.509
Peak Usage Rate	c/kWh		1.178	1.432	2.610	0.140	2.750	c/kWh	2.75	1.071	1.302	2.373	0.127	2.500
Off-Peak Usage Rate	c/kWh		0.375	1.045	1.420	0.040	1.460	c/kWh	1.46	0.341	0.950	1.291	0.036	1.327
High Voltage Obsolete														
(Cust HV Supply Rate	\$ p.a.			1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545	1,267.545		1,267.545
Annual Demand Rate	\$/kW p.a. 250 kW		17.305	22.205	39.510	2.022	41.532	c/kW/mth	346.10	15.732	20.186	35.918	1.838	37.756
Additional Demand	\$/kW p.a.		0.000	15.960	15.960	0.000	15.960	c/kW/mth	133.00	0.000	14.509	14.509	0.000	14.509
Peak Usage Rate	c/kWh		1.178	1.432	2.610	0.140	2.750	c/kWh	2.75	1.071	1.302	2.373	0.127	2.500
Off-Peak Usage Rate	c/kWh		0.375	1.045	1.420	0.040	1.460	c/kWh	1.46	0.341	0.950	1.291	0.036	1.327
Large Low Voltage Demand														
(Cust Larg Supply Rate	\$ p.a.			1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545	1,267.545		1,267.545
Annual Demand Rate	\$/kW p.a. 1 MW		16.992	28.236	45.228	1.980	47.208	c/kW/mth	393.40	15.447	25.669	41.116	1.800	42.916
Additional Demand	\$/kW p.a.		0.000	18.504	18.504	0.000	18.504	c/kW/mth	154.20	0.000	16.822	16.822	0.000	16.822
Peak Usage Rate	c/kWh		1.189	1.811	3.000	0.140	3.140	c/kWh	3.14	1.081	1.646	2.727	0.128	2.855
Off-Peak Usage Rate	c/kWh		0.375	1.265	1.640	0.040	1.680	c/kWh	1.68	0.341	1.150	1.491	0.036	1.527
Low Voltage Demand														
(Cust LV D Supply Rate	\$ p.a.			1,394.300	1,394.300		1,394.300	cents/day	382.00		1,267.545	1,267.545		1,267.545
Annual Demand Rate	\$/kW p.a. 300 kW		16.992	33.630	50.622	1.980	52.602	c/kW/mth	438.35	15.447	30.573	46.020	1.800	47.820
Additional Demand	\$/kW p.a.		0.000	20.880	20.880	0.000	20.880	c/kW/mth	174.00	0.000	18.982	18.982	0.000	18.982
Peak Usage Rate	c/kWh		1.189	2.151	3.340	0.140	3.480	c/kWh	3.48	1.081	1.955	3.036	0.128	3.164
Off-Peak Usage Rate	c/kWh		0.375	1.505	1.880	0.040	1.920	c/kWh	1.92	0.341	1.368	1.709	0.036	1.745
Medium Low Voltage Demand														
(Cust Medi Supply Rate	\$ p.a.			697.150	697.150		697.150	cents/day	191.00		633.773	633.773		633.773
Annual Demand Rate	\$/kW p.a. 100kW		16.366	47.588	63.954	1.908	65.862	c/kW/mth	548.85	14.878	43.262	58.140	1.735	59.875
Additional Demand	\$/kW p.a.		0.000	26.808	26.808	0.000	26.808	c/kW/mth	223.40	0.000	24.371	24.371	0.000	24.371
Peak Usage Rate	c/kWh		1.189	3.101	4.290	0.140	4.430	c/kWh	4.43	1.081	2.819	3.900	0.127	4.027
Off-Peak Usage Rate	c/kWh		0.375	2.125	2.500	0.040	2.540	c/kWh	2.54	0.341	1.932	2.273	0.036	2.309
Low Voltage Business- 2 Rate														
(Cust LV B Supply Rate	\$ p.a.			249.441	249.441		249.441	cents/day	68.34		226.765	226.765		226.765
Peak Usage Rate	c/kWh		2.057	5.643	7.700	0.240	7.940	c/kWh	7.94	1.870	5.130	7.000	0.218	7.218
Off-Peak Usage Rate	c/kWh		0.391	2.389	2.780	0.050	2.830	c/kWh	2.83	0.355	2.172	2.527	0.046	2.573
Low Voltage Business- Single Rate														
(Cust LV B Supply Rate	\$ p.a.			69.350	69.350		69.350	cents/day	19.00		63.045	63.045		63.045
Anytime Usage Rate	c/kWh		1.624	5.626	7.250	0.190	7.440	c/kWh	7.44	1.476	5.115	6.591	0.173	6.764
Low Voltage Residential- Single Rate														
(Cust LV R Supply Rate	\$ p.a.			68.182	68.182		68.182	cents/day	18.68		61.984	61.984		61.984
Anytime Usage Rate	c/kWh		1.646	6.154	7.800	0.190	7.990	c/kWh	7.99	1.496	5.595	7.091	0.173	7.264
Low Voltage Off-peak Controlled Load														
(Cust LV C Supply Rate	\$ p.a.			25.039	25.039		25.039	cents/day	6.86		22.763	22.763		22.763

Notes accompanying 2002/ 2003 Tariffs

Notes:

1. The distribution tariffs:
 - (a) are inclusive of the GST imposed as at 1 July 2000; and
 - (b) include the application of AD_i as defined in paragraph E2 of Schedule 7 of the Electricity Pricing Order 1999.
2. ETSA Utilities must assign each Distribution Network User to a distribution tariff in respect of each of its connection points in accordance with the following principles.
 - (a) A Distribution Network User that has an agreed maximum demand of 250kW or more in respect of a connection point, must be assigned to a distribution tariff that includes a demand component in respect of that connection point.
 - (b) A Sub-Transmission (kVA) Network User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide Metropolitan area. A minimum annual demand of 11.50MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf).
 - (c) A Zone Substation (kVA) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5.75 MVA and a minimum annual usage of 25GWh apply. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf).
 - (d) A High Voltage Demand (kVA) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1.15MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (e) A High Voltage (kVA) (Obsolete) customer is a Distribution Network User taking supply generally at 11kV. This tariff is available only to Distribution Network Users that were taking supply under the High Voltage Demand (kW) (Obsolete) tariff as at 11 October 1999. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 300kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (f) A Large Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1.15MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (g) A Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 350kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (h) A Medium Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and using demand, peak and off-peak metering. A minimum annual demand of 120kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (i) A Low Voltage Business 2 rate customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak metering.
 - (j) A Low Voltage Business single rate customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate metering.
 - (k) A Low Voltage Residential single rate customer is a Distribution Network User that is a residential customer taking supply at less than 1kV and using single rate metering.
 - (l) A Low Voltage Off-peak Controlled Load is used by a Distribution Network User involving a time switch and separate metering where the timing has been set in accordance with ETSA Utilities' requirements regarding the timing of loads.
 - (m) Unmetered Overnight Usage supply is defined as overnight use by a Distribution Network User for public lighting.
 - (n) Unmetered 24 Hour Usage supply is defined as constant 24 hour per day use by a Distribution Network User, typically public phones, traffic lights and telecommunications installations.

- (o) Other Unmetered Supply is defined as unmetered use by Distribution Network Users other than public lighting or continuous use.
- (p) A Sub-Transmission Network (kW) User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide metropolitan area. A minimum annual demand of 10MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001
- (q) A Zone Substation (kW) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5MW and a minimum annual usage of 25GWh apply. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (r) A High Voltage Demand (kW) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (s) The High Voltage Demand (kW) (Obsolete) tariff is available only to Distribution Network Users that were taking supply under this tariff as at 11 October 1999. Conditions applicable at that date apply.
- (t) A Large Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (u) A Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 300kW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (v) A Medium Low Voltage Demand (kW) customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using demand, peak and off-peak metering. A minimum annual demand of 100kW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.

3. The supply and demand charges are levied and billed to Distribution Network Users periodically on a pro-rata basis.

4. Demand charges are determined on the basis of:

- (a) maximum demand (Annual Demand); and
 - (b) additional maximum demand (Additional Demand),
- determined in accordance with paragraph B2 of Schedule 5 of the Electricity Pricing Order.

5. Peak energy is energy consumed on business days between the hours of 0700 and 2100 (Central Standard Time). For Distribution Network Users with metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 (Central Standard Time).

6. Off-peak energy is energy consumed other than peak energy.