

ETSA UTILITIES TRANSMISSION RESET AND FRC PASSTHROUGHS - EFFECTIVE 1 JANUARY 2003

Two separate passthrough events have recently occurred which impact on ETSA Utilities' network tariffs as of 1 January 2003. These two events were:

- A change in service standards event due to the introduction of Full Retail Contestability (FRC) from 1 January 2003.
- A regulatory reset event as a result of the ACCC revenue determination for ElectraNet SA (Transmission) effective from 1 January 2003.

FRC PASSTHROUGH

The additional costs incurred by ETSA Utilities as a result of the introduction of FRC are to be passed through to retailers/customers. In general, for the period 1 January to 30 June 2003, ESCoSA has approved the following passthrough amounts:

- All customers assigned to a network tariff with a supply charge (excluding Controlled Load and Other Unmetered Usage tariffs) will incur an additional charge of \$19.929 per annum including GST.
- All customers utilising a type 5, 6 or 7 meter and assigned to a network Unmetered, Controlled Load, Residential, Business Single and Business 2 Rate tariff will also incur an additional charge of 0.230 c/kWh including GST.

The FRC passthrough is in line with the amounts provided by ESCoSA for network prices when determining AGL's standing offer retail prices for small customers to apply from 1 January 2003.

TRANSMISSION RESET PASSTHROUGH

The ACCC determination has resulted in a 15.66% increase in transmission charges to ETSA Utilities effective 1 January 2003. This increase and its likely treatment has been discussed with ESCoSA by ETSA Utilities. We will be formally obtaining ESCoSA's confirmation for these arrangements during January 2003, including the 1 January 2003 application date.

For customers currently assigned to a network Unmetered, Residential, Controlled Load, Business Single or Business 2 Rate tariff, each tariff component of the TUoS charge will increase by approximately 6.8% for the period 1 January to 30 June 2003. This TUoS passthrough is in line with the projected network prices used by ESCoSA when determining AGL's standing offer retail prices for small customers to apply from 1 January 2003.

For large customers (customers currently assigned to a network demand tariff), for the period 1 January to 30 June 2003 each tariff component of the TUoS charge will increase by 15.66%.

These TUoS passthrough amounts will replace the existing 11.67% TUoS surcharge.

We anticipate that, based on the ACCC determination, ElectraNet SA's revenue and prices are likely to decrease on 1 July 2003 by significant amounts, possibly by about 8.5% and 11% respectively. We expect that large customers will receive the 11% TUoS price reduction from July 2003, having experienced a 15.66% TUoS increase in January 2003. For small customers, we expect TUoS prices to remain at similar levels in July 2003 as in January 2003 because of the carryover of a significant proportion of the January 2003 TUoS increase into 2003/04 prices.

If retailers require clarification on invoicing matters, please contact ETSA Utilities' Manager Customer Service, Graeme Baker on (08) 8404 5163.

ETSA UTILITIES NETWORK TARIFFS

APPLIES TO USAGE FROM 1 JANUARY 2003 - Includes Passthroughs for ACCC TUoS Reset and ETSA Utilities FRC Costs

Customer Category	Units	Min Qty.	TUOS incl	DUOS incl	Total incl	TUOS Pass	FRC Pass	Total incl	As billed on invoice incl		TUOS	DUOS	Total excl	TUOS Pass	FRC Pass	Total excl
			GST	GST	GST	through	through	GST	GST	Rate	excl GST	excl GST	GST	through	through	GST
Subtransmission																
(Cust Sub Supply Rate	\$ p.a.			4,066.830	4,066.830		19.929	4,086.759	cents/day	1,119.66		3,697.118	3,697.118		18.117	3,715.235
Annual Demand Rate	\$/kVA p.a. 11.5 MVA		16.969	3.971	20.940	2.652		23.592	c/kVA/mth	196.60	15.426	3.610	19.036	2.411		21.447
Additional Demand	\$/kVA p.a.		1.675	3.971	5.646	0.264		5.910	c/kVA/mth	49.25	1.523	3.610	5.133	0.240		5.373
Peak Usage Rate	c/kWh		1.092	0.188	1.280	0.170		1.450	c/kWh	1.45	0.993	0.171	1.164	0.155		1.318
Off-Peak Usage Rate	c/kWh		0.325	0.135	0.460	0.050		0.510	c/kWh	0.51	0.295	0.123	0.418	0.045		0.464
Zone Sub-station																
(Cust Zone Supply Rate	\$ p.a.			1,738.641	1,738.641		19.929	1,758.570	cents/day	481.80		1,580.583	1,580.583		18.117	1,598.700
Annual Demand Rate	\$/kVA p.a. 5.75 MVA		16.669	11.399	28.068	2.616		30.684	c/kVA/mth	255.70	15.154	10.362	25.516	2.378		27.895
Additional Demand	\$/kVA p.a.		0.000	8.280	8.280	0.000		8.280	c/kVA/mth	69.00	0.000	7.527	7.527	0.000		7.527
Peak Usage Rate	c/kWh } 25 GWh		1.103	0.487	1.590	0.170		1.760	c/kWh	1.76	1.003	0.442	1.445	0.155		1.600
Off-Peak Usage Rate	c/kWh }		0.335	0.365	0.700	0.050		0.750	c/kWh	0.75	0.305	0.331	0.636	0.045		0.682
High Voltage																
(Cust HV Supply Rate	\$ p.a.			1,394.300	1,394.300		19.929	1,414.229	cents/day	387.46		1,267.545	1,267.545		18.117	1,285.663
Annual Demand Rate	\$/kVA p.a. 1.15 MVA		15.648	23.826	39.474	2.448		41.922	c/kVA/mth	349.35	14.225	21.660	35.885	2.225		38.111
Additional Demand	\$/kVA p.a.		0.000	11.634	11.634	0.000		11.634	c/kVA/mth	96.95	0.000	10.576	10.576	0.000		10.576
Peak Usage Rate	c/kWh		1.134	1.066	2.200	0.180		2.380	c/kWh	2.38	1.031	0.969	2.000	0.164		2.164
Off-Peak Usage Rate	c/kWh		0.344	0.796	1.140	0.050		1.190	c/kWh	1.19	0.313	0.723	1.036	0.045		1.082
High Voltage Obsolete																
(Cust HV Supply Rate	\$ p.a.			1,394.300	1,394.300		19.929	1,414.229	cents/day	387.46		1,267.545	1,267.545		18.117	1,285.663
Annual Demand Rate	\$/kVA p.a. 300 kVA		15.648	23.826	39.474	2.448		41.922	c/kVA/mth	349.35	14.225	21.660	35.885	2.225		38.111
Additional Demand	\$/kVA p.a.		0.000	11.634	11.634	0.000		11.634	c/kVA/mth	96.95	0.000	10.576	10.576	0.000		10.576
Peak Usage Rate	c/kWh		1.134	1.066	2.200	0.180		2.380	c/kWh	2.38	1.031	0.969	2.000	0.164		2.164
Off-Peak Usage Rate	c/kWh		0.344	0.796	1.140	0.050		1.190	c/kWh	1.19	0.313	0.723	1.036	0.045		1.082
Large Low Voltage Demand																
(Cust Large Supply Rate	\$ p.a.			1,394.300	1,394.300		19.929	1,414.229	cents/day	387.46		1,267.545	1,267.545		18.117	1,285.663
Annual Demand Rate	\$/kVA p.a. 1.15 MVA		15.365	30.427	45.792	2.412		48.204	c/kVA/mth	401.70	13.968	27.661	41.629	2.193		43.822
Additional Demand	\$/kVA p.a.		0.000	13.488	13.488	0.000		13.488	c/kVA/mth	112.40	0.000	12.262	12.262	0.000		12.262
Peak Usage Rate	c/kWh		1.143	1.367	2.510	0.180		2.690	c/kWh	2.69	1.039	1.243	2.282	0.164		2.445
Off-Peak Usage Rate	c/kWh		0.344	0.966	1.310	0.050		1.360	c/kWh	1.36	0.313	0.878	1.191	0.045		1.236
Low Voltage Demand																
(Cust LV D Supply Rate	\$ p.a.			1,394.300	1,394.300		19.929	1,414.229	cents/day	387.46		1,267.545	1,267.545		18.117	1,285.663
Annual Demand Rate	\$/kVA p.a. 350 kVA		15.365	36.319	51.684	2.412		54.096	c/kVA/mth	450.80	13.968	33.017	46.985	2.193		49.178
Additional Demand	\$/kVA p.a.		0.000	15.222	15.222	0.000		15.222	c/kVA/mth	126.85	0.000	13.838	13.838	0.000		13.838
Peak Usage Rate	c/kWh		1.143	1.627	2.770	0.180		2.950	c/kWh	2.95	1.039	1.479	2.518	0.164		2.682
Off-Peak Usage Rate	c/kWh		0.344	1.146	1.490	0.050		1.540	c/kWh	1.54	0.313	1.042	1.355	0.045		1.400
Medium Low Voltage Demand																
(Cust Medi Supply Rate	\$ p.a.			697.150	697.150		19.929	717.079	cents/day	196.46		633.773	633.773		18.117	651.890
Annual Demand Rate	\$/kVA p.a. 120 kVA		14.801	51.589	66.390	2.316		68.706	c/kVA/mth	572.55	13.455	46.900	60.355	2.105		62.460
Additional Demand	\$/kVA p.a.		0.000	19.542	19.542	0.000		19.542	c/kVA/mth	162.85	0.000	17.765	17.765	0.000		17.765
Peak Usage Rate	c/kWh		1.143	2.357	3.500	0.180		3.680	c/kWh	3.68	1.039	2.143	3.182	0.164		3.345
Off-Peak Usage Rate	c/kWh		0.344	1.626	1.970	0.050		2.020	c/kWh	2.02	0.313	1.478	1.791	0.045		1.836

ETSA UTILITIES NETWORK TARIFFS

APPLIES TO USAGE FROM 1 JANUARY 2003 - Includes Passthroughs for ACCC TUoS Reset and ETSA Utilities FRC Costs

Customer Category	Units	Min Qty.	TUOS incl	DUOS incl	Total incl	TUOS Pass	FRC Pass	Total incl	As billed on invoice incl		TUOS	DUOS	Total excl	TUOS Pass	FRC Pass	Total excl
			GST	GST	GST	through	through	GST	GST	Rate	excl GST	excl GST	GST	through	through	GST
Subtransmission																
(Cust Sub Supply Rate	\$ p.a.	10 MW		4,066.830	4,066.830		19.929	4,086.759	cents/day	1,119.66		3,697.118	3,697.118		18.117	3,715.235
Annual Demand Rate	\$/kW p.a.		17.722	4.124	21.846	2.772		24.618	c/kW/mth	205.15	16.111	3.749	19.860	2.520		22.380
Additional Demand	\$/kW p.a.		2.772	4.122	6.894	0.432		7.326	c/kW/mth	61.05	2.520	3.747	6.267	0.393		6.660
Peak Usage Rate	c/kWh		1.136	0.304	1.440	0.180		1.620	c/kWh	1.62	1.033	0.276	1.309	0.164		1.473
Off-Peak Usage Rate	c/kWh		0.354	0.196	0.550	0.060		0.610	c/kWh	0.61	0.322	0.178	0.500	0.055		0.555
Zone Sub-station																
(Cust Zone Supply Rate	\$ p.a.	5 MW		1,738.641	1,738.641		19.929	1,758.570	cents/day	481.80		1,580.583	1,580.583		18.117	1,598.700
Annual Demand Rate	\$/kW p.a.		17.409	10.257	27.666	2.724		30.390	c/kW/mth	253.25	15.826	9.325	25.151	2.476		27.627
Additional Demand	\$/kW p.a.		0.000	10.254	10.254	0.000		10.254	c/kW/mth	85.45	0.000	9.322	9.322	0.000		9.322
Peak Usage Rate	c/kWh }	25 GWh	1.147	0.673	1.820	0.180		2.000	c/kWh	2.00	1.043	0.612	1.655	0.164		1.818
Off-Peak Usage Rate	c/kWh }		0.365	0.485	0.850	0.060		0.910	c/kWh	0.91	0.332	0.441	0.773	0.055		0.827
High Voltage																
(Cust HV Supply Rate	\$ p.a.	1 MW		1,394.300	1,394.300		19.929	1,414.229	cents/day	387.46		1,267.545	1,267.545		18.117	1,285.663
Annual Demand Rate	\$/kW p.a.		17.305	22.205	39.510	2.712		42.222	c/kW/mth	351.85	15.732	20.186	35.918	2.465		38.384
Additional Demand	\$/kW p.a.		0.000	15.960	15.960	0.000		15.960	c/kW/mth	133.00	0.000	14.509	14.509	0.000		14.509
Peak Usage Rate	c/kWh		1.178	1.432	2.610	0.180		2.790	c/kWh	2.79	1.071	1.302	2.373	0.164		2.536
Off-Peak Usage Rate	c/kWh		0.375	1.045	1.420	0.060		1.480	c/kWh	1.48	0.341	0.950	1.291	0.055		1.345
High Voltage Obsolete																
(Cust HV Supply Rate	\$ p.a.	250 kW		1,394.300	1,394.300		19.929	1,414.229	cents/day	387.46		1,267.545	1,267.545		18.117	1,285.663
Annual Demand Rate	\$/kW p.a.		17.305	22.205	39.510	2.712		42.222	c/kW/mth	351.85	15.732	20.186	35.918	2.465		38.384
Additional Demand	\$/kW p.a.		0.000	15.960	15.960	0.000		15.960	c/kW/mth	133.00	0.000	14.509	14.509	0.000		14.509
Peak Usage Rate	c/kWh		1.178	1.432	2.610	0.180		2.790	c/kWh	2.79	1.071	1.302	2.373	0.164		2.536
Off-Peak Usage Rate	c/kWh		0.375	1.045	1.420	0.060		1.480	c/kWh	1.48	0.341	0.950	1.291	0.055		1.345
Large Low Voltage Demand																
(Cust Large Supply Rate	\$ p.a.	1 MW		1,394.300	1,394.300		19.929	1,414.229	cents/day	387.46		1,267.545	1,267.545		18.117	1,285.663
Annual Demand Rate	\$/kW p.a.		16.992	28.236	45.228	2.664		47.892	c/kW/mth	399.10	15.447	25.669	41.116	2.422		43.538
Additional Demand	\$/kW p.a.		0.000	18.504	18.504	0.000		18.504	c/kW/mth	154.20	0.000	16.822	16.822	0.000		16.822
Peak Usage Rate	c/kWh		1.189	1.811	3.000	0.190		3.190	c/kWh	3.19	1.081	1.646	2.727	0.173		2.900
Off-Peak Usage Rate	c/kWh		0.375	1.265	1.640	0.060		1.700	c/kWh	1.70	0.341	1.150	1.491	0.055		1.545
Low Voltage Demand																
(Cust LV D Supply Rate	\$ p.a.	300 kW		1,394.300	1,394.300		19.929	1,414.229	cents/day	387.46		1,267.545	1,267.545		18.117	1,285.663
Annual Demand Rate	\$/kW p.a.		16.992	33.630	50.622	2.664		53.286	c/kW/mth	444.05	15.447	30.573	46.020	2.422		48.442
Additional Demand	\$/kW p.a.		0.000	20.880	20.880	0.000		20.880	c/kW/mth	174.00	0.000	18.982	18.982	0.000		18.982
Peak Usage Rate	c/kWh		1.189	2.151	3.340	0.190		3.530	c/kWh	3.53	1.081	1.955	3.036	0.173		3.209
Off-Peak Usage Rate	c/kWh		0.375	1.505	1.880	0.060		1.940	c/kWh	1.94	0.341	1.368	1.709	0.055		1.764
Medium Low Voltage Demand																
(Cust Medi Supply Rate	\$ p.a.	100kW		697.150	697.150		19.929	717.079	cents/day	196.46		633.773	633.773		18.117	651.890
Annual Demand Rate	\$/kW p.a.		16.366	47.588	63.954	2.568		66.522	c/kW/mth	554.35	14.878	43.262	58.140	2.335		60.475
Additional Demand	\$/kW p.a.		0.000	26.808	26.808	0.000		26.808	c/kW/mth	223.40	0.000	24.371	24.371	0.000		24.371
Peak Usage Rate	c/kWh		1.189	3.101	4.290	0.190		4.480	c/kWh	4.48	1.081	2.819	3.900	0.173		4.073
Off-Peak Usage Rate	c/kWh		0.375	2.125	2.500	0.060		2.560	c/kWh	2.56	0.341	1.932	2.273	0.055		2.327

ETSA UTILITIES NETWORK TARIFFS

APPLIES TO USAGE FROM 1 JANUARY 2003 - Includes Passthroughs for ACCC TUoS Reset and ETSA Utilities FRC Costs

Customer Category	Units	Min Qty.	TUOS incl	DUOS incl	Total incl	TUOS Pass	FRC Pass	Total incl	As billed on invoice incl		TUOS	DUOS	Total excl	TUOS Pass	FRC Pass	Total excl
			GST	GST	GST	through	through	GST	GST	Rate	excl GST	excl GST	GST	through	through	GST
Low Voltage Business - 2 Rate (Type 1 to 4 Meter used)																
(Cust LV B Supply Rate	\$ p.a.			249.441	249.441		19.929	269.370	cents/day	73.80		226.765	226.765		18.117	244.882
Peak Usage Rate	c/kWh		2.057	5.643	7.700	0.140		7.840	c/kWh	7.84	1.870	5.130	7.000	0.127		7.127
Off-Peak Usage Rate	c/kWh		0.391	2.389	2.780	0.030		2.810	c/kWh	2.81	0.355	2.172	2.527	0.027		2.555
Low Voltage Business - Single Rate (Type 1 to 4 Meter used)																
(Cust LV B Supply Rate	\$ p.a.			69.350	69.350		19.929	89.279	cents/day	24.46		63.045	63.045		18.117	81.163
Anytime Usage Rate	c/kWh		1.624	5.626	7.250	0.120		7.370	c/kWh	7.37	1.476	5.115	6.591	0.109		6.700
Low Voltage Business - 2 Rate (Type 5 or 6 Meter used)																
(Cust LV B Supply Rate	\$ p.a.			249.441	249.441		19.929	269.370	cents/day	73.80		226.765	226.765		18.117	244.882
Peak Usage Rate	c/kWh		2.057	5.643	7.700	0.140	0.230	8.070	c/kWh	8.07	1.870	5.130	7.000	0.127	0.209	7.336
Off-Peak Usage Rate	c/kWh		0.391	2.389	2.780	0.030	0.230	3.040	c/kWh	3.04	0.355	2.172	2.527	0.027	0.209	2.764
Low Voltage Business - Single Rate (Type 5 or 6 Meter used)																
(Cust LV B Supply Rate	\$ p.a.			69.350	69.350		19.929	89.279	cents/day	24.46		63.045	63.045		18.117	81.163
Anytime Usage Rate	c/kWh		1.624	5.626	7.250	0.120	0.230	7.600	c/kWh	7.60	1.476	5.115	6.591	0.109	0.209	6.909
Low Voltage Residential- Single Rate																
(Cust LV R Supply Rate	\$ p.a.			68.182	68.182		19.929	88.111	cents/day	24.14		61.984	61.984		18.117	80.101
Anytime Usage Rate	c/kWh		1.646	6.154	7.800	0.110	0.230	8.140	c/kWh	8.14	1.496	5.595	7.091	0.100	0.209	7.400
Low Voltage Off-peak Controlled Load																
(Cust LV C Supply Rate	\$ p.a.			25.039	25.039			25.039	cents/day	6.86		22.763	22.763			22.763
Anytime Usage Rate	c/kWh		0.326	1.404	1.730	0.020	0.230	1.980	c/kWh	1.98	0.296	1.277	1.573	0.018	0.209	1.800
Low Voltage Unmetered Usage (Overnight Usage)																
(Cust LV 1;Anytime Usage Rate	c/kWh		0.729	3.081	3.810	0.050	0.230	4.090	c/kWh	4.09	0.663	2.801	3.464	0.045	0.209	3.718
Low Voltage Unmetered Usage (24 Hour Usage)																
(Cust LV 2;Anytime Usage Rate	c/kWh		0.911	3.359	4.270	0.060	0.230	4.560	c/kWh	4.56	0.828	3.054	3.882	0.055	0.209	4.145
Other Unmetered Usage																
(Cust Othe Supply Rate	\$ p.a.			45.698	45.698			45.698	cents/day	12.52		41.544	41.544			41.544
Peak Usage Rate	c/kWh		1.983	6.217	8.200	0.140	0.230	8.570	c/kWh	8.57	1.803	5.652	7.455	0.127	0.209	7.791
Off-Peak Usage Rate	c/kWh		0.396	2.434	2.830	0.030	0.230	3.090	c/kWh	3.09	0.360	2.213	2.573	0.027	0.209	2.809

Notes accompanying 2002/ 2003 Tariffs

Notes:

1. The distribution tariffs:
 - (a) are inclusive of the GST imposed as at 1 July 2000; and
 - (b) include the application of AD_i as defined in paragraph E2 of Schedule 7 of the Electricity Pricing Order 1999.
2. ETSA Utilities must assign each Distribution Network User to a distribution tariff in respect of each of its connection points in accordance with the following principles.
 - (a) A Distribution Network User that has an agreed maximum demand of 250kW or more in respect of a connection point, must be assigned to a distribution tariff that includes a demand component in respect of that connection point.
 - (b) A Sub-Transmission (kVA) Network User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide Metropolitan area. A minimum annual demand of 11.50MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf).
 - (c) A Zone Substation (kVA) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5.75 MVA and a minimum annual usage of 25GWh apply. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf).
 - (d) A High Voltage Demand (kVA) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1.15MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (e) A High Voltage (kVA) (Obsolete) customer is a Distribution Network User taking supply generally at 11kV. This tariff is available only to Distribution Network Users that were taking supply under the High Voltage Demand (kW) (Obsolete) tariff as at 11 October 1999. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 300kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (f) A Large Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1.15MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (g) A Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 350kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (h) A Medium Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and using demand, peak and off-peak metering. A minimum annual demand of 120kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf).
 - (i) A Low Voltage Business 2 rate customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak metering.
 - (j) A Low Voltage Business single rate customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate metering.
 - (k) A Low Voltage Residential single rate customer is a Distribution Network User that is a residential customer taking supply at less than 1kV and using single rate metering.
 - (l) A Low Voltage Off-peak Controlled Load is use by a Distribution Network User involving a time switch and separate metering where the timing has been set in accordance with ETSA Utilities' requirements regarding the timing of loads.
 - (m) Unmetered Overnight Usage supply is defined as overnight use by a Distribution Network User for public lighting.
 - (n) Unmetered 24 Hour Usage supply is defined as constant 24 hour per day use by a Distribution Network User, typically public phones, traffic lights and telecommunications installations.

- (o) Other Unmetered Supply is defined as unmetered use by Distribution Network Users other than public lighting or continuous use.
- (p) A Sub-Transmission Network (kW) User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide metropolitan area. A minimum annual demand of 10MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001
- (q) A Zone Substation (kW) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5MW and a minimum annual usage of 25GWh apply. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (r) A High Voltage Demand (kW) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (s) The High Voltage Demand (kW) (Obsolete) tariff is available only to Distribution Network Users that were taking supply under this tariff as at 11 October 1999. Conditions applicable at that date apply.
- (t) A Large Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (u) A Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 300kW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.
- (v) A Medium Low Voltage Demand (kW) customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using demand, peak and off-peak metering. A minimum annual demand of 100kW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001.

3. The supply and demand charges are levied and billed to Distribution Network Users periodically on a pro-rata basis.

4. Demand charges are determined on the basis of:

- (a) maximum demand (Annual Demand); and
 - (b) additional maximum demand (Additional Demand),
- determined in accordance with paragraph B2 of Schedule 5 of the Electricity Pricing Order.

5. Peak energy is energy consumed on business days between the hours of 0700 and 2100 (Central Standard Time). For Distribution Network Users with metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 (Central Standard Time).

6. Off-peak energy is energy consumed other than peak energy.