

ETSA UTILITIES NETWORK CHARGES - EFFECTIVE 1 JANUARY 2004

ETSA Utilities' Price List effective 1 January 2004 has been confirmed. The charges incorporate the 2003/04 Distribution Tariffs as well as existing passthrough amounts relating to Full Retail Contestability (FRC) and the ACCC reset of transmission revenue for ElectraNetSA and new passthrough amounts relating to an Outage Management System (OMS) and the conversion of Murraylink to a regulated interconnect. In accordance with the South Australian Electricity Pricing Order (EPO), all tariffs and passthrough amounts have been approved by the Essential Services Commission Of South Australia (ESCOSA).

Two separate passthrough events have recently occurred which impact on ETSA Utilities' network tariffs as of 1 January 2004. These two events were:

- A change in service standards event due to the requirement to introduce an Outage Management System (OMS) from 1 January 2004.
- A network event as a result of the conversion of Murraylink to a regulated interconnect.

OMS PASSTHROUGH

The additional costs incurred by ETSA Utilities as a result of the introduction of OMS are to be passed through to retailers/customers. In general, for the period 1 January to 30 June 2004, the following passthrough amounts have been proposed to ESCOSA:

- All customers assigned to a Subtransmission or Zone Substation demand network tariff will incur an additional charge of \$4000.035 per supply charge per annum including GST.
- All customers assigned to other network tariff excluding Controlled Load and Other Unmetered Usage will incur an additional charge of \$0.548 per supply charge per annum including GST.
- All customers assigned to a network tariff excluding Subtransmission and Zone Substation will incur an additional charge of 0.020 c/kWh including GST on the usage component.

MURRAYLINK NETWORK EVENT PASSTHROUGH

The ACCC decision to allow Murraylink's conversion to a regulated interconnect has resulted in a 5.2% increase in transmission charges to ETSA Utilities effective 1 December 2003. ETSA Utilities has however chosen to passthrough this amount to retailers/customers from 1 January 2004. The following passthrough amounts have been proposed to ESCOSA:

- For customers assigned to a non-locational tariff, each tariff component of the TUoS charge will increase by 14.8%. This amount will replace the existing 9.4% ACCC Regulatory Reset TUoS Passthrough which applied from 1 July to 31 December 2003.
- Locational tariff amended in line with ElectraNetSA's new price list.

LOCATIONAL CUSTOMERS

Individual NMIs with annual consumption greater than 40GWh per annum and/or demand greater than 10MW have their tariffs calculated on a per NMI basis. Please contact ETSA Utilities for further details.

If retailers require clarification, please contact ETSA Utilities' Manager Retailer Relations, Paul Erwin on (08) 8404 9486.

ETSa UTILITIES NETWORK TARIFFS												
APPLIES TO USAGE FROM 1 JANUARY 2004 - Includes OMS Passthrough and updated TuoS Passthrough due to Murray Link Conversion to Regulated Interconnect												
Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	Locational TUOS	TUOS Pass through	FRC Pass through	OMS Pass through	Total incl GST	As billed on Existing Billing Systems (eg CBS) incl GST Units	As billed on New Billing System (CIS O/V) excl GST Rate
Zone Sub-station (KVA) (Load <10MW and Consumption <40GWh pa)												
(Cust Zone Supply Rate	\$ p.a.			1,797.260	1,797.260			18.031	4,000.035	5,815.326	cents/day	1,593.24
Annual Demand Rate	\$/kVA p.a. 5.75 MVA	16.111	13.397	29.508			2.304			31.812	c/kVA/mth	265.10
Additional Demand	\$/kVA p.a.	0.000	8.556	8.556			0.000			8.556	c/kVA/mth	71.30
Peak Usage Rate	c/kWh } 25 GWh	1.061	0.609	1.670			0.150			1.820	c/kWh	1.82
Off-Peak Usage Rate	c/kWh }	0.318	0.412	0.730			0.040			0.770	c/kWh	0.77
High Voltage (KVA)												
(Cust HV K Supply Rate	\$ p.a.		1,441.385	1,441.385				18.031	0.548	1,459.964	cents/day	399.99
Annual Demand Rate	\$/kVA p.a. 1.15 MVA	15.042	26.226	41.268			2.160			43.428	c/kVA/mth	361.90
Additional Demand	\$/kVA p.a.	0.000	12.024	12.024			0.000			12.024	c/kVA/mth	100.20
Peak Usage Rate	c/kWh	1.091	1.209	2.300			0.150		0.020	2.470	c/kWh	2.47
Off-Peak Usage Rate	c/kWh	0.327	0.853	1.180			0.040		0.020	1.240	c/kWh	1.24
High Voltage Obsolete (KVA)												
(Cust HV _C Supply Rate	\$ p.a.		1,441.385	1,441.385				18.031	0.548	1,459.964	cents/day	399.99
Annual Demand Rate	\$/kVA p.a. 300 kVA	15.042	26.226	41.268			2.160			43.428	c/kVA/mth	361.90
Additional Demand	\$/kVA p.a.	0.000	12.024	12.024			0.000			12.024	c/kVA/mth	100.20
Peak Usage Rate	c/kWh	1.091	1.209	2.300			0.150		0.020	2.470	c/kWh	2.47
Off-Peak Usage Rate	c/kWh	0.327	0.853	1.180			0.040		0.020	1.240	c/kWh	1.24
Large Low Voltage Demand (KVA)												
(Cust Large Supply Rate	\$ p.a.		1,441.385	1,441.385				18.031	0.548	1,459.964	cents/day	399.99
Annual Demand Rate	\$/kVA p.a. 1.15 MVA	14.780	33.016	47.796			2.112			49.908	c/kVA/mth	415.90
Additional Demand	\$/kVA p.a.	0.000	13.932	13.932			0.000			13.932	c/kVA/mth	116.10
Peak Usage Rate	c/kWh	1.098	1.522	2.620			0.150		0.020	2.790	c/kWh	2.79
Off-Peak Usage Rate	c/kWh	0.328	1.032	1.360			0.040		0.020	1.420	c/kWh	1.42
Low Voltage Demand (KVA)												
(Cust LV D Supply Rate	\$ p.a.		1,441.385	1,441.385				18.031	0.548	1,459.964	cents/day	399.99
Annual Demand Rate	\$/kVA p.a. 350 kVA	14.769	39.111	53.880			2.112			55.992	c/kVA/mth	466.60
Additional Demand	\$/kVA p.a.	0.000	15.732	15.732			0.000			15.732	c/kVA/mth	131.10
Peak Usage Rate	c/kWh	1.098	1.792	2.890			0.150		0.020	3.060	c/kWh	3.06
Off-Peak Usage Rate	c/kWh	0.330	1.220	1.550			0.040		0.020	1.610	c/kWh	1.61
Medium Low Voltage Demand (KVA)												
(Cust Medi Supply Rate	\$ p.a.		720.510	720.510				18.031	0.548	739.089	cents/day	202.49
Annual Demand Rate	\$/kVA p.a. 120 kVA	14.223	54.849	69.072			2.040			71.112	c/kVA/mth	592.60
Additional Demand	\$/kVA p.a.	0.000	20.196	20.196			0.000			20.196	c/kVA/mth	168.30
Peak Usage Rate	c/kWh	1.099	2.551	3.650			0.150		0.020	3.820	c/kWh	3.82
Off-Peak Usage Rate	c/kWh	0.329	1.711	2.040			0.040		0.020	2.100	c/kWh	2.10
Zone Sub-station (KW) (Load <10MW and Consumption <40GWh pa)												
(Cust Zone Supply Rate	\$ p.a.		1,797.260	1,797.260				18.031	0.548	1,815.839	cents/day	497.49
Annual Demand Rate	\$/kW p.a. 5 MW	16.826	12.286	29.112			2.412			31.524	c/kW/mth	262.70
Additional Demand	\$/kW p.a.	0.000	10.596	10.596			0.000			10.596	c/kW/mth	88.30
Peak Usage Rate	c/kWh } 25 GWh	1.103	0.807	1.910			0.160		0.020	2.090	c/kWh	2.09
Off-Peak Usage Rate	c/kWh }	0.347	0.533	0.880			0.050		0.020	0.950	c/kWh	0.95
High Voltage (KW)												
(Cust HV K Supply Rate	\$ p.a.		1,441.385	1,441.385				18.031	0.548	1,459.964	cents/day	399.99
Annual Demand Rate	\$/kW p.a. 1 MW	16.635	24.717	41.352			2.388			43.740	c/kW/mth	364.50
Additional Demand	\$/kW p.a.	0.000	16.488	16.488			0.000			16.488	c/kW/mth	137.40
Peak Usage Rate	c/kWh	1.133	1.597	2.730			0.160		0.020	2.910	c/kWh	2.91
Off-Peak Usage Rate	c/kWh	0.357	1.113	1.470			0.050		0.020	1.540	c/kWh	1.54
High Voltage Obsolete (KW)												
(Cust HV _C Supply Rate	\$ p.a.		1,441.385	1,441.385				18.031	0.548	1,459.964	cents/day	399.99
Annual Demand Rate	\$/kW p.a. 250 kW	16.635	24.717	41.352			2.388			43.740	c/kW/mth	364.50
Additional Demand	\$/kW p.a.	0.000	16.488	16.488			0.000			16.488	c/kW/mth	137.40
Peak Usage Rate	c/kWh	1.133	1.597	2.730			0.160		0.020	2.910	c/kWh	2.91
Off-Peak Usage Rate	c/kWh	0.357	1.113	1.470			0.050		0.020	1.540	c/kWh	1.54
Large Low Voltage Demand (KW)												
(Cust Large Supply Rate	\$ p.a.		1,441.385	1,441.385				18.031	0.548	1,459.964	cents/day	399.99
Annual Demand Rate	\$/kW p.a. 1 MW	16.345	30.911	47.256			2.340			49.596	c/kW/mth	413.30
Additional Demand	\$/kW p.a.	0.000	19.128	19.128			0.000			19.128	c/kW/mth	159.40
Peak Usage Rate	c/kWh	1.142	1.988	3.130			0.160		0.020	3.310	c/kWh	3.31
Off-Peak Usage Rate	c/kWh	0.358	1.342	1.700			0.050		0.020	1.770	c/kWh	1.77
Low Voltage Demand (KW)												
(Cust LV D Supply Rate	\$ p.a.		1,441.385	1,441.385				18.031	0.548	1,459.964	cents/day	399.99
Annual Demand Rate	\$/kW p.a. 300 kW	16.333	36.503	52.836			2.340			55.176	c/kW/mth	459.80
Additional Demand	\$/kW p.a.	0.000	21.576	21.576			0.000			21.576	c/kW/mth	179.80
Peak Usage Rate	c/kWh	1.142	2.338	3.480			0.160		0.020	3.660	c/kWh	3.66
Off-Peak Usage Rate	c/kWh	0.360	1.590	1.950			0.050		0.020	2.020	c/kWh	2.02
Medium Low Voltage Demand (KW)												
(Cust Medi Supply Rate	\$ p.a.		720.510	720.510				18.031	0.548	739.089	cents/day	202.49
Annual Demand Rate	\$/kW p.a. 100kW	15.727	50.873	66.600			2.256			68.856	c/kW/mth	573.80
Additional Demand	\$/kW p.a.	0.000	27.708	27.708			0.000			27.708	c/kW/mth	230.90
Peak Usage Rate	c/kWh	1.143	3.327	4.470			0.160		0.020	4.650	c/kWh	4.65
Off-Peak Usage Rate	c/kWh	0.359	2.231	2.590			0.050		0.020	2.660	c/kWh	2.66
Low Voltage Business - 2 Rate Type 1 to 4 Meter												
(Cust LV B Supply Rate	\$ p.a.		255.865	255.865				18.031	0.548	274.444	cents/day	75.19
Peak Usage Rate	c/kWh	1.949	6.011	7.960			0.280		0.020	8.260	c/kWh	8.26
Off-Peak Usage Rate	c/kWh	0.370	2.490	2.860			0.060		0.020	2.940	c/kWh	2.94
Low Voltage Business - 2 Rate Type 5 or 6 Meter Read Monthly												
(Cust LV B Supply Rate	\$ p.a.		255.865	255.865				18.031	0.548	274.444	cents/day	75.19
Peak Usage Rate	c/kWh	1.949	6.011	7.960			0.280	0.220	0.020	8.480	c/kWh	8.48
Off-Peak Usage Rate	c/kWh	0.370	2.490	2.860			0.060	0.220	0.020	3.160	c/kWh	3.16
Low Voltage Business - 2 Rate Type 5 or 6 Meter Read Quarterly												
(Cust LV B Supply Rate	\$ p.a.		257.690	257.690				18.031	0.548	276.269	cents/day	75.69
Peak Usage Rate	c/kWh	1.947	6.073	8.020			0.280	0.220	0.020	8.540	c/kWh	8.54
Off-Peak Usage Rate	c/kWh	0.369	2.511	2.880			0.060	0.220	0.020	3.180	c/kWh	3.18
Low Voltage Business - Single Rate Type 1 to 4 Meter												
(Cust LV B Supply Rate	\$ p.a.		70.810	70.810				18.031	0.548	89.389	cents/day	24.49
Anytime Usage Rate	c/kWh	1.504	5.986	7.490			0.210		0.020	7.720	c/kWh	7.72
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Monthly												
(Cust LV B Supply Rate	\$ p.a.		70.810	70.810				18.031	0.548	89.389	cents/day	24.49
Anytime Usage Rate	c/kWh	1.504	5.986	7.490			0.210	0.220	0.020	7.940	c/kWh	7.94
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Quarterly												
(Cust LV B Supply Rate	\$ p.a.		71.540	71.540				18.031	0.548	90.119	cents/day	24.69
Anytime Usage Rate	c/kWh	1.503	6.037	7.540			0.210	0.220	0.020	7.990	c/kWh	7.99
Low Voltage Residential - Single Rate Type 1-4 Meter Read Monthly												
(Cust LV R Supply Rate	\$ p.a.		70.445	70.445				18.031	0.548	89.024	cents/day	24.39
Anytime Usage Rate	c/kWh	1.647	6.463	8.110			0.240		0.020	8.370	c/kWh	8.37
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Monthly												
(Cust LV R Supply Rate	\$ p.a.		70.445	70.445				18.031	0.548	89.024	cents/day	24.39
Anytime Usage Rate	c/kWh	1.647	6.463	8.110			0.240	0.220	0.020	8.590	c/kWh	8.59
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Quarterly												
(Cust LV R Supply Rate	\$ p.a.		70.445	70.445				18.031	0.548	89.024	cents/day	24.39
Anytime Usage Rate	c/kWh	1.647	6.463	8.110			0.240	0.220	0.020	8.590	c/kWh	8.59
Low Voltage Off-peak Controlled Load												
(Cust LV C Supply Rate	\$ p.a.		25.550	25.550						25.550	cents/day	7.00
Anytime Usage Rate	c/kWh	0.334	1.456	1.790			0.050	0.220	0.020	2.080	c/kWh	2.08
Low Voltage Unmetered Usage (Overnight Usage)												
(Cust LV 1 Anytime Usage Rate	c/kWh		0.701	3.259	3.960		0.100	0.220	0.020	4.300	c/kWh	4.30
Low Voltage Unmetered Usage (24 Hour Usage)												
(Cust LV 2 Anytime Usage Rate	c/kWh		0.876	3.564	4.440		0.120	0.220	0.020	4.800	c/kWh	4.80
Other Unmetered Usage												
(Cust Other Supply Rate	\$ p.a.		47.085	47.085						47.085	cents/day	12.90
Peak Usage Rate	c/kWh	1.991	6.539	8.530			0.280	0.220	0.020	9.050	c/kWh	9.05
Off-Peak Usage Rate	c/kWh	0.650	2.280	2.930			0.090	0.220	0.020	3.260	c/kWh	3.26

Notes accompanying 2004 Tariffs

Notes:

1. The distribution tariffs:

- (a) are inclusive of the GST imposed as at 1 July 2000; and
- (b) include the application of AD_i as defined in paragraph E2 of Schedule 7 of the Electricity Pricing Order 1999.

2. ETSA Utilities must assign each Distribution Network User to a distribution tariff in respect of each of its connection points in accordance with the following principles.

- (a) A Distribution Network User that has an agreed maximum demand of 250kW or more in respect of a connection point, must be assigned to a distribution tariff that includes a demand component in respect of that connection point.
- (b) A Sub-Transmission (kVA) Network User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide Metropolitan area. A minimum annual demand of 11.50MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf). These tariffs are invoiced monthly.
- (c) A Zone Substation (kVA) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5.75 MVA and a minimum annual usage of 25GWh apply. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf). These tariffs are invoiced monthly.
- (d) A High Voltage Demand (kVA) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1.15MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
- (e) A High Voltage (kVA) (Obsolete) customer is a Distribution Network User taking supply generally at 11kV. This tariff is available only to Distribution Network Users that were taking supply under the High Voltage Demand (kW) (Obsolete) tariff as at 11 October 1999. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 300kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
- (f) A Large Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1.15MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
- (g) A Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 350kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
- (h) A Medium Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and using demand, peak and off-peak network charges. A minimum annual demand of 120kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
- (i) A Low Voltage Business 2 rate – Type 1-4 Meter customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak network charges. The User utilises a type 1-4 meter. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is invoiced monthly.
- (j) A Low Voltage Business 2 rate – Type 5-6 Meter Read Monthly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak network charges. The User utilises a type 5-6 meter and requires ETSA Utilities to read the meter monthly for which an excluded service charge applies. This tariff is invoiced monthly.
- (k) A Low Voltage Business 2 rate – Type 5-6 Meter Read Quarterly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak

network charges. The User utilises a type 5-6 meter which requires ETSA Utilities to read the meter. This tariff is invoiced quarterly.

- (l) A Low Voltage Business single rate – Type 1-4 Meter customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate network charges. The User utilises a type 1-4 meter. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is invoiced monthly.
- (m) A Low Voltage Business single rate – Type 5-6 Meter Read Monthly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate network charges. The User utilises a type 5-6 meter and requires ETSA Utilities to read the meter monthly for which an excluded service charge applies. This tariff is invoiced monthly.
- (n) A Low Voltage Business single rate – Type 5-6 Meter Read Quarterly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate metering. The User utilises a type 5-6 meter which requires ETSA Utilities to read the meter. This tariff is invoiced quarterly.
- (o) A Low Voltage Residential single rate – Type 1-4 Meter Read Monthly customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. The User utilises a type 1-4 meter. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is invoiced monthly.
- (p) A Low Voltage Residential single rate – Type 5-6 Meter Read Monthly customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. The User utilises a type 5-6 meter and requires ETSA Utilities to read the meter monthly for which an excluded service charge applies. This tariff is invoiced monthly.
- (q) A Low Voltage Residential single rate – Type 5-6 Meter Read Quarterly customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. The User utilises a type 5-6 meter which requires ETSA Utilities to read the meter. This tariff is invoiced quarterly.
- (r) A Low Voltage Off-peak Controlled Load is used by a Distribution Network User for permanently installed storage water heaters with a rated delivery of not less than 125 litres, storage space heaters and other approved applications involving a time switch and separate metering where the timing has been set in accordance with ETSA Utilities' requirements regarding the timing of loads. This tariff is available only to Distribution Network Users that were taking supply under the Controlled Load tariff as at 30 June 2003, or are utilising a business single or residential tariff at the NMI in conjunction with the controlled load. This tariff is invoiced at the same frequency as other tariffs used by the Distribution Network User at that NMI.
- (s) Unmetered Overnight Usage supply is defined as overnight use by a Distribution Network User for public lighting. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (t) Unmetered 24 Hour Usage supply is defined as constant 24 hour per day use by a Distribution Network User, typically public phones, traffic lights and telecommunications installations. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (u) Other Unmetered Supply is defined as unmetered use by Distribution Network Users other than public lighting or continuous use. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (v) A Sub-Transmission Network (kW) User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide metropolitan area. A minimum annual demand of 10MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.
- (w) A Zone Substation (kW) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5MW and a minimum annual usage of 25GWh apply. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.
- (x) A High Voltage Demand (kW) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.
- (y) The High Voltage Demand (kW) (Obsolete) tariff is available only to Distribution Network Users that were taking supply under this tariff as at 11 October 1999. Conditions applicable at that date apply. These tariffs are invoiced monthly.
- (z) A Large Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.
- (aa) A Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 300kW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.

(bb) A Medium Low Voltage Demand (kW) customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using demand, peak and off-peak network charges. A minimum annual demand of 100kW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.

3. The supply and demand charges are levied and billed to Distribution Network Users periodically on a pro-rata basis.

4. Demand charges are determined on the basis of:

(a) maximum demand (Annual Demand); and

(b) additional maximum demand (Additional Demand),

determined in accordance with paragraph B2 of Schedule 5 of the Electricity Pricing Order.

5. Peak energy is energy consumed on business days between the hours of 0700 and 2100 (Central Standard Time). For Distribution Network Users with metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 (Central Standard Time).

6. Off-peak energy is energy consumed other than peak energy.