

ETSA UTILITIES CHARGES - EFFECTIVE 1 JULY 2003

ETSA Utilities' Price List effective 1 July 2003 has been confirmed. The charges incorporate the 2003/04 Distribution Tariffs as well as passthrough amounts relating to Full Retail Contestability (FRC) and the ACCC reset of transmission revenue for ElectraNetSA. In accordance with the South Australian Electricity Pricing Order (EPO), all tariffs and passthrough amounts have been approved by the Essential Services Commission Of South Australia (ESCOSA).

Changes to Distribution Tariffs

Controlled Load

Effective 1 July 2003, a controlled load tariff will only be available to a distribution network user

- utilising a residential or business single rate tariff at the NMI in conjunction with the controlled load; OR
- who was already taking supply under the controlled load tariff at 30 June 2003.

Metering Type and Billing Cycle

At 1 January 2003, ETSA Utilities' Business Single and Business Two rate tariffs were restructured to reflect the different types of customers' metering installations. A distinction was made between customers with a type 1-4 meter and those with a type 5-6 meter.

This distinction has been refined further to reflect the different billing cycles of customers (ie quarterly or monthly) including residential and business customers.

From 1 July 2003, customers will be assigned to a particular Business Single, Business Two or Residential Single rate tariff dependent on their metering installation and billing cycle.

Note: all customers with type 1-4 metering and/or utilising demand tariffs will automatically be billed monthly.

The tariff types are summarised below:

Old Tariff Type

Business Two Rate Type 1-4 Meter
Business Two Rate Type 5-6 Meter

Business Single Rate Type 1-4 Meter
Business Single Rate Type 5-6 Meter

Residential Single Rate

New Tariff Type Effective 1 July 2003

Business Two Rate Type 1-4 Meter
Business Two Rate Type 5-6 Meter Read Monthly
Business Two Rate Type 5-6 Meter Read Quarterly

Business Single Rate Type 1-4 Meter
Business Single Rate Type 5-6 Meter Read Monthly
Business Single Rate Type 5-6 Meter Read Quarterly

Residential Single Rate Type 1-4 Meter
Residential Single Rate Type 5-6 Meter Read Monthly
Residential Single Rate Type 5-6 Meter Read Quarterly

Transmission Passthrough

Customers with load above 10MW and/or consumption above 40GWh pa

As required under the National Electricity Code, for individual connection points with a load above 10MW and/or consumption above 40GWh pa, the transmission component of ETSA Utilities' charges is a direct passthrough of ElectraNetSA's transmission pricing. As a result, a unique tariff will be applied to each of the connection points. These are listed on the final two pages of the tariff schedule and are identified by NMI.

Customers with load below 10MW and consumption below 40GWh pa

As in the period 1 January to 30 June 2003, the additional costs incurred by ETSA Utilities as a result of the ACCC reset of transmission revenue for ElectraNetSA are passed through to retailers/customers.

For the period 1 July 2003 to 30 June 2004, each tariff component of the TUoS charge will increase by an average of 9.43%.

FRC Passthrough

As in the period 1 January to 30 June 2003, the additional costs incurred by ETSA Utilities as a result of the introduction of FRC are passed through to retailers/customers. In general, for the period 1 July 2003 to 30 June 2004, ESCOSA has approved the following passthrough amounts:

- All customers assigned to a network tariff with a supply charge (excluding Controlled Load and Other Unmetered Usage tariffs) will incur an additional charge of \$18.031 per annum including GST.
- All customers utilising a type 5, 6 or 7 meter and assigned to a network Unmetered, Controlled Load, Residential, Business Single and Business 2 Rate tariff will also incur an additional charge of 0.220 c/kWh including GST.

These charges could change through the 2003/04 financial year due to additional likely passthrough events relating to Murray Link's conversion to a regulated interconnect and the introduction of an outage management system.

If retailers require clarification on invoicing matters, please contact ETSA Utilities' Manager Retailer Relationships, Ian Rogers on (08) 8404 9487.

ETSA UTILITIES NETWORK TARIFFS																	
APPLIES TO USAGE FROM 1 JULY 2003 - Includes Passthroughs for ACCC TUoS Reset and FRC Costs																	
Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	Locational TUOS	TUOS Pass through	FRC Pass through	Total incl GST	As billed on invoice incl GST	TUOS excl GST	DUOS excl GST	Total excl GST	Locational TUOS	TUOS Pass through	FRC Pass through	Total excl GST
	Units									Units	Rate						
Zone Sub-station (KVA) (Load <10MW and Consumption <40Gwh pa)																	
(Cust Zone Supply Rate	\$ p.a.			1,797.260	1,797.260			18.031	1,815.291	cents/day	497.34		1,633.873	1,633.873		16.392	1,650.265
Annual Demand Rate	\$/kVA p.a. 5.75 MVA		16.111	13.397	29.508		1.512		31.020	c/kVA/mth	258.50	14.646	12.179	26.825		1.375	28.200
Additional Demand	\$/kVA p.a.		0.000	8.556	8.556		0.000		8.556	c/kVA/mth	71.30	0.000	7.778	7.778		0.000	7.778
Peak Usage Rate	c/kWh }	25 GWh	1.061	0.609	1.670		0.100		1.770	c/kWh	1.77	0.965	0.554	1.518		0.091	1.609
Off-Peak Usage Rate	c/kWh }		0.318	0.412	0.730		0.030		0.760	c/kWh	0.76	0.289	0.375	0.664		0.027	0.691
High Voltage (KVA)																	
(Cust HV K Supply Rate	\$ p.a.			1,441.385	1,441.385			18.031	1,459.416	cents/day	399.84		1,310.350	1,310.350		16.392	1,326.742
Annual Demand Rate	\$/kVA p.a. 1.15 MVA		15.042	26.226	41.268		1.404		42.672	c/kVA/mth	355.60	13.675	23.842	37.516		1.276	38.793
Additional Demand	\$/kVA p.a.		0.000	12.024	12.024		0.000		12.024	c/kVA/mth	100.20	0.000	10.931	10.931		0.000	10.931
Peak Usage Rate	c/kWh		1.091	1.209	2.300		0.100		2.400	c/kWh	2.40	0.992	1.099	2.091		0.091	2.182
Off-Peak Usage Rate	c/kWh		0.327	0.853	1.180		0.030		1.210	c/kWh	1.21	0.297	0.775	1.073		0.027	1.100
High Voltage Obsolete (KVA)																	
(Cust HV_ (Supply Rate	\$ p.a.			1,441.385	1,441.385			18.031	1,459.416	cents/day	399.84		1,310.350	1,310.350		16.392	1,326.742
Annual Demand Rate	\$/kVA p.a. 300 kVA		15.042	26.226	41.268		1.404		42.672	c/kVA/mth	355.60	13.675	23.842	37.516		1.276	38.793
Additional Demand	\$/kVA p.a.		0.000	12.024	12.024		0.000		12.024	c/kVA/mth	100.20	0.000	10.931	10.931		0.000	10.931
Peak Usage Rate	c/kWh		1.091	1.209	2.300		0.100		2.400	c/kWh	2.40	0.992	1.099	2.091		0.091	2.182
Off-Peak Usage Rate	c/kWh		0.327	0.853	1.180		0.030		1.210	c/kWh	1.21	0.297	0.775	1.073		0.027	1.100
Large Low Voltage Demand (KVA)																	
(Cust Large Supply Rate	\$ p.a.			1,441.385	1,441.385			18.031	1,459.416	cents/day	399.84		1,310.350	1,310.350		16.392	1,326.742
Annual Demand Rate	\$/kVA p.a. 1.15 MVA		14.780	33.016	47.796		1.380		49.176	c/kVA/mth	409.80	13.436	30.015	43.451		1.255	44.705
Additional Demand	\$/kVA p.a.		0.000	13.932	13.932		0.000		13.932	c/kVA/mth	116.10	0.000	12.665	12.665		0.000	12.665
Peak Usage Rate	c/kWh		1.098	1.522	2.620		0.100		2.720	c/kWh	2.72	0.998	1.384	2.382		0.091	2.473
Off-Peak Usage Rate	c/kWh		0.328	1.032	1.360		0.030		1.390	c/kWh	1.39	0.298	0.938	1.236		0.027	1.264
Low Voltage Demand (KVA)																	
(Cust LV D Supply Rate	\$ p.a.			1,441.385	1,441.385			18.031	1,459.416	cents/day	399.84		1,310.350	1,310.350		16.392	1,326.742
Annual Demand Rate	\$/kVA p.a. 350 kVA		14.769	39.111	53.880		1.380		55.260	c/kVA/mth	460.50	13.426	35.555	48.982		1.255	50.236
Additional Demand	\$/kVA p.a.		0.000	15.732	15.732		0.000		15.732	c/kVA/mth	131.10	0.000	14.302	14.302		0.000	14.302
Peak Usage Rate	c/kWh		1.098	1.792	2.890		0.100		2.990	c/kWh	2.99	0.998	1.629	2.627		0.091	2.718
Off-Peak Usage Rate	c/kWh		0.330	1.220	1.550		0.030		1.580	c/kWh	1.58	0.300	1.109	1.409		0.027	1.436
Medium Low Voltage Demand (KVA)																	
(Cust Medi Supply Rate	\$ p.a.			720.510	720.510			18.031	738.541	cents/day	202.34		655.009	655.009		16.392	671.401
Annual Demand Rate	\$/kVA p.a. 120 kVA		14.223	54.849	69.072		1.332		70.404	c/kVA/mth	586.70	12.930	49.863	62.793		1.211	64.004
Additional Demand	\$/kVA p.a.		0.000	20.196	20.196		0.000		20.196	c/kVA/mth	168.30	0.000	18.360	18.360		0.000	18.360
Peak Usage Rate	c/kWh		1.099	2.551	3.650		0.100		3.750	c/kWh	3.75	0.999	2.319	3.318		0.091	3.409
Off-Peak Usage Rate	c/kWh		0.329	1.711	2.040		0.030		2.070	c/kWh	2.07	0.299	1.555	1.855		0.027	1.882

ETSA UTILITIES NETWORK TARIFFS																	
APPLIES TO USAGE FROM 1 JULY 2003 - Includes Passthroughs for ACCC TUoS Reset and FRC Costs																	
Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	Locational TUOS	TUOS Pass through	FRC Pass through	Total incl GST	As billed on invoice incl GST	TUOS excl GST	DUOS excl GST	Total excl GST	Locational TUOS	TUOS Pass through	FRC Pass through	Total excl GST
	Units									Units	Rate						
Zone Sub-station (KW) (Load <10MW and Consumption <40GWh pa)																	
(Cust Zone Supply Rate	\$ p.a.			1,797.260	1,797.260			18.031	1,815.291	cents/day	497.34		1,633.873	1,633.873		16.392	1,650.265
Annual Demand Rate	\$/kW p.a.	5 MW	16.826	12.286	29.112		1.572		30.684	c/kW/mth	255.70	15.296	11.169	26.465		1.429	27.895
Additional Demand	\$/kW p.a.		0.000	10.596	10.596		0.000		10.596	c/kW/mth	88.30	0.000	9.633	9.633		0.000	9.633
Peak Usage Rate	c/kWh }	25 GWh	1.103	0.807	1.910		0.110		2.020	c/kWh	2.02	1.003	0.734	1.736		0.100	1.836
Off-Peak Usage Rate	c/kWh }		0.347	0.533	0.880		0.030		0.910	c/kWh	0.91	0.315	0.485	0.800		0.027	0.827
High Voltage (KW)																	
(Cust HV K Supply Rate	\$ p.a.			1,441.385	1,441.385			18.031	1,459.416	cents/day	399.84		1,310.350	1,310.350		16.392	1,326.742
Annual Demand Rate	\$/kW p.a.	1 MW	16.635	24.717	41.352		1.560		42.912	c/kW/mth	357.60	15.123	22.470	37.593		1.418	39.011
Additional Demand	\$/kW p.a.		0.000	16.488	16.488		0.000		16.488	c/kW/mth	137.40	0.000	14.989	14.989		0.000	14.989
Peak Usage Rate	c/kWh		1.133	1.597	2.730		0.110		2.840	c/kWh	2.84	1.030	1.452	2.482		0.100	2.582
Off-Peak Usage Rate	c/kWh		0.357	1.113	1.470		0.030		1.500	c/kWh	1.50	0.325	1.012	1.336		0.027	1.364
High Voltage Obsolete (KW)																	
(Cust HV_ (Supply Rate	\$ p.a.			1,441.385	1,441.385			18.031	1,459.416	cents/day	399.84		1,310.350	1,310.350		16.392	1,326.742
Annual Demand Rate	\$/kW p.a.	250 kW	16.635	24.717	41.352		1.560		42.912	c/kW/mth	357.60	15.123	22.470	37.593		1.418	39.011
Additional Demand	\$/kW p.a.		0.000	16.488	16.488		0.000		16.488	c/kW/mth	137.40	0.000	14.989	14.989		0.000	14.989
Peak Usage Rate	c/kWh		1.133	1.597	2.730		0.110		2.840	c/kWh	2.84	1.030	1.452	2.482		0.100	2.582
Off-Peak Usage Rate	c/kWh		0.357	1.113	1.470		0.030		1.500	c/kWh	1.50	0.325	1.012	1.336		0.027	1.364
Large Low Voltage Demand (KW)																	
(Cust Large Supply Rate	\$ p.a.			1,441.385	1,441.385			18.031	1,459.416	cents/day	399.84		1,310.350	1,310.350		16.392	1,326.742
Annual Demand Rate	\$/kW p.a.	1 MW	16.345	30.911	47.256		1.536		48.792	c/kW/mth	406.60	14.859	28.101	42.960		1.396	44.356
Additional Demand	\$/kW p.a.		0.000	19.128	19.128		0.000		19.128	c/kW/mth	159.40	0.000	17.389	17.389		0.000	17.389
Peak Usage Rate	c/kWh		1.142	1.988	3.130		0.110		3.240	c/kWh	3.24	1.038	1.807	2.845		0.100	2.945
Off-Peak Usage Rate	c/kWh		0.358	1.342	1.700		0.030		1.730	c/kWh	1.73	0.325	1.220	1.545		0.027	1.573
Low Voltage Demand (KW)																	
(Cust LV D Supply Rate	\$ p.a.			1,441.385	1,441.385			18.031	1,459.416	cents/day	399.84		1,310.350	1,310.350		16.392	1,326.742
Annual Demand Rate	\$/kW p.a.	300 kW	16.333	36.503	52.836		1.524		54.360	c/kW/mth	453.00	14.848	33.185	48.033		1.385	49.418
Additional Demand	\$/kW p.a.		0.000	21.576	21.576		0.000		21.576	c/kW/mth	179.80	0.000	19.615	19.615		0.000	19.615
Peak Usage Rate	c/kWh		1.142	2.338	3.480		0.110		3.590	c/kWh	3.59	1.038	2.125	3.164		0.100	3.264
Off-Peak Usage Rate	c/kWh		0.360	1.590	1.950		0.030		1.980	c/kWh	1.98	0.327	1.445	1.773		0.027	1.800
Medium Low Voltage Demand (KW)																	
(Cust Medi Supply Rate	\$ p.a.			720.510	720.510			18.031	738.541	cents/day	202.34		655.009	655.009		16.392	671.401
Annual Demand Rate	\$/kW p.a.	100kW	15.727	50.873	66.600		1.476		68.076	c/kW/mth	567.30	14.297	46.248	60.545		1.342	61.887
Additional Demand	\$/kW p.a.		0.000	27.708	27.708		0.000		27.708	c/kW/mth	230.90	0.000	25.189	25.189		0.000	25.189
Peak Usage Rate	c/kWh		1.143	3.327	4.470		0.110		4.580	c/kWh	4.58	1.039	3.025	4.064		0.100	4.164
Off-Peak Usage Rate	c/kWh		0.359	2.231	2.590		0.030		2.620	c/kWh	2.62	0.326	2.028	2.355		0.027	2.382

ETSA UTILITIES NETWORK TARIFFS																		
APPLIES TO USAGE FROM 1 JULY 2003 - Includes Passthroughs for ACCC TUoS Reset and FRC Costs																		
Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	Locational TUOS	TUOS Pass through	FRC Pass through	Total incl GST	As billed on invoice incl GST		TUOS excl GST	DUOS excl GST	Total excl GST	Locational TUOS	TUOS Pass through	FRC Pass through	Total excl GST
										Units	Rate							
Low Voltage Business - 2 Rate Type 1 to 4 Meter																		
(Cust LV B) Supply Rate	\$ p.a.			255.865	255.865			18.031	273.896	cents/day	75.04		232.605	232.605			16.392	248.996
Peak Usage Rate	c/kWh		1.949	6.011	7.960		0.190		8.150	c/kWh	8.15	1.772	5.465	7.236		0.173		7.409
Off-Peak Usage Rate	c/kWh		0.370	2.490	2.860		0.040		2.900	c/kWh	2.90	0.336	2.264	2.600		0.036		2.636
Low Voltage Business - Single Rate Type 1 to 4 Meter																		
(Cust LV B) Supply Rate	\$ p.a.			70.810	70.810			18.031	88.841	cents/day	24.34		64.373	64.373			16.392	80.765
Anytime Usage Rate	c/kWh		1.504	5.986	7.490		0.150		7.640	c/kWh	7.64	1.367	5.442	6.809		0.136		6.945
Low Voltage Business - 2 Rate Type 5 or 6 Meter Read Monthly																		
(Cust LV B) Supply Rate	\$ p.a.			255.865	255.865			18.031	273.896	cents/day	75.04		232.605	232.605			16.392	248.996
Peak Usage Rate	c/kWh		1.949	6.011	7.960		0.190	0.220	8.370	c/kWh	8.37	1.772	5.465	7.236		0.173	0.200	7.609
Off-Peak Usage Rate	c/kWh		0.370	2.490	2.860		0.040	0.220	3.120	c/kWh	3.12	0.336	2.264	2.600		0.036	0.200	2.836
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Monthly																		
(Cust LV B) Supply Rate	\$ p.a.			70.810	70.810			18.031	88.841	cents/day	24.34		64.373	64.373			16.392	80.765
Anytime Usage Rate	c/kWh		1.504	5.986	7.490		0.150	0.220	7.860	c/kWh	7.86	1.367	5.442	6.809		0.136	0.200	7.145
Low Voltage Business - 2 Rate Type 5 or 6 Meter Read Quarterly																		
(Cust LV B) Supply Rate	\$ p.a.			257.690	257.690			18.031	275.721	cents/day	75.54		234.264	234.264			16.392	250.655
Peak Usage Rate	c/kWh		1.947	6.073	8.020		0.190	0.220	8.430	c/kWh	8.43	1.770	5.521	7.291		0.173	0.200	7.664
Off-Peak Usage Rate	c/kWh		0.369	2.511	2.880		0.040	0.220	3.140	c/kWh	3.14	0.335	2.283	2.618		0.036	0.200	2.855
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Quarterly																		
(Cust LV B) Supply Rate	\$ p.a.			71.540	71.540			18.031	89.571	cents/day	24.54		65.036	65.036			16.392	81.428
Anytime Usage Rate	c/kWh		1.503	6.037	7.540		0.150	0.220	7.910	c/kWh	7.91	1.366	5.488	6.855		0.136	0.200	7.191
Low Voltage Residential - Single Rate Type 1-4 Meter Read Monthly																		
(Cust LV R) Supply Rate	\$ p.a.			70.445	70.445			18.031	88.476	cents/day	24.24		64.041	64.041			16.392	80.433
Anytime Usage Rate	c/kWh		1.647	6.463	8.110		0.150		8.260	c/kWh	8.26	1.497	5.875	7.373		0.136		7.509
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Monthly																		
(Cust LV R) Supply Rate	\$ p.a.			70.445	70.445			18.031	88.476	cents/day	24.24		64.041	64.041			16.392	80.433
Anytime Usage Rate	c/kWh		1.647	6.463	8.110		0.150	0.220	8.480	c/kWh	8.48	1.497	5.875	7.373		0.136	0.200	7.709
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Quarterly																		
(Cust LV R) Supply Rate	\$ p.a.			70.445	70.445			18.031	88.476	cents/day	24.24		64.041	64.041			16.392	80.433
Anytime Usage Rate	c/kWh		1.647	6.463	8.110		0.150	0.220	8.480	c/kWh	8.48	1.497	5.875	7.373		0.136	0.200	7.709
Low Voltage Off-peak Controlled Load																		
(Cust LV C) Supply Rate	\$ p.a.			25.550	25.550				25.550	cents/day	7.00		23.227	23.227				23.227
Anytime Usage Rate	c/kWh		0.334	1.456	1.790		0.030	0.220	2.040	c/kWh	2.04	0.304	1.324	1.627		0.027	0.200	1.855
Low Voltage Unmetered Usage (Overnight Usage)																		
(Cust LV 1) Anytime Usage Rate	c/kWh		0.701	3.259	3.960		0.070	0.220	4.250	c/kWh	4.25	0.637	2.963	3.600		0.064	0.200	3.864
Low Voltage Unmetered Usage (24 Hour Usage)																		
(Cust LV 2) Anytime Usage Rate	c/kWh		0.876	3.564	4.440		0.080	0.220	4.740	c/kWh	4.74	0.796	3.240	4.036		0.073	0.200	4.309
Other Unmetered Usage																		
(Cust Other) Supply Rate	\$ p.a.			47.085	47.085				47.085	cents/day	12.90		42.805	42.805				42.805
Peak Usage Rate	c/kWh		1.991	6.539	8.530		0.190	0.220	8.940	c/kWh	8.94	1.810	5.945	7.755		0.173	0.200	8.127
Off-Peak Usage Rate	c/kWh		0.650	2.280	2.930		0.060	0.220	3.210	c/kWh	3.21	0.591	2.073	2.664		0.055	0.200	2.912

ETSA UTILITIES NETWORK TARIFFS																		
APPLIES TO USAGE FROM 1 JULY 2003 - Includes Passthroughs for ACCC TUoS Reset and FRC Costs																		
Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	Locational TUOS	TUOS Pass through	FRC Pass through	Total incl GST	As billed on invoice incl GST		TUOS excl GST	DUOS excl GST	Total excl GST	Locational TUOS	TUOS Pass through	FRC Pass through	Total excl GST
										Units	Rate							
NMI 2001000378 Subtransmission (KVA) (Cust Sub TUoS Supply Charge \$ p.a.						83,859.000			83,859.000	cents/day	22,975.07				76,235.455			76,235.455
Supply Rate \$ p.a.				4,204.070	4,204.070			18.031	4,222.101	cents/day	1,156.74							3,838.274
Annual Demand Rate \$/kVA p.a.			16.496	5.656	22.152	38.273	-16.496		43.929	c/kVA/mth	366.08	14.996	5.142	20.138	34.794	-14.996		39.935
Additional Demand \$/kVA p.a.			1.725	4.155	5.880		-1.725		4.155	c/kVA/mth	34.63	1.568	3.777	5.345		-1.568		3.777
Peak Usage Rate c/kWh			1.057	0.293	1.350		-1.057		0.293	c/kWh	0.29	0.961	0.266	1.227		-0.961		0.266
Off-Peak Usage Rate c/kWh			0.308	0.172	0.480		-0.308		0.172	c/kWh	0.17	0.280	0.156	0.436		-0.280		0.156
NMI SAAAAAA018 Subtransmission (KVA) (Cust Sub Tr KVA)						230,305.000			230,305.000	cents/day	63,097.26				209,368.182			209,368.182
TUoS Supply Charge \$ p.a.				4,204.070	4,204.070			18.031	4,222.101	cents/day	1,156.74							3,838.274
Annual Demand Rate \$/kVA p.a.			16.496	5.656	22.152	51.837	-16.496		57.493	c/kVA/mth	479.11	14.996	5.142	20.138	47.125	-14.996		52.266
Additional Demand \$/kVA p.a.			1.725	4.155	5.880		-1.725		4.155	c/kVA/mth	34.63	1.568	3.777	5.345		-1.568		3.777
Peak Usage Rate c/kWh			1.057	0.293	1.350		-1.057		0.293	c/kWh	0.29	0.961	0.266	1.227		-0.961		0.266
Off-Peak Usage Rate c/kWh			0.308	0.172	0.480		-0.308		0.172	c/kWh	0.17	0.280	0.156	0.436		-0.280		0.156
NMI SAAAAAA019 Zone Sub-station (KVA) (Cust Zone TUoS Supply Charge \$ p.a.						49,799.000			49,799.000	cents/day	13,643.56				45,271.818			45,271.818
Supply Rate \$ p.a.				1,797.260	1,797.260			18.031	1,815.291	cents/day	497.34		1,633.873	1,633.873		16.392		1,650.265
Annual Demand Rate \$/kVA p.a.			16.111	13.397	29.508	52.190	-16.111		65.587	c/kVA/mth	546.56	14.646	12.179	26.825	47.445	-14.646		59.625
Additional Demand \$/kVA p.a.			0.000	8.556	8.556		0.000		8.556	c/kVA/mth	71.30	0.000	7.778	7.778		0.000		7.778
Peak Usage Rate c/kWh }			1.061	0.609	1.670		-1.061		0.609	c/kWh	0.61	0.965	0.554	1.518		-0.965		0.554
Off-Peak Usage Rate c/kWh }			0.318	0.412	0.730		-0.318		0.412	c/kWh	0.41	0.289	0.375	0.664		-0.289		0.375
NMI SAAAAAA021 Zone Sub-station (KVA) (Cust Zone TUoS Supply Charge \$ p.a.						150,695.000			150,695.000	cents/day	41,286.30				136,995.455			136,995.455
Supply Rate \$ p.a.				1,797.260	1,797.260			18.031	1,815.291	cents/day	497.34		1,633.873	1,633.873		16.392		1,650.265
Annual Demand Rate \$/kVA p.a.			16.111	13.397	29.508	52.190	-16.111		65.587	c/kVA/mth	546.56	14.646	12.179	26.825	47.445	-14.646		59.625
Additional Demand \$/kVA p.a.			0.000	8.556	8.556		0.000		8.556	c/kVA/mth	71.30	0.000	7.778	7.778		0.000		7.778
Peak Usage Rate c/kWh }			1.061	0.609	1.670		-1.061		0.609	c/kWh	0.61	0.965	0.554	1.518		-0.965		0.554
Off-Peak Usage Rate c/kWh }			0.318	0.412	0.730		-0.318		0.412	c/kWh	0.41	0.289	0.375	0.664		-0.289		0.375
NMI SAAAAAA022 Zone Sub-station (KVA) (Cust Zone TUoS Supply Charge \$ p.a.						166,626.000			166,626.000	cents/day	45,650.96				151,478.182			151,478.182
Supply Rate \$ p.a.				1,797.260	1,797.260			18.031	1,815.291	cents/day	497.34		1,633.873	1,633.873		16.392		1,650.265
Annual Demand Rate \$/kVA p.a.			16.111	13.397	29.508	31.168	-16.111		44.565	c/kVA/mth	371.38	14.646	12.179	26.825	28.335	-14.646		40.514
Additional Demand \$/kVA p.a.			0.000	8.556	8.556		0.000		8.556	c/kVA/mth	71.30	0.000	7.778	7.778		0.000		7.778
Peak Usage Rate c/kWh }			1.061	0.609	1.670		-1.061		0.609	c/kWh	0.61	0.965	0.554	1.518		-0.965		0.554
Off-Peak Usage Rate c/kWh }			0.318	0.412	0.730		-0.318		0.412	c/kWh	0.41	0.289	0.375	0.664		-0.289		0.375
NMI SAAAAAA023 Zone Sub-station (KVA) (Cust Zone TUoS Supply Charge \$ p.a.						64,301.000			64,301.000	cents/day	17,616.71				58,455.455			58,455.455
Supply Rate \$ p.a.				1,797.260	1,797.260			18.031	1,815.291	cents/day	497.34		1,633.873	1,633.873		16.392		1,650.265
Annual Demand Rate \$/kVA p.a.			16.111	13.397	29.508	35.342	-16.111		48.739	c/kVA/mth	406.16	14.646	12.179	26.825	32.129	-14.646		44.308
Additional Demand \$/kVA p.a.			0.000	8.556	8.556		0.000		8.556	c/kVA/mth	71.30	0.000	7.778	7.778		0.000		7.778
Peak Usage Rate c/kWh }			1.061	0.609	1.670		-1.061		0.609	c/kWh	0.61	0.965	0.554	1.518		-0.965		0.554
Off-Peak Usage Rate c/kWh }			0.318	0.412	0.730		-0.318		0.412	c/kWh	0.41	0.289	0.375	0.664		-0.289		0.375
NMI SAAAAAA026 Zone Sub-station (KVA) (Cust Zone TUoS Supply Charge \$ p.a.						44,914.000			44,914.000	cents/day	12,305.21				40,830.909			40,830.909
Supply Rate \$ p.a.				1,797.260	1,797.260			18.031	1,815.291	cents/day	497.34		1,633.873	1,633.873		16.392		1,650.265
Annual Demand Rate \$/kVA p.a.			16.111	13.397	29.508	31.843	-16.111		45.240	c/kVA/mth	377.00	14.646	12.179	26.825	28.948	-14.646		41.127
Additional Demand \$/kVA p.a.			0.000	8.556	8.556		0.000		8.556	c/kVA/mth	71.30	0.000	7.778	7.778		0.000		7.778
Peak Usage Rate c/kWh }			1.061	0.609	1.670		-1.061		0.609	c/kWh	0.61	0.965	0.554	1.518		-0.965		0.554
Off-Peak Usage Rate c/kWh }			0.318	0.412	0.730		-0.318		0.412	c/kWh	0.41	0.289	0.375	0.664		-0.289		0.375
NMI 2001000608 Zone Sub-station (KVA) (Cust Zone TUoS Supply Charge \$ p.a.						37,844.000			37,844.000	cents/day	10,368.22				34,403.636			34,403.636
Supply Rate \$ p.a.				1,797.260	1,797.260			18.031	1,815.391	cents/day	497.34		1,633.873	1,633.873		16.392		1,650.265
Annual Demand Rate \$/kVA p.a.			16.111	13.397	29.508	31.538	-16.111		44.935	c/kVA/mth	374.46	14.646	12.179	26.825	28.671	-14.646		40.860
Additional Demand \$/kVA p.a.			0.000	8.556	8.556		0.000		8.556	c/kVA/mth	71.30	0.000	7.778	7.778		0.000		7.778
Peak Usage Rate c/kWh }			1.061	0.609	1.670		-1.061		0.609	c/kWh	0.61	0.965	0.554	1.518		-0.965		0.554
Off-Peak Usage Rate c/kWh }			0.318	0.412	0.730		-0.318		0.412	c/kWh	0.41	0.289	0.375	0.664		-0.289		0.375
NMI SAAAAAA438 Zone Sub-station (KVA) (Cust Zone TUoS Supply Charge \$ p.a.						37,959.000			37,959.000	cents/day	10,399.73				34,508.182			34,508.182
Supply Rate \$ p.a.				1,797.260	1,797.260			18.031	1,815.291	cents/day	497.34		1,633.873	1,633.873		16.392		1,650.265
Annual Demand Rate \$/kVA p.a.			16.111	13.397	29.508	31.389	-16.111		44.786	c/kVA/mth	373.22	14.646	12.179	26.825	28.535	-14.646		40.715
Additional Demand \$/kVA p.a.			0.000	8.556	8.556		0.000		8.556	c/kVA/mth	71.30	0.000	7.778	7.778		0.000		7.778
Peak Usage Rate c/kWh }			1.061	0.609	1.670		-1.061		0.609	c/kWh	0.61	0.965	0.554	1.518		-0.965		0.554
Off-Peak Usage Rate c/kWh }			0.318	0.412	0.730		-0.318		0.412	c/kWh	0.41	0.289	0.375	0.664		-0.289		0.375

ETSA UTILITIES NETWORK TARIFFS																	
APPLIES TO USAGE FROM 1 JULY 2003 - Includes Passthroughs for ACCC TUoS Reset and FRC Costs																	
Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	Locational TUOS	TUOS Pass through	FRC Pass through	Total incl GST	As billed on invoice incl GST	TUOS excl GST	DUOS excl GST	Total excl GST	Locational TUOS	TUOS Pass through	FRC Pass through	Total excl GST
										Units	Rate						
NMI SAAAAA084 Subtransmission (KW)																	
(Cust Sub TUoS Supply Charge	\$ p.a.					1,007,837.000			1,007,837.000	cents/day	276,119.73			916,215.455			916,215.455
Supply Rate	\$ p.a.		4,204.070	4,204.070				18.031	4,222.101	cents/day	1,156.74					16.392	3,838.274
Annual Demand Rate	\$/kW p.a.		17.228	5.884	23.112	16.942	-17.228		22.826	c/kW/mth	190.22	15.662	5.349	21.011	15.402	-15.662	20.751
Additional Demand	\$/kW p.a.		2.855	4.345	7.200		-2.855		4.345	c/kW/mth	36.21	2.595	3.950	6.545		-2.595	3.950
Peak Usage Rate	c/kWh		1.100	0.420	1.520		-1.100		0.420	c/kWh	0.42	1.000	0.382	1.382		-1.000	0.382
Off-Peak Usage Rate	c/kWh		0.335	0.235	0.570		-0.335		0.235	c/kWh	0.24	0.305	0.214	0.518		-0.305	0.214
NMI SAAAAAB57 Subtransmission (KW)																	
(Cust Sub TUoS Supply Charge	\$ p.a.					330,998.000			330,998.000	cents/day	90,684.38			300,907.273			300,907.273
Supply Rate	\$ p.a.		4,204.070	4,204.070				18.031	4,222.101	cents/day	1,156.74					16.392	3,838.274
Annual Demand Rate	\$/kW p.a.		17.228	5.884	23.112	22.384	-17.228		28.268	c/kW/mth	235.57	15.662	5.349	21.011	20.349	-15.662	25.698
Additional Demand	\$/kW p.a.		2.855	4.345	7.200		-2.855		4.345	c/kW/mth	36.21	2.595	3.950	6.545		-2.595	3.950
Peak Usage Rate	c/kWh		1.100	0.420	1.520		-1.100		0.420	c/kWh	0.42	1.000	0.382	1.382		-1.000	0.382
Off-Peak Usage Rate	c/kWh		0.335	0.235	0.570		-0.335		0.235	c/kWh	0.24	0.305	0.214	0.518		-0.305	0.214
NMI SAAAAA002 Zone Sub-station (KW)																	
(Cust Zone TUoS Supply Charge	\$ p.a.					261,781.000			261,781.000	cents/day	71,720.82			237,982.727			237,982.727
Supply Rate	\$ p.a.		1,797.260	1,797.260				18.031	1,815.291	cents/day	497.34					16.392	1,650.265
Annual Demand Rate	\$/kW p.a.		16.826	12.286	29.112	59.404	-16.826		71.690	c/kW/mth	597.42	15.296	11.169	26.465	54.004	-15.296	65.173
Additional Demand	\$/kW p.a.		0.000	10.596	10.596		0.000		10.596	c/kW/mth	88.30	0.000	9.633	9.633		0.000	9.633
Peak Usage Rate	c/kWh }		1.103	0.807	1.910		-1.103		0.807	c/kWh	0.81	1.003	0.734	1.736		-1.003	0.734
Off-Peak Usage Rate	c/kWh }		0.347	0.533	0.880		-0.347		0.533	c/kWh	0.53	0.315	0.485	0.800		-0.315	0.485
NMI SAAAAA000 Zone Sub-station (KW)																	
(Cust Zone TUoS Supply Charge	\$ p.a.					110,152.000			110,152.000	cents/day	30,178.63			100,138.182			100,138.182
Supply Rate	\$ p.a.		1,797.260	1,797.260				18.031	1,815.291	cents/day	497.34					16.392	1,650.265
Annual Demand Rate	\$/kW p.a.		16.826	12.286	29.112	59.404	-16.826		71.690	c/kW/mth	597.42	15.296	11.169	26.465	54.004	-15.296	65.173
Additional Demand	\$/kW p.a.		0.000	10.596	10.596		0.000		10.596	c/kW/mth	88.30	0.000	9.633	9.633		0.000	9.633
Peak Usage Rate	c/kWh }		1.103	0.807	1.910		-1.103		0.807	c/kWh	0.81	1.003	0.734	1.736		-1.003	0.734
Off-Peak Usage Rate	c/kWh }		0.347	0.533	0.880		-0.347		0.533	c/kWh	0.53	0.315	0.485	0.800		-0.315	0.485
NMI SAAAAA001 Zone Sub-station (KW)																	
(Cust Zone TUoS Supply Charge	\$ p.a.					87,485.000			87,485.000	cents/day	23,968.49			79,531.818			79,531.818
Supply Rate	\$ p.a.		1,797.260	1,797.260				18.031	1,815.291	cents/day	497.34					16.392	1,650.265
Annual Demand Rate	\$/kW p.a.		16.826	12.286	29.112	59.404	-16.826		71.690	c/kW/mth	597.42	15.296	11.169	26.465	54.004	-15.296	65.173
Additional Demand	\$/kW p.a.		0.000	10.596	10.596		0.000		10.596	c/kW/mth	88.30	0.000	9.633	9.633		0.000	9.633
Peak Usage Rate	c/kWh }		1.103	0.807	1.910		-1.103		0.807	c/kWh	0.81	1.003	0.734	1.736		-1.003	0.734
Off-Peak Usage Rate	c/kWh }		0.347	0.533	0.880		-0.347		0.533	c/kWh	0.53	0.315	0.485	0.800		-0.315	0.485
NMI SAAAAA035 Zone Sub-station (KW)																	
(Cust Zone TUoS Supply Charge	\$ p.a.					118,568.000			118,568.000	cents/day	32,484.38			107,789.091			107,789.091
Supply Rate	\$ p.a.		1,797.260	1,797.260				18.031	1,815.291	cents/day	497.34					16.392	1,650.265
Annual Demand Rate	\$/kW p.a.		16.826	12.286	29.112	50.781	-16.826		63.067	c/kW/mth	525.56	15.296	11.169	26.465	46.165	-15.296	57.334
Additional Demand	\$/kW p.a.		0.000	10.596	10.596		0.000		10.596	c/kW/mth	88.30	0.000	9.633	9.633		0.000	9.633
Peak Usage Rate	c/kWh }		1.103	0.807	1.910		-1.103		0.807	c/kWh	0.81	1.003	0.734	1.736		-1.003	0.734
Off-Peak Usage Rate	c/kWh }		0.347	0.533	0.880		-0.347		0.533	c/kWh	0.53	0.315	0.485	0.800		-0.315	0.485
NMI SAAAAA029 Zone Sub-station (KW)																	
(Cust Zone TUoS Supply Charge	\$ p.a.					431,118.000			431,118.000	cents/day	118,114.52			391,925.455			391,925.455
Supply Rate	\$ p.a.		1,797.260	1,797.260				18.031	1,815.291	cents/day	497.34					16.392	1,650.265
Annual Demand Rate	\$/kW p.a.		16.826	12.286	29.112	13.537	-16.826		25.823	c/kW/mth	215.19	15.296	11.169	26.465	12.306	-15.296	23.475
Additional Demand	\$/kW p.a.		0.000	10.596	10.596		0.000		10.596	c/kW/mth	88.30	0.000	9.633	9.633		0.000	9.633
Peak Usage Rate	c/kWh }		1.103	0.807	1.910		-1.103		0.807	c/kWh	0.81	1.003	0.734	1.736		-1.003	0.734
Off-Peak Usage Rate	c/kWh }		0.347	0.533	0.880		-0.347		0.533	c/kWh	0.53	0.315	0.485	0.800		-0.315	0.485
NMI SAAAAA031 Zone Sub-station (KW)																	
(Cust Zone TUoS Supply Charge	\$ p.a.					392,009.000			392,009.000	cents/day	107,399.73			356,371.818			356,371.818
Supply Rate	\$ p.a.		1,797.260	1,797.260				18.031	1,815.291	cents/day	497.34					16.392	1,650.265
Annual Demand Rate	\$/kW p.a.		16.826	12.286	29.112	13.478	-16.826		25.764	c/kW/mth	214.70	15.296	11.169	26.465	12.253	-15.296	23.422
Additional Demand	\$/kW p.a.		0.000	10.596	10.596		0.000		10.596	c/kW/mth	88.30	0.000	9.633	9.633		0.000	9.633
Peak Usage Rate	c/kWh }		1.103	0.807	1.910		-1.103		0.807	c/kWh	0.81	1.003	0.734	1.736		-1.003	0.734
Off-Peak Usage Rate	c/kWh }		0.347	0.533	0.880		-0.347		0.533	c/kWh	0.53	0.315	0.485	0.800		-0.315	0.485
NMI SAAAAA024 Zone Sub-station (KW)																	
(Cust Zone TUoS Supply Charge	\$ p.a.					78,092.000			78,092.000	cents/day	21,395.07			70,992.727			70,992.727
Supply Rate	\$ p.a.		1,797.260	1,797.260				18.031	1,815.291	cents/day	497.34					16.392	1,650.265
Annual Demand Rate	\$/kW p.a.		16.826	12.286	29.112	34.821	-16.826		47.107	c/kW/mth	392.56	15.296	11.169	26.465	31.655	-15.296	42.825
Additional Demand	\$/kW p.a.		0.000	10.596	10.596		0.000		10.596	c/kW/mth	88.30	0.000	9.633	9.633		0.000	9.633
Peak Usage Rate	c/kWh }		1.103	0.807	1.910		-1.103		0.807	c/kWh	0.81	1.003	0.734	1.736		-1.003	0.734
Off-Peak Usage Rate	c/kWh }		0.347	0.533	0.880		-0.347		0.533	c/kWh	0.53	0.315	0.485	0.800		-0.315	0.485

Notes accompanying 2003/ 2004 Tariffs

Notes:

1. The distribution tariffs:

- (a) are inclusive of the GST imposed as at 1 July 2000; and
- (b) include the application of AD_i as defined in paragraph E2 of Schedule 7 of the Electricity Pricing Order 1999.

2. ETSA Utilities must assign each Distribution Network User to a distribution tariff in respect of each of its connection points in accordance with the following principles.

- (a) A Distribution Network User that has an agreed maximum demand of 250kW or more in respect of a connection point, must be assigned to a distribution tariff that includes a demand component in respect of that connection point.
- (b) A Sub-Transmission (kVA) Network User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide Metropolitan area. A minimum annual demand of 11.50MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf). These tariffs are invoiced monthly.
- (c) A Zone Substation (kVA) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5.75 MVA and a minimum annual usage of 25GWh apply. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf). These tariffs are invoiced monthly.
- (d) A High Voltage Demand (kVA) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1.15MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
- (e) A High Voltage (kVA) (Obsolete) customer is a Distribution Network User taking supply generally at 11kV. This tariff is available only to Distribution Network Users that were taking supply under the High Voltage Demand (kW) (Obsolete) tariff as at 11 October 1999. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 300kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
- (f) A Large Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1.15MVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
- (g) A Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 350kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
- (h) A Medium Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and using demand, peak and off-peak network charges. A minimum annual demand of 120kVA applies. A type 3 NEM meter or equivalent is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
- (i) A Low Voltage Business 2 rate – Type 1-4 Meter customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak network charges. The User utilises a type 1-4 meter. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is invoiced monthly.
- (j) A Low Voltage Business 2 rate – Type 5-6 Meter Read Monthly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak network charges. The User utilises a type 5-6 meter and requires ETSA Utilities to read the meter monthly for which an excluded service charge applies. This tariff is invoiced monthly.
- (k) A Low Voltage Business 2 rate – Type 5-6 Meter Read Quarterly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak

network charges. The User utilises a type 5-6 meter which requires ETSA Utilities to read the meter. This tariff is invoiced quarterly.

- (l) A Low Voltage Business single rate – Type 1-4 Meter customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate network charges. The User utilises a type 1-4 meter. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is invoiced monthly.
- (m) A Low Voltage Business single rate – Type 5-6 Meter Read Monthly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate network charges. The User utilises a type 5-6 meter and requires ETSA Utilities to read the meter monthly for which an excluded service charge applies. This tariff is invoiced monthly.
- (n) A Low Voltage Business single rate – Type 5-6 Meter Read Quarterly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate metering. The User utilises a type 5-6 meter which requires ETSA Utilities to read the meter. This tariff is invoiced quarterly.
- (o) A Low Voltage Residential single rate – Type 1-4 Meter Read Monthly customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. The User utilises a type 1-4 meter. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is invoiced monthly.
- (p) A Low Voltage Residential single rate – Type 5-6 Meter Read Monthly customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. The User utilises a type 5-6 meter and requires ETSA Utilities to read the meter monthly for which an excluded service charge applies. This tariff is invoiced monthly.
- (q) A Low Voltage Residential single rate – Type 5-6 Meter Read Quarterly customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. The User utilises a type 5-6 meter which requires ETSA Utilities to read the meter. This tariff is invoiced quarterly.
- (r) A Low Voltage Off-peak Controlled Load is used by a Distribution Network User for permanently installed storage water heaters with a rated delivery of not less than 125 litres, storage space heaters and other approved applications involving a time switch and separate metering where the timing has been set in accordance with ETSA Utilities' requirements regarding the timing of loads. This tariff is available only to Distribution Network Users that were taking supply under the Controlled Load tariff as at 30 June 2003, or are utilising a business single or residential tariff at the NMI in conjunction with the controlled load. This tariff is invoiced at the same frequency as other tariffs used by the Distribution Network User at that NMI.
- (s) Unmetered Overnight Usage supply is defined as overnight use by a Distribution Network User for public lighting. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (t) Unmetered 24 Hour Usage supply is defined as constant 24 hour per day use by a Distribution Network User, typically public phones, traffic lights and telecommunications installations. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (u) Other Unmetered Supply is defined as unmetered use by Distribution Network Users other than public lighting or continuous use. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (v) A Sub-Transmission Network (kW) User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide metropolitan area. A minimum annual demand of 10MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.
- (w) A Zone Substation (kW) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5MW and a minimum annual usage of 25GWh apply. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.
- (x) A High Voltage Demand (kW) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.
- (y) The High Voltage Demand (kW) (Obsolete) tariff is available only to Distribution Network Users that were taking supply under this tariff as at 11 October 1999. Conditions applicable at that date apply. These tariffs are invoiced monthly.
- (z) A Large Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1MW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.
- (aa) A Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 300kW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.

(bb) A Medium Low Voltage Demand (kW) customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using demand, peak and off-peak network charges. A minimum annual demand of 100kW applies. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.

3. The supply and demand charges are levied and billed to Distribution Network Users periodically on a pro-rata basis.

4. Demand charges are determined on the basis of:

(a) maximum demand (Annual Demand); and

(b) additional maximum demand (Additional Demand),

determined in accordance with paragraph B2 of Schedule 5 of the Electricity Pricing Order.

5. Peak energy is energy consumed on business days between the hours of 0700 and 2100 (Central Standard Time). For Distribution Network Users with metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 (Central Standard Time).

6. Off-peak energy is energy consumed other than peak energy.