

ETSA UTILITIES' CHARGES - EFFECTIVE 1 JULY 2004

ETSA Utilities' Price List effective 1 July 2004 has been confirmed. The charges incorporate the 2004/05 Distribution Tariffs as well as passthrough amounts relating to Full Retail Contestability (FRC), Outage Management System (OMS) and the ACCC reset of transmission revenue for ElectraNetSA (including Murraylink conversion to regulated interconnect). In accordance with the South Australian Electricity Pricing Order (EPO), all tariffs and passthrough amounts have been approved by the Essential Services Commission Of South Australia (ESCOSA).

Changes to Distribution Tariffs

Significant Reductions

ETSA Utilities is pleased to announce significant reductions to be applied to some tariffs effective 1 July 2004,

- Controlled Load tariff supply charge **reduced** by approximately **23.1%**.
- Controlled Load tariff usage charge **reduced** by approximately **24.5%**.
- Residential tariff supply charge **reduced** by approximately **0.5%**.
- Residential tariff usage charge **reduced** by approximately **1.7%**.
- Business Two Rate tariff supply charge **reduced** by approximately **20.0%**.

Most of ETSA Utilities other tariffs have experienced an increase of 1% – 2%, that is below or equal to CPI.

No new tariffs have been introduced effective 1 July 2004. No additional existing tariffs have been closed.

Transmission Passthrough

Customers with load above 10MW and/or consumption above 40GWh pa

As required under the National Electricity Code, for individual connection points with a load above 10MW and/or consumption above 40GWh pa, the transmission component of ETSA Utilities' charges is a direct passthrough of ElectraNetSA's transmission pricing. As a result, a unique tariff will be applied to each of the connection points. Please contact ETSA Utilities for further details.

Customers with load below 10MW and consumption below 40GWh pa

As in the period 1 July 2003 to 30 June 2004, the additional costs incurred by ETSA Utilities as a result of the ACCC reset of transmission revenue for ElectraNetSA are passed through to retailers/customers.

For the period 1 July 2004 to 30 June 2005, each tariff component of the TUoS charge will increase by an average of 11.71%.

FRC Passthrough

As in the period 1 July 2003 to 30 June 2004, the additional costs incurred by ETSA Utilities as a result of the introduction of FRC are passed through to retailers/customers. In general, for the period 1 July 2004 to 30 June 2005, ESCOSA has approved the following passthrough amounts:

- All customers assigned to a network tariff with a supply charge (excluding Controlled Load and Other Unmetered Usage tariffs) will incur an additional charge of \$18.980 per annum including GST.
- All customers utilising a type 5, 6 or 7 meter and assigned to a network Unmetered, Controlled Load, Residential, Business Single and Business 2 Rate tariff will also incur an additional charge of 0.240 c/kWh including GST.

OMS Passthrough

As in the period 1 January to 30 June 2004, the additional costs incurred by ETSA Utilities as a result of the introduction of an Outage Management System (OMS) are passed through to retailers/customers. In general, for the period 1 July 2004 to 30 June 2005, ESCOSA has approved the following passthrough amounts:

- All customers assigned to a Subtransmission or Zone Substation demand network tariff will incur an additional charge of \$4571.230 per supply charge per annum including GST.
- All customers assigned to other network tariffs excluding Controlled Load and Other Unmetered Usage will incur an additional charge of \$0.630 per supply charge per annum including GST.
- All customers assigned to a network tariff excluding Subtransmission and Zone Substation will incur an additional charge of 0.020 c/kWh including GST on the usage.

If retailers require clarification on invoicing matters, please contact ETSA Utilities' Manager Retailer Relationships, Paul Erwin on (08) 8404 9486.

ETSA UTILITIES NETWORK TARIFFS														
APPLIES TO USAGE FROM 1 JULY 2004 - Includes TUoS, FRC and OMS Passthroughs														
Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	Locational TUOS	TUOS Pass through	FRC Pass through	OMS Pass through	Total incl GST	As billed on Existing Billing Systems (eg CBS) incl GST Units Rate		As billed on New Billing System (CIS O/V) excl GST Units Rate	
Zone Sub-station (KVA) (Load <10MW and Consumption <40GWh pa) (Cust Zone S/Stn KVA)														
Supply Rate	\$ p.a.			1,831.570	1,831.570			18.980	4,571.230	6,421.780	cents/day	1,759.39	\$/day	15.994470
Annual Demand Rate	\$/kVA p.a. 5.75 MVA		16.903	13.169	30.072		1.932			32.004	c/kVA/mth	266.70	\$/kVA/mth	2.424545
Additional Demand	\$/kVA p.a.		0.000	8.712	8.712		0.000			8.712	c/kVA/mth	72.60	\$/kVA/mth	0.660000
Peak Usage Rate	c/kWh } 25 GWh		1.113	0.587	1.700		0.130			1.830	c/kWh	1.83	\$/kWh	0.016636
Off-Peak Usage Rate	c/kWh }		0.333	0.407	0.740		0.040			0.780	c/kWh	0.78	\$/kWh	0.007090
High Voltage (KVA) (Cust HV KVA)														
Supply Rate	\$ p.a.			1,468.760	1,468.760			18.980	0.630	1,488.370	cents/day	407.77	\$/day	3.707023
Annual Demand Rate	\$/kVA p.a. 1.15 MVA		15.781	26.279	42.060		1.812			43.872	c/kVA/mth	365.60	\$/kVA/mth	3.323636
Additional Demand	\$/kVA p.a.		0.000	12.252	12.252		0.000			12.252	c/kVA/mth	102.10	\$/kVA/mth	0.928181
Peak Usage Rate	c/kWh		1.144	1.196	2.340		0.130		0.020	2.490	c/kWh	2.49	\$/kWh	0.022636
Off-Peak Usage Rate	c/kWh		0.343	0.857	1.200		0.040		0.020	1.260	c/kWh	1.26	\$/kWh	0.011454
High Voltage Obsolete (KVA) (Cust HV_Obsolete KVA)														
Supply Rate	\$ p.a.			1,468.760	1,468.760			18.980	0.630	1,488.370	cents/day	407.77	\$/day	3.707023
Annual Demand Rate	\$/kVA p.a. 300 kVA		15.781	26.279	42.060		1.812			43.872	c/kVA/mth	365.60	\$/kVA/mth	3.323636
Additional Demand	\$/kVA p.a.		0.000	12.252	12.252		0.000			12.252	c/kVA/mth	102.10	\$/kVA/mth	0.928181
Peak Usage Rate	c/kWh		1.144	1.196	2.340		0.130		0.020	2.490	c/kWh	2.49	\$/kWh	0.022636
Off-Peak Usage Rate	c/kWh		0.343	0.857	1.200		0.040		0.020	1.260	c/kWh	1.26	\$/kWh	0.011454
Large Low Voltage Demand (KVA) (Cust Large LV Demand KVA)														
Supply Rate	\$ p.a.			1,468.760	1,468.760			18.980	0.630	1,488.370	cents/day	407.77	\$/day	3.707023
Annual Demand Rate	\$/kVA p.a. 1.15 MVA		15.506	33.202	48.708		1.776			50.484	c/kVA/mth	420.70	\$/kVA/mth	3.824545
Additional Demand	\$/kVA p.a.		0.000	14.196	14.196		0.000			14.196	c/kVA/mth	118.30	\$/kVA/mth	1.075454
Peak Usage Rate	c/kWh		1.152	1.518	2.670		0.130		0.020	2.820	c/kWh	2.82	\$/kWh	0.025636
Off-Peak Usage Rate	c/kWh		0.344	1.036	1.380		0.040		0.020	1.440	c/kWh	1.44	\$/kWh	0.013090
Low Voltage Demand (KVA) (Cust LV Demand KVA)														
Supply Rate	\$ p.a.			1,468.760	1,468.760			18.980	0.630	1,488.370	cents/day	407.77	\$/day	3.707023
Annual Demand Rate	\$/kVA p.a. 350 kVA		15.495	39.417	54.912		1.776			56.688	c/kVA/mth	472.40	\$/kVA/mth	4.294545
Additional Demand	\$/kVA p.a.		0.000	16.032	16.032		0.000			16.032	c/kVA/mth	133.60	\$/kVA/mth	1.214545
Peak Usage Rate	c/kWh		1.152	1.788	2.940		0.140		0.020	3.100	c/kWh	3.10	\$/kWh	0.028181
Off-Peak Usage Rate	c/kWh		0.346	1.224	1.570		0.040		0.020	1.630	c/kWh	1.63	\$/kWh	0.014818
Medium Low Voltage Demand (KVA) (Cust Medium LV Demand KVA)														
Supply Rate	\$ p.a.			734.015	734.015			18.980	0.630	753.625	cents/day	206.47	\$/day	1.877023
Annual Demand Rate	\$/kVA p.a. 120 kVA		14.922	55.470	70.392		1.704			72.096	c/kVA/mth	600.80	\$/kVA/mth	5.461818
Additional Demand	\$/kVA p.a.		0.000	20.580	20.580		0.000			20.580	c/kVA/mth	171.50	\$/kVA/mth	1.559090
Peak Usage Rate	c/kWh		1.153	2.567	3.720		0.140		0.020	3.880	c/kWh	3.88	\$/kWh	0.035272
Off-Peak Usage Rate	c/kWh		0.345	1.725	2.070		0.040		0.020	2.130	c/kWh	2.13	\$/kWh	0.019363

ETSA UTILITIES NETWORK TARIFFS														
APPLIES TO USAGE FROM 1 JULY 2004 - Includes TUoS, FRC and OMS Passthroughs														
Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	Locational TUOS	TUOS Pass through	FRC Pass through	OMS Pass through	Total incl GST	As billed on Existing Billing Systems (eg CBS) incl GST Units Rate		As billed on New Billing System (CIS O/V) excl GST Units Rate	
Low Voltage Business - 2 Rate Type 1 to 4 Meter (Cust LV Bus 2R T1-4)														
Supply Rate	\$ p.a.			199.290	199.290			18.980	0.630	218.900	cents/day	59.97	\$/day	0.545205
Peak Usage Rate	c/kWh		2.044	6.066	8.110		0.240		0.020	8.370	c/kWh	8.37	\$/kWh	0.076090
Off-Peak Usage Rate	c/kWh		0.388	2.522	2.910		0.050		0.020	2.980	c/kWh	2.98	\$/kWh	0.027090
Low Voltage Business - 2 Rate Type 5 or 6 Meter Read Monthly (Cust LV Bus 2R T5-6 M)														
Supply Rate	\$ p.a.			199.290	199.290			18.980	0.630	218.900	cents/day	59.97	\$/day	0.545205
Peak Usage Rate	c/kWh		2.044	6.066	8.110		0.240	0.240	0.020	8.610	c/kWh	8.61	\$/kWh	0.078272
Off-Peak Usage Rate	c/kWh		0.388	2.522	2.910		0.050	0.240	0.020	3.220	c/kWh	3.22	\$/kWh	0.029272
Low Voltage Business - 2 Rate Type 5 or 6 Meter Read Quarterly (Cust LV Bus 2R T5-6 Q)														
Supply Rate	\$ p.a.			199.290	199.290			18.980	0.630	218.900	cents/day	59.97	\$/day	0.545205
Peak Usage Rate	c/kWh		2.045	6.125	8.170		0.240	0.240	0.020	8.670	c/kWh	8.67	\$/kWh	0.078818
Off-Peak Usage Rate	c/kWh		0.387	2.543	2.930		0.050	0.240	0.020	3.240	c/kWh	3.24	\$/kWh	0.029454
Low Voltage Business - Single Rate Type 1 to 4 Meter (Cust LV Bus 1R T1-4)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Anytime Usage Rate	c/kWh		1.577	6.053	7.630		0.190		0.020	7.840	c/kWh	7.84	\$/kWh	0.071272
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Monthly (Cust LV Bus 1R T5-6 M)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Anytime Usage Rate	c/kWh		1.577	6.053	7.630		0.190	0.240	0.020	8.080	c/kWh	8.08	\$/kWh	0.073454
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Quarterly (Cust LV Bus 1R T5-6 Q)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Anytime Usage Rate	c/kWh		1.577	6.103	7.680		0.190	0.240	0.020	8.130	c/kWh	8.13	\$/kWh	0.073909
Low Voltage Business - Single Rate Type 1 to 4 Meter with Controlled Load (Cust LV Bus 1R T1-4 with CL)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Controlled Load Supply Rate	\$ p.a.			19.637	19.637					19.637	cents/day	5.38	\$/day	0.048909
Anytime Usage Rate	c/kWh		1.577	6.053	7.630		0.190		0.020	7.840	c/kWh	7.84	\$/kWh	0.071272
Controlled Load Anytime Usage Rate	c/kWh		0.350	1.170	1.520		0.030		0.020	1.570	c/kWh	1.57	\$/kWh	0.014272
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Monthly with Controlled Load (Cust LV Bus 1R T5-6M with CL)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Controlled Load Supply Rate	\$ p.a.			19.637	19.637					19.637	cents/day	5.38	\$/day	0.048909
Anytime Usage Rate	c/kWh		1.577	6.053	7.630		0.190	0.240	0.020	8.080	c/kWh	8.08	\$/kWh	0.073454
Controlled Load Anytime Usage Rate	c/kWh		0.350	1.170	1.520		0.030	0.240	0.020	1.810	c/kWh	1.81	\$/kWh	0.016454
Low Voltage Business - Single Rate Type 5 or 6 Meter Read Quarterly with Controlled Load (Cust LV Bus 1R T5-6Q with CL)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Controlled Load Supply Rate	\$ p.a.			19.637	19.637					19.637	cents/day	5.38	\$/day	0.048909
Anytime Usage Rate	c/kWh		1.577	6.103	7.680		0.190	0.240	0.020	8.130	c/kWh	8.13	\$/kWh	0.073909
Controlled Load Anytime Usage Rate	c/kWh		0.350	1.170	1.520		0.030	0.240	0.020	1.810	c/kWh	1.81	\$/kWh	0.016454

ETSA UTILITIES NETWORK TARIFFS														
APPLIES TO USAGE FROM 1 JULY 2004 - Includes TUoS, FRC and OMS Passthroughs														
Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	Locational TUOS	TUOS Pass through	FRC Pass through	OMS Pass through	Total incl GST	As billed on Existing Billing Systems (eg CBS) incl GST Rate Units	As billed on New Billing System (CIS O/V) excl GST Rate Units		
Low Voltage Residential - Single RateType 1-4 Meter (Cust LV Res 1R T1-4)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Anytime Usage Rate	c/kWh		1.794	6.176	7.970		0.210		0.020	8.200	c/kWh	8.20	\$/kWh	0.074545
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Monthly (Cust LV Res 1R T5-6 M)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Anytime Usage Rate	c/kWh		1.794	6.176	7.970		0.210	0.240	0.020	8.440	c/kWh	8.44	\$/kWh	0.076727
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Quarterly (Cust LV Res 1R T5-6 Q)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Anytime Usage Rate	c/kWh		1.794	6.176	7.970		0.210	0.240	0.020	8.440	c/kWh	8.44	\$/kWh	0.076727
Low Voltage Residential - Single RateType 1-4 Meter with Controlled Load (Cust LV Res 1R T1-4 with CL)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Controlled Load Supply Rate	\$ p.a.			19.637	19.637					19.637	cents/day	5.38	\$/day	0.048909
Anytime Usage Rate	c/kWh		1.794	6.176	7.970		0.210		0.020	8.200	c/kWh	8.20	\$/kWh	0.074545
Controlled Load Anytime Usage Rate	c/kWh		0.350	1.170	1.520		0.030		0.020	1.570	c/kWh	1.57	\$/kWh	0.014272
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Monthly with Controlled Load (Cust LV Res 1R T5-6 M with CL)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Controlled Load Supply Rate	\$ p.a.			19.637	19.637					19.637	cents/day	5.38	\$/day	0.048909
Anytime Usage Rate	c/kWh		1.794	6.176	7.970		0.210	0.240	0.020	8.440	c/kWh	8.44	\$/kWh	0.076727
Controlled Load Anytime Usage Rate	c/kWh		0.350	1.170	1.520		0.030	0.240	0.020	1.810	c/kWh	1.81	\$/kWh	0.016454
Low Voltage Residential - Single Rate Type 5 or 6 Meter Read Quarterly with Controlled Load (Cust LV Res 1R T5-6 Q with CL)														
Supply Rate	\$ p.a.			68.985	68.985			18.980	0.630	88.595	cents/day	24.27	\$/day	0.220660
Controlled Load Supply Rate	\$ p.a.			19.637	19.637					19.637	cents/day	5.38	\$/day	0.048909
Anytime Usage Rate	c/kWh		1.794	6.176	7.970		0.210	0.240	0.020	8.440	c/kWh	8.44	\$/kWh	0.076727
Controlled Load Anytime Usage Rate	c/kWh		0.350	1.170	1.520		0.030	0.240	0.020	1.810	c/kWh	1.81	\$/kWh	0.016454
Low Voltage Unmetered Usage (Overnight Usage) (Cust LV 12hr Night)														
Anytime Usage Rate	c/kWh		0.735	3.255	3.990		0.080	0.240	0.020	4.330	c/kWh	4.33	\$/kWh	0.039363
Low Voltage Unmetered Usage (24 Hour Usage) (Cust LV 24hr Continuous)														
Anytime Usage Rate	c/kWh		0.919	3.601	4.520		0.110	0.240	0.020	4.890	c/kWh	4.89	\$/kWh	0.044454
Other Unmetered Usage (Cust Other)														
Supply Rate	\$ p.a.			47.815	47.815					47.815	cents/day	13.10	\$/day	0.119090
Peak Usage Rate	c/kWh		2.045	6.125	8.170		0.230	0.240	0.020	8.660	c/kWh	8.66	\$/kWh	0.078727
Off-Peak Usage Rate	c/kWh		0.387	2.543	2.930		0.040	0.240	0.020	3.230	c/kWh	3.23	\$/kWh	0.029363

ETSA UTILITIES NETWORK TARIFFS														
APPLIES TO USAGE FROM 1 JULY 2004 - Includes TUoS, FRC and OMS Passthroughs														
Customer Category	Units	Min Qty.	TUOS incl GST	DUOS incl GST	Total incl GST	Locational TUOS	TUOS Pass through	FRC Pass through	OMS Pass through	Total incl GST	As billed on Existing Billing Systems (eg CBS) incl GST Units Rate		As billed on New Billing System (CIS O/V) excl GST Units Rate	
OBSELETE TARIFFS														
Zone Sub-station (KW) (Load <10MW and Consumption <40GWh pa)														
(Cust Zone S/Stn KW)														
Supply Rate	\$ p.a.			1,831.570	1,831.570			18.980	4,571.230	6,421.780	cents/day	1,759.39	\$/day	15.994470
Annual Demand Rate	\$/kW p.a.	5 MW	17.653	12.011	29.664		2.028			31.692	c/kW/mth	264.10	\$/kW/mth	2.400909
Additional Demand	\$/kW p.a.		0.000	10.788	10.788		0.000			10.788	c/kW/mth	89.90	\$/kW/mth	0.817272
Peak Usage Rate	c/kWh }	25 GWh	1.157	0.783	1.940		0.140			2.080	c/kWh	2.08	\$/kWh	0.018909
Off-Peak Usage Rate	c/kWh }		0.364	0.526	0.890		0.040			0.930	c/kWh	0.93	\$/kWh	0.008454
High Voltage (KW)														
(Cust HV KW)														
Supply Rate	\$ p.a.			1,468.760	1,468.760			18.980	0.630	1,488.370	cents/day	407.77	\$/day	3.707023
Annual Demand Rate	\$/kW p.a.	1 MW	17.453	24.691	42.144		2.004			44.148	c/kW/mth	367.90	\$/kW/mth	3.344545
Additional Demand	\$/kW p.a.		0.000	16.800	16.800		0.000			16.800	c/kW/mth	140.00	\$/kW/mth	1.272727
Peak Usage Rate	c/kWh		1.188	1.592	2.780		0.140		0.020	2.940	c/kWh	2.94	\$/kWh	0.026727
Off-Peak Usage Rate	c/kWh		0.374	1.116	1.490		0.040		0.020	1.550	c/kWh	1.55	\$/kWh	0.014090
High Voltage Obsolete (KW)														
(Cust HV_Obsolete KW)														
Supply Rate	\$ p.a.			1,468.760	1,468.760			18.980	0.630	1,488.370	cents/day	407.77	\$/day	3.707023
Annual Demand Rate	\$/kW p.a.	250 kW	17.453	24.691	42.144		2.004			44.148	c/kW/mth	367.90	\$/kW/mth	3.344545
Additional Demand	\$/kW p.a.		0.000	16.800	16.800		0.000			16.800	c/kW/mth	140.00	\$/kW/mth	1.272727
Peak Usage Rate	c/kWh		1.188	1.592	2.780		0.140		0.020	2.940	c/kWh	2.94	\$/kWh	0.026727
Off-Peak Usage Rate	c/kWh		0.374	1.116	1.490		0.040		0.020	1.550	c/kWh	1.55	\$/kWh	0.014090
Large Low Voltage Demand (KW)														
(Cust Large LV Demand KW)														
Supply Rate	\$ p.a.			1,468.760	1,468.760			18.980	0.630	1,488.370	cents/day	407.77	\$/day	3.707023
Annual Demand Rate	\$/kW p.a.	1 MW	17.148	31.008	48.156		1.968			50.124	c/kW/mth	417.70	\$/kW/mth	3.797272
Additional Demand	\$/kW p.a.		0.000	19.488	19.488		0.000			19.488	c/kW/mth	162.40	\$/kW/mth	1.476363
Peak Usage Rate	c/kWh		1.198	1.992	3.190		0.140		0.020	3.350	c/kWh	3.35	\$/kWh	0.030454
Off-Peak Usage Rate	c/kWh		0.375	1.355	1.730		0.040		0.020	1.790	c/kWh	1.79	\$/kWh	0.016272
Low Voltage Demand (KW)														
(Cust LV Demand KW)														
Supply Rate	\$ p.a.			1,468.760	1,468.760			18.980	0.630	1,488.370	cents/day	407.77	\$/day	3.707023
Annual Demand Rate	\$/kW p.a.	300 kW	17.136	36.708	53.844		1.968			55.812	c/kW/mth	465.10	\$/kW/mth	4.228181
Additional Demand	\$/kW p.a.		0.000	21.984	21.984		0.000			21.984	c/kW/mth	183.20	\$/kW/mth	1.665454
Peak Usage Rate	c/kWh		1.198	2.342	3.540		0.150		0.020	3.710	c/kWh	3.71	\$/kWh	0.033727
Off-Peak Usage Rate	c/kWh		0.377	1.603	1.980		0.050		0.020	2.050	c/kWh	2.05	\$/kWh	0.018636
Medium Low Voltage Demand (KW)														
(Cust Medium LV Demand KW)														
Supply Rate	\$ p.a.			734.015	734.015			18.980	0.630	753.625	cents/day	206.47	\$/day	1.877023
Annual Demand Rate	\$/kW p.a.	100kW	16.500	51.372	67.872		1.896			69.768	c/kW/mth	581.40	\$/kW/mth	5.285454
Additional Demand	\$/kW p.a.		0.000	28.236	28.236		0.000			28.236	c/kW/mth	235.30	\$/kW/mth	2.139090
Peak Usage Rate	c/kWh		1.199	3.351	4.550		0.150		0.020	4.720	c/kWh	4.72	\$/kWh	0.042909
Off-Peak Usage Rate	c/kWh		0.377	2.253	2.630		0.050		0.020	2.700	c/kWh	2.70	\$/kWh	0.024545
Low Voltage Off-peak Controlled Load - Type 1-4 Meter														
(Cust LV C Load)														
Controlled Load Supply Rate	\$ p.a.			19.637	19.637					19.637	cents/day	5.38	\$/day	0.048909
Controlled Load Anytime Usage Rate	c/kWh		0.350	1.170	1.520		0.030		0.020	1.570	c/kWh	1.57	\$/kWh	0.014272
Low Voltage Off-peak Controlled Load - Type 5-6 Read Monthly														
(Cust LV C Load)														
Controlled Load Supply Rate	\$ p.a.			19.637	19.637					19.637	cents/day	5.38	\$/day	0.048909
Controlled Load Anytime Usage Rate	c/kWh		0.350	1.170	1.520		0.030	0.240	0.020	1.810	c/kWh	1.81	\$/kWh	0.016454
Low Voltage Off-peak Controlled Load - Type 5-6 Read Quarterly														
(Cust LV C Load)														
Controlled Load Supply Rate	\$ p.a.			19.637	19.637					19.637	cents/day	5.38	\$/day	0.048909
Controlled Load Anytime Usage Rate	c/kWh		0.350	1.170	1.520		0.030	0.240	0.020	1.810	c/kWh	1.81	\$/kWh	0.016454

Notes accompanying 2004/ 2005 Tariffs

Notes:

1. The distribution tariffs:
 - (a) are inclusive of the GST imposed as at 1 July 2000; and
 - (b) include the application of AD, as defined in paragraph E2 of Schedule 7 of the Electricity Pricing Order 1999.
2. ETSA Utilities must assign each Distribution Network User to a distribution tariff in respect of each of its connection points in accordance with the following principles.
 - (a) A Distribution Network User that has an agreed maximum demand of 250kW or more in respect of a connection point, must be assigned to a distribution tariff that includes a demand component in respect of that connection point.
 - (b) A Sub-Transmission (kVA) Network User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide Metropolitan area. A minimum annual demand of 11.50MVA applies. A NEM compliant type 1-4 interval meter is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf). These tariffs are invoiced monthly.
 - (c) A Zone Substation (kVA) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5.75 MVA and a minimum annual usage of 25GWh apply. A NEM compliant type 1-4 interval meter is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.90 pf). These tariffs are invoiced monthly.
 - (d) A High Voltage Demand (kVA) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1.15MVA applies. A NEM compliant type 1-4 interval meter is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
 - (e) A High Voltage (kVA) (Obsolete) customer is a Distribution Network User taking supply generally at 11kV. This tariff is available only to Distribution Network Users that were taking supply under the High Voltage Demand (kW) (Obsolete) tariff as at 11 October 1999. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 300kVA applies. A NEM compliant type 1-4 interval meter is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
 - (f) A Large Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1.15MVA applies. A NEM compliant type 1-4 interval meter is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
 - (g) A Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 350kVA applies. A NEM compliant type 1-4 interval meter is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
 - (h) A Medium Low Voltage Demand (kVA) customer is a Distribution Network User taking supply at less than 1kV and using demand, peak and off-peak network charges. A minimum annual demand of 120kVA applies. A NEM compliant type 1-4 interval meter is required. Customers electing to switch to this tariff from 1 July 2002 must meet or exceed the minimum power factor requirements for their customer installation as set out in Part B of the Distribution Code (generally 0.85 pf). These tariffs are invoiced monthly.
 - (i) A Low Voltage Business 2 rate – Type 1-4 Meter customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak network charges. The User utilises a type 1-4 meter. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is invoiced monthly.
 - (j) A Low Voltage Business 2 rate – Type 5-6 Meter Read Monthly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak network charges. The User utilises a type 5-6 meter and requires ETSA Utilities to read the meter monthly for which an excluded service charge applies. This tariff is invoiced monthly.

- (k) A Low Voltage Business 2 rate – Type 5-6 Meter Read Quarterly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using peak and off-peak network charges. The User utilises a type 5-6 meter which requires ETSA Utilities to read the meter. This tariff is invoiced quarterly.
- (l) A Low Voltage Business single rate – Type 1-4 Meter customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate network charges. The User utilises a type 1-4 meter. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is invoiced monthly.
- (m) A Low Voltage Business single rate – Type 5-6 Meter Read Monthly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate network charges. The User utilises a type 5-6 meter and requires ETSA Utilities to read the meter monthly for which an excluded service charge applies. This tariff is invoiced monthly.
- (n) A Low Voltage Business single rate – Type 5-6 Meter Read Quarterly customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using single rate metering. The User utilises a type 5-6 meter which requires ETSA Utilities to read the meter. This tariff is invoiced quarterly.
- (o) A Low Voltage Residential single rate – Type 1-4 Meter Read Monthly customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. The User utilises a type 1-4 meter. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is invoiced monthly.
- (p) A Low Voltage Residential single rate – Type 5-6 Meter Read Monthly customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. The User utilises a type 5-6 meter and requires ETSA Utilities to read the meter monthly for which an excluded service charge applies. This tariff is invoiced monthly.
- (q) A Low Voltage Residential single rate – Type 5-6 Meter Read Quarterly customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. The User utilises a type 5-6 meter which requires ETSA Utilities to read the meter. This tariff is invoiced quarterly.
- (r) A Low Voltage Off-peak Controlled Load is used by a Distribution Network User for permanently installed storage water heaters with a rated delivery of not less than 125 litres, storage space heaters and other approved applications involving a time switch and separate metering where the timing has been set in accordance with ETSA Utilities' requirements regarding the timing of loads. This tariff is available only to Distribution Network Users that were taking supply under the Controlled Load tariff as at 30 June 2003, or are utilising a business single or residential tariff at the NMI in conjunction with the controlled load. This tariff is invoiced at the same frequency as other tariffs used by the Distribution Network User at that NMI.
- (s) Unmetered Overnight Usage supply is defined as overnight use by a Distribution Network User for public lighting. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (t) Unmetered 24 Hour Usage supply is defined as constant 24 hour per day use by a Distribution Network User, typically public phones, traffic lights and telecommunications installations. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (u) Other Unmetered Supply is defined as unmetered use by Distribution Network Users other than public lighting or continuous use. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (v) A Sub-Transmission Network (kW) User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide metropolitan area. A minimum annual demand of 10MW applies. A NEM compliant type 1-4 interval meter is required. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.
- (w) A Zone Substation (kW) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5MW and a minimum annual usage of 25GWh apply. A NEM compliant type 1-4 interval meter is required. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.
- (x) A High Voltage Demand (kW) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1MW applies. A NEM compliant type 1-4 interval meter is required. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.
- (y) The High Voltage Demand (kW) (Obsolete) tariff is available only to Distribution Network Users that were taking supply under this tariff as at 11 October 1999. Conditions applicable at that date apply. These tariffs are invoiced monthly.
- (z) A Large Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 1MW applies. A NEM compliant type 1-4 interval meter is required. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.

(aa) A Low Voltage Demand (kW) customer is a Distribution Network User taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum annual demand of 300kW applies. A NEM compliant type 1-4 interval meter is required. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.

(bb) A Medium Low Voltage Demand (kW) customer is a Distribution Network User that is not a residential customer taking supply at less than 1kV and using demand, peak and off-peak network charges. A minimum annual demand of 100kW applies. A NEM compliant type 1-4 interval meter is required. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2001. These tariffs are invoiced monthly.

3. The supply and demand charges are levied and billed to Distribution Network Users periodically on a pro-rata basis.

4. Demand charges are determined on the basis of:

(a) maximum demand (Annual Demand); and

(b) additional maximum demand (Additional Demand),

determined in accordance with paragraph B2 of Schedule 5 of the Electricity Pricing Order (EPO).

5. Peak energy is energy consumed on business days between the hours of 0700 and 2100 (Central Standard Time). For Distribution Network Users with metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 (Central Standard Time).

6. Off-peak energy is energy consumed other than peak energy.