

ETSA UTILITIES NETWORK TARIFFS

APPLIES TO USAGE FROM 1 JULY 2011

Customer Category	Units	Min Qty.	TUOS excl GST	DUOS excl GST	Pass-Through excl GST	METER excl GST	Total excl GST	Total incl GST
Low Voltage Residential - Single Rate								
Supply Rate	\$/day			0.242760		0.065320	0.308080	0.338888
Block 1 Usage Rate	\$/kWh	First 333.3 kWh/mth	0.024420	0.065750	0.003690		0.093860	0.103246
Block 2 Usage Rate	\$/kWh	Next 500 kWh/mth	0.035110	0.092510	0.003690		0.131310	0.144441
Block 3 Usage Rate	\$/kWh	Next 833.3 kWh/mth	0.042720	0.110060	0.003690		0.156470	0.172117
Block 4 Usage Rate	\$/kWh	Balance Usage	0.042720	0.110060	0.003690		0.156470	0.172117
Low Voltage Residential - Single Rate with Controlled Load								
Supply Rate	\$/day			0.242760		0.065320	0.308080	0.338888
Block 1 Usage Rate	\$/kWh	First 333.3 kWh/mth	0.024420	0.065750	0.003690		0.093860	0.103246
Block 2 Usage Rate	\$/kWh	Next 500 kWh/mth	0.035110	0.092510	0.003690		0.131310	0.144441
Block 3 Usage Rate	\$/kWh	Next 833.3 kWh/mth	0.042720	0.110060	0.003690		0.156470	0.172117
Block 4 Usage Rate	\$/kWh	Balance Usage	0.042720	0.110060	0.003690		0.156470	0.172117
Controlled Load Block 1 Usage Rate	\$/kWh	First 666.7 kWh/mth	0.008220	0.027020	0.001070		0.036310	0.039941
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.008220	0.036690	0.001070		0.045980	0.050578
Low Voltage Business - 2 Rate								
Supply Rate	\$/day			0.242760		0.065320	0.308080	0.338888
Peak Block 1 Usage Rate	\$/kWh	First 1,666.7 kWh/mth	0.042260	0.103010	0.002930		0.148200	0.163020
Peak Block 2 Usage Rate	\$/kWh	Next 6,666.7 kWh/mth	0.042260	0.103010	0.002930		0.148200	0.163020
Peak Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.042260	0.103010	0.002930		0.148200	0.163020
Peak Block 4 Usage Rate	\$/kWh	Balance Usage	0.042260	0.103010	0.002930		0.148200	0.163020
Off-Peak Usage Rate	\$/kWh		0.007890	0.032530	0.002930		0.043350	0.047685
High Voltage Business - 2 Rate								
Supply Rate	\$/day			0.242760		0.065320	0.308080	0.338888
Peak Block 1 Usage Rate	\$/kWh	First 1,666.7 kWh/mth	0.042260	0.103010	0.002930		0.148200	0.163020
Peak Block 2 Usage Rate	\$/kWh	Next 6,666.7 kWh/mth	0.042260	0.103010	0.002930		0.148200	0.163020
Peak Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.042260	0.103010	0.002930		0.148200	0.163020
Peak Block 4 Usage Rate	\$/kWh	Balance Usage	0.042260	0.103010	0.002930		0.148200	0.163020
Off-Peak Usage Rate	\$/kWh		0.007890	0.032530	0.002930		0.043350	0.047685
Low Voltage Unmetered Usage (Overnight Usage)								
Anytime Usage Rate	\$/kWh		0.015230	0.044840	0.001780		0.061850	0.068035
Low Voltage Unmetered Usage (24 Hour Usage)								
Anytime Usage Rate	\$/kWh		0.012990	0.039890	0.001780		0.054660	0.060126
Low Voltage Stepped Demand (KVA)								
		min 80 KVA						
Supply Rate	\$/day							
Annual Block 1 Demand Rate	\$/kVA/mth	First 100 KVA	3.492830	9.896100			13.388930	14.727823
Annual Block 2 Demand Rate	\$/kVA/mth	Next 150 KVA	3.492830	5.773140			9.265970	10.192567
Annual Block 3 Demand Rate	\$/kVA/mth	Next 750 KVA	3.492830	4.226870			7.719700	8.491670
Annual Block 4 Demand Rate	\$/kVA/mth	Balance KVA	3.492830	3.195200			6.688030	7.356833
Additional Demand	\$/kVA/mth		0.000000	3.195200			3.195200	3.514720
Peak Usage Rate	\$/kWh		0.007480	0.020410	0.002060		0.029950	0.032945
Off-Peak Usage Rate	\$/kWh		0.007480	0.020410	0.002060		0.029950	0.032945
High Voltage Stepped Demand (KVA) <1,000kVA								
		min 80 KVA						
Supply Rate	\$/day							
Annual Block 1 Demand Rate	\$/kVA/mth	First 100 KVA	3.492830	9.896100			13.388930	14.727823
Annual Block 2 Demand Rate	\$/kVA/mth	Next 150 KVA	3.492830	5.773140			9.265970	10.192567
Annual Block 3 Demand Rate	\$/kVA/mth	Next 750 KVA	3.492830	4.226870			7.719700	8.491670
Annual Block 4 Demand Rate	\$/kVA/mth	Balance KVA	3.492830	3.195200			6.688030	7.356833
Additional Demand	\$/kVA/mth		0.000000	3.195200			3.195200	3.514720
Peak Usage Rate	\$/kWh		0.007480	0.020410	0.002060		0.029950	0.032945
Off-Peak Usage Rate	\$/kWh		0.007480	0.020410	0.002060		0.029950	0.032945
High Voltage Stepped Demand (KVA)								
		min 1,000 KVA						
Supply Rate	\$/day							
Annual Block 1 Demand Rate	\$/kVA/mth	First 1,000 KVA	3.418800	4.068530			7.487330	8.236063
Annual Block 2 Demand Rate	\$/kVA/mth	Next 2,000 KVA	3.418800	2.464130			5.882930	6.471223
Annual Block 3 Demand Rate	\$/kVA/mth	Balance KVA	3.418800	1.896340			5.315140	5.846654
Additional Demand	\$/kVA/mth		0.000000	1.896340			1.896340	2.085974
Peak Usage Rate	\$/kWh		0.007310	0.017590	0.001560		0.026460	0.029106
Off-Peak Usage Rate	\$/kWh		0.007310	0.017590	0.001560		0.026460	0.029106
Zone Sub-station (KVA) (Load <10MW and Consumption <40GWh pa)								
Supply Rate	\$/day							
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	3.337490	1.896340			5.233830	5.757213
Additional Demand	\$/kVA/mth		0.000000	1.319890			1.319890	1.451879
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007180	0.006190	0.000680		0.014050	0.015455
Off-Peak Usage Rate	\$/kWh		0.007180	0.006190	0.000680		0.014050	0.015455
Zone Sub-station (KVA) Locational								
TUoS Supply Charge	\$/day		See Individual Locational TUoS Charges Below					
Supply Rate	\$/day							
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA		1.896340			1.896340	2.085974
Additional Demand	\$/kVA/mth			1.319890			1.319890	1.451879
Peak Usage Rate	\$/kWh	min 25 GWh pa		0.006190	0.000680		0.006870	0.007557
Off-Peak Usage Rate	\$/kWh			0.006190	0.000680		0.006870	0.007557
Subtransmission (KVA) Locational								
TUoS Supply Charge	\$/day		See Individual Locational TUoS Charges Below					
Supply Rate	\$/day							
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.577680			0.577680	0.635448
Additional Demand	\$/kVA/mth			0.577680			0.577680	0.635448
Peak Usage Rate	\$/kWh			0.002070	0.000680		0.002750	0.003025
Off-Peak Usage Rate	\$/kWh			0.002070	0.000680		0.002750	0.003025

ETSA UTILITIES NETWORK TARIFFS

APPLIES TO USAGE FROM 1 JULY 2011

Customer Category	Units	Min Qty.	TUOS excl GST	DUOS excl GST	Pass-Through excl GST	METER excl GST	Total excl GST	Total incl GST
INDIVIDUAL LOCATIONAL TUOS CHARGES								
APPLIES TO USAGE FROM 1 JULY 2011								
Tariff		NMI						
Zone Substation (KVA) Locational	\$/day	2001000608	995.78373				995.78373	1,095.362103
Zone Substation (KVA) Locational	\$/day	2002133131	1,778.23470				1,778.23470	1,956.058170
Zone Substation (KVA) Locational	\$/day	SAAAAAA021	4,514.45613				4,514.45613	4,965.901743
Zone Substation (KVA) Locational	\$/day	SAAAAAA022	1,816.40310				1,816.40310	1,998.043410
Zone Substation (KVA) Locational	\$/day	SAAAAAA024	3,037.16314				3,037.16314	3,340.879454
Zone Substation (KVA) Locational	\$/day	SAAAAAA026	1,423.80911				1,423.80911	1,566.190021
Zone Substation (KVA) Locational	\$/day	SAAAAAA035	1,972.56673				1,972.56673	2,169.823403
Zone Substation (KVA) Locational	\$/day	SAAAAAA438	1,718.49684				1,718.49684	1,890.346524
Subtransmission (KVA) Locational	\$/day	2001000378	3,488.76866				3,488.76866	3,837.645526
Subtransmission (KVA) Locational	\$/day	2002112609	11,882.67040				11,882.67040	13,070.937440
Subtransmission (KVA) Locational	\$/day	2002213788	1,422.59015				1,422.59015	1,564.849165
Subtransmission (KVA) Locational	\$/day	2002213796	1,422.59015				1,422.59015	1,564.849165
Subtransmission (KVA) Locational	\$/day	2002216840	2,069.88896				2,069.88896	2,276.877856
Subtransmission (KVA) Locational	\$/day	2002217226	5,891.22242				5,891.22242	6,480.344662
Subtransmission (KVA) Locational	\$/day	TBA (St 2 Desalination)	4,107.30709				4,107.30709	4,518.037799
Subtransmission (KVA) Locational	\$/day	SAAAAAA018	6,780.35831				6,780.35831	7,458.394141
Subtransmission (KVA) Locational	\$/day	SAAAAAA084	4,745.90025				4,745.90025	5,220.490275
Subtransmission (KVA) Locational	\$/day	SAAAAAB557	2,497.59530				2,497.59530	2,747.354830
OBSOLETE TARIFFS								
High Voltage Obsolete (KVA)								
Supply Rate	\$/day						0.000000	0.000000
Annual Demand Rate	\$/kVA/mth	min 100 KVA	3.418800	4.068530			7.487330	8.236063
Additional Demand	\$/kVA/mth		0.000000	1.896340			1.896340	2.085974
Peak Usage Rate	\$/kWh		0.007310	0.017590	0.001560		0.026460	0.029106
Off-Peak Usage Rate	\$/kWh		0.007310	0.017590	0.001560		0.026460	0.029106
Low Voltage Business - Single Rate								
Supply Rate	\$/day			0.242760		0.065320	0.308080	0.338888
Block 1 Usage Rate	\$/kWh	First 833.3 kWh/mth	0.030460	0.078300	0.003840		0.112600	0.123860
Block 2 Usage Rate	\$/kWh	Next 7,500 kWh/mth	0.035320	0.092470	0.003840		0.131630	0.144793
Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.038290	0.097970	0.003840		0.140100	0.154110
Block 4 Usage Rate	\$/kWh	Balance Usage	0.038290	0.097970	0.003840		0.140100	0.154110
Low Voltage Business - Single Rate with Controlled Load								
Supply Rate	\$/day			0.242760		0.065320	0.308080	0.338888
Block 1 Usage Rate	\$/kWh	First 833.3 kWh/mth	0.030460	0.078300	0.003840		0.112600	0.123860
Block 2 Usage Rate	\$/kWh	Next 7,500 kWh/mth	0.035320	0.092470	0.003840		0.131630	0.144793
Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.038290	0.097970	0.003840		0.140100	0.154110
Block 4 Usage Rate	\$/kWh	Balance Usage	0.038290	0.097970	0.003840		0.140100	0.154110
Controlled Load Block 1 Usage Rate	\$/kWh	First 666.7 kWh/mth	0.008220	0.027020	0.001070		0.036310	0.039941
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.008220	0.036690	0.001070		0.045980	0.050578
Low Voltage Business - 2 Rate with Controlled Load								
Supply Rate	\$/day			0.242760		0.065320	0.308080	0.338888
Peak Block 1 Usage Rate	\$/kWh	First 1,666.7 kWh/mth	0.042260	0.103010	0.002930		0.148200	0.163020
Peak Block 2 Usage Rate	\$/kWh	Next 6,666.7 kWh/mth	0.042260	0.103010	0.002930		0.148200	0.163020
Peak Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.042260	0.103010	0.002930		0.148200	0.163020
Peak Block 4 Usage Rate	\$/kWh	Balance Usage	0.042260	0.103010	0.002930		0.148200	0.163020
Off-Peak Usage Rate	\$/kWh		0.007890	0.032530	0.002930		0.043350	0.047685
Controlled Load Block 1 Usage Rate	\$/kWh	First 666.7 kWh/mth	0.008220	0.027020	0.001070		0.036310	0.039941
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.008220	0.036690	0.001070		0.045980	0.050578
Low Voltage Controlled Load								
Controlled Load Block 1 Usage Rate	\$/kWh	First 666.7 kWh/mth	0.008220	0.027020	0.001070		0.036310	0.039941
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.008220	0.036690	0.001070		0.045980	0.050578

Notes accompanying 2011/12 Tariffs

Notes:

- Distribution tariffs are determined on a GST exclusive basis. GST is added to the distribution tariffs.
- ETSA Utilities must assign each Distribution Network User to a distribution tariff in respect of each of its connection points in accordance with the following principles.
 - A Distribution Network User connected to the Distribution Network from 1 July 2010 requiring more than 100 amps (75kVA) supply must be assigned to a distribution network tariff that includes a demand component in respect of that connection point.
 - A Distribution Network User connected to the Distribution Network at 30 June 2011 that has a maximum demand of 250kVA or more in respect of a connection point, must be assigned to a distribution tariff that includes a demand component in respect of that connection point.

- (c) A Sub-Transmission (kVA) Network User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide Metropolitan area. A minimum annual demand of 10 MVA applies. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
- (d) A Zone Substation (kVA) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5 MVA and a minimum annual usage of 25GWh apply. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
- (e) A High Voltage Stepped Demand (kVA) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1 MVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
- (f) A High Voltage Stepped Demand (kVA) <1,000 kVA customer is a Distribution Network User taking supply generally at 11kV with a kVA demand generally less than 1,000 kVA. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 80kVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
- (g) A High Voltage (kVA) (Obsolete) customer is a Distribution Network User taking supply generally at 11kV. This tariff is available only to Distribution Network Users that were taking supply under the High Voltage Demand (kW) (Obsolete) tariff as at 11 October 1999. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 100kVA applies. A NEM compliant type 1-5 interval meter is required with the ability to measure both active and reactive power. An excluded charge applies for the monthly reading of Type 5 meters. These tariffs are invoiced monthly.
- (h) A High Voltage Business 2 rate customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A NEM compliant type 1-5 interval meter is required with the ability to measure both active and reactive power. Peak consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. Off Peak consumption is charged at a flat rate. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is available only to Distribution Network Users requiring less than 80kVA demand, except where a Distribution Network User was taking supply under this tariff as at 30 June 2010. This tariff is invoiced monthly. An excluded charge applies for the monthly reading of Type 5 meters.
- (i) A Low Voltage Stepped Demand (kVA) customer is a Distribution Network User generally taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum agreed maximum demand of 80KVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-5 interval meter is required with the ability to measure both active and reactive power. An excluded charge applies for the monthly reading of Type 5 meters. These tariffs are invoiced monthly.
- (j) A Low Voltage Business 2 rate customer is a Distribution Network User that is not a residential customer generally taking supply at less than 1kV and using peak and off-peak network charges. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Peak consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. Off Peak consumption is charged at a flat rate. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is available only to Distribution Network Users requiring less than 80kVA demand, except where a Distribution Network User was taking supply under this tariff as at 30 June 2010. An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is invoiced monthly or quarterly.
- (k) A Low Voltage Business single rate customer is a Distribution Network User that is not a residential customer generally taking supply at less than 1kV. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2010. This tariff is invoiced monthly or quarterly.
- (l) A Low Voltage Residential single rate customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is invoiced monthly or quarterly.
- (m) A Low Voltage Controlled Load is used by a Distribution Network User for permanently installed storage water heaters with a rated delivery of not less than 125 litres, storage space heaters and other approved applications

involving a time switch and separate metering where the timing has been set in accordance with ETSA Utilities' requirements regarding the timing of loads. Consumption is charged at two rates, one rate for consumption up to and including 666.7 kWh/mth[#] and another rate for the balance of consumption. This tariff is available only to Distribution Network Users that were taking supply under the Controlled Load tariff as at 30 June 2003, or are utilising a business single or residential tariff at the NMI in conjunction with the controlled load. This tariff is invoiced at the same frequency as other tariffs used by the Distribution Network User at that NMI.

- (n) Unmetered Overnight Usage supply is defined as overnight use by a Distribution Network User for public lighting. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (o) Unmetered 24 Hour Usage supply is defined as constant 24 hour per day use by a Distribution Network User, typically public phones, traffic lights and telecommunications installations. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.

3. The supply and demand charges are levied and billed to Distribution Network Users periodically on a pro-rata basis.

4. Demand charges are determined on the basis of:

- (a) Agreed maximum demand (Annual Demand); and
- (b) Agreed additional maximum demand (Additional Demand), determined in accordance with Schedule 2 of Part B of the 2005-2010 Electricity Distribution Price Determination.

5. Peak energy is energy consumed on business days between the hours of 0700 and 2100 (Central Standard Time). For Distribution Network Users with metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 (Central Standard Time).

6. Off-peak energy is energy consumed other than peak energy.

7.

- (a) 333.3 kWh/mth approximates 4,000 kWh per annum;
- (b) 500 kWh/mth approximates 6,000 kWh per annum;
- (c) 666.7 kWh/mth approximates 8,000 kWh per annum;
- (d) 833.3 kWh/mth approximates 10,000 kWh per annum;
- (e) 6,666.7 kWh/mth approximates 80,000 kWh per annum;
- (f) 7,500 kWh/mth approximates 90,000 kWh per annum; and
- (g) 8,333.3 kWh/mth approximates 100,000 kWh per annum.

8. The following meter charges apply

- | | |
|--|-----------------------------------|
| • Meter Provision Type 6 Direct Current Connected | \$23.8401 per annum excl GST. |
| • Meter Provision Type 6 Current Transformer Connected | \$103.3477 per annum excl GST. |
| • Meter Provision Type 1-4 Exceptional | \$366.9740 per annum excl GST. |
| • Meter Service Other Meter Provider Customer | \$0.0000 per annum |
| • Meter Service Exit Fee Type 6 | \$266.50 excl GST per transaction |
| • Meter Service Exit Fee Type 1-4 | \$595.05 excl GST per transaction |

Residential, Business Single Rate and Business Two Rate tariffs incorporate the Type 6 Direct Current Connected Meter Charge. If a customer assigned to these tariffs is using that meter then no further adjustments are required.

If a customer assigned to a Residential, Business Single Rate or Business Two Rate tariff is using a Type 6 Current Transformer Connected Meter, then an additional charge of the difference from the Type 6 Direct Current Connected Meter will apply.

If a customer assigned to a Residential, Business Single Rate or Business Two Rate tariff is using another meter provider's meter, then the Type 6 Direct Current Connected Meter charge will be rebated.

For those customers on demand tariffs that are using a Type 1-4 Exceptional meter then an additional charge of the Type 1-4 Exceptional Meter will apply. A Type 1-4 Exceptional Meter is meter provision services provided in respect of meters meeting the requirements of a metering installation type 1, metering installation type 2, metering installation type 3 or metering installation type 4 installed prior to 1 July 2000 provided in accordance with the requirement of clause 27 of ETSA Utilities' distribution licence as in force at 30 June 2005.

Exit fees apply where customers elect to switch to another meter type and/or meter provider.