

ETSA UTILITIES NETWORK TARIFFS

APPLIES TO USAGE FROM 1 JULY 2011

Customer Category	Units	Min Qty.	TUOS excl GST	DUOS excl GST	METER excl GST	Total excl GST	Total incl GST
Low Voltage Residential - Single Rate							
Supply Rate	\$/day			0.236800	0.070430	0.307230	0.337953
Block 1 Usage Rate	\$/kWh	First 333.3 kWh/mth	0.024050	0.075670		0.099720	0.109692
Block 2 Usage Rate	\$/kWh	Next 500 kWh/mth	0.034580	0.099470		0.134050	0.147455
Block 3 Usage Rate	\$/kWh	Next 833.3 kWh/mth	0.042070	0.118340		0.160410	0.176451
Block 4 Usage Rate	\$/kWh	Balance Usage	0.042070	0.118340		0.160410	0.176451
Low Voltage Residential - Single Rate with Controlled Load							
Supply Rate	\$/day			0.236800	0.070430	0.307230	0.337953
Block 1 Usage Rate	\$/kWh	First 333.3 kWh/mth	0.024050	0.075670		0.099720	0.109692
Block 2 Usage Rate	\$/kWh	Next 500 kWh/mth	0.034580	0.099470		0.134050	0.147455
Block 3 Usage Rate	\$/kWh	Next 833.3 kWh/mth	0.042070	0.118340		0.160410	0.176451
Block 4 Usage Rate	\$/kWh	Balance Usage	0.042070	0.118340		0.160410	0.176451
Controlled Load Block 1 Usage Rate	\$/kWh	First 666.7 kWh/mth	0.008090	0.029050		0.037140	0.040854
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.008090	0.039450		0.047540	0.052294
Low Voltage Business - 2 Rate							
Supply Rate	\$/day			0.236800	0.070430	0.307230	0.337953
Peak Block 1 Usage Rate	\$/kWh	First 1,666.7 kWh/mth	0.041620	0.112540		0.154160	0.169576
Peak Block 2 Usage Rate	\$/kWh	Next 6,666.7 kWh/mth	0.041620	0.112540		0.154160	0.169576
Peak Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.041620	0.112540		0.154160	0.169576
Peak Block 4 Usage Rate	\$/kWh	Balance Usage	0.041620	0.112540		0.154160	0.169576
Off-Peak Usage Rate	\$/kWh		0.007770	0.035530		0.043300	0.047630
High Voltage Business - 2 Rate							
Supply Rate	\$/day			0.236800	0.070430	0.307230	0.337953
Peak Block 1 Usage Rate	\$/kWh	First 1,666.7 kWh/mth	0.041620	0.112540		0.154160	0.169576
Peak Block 2 Usage Rate	\$/kWh	Next 6,666.7 kWh/mth	0.041620	0.112540		0.154160	0.169576
Peak Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.041620	0.112540		0.154160	0.169576
Peak Block 4 Usage Rate	\$/kWh	Balance Usage	0.041620	0.112540		0.154160	0.169576
Off-Peak Usage Rate	\$/kWh		0.007770	0.035530		0.043300	0.047630
Low Voltage Unmetered Usage (Overnight Usage)							
Anytime Usage Rate	\$/kWh		0.015000	0.048990		0.063990	0.070389
Low Voltage Unmetered Usage (24 Hour Usage)							
Anytime Usage Rate	\$/kWh		0.012790	0.043580		0.056370	0.062007
Low Voltage Stepped Demand (KVA)							
		min 80 KVA					
Supply Rate	\$/day						
Annual Block 1 Demand Rate	\$/kVA/mth	First 100 KVA	3.440090	10.811570		14.251660	15.676826
Annual Block 2 Demand Rate	\$/kVA/mth	Next 150 KVA	3.440090	6.307200		9.747290	10.722019
Annual Block 3 Demand Rate	\$/kVA/mth	Next 750 KVA	3.440090	4.617890		8.057980	8.863778
Annual Block 4 Demand Rate	\$/kVA/mth	Balance KVA	3.440090	3.490780		6.930870	7.623957
Additional Demand	\$/kVA/mth		0.000000	3.490780		3.490780	3.839858
Peak Usage Rate	\$/kWh		0.007360	0.022300		0.029660	0.032626
Off-Peak Usage Rate	\$/kWh		0.007360	0.022300		0.029660	0.032626
High Voltage Stepped Demand (KVA) <1,000kVA							
		min 80 KVA					
Supply Rate	\$/day						
Annual Block 1 Demand Rate	\$/kVA/mth	First 100 KVA	3.440090	10.811570		14.251660	15.676826
Annual Block 2 Demand Rate	\$/kVA/mth	Next 150 KVA	3.440090	6.307200		9.747290	10.722019
Annual Block 3 Demand Rate	\$/kVA/mth	Next 750 KVA	3.440090	4.617890		8.057980	8.863778
Annual Block 4 Demand Rate	\$/kVA/mth	Balance KVA	3.440090	3.490780		6.930870	7.623957
Additional Demand	\$/kVA/mth		0.000000	3.490780		3.490780	3.839858
Peak Usage Rate	\$/kWh		0.007360	0.022300		0.029660	0.032626
Off-Peak Usage Rate	\$/kWh		0.007360	0.022300		0.029660	0.032626
High Voltage Stepped Demand (KVA)							
		min 1,000 KVA					
Supply Rate	\$/day						
Annual Block 1 Demand Rate	\$/kVA/mth	First 1,000 KVA	3.367180	4.444900		7.812080	8.593288
Annual Block 2 Demand Rate	\$/kVA/mth	Next 2,000 KVA	3.367180	2.692080		6.059260	6.665186
Annual Block 3 Demand Rate	\$/kVA/mth	Balance KVA	3.367180	2.071770		5.438950	5.982845
Additional Demand	\$/kVA/mth		0.000000	2.071770		2.071770	2.278947
Peak Usage Rate	\$/kWh		0.007200	0.019220		0.026420	0.029062
Off-Peak Usage Rate	\$/kWh		0.007200	0.019220		0.026420	0.029062
Zone Sub-station (KVA) (Load <10MW and Consumption <40GWh pa)							
Supply Rate	\$/day						
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	3.287090	2.071770		5.358860	5.894746
Additional Demand	\$/kVA/mth		0.000000	1.441990		1.441990	1.586189
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007080	0.006760		0.013840	0.015224
Off-Peak Usage Rate	\$/kWh		0.007080	0.006760		0.013840	0.015224
Zone Sub-station (KVA) Locational							
TUoS Supply Charge	\$/day		See Individual Locational Charges Below				
Supply Rate	\$/day						
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA		2.071770		2.071770	2.278947
Additional Demand	\$/kVA/mth			1.441990		1.441990	1.586189
Peak Usage Rate	\$/kWh	min 25 GWh pa		0.006760		0.006760	0.007436
Off-Peak Usage Rate	\$/kWh			0.006760		0.006760	0.007436
Subtransmission (KVA) Locational							
TUoS Supply Charge	\$/day		See Individual Locational Charges Below				
Supply Rate	\$/day						
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.631130		0.631130	0.694243
Additional Demand	\$/kVA/mth			0.631130		0.631130	0.694243
Peak Usage Rate	\$/kWh			0.002260		0.002260	0.002486
Off-Peak Usage Rate	\$/kWh			0.002260		0.002260	0.002486

ETSA UTILITIES NETWORK TARIFFS

APPLIES TO USAGE FROM 1 JULY 2011

Zone Substation (KVA) Locational		NMI				
TuOS Supply Charge	\$/day	2001000608	36.112600	0.000000	36.112600	39.723860
Annual Demand Rate	\$/kVA/mth min 5,000 KVA		4.575220	2.071770	6.646990	7.311689
Additional Demand	\$/kVA/mth			1.441990	1.441990	1.586189
Peak Usage Rate	\$/kWh min 25 GWh pa			0.006760	0.006760	0.007436
Off-Peak Usage Rate	\$/kWh			0.006760	0.006760	0.007436
TuOS Supply Charge	\$/day	2002133131	145.660640	0.000000	145.660640	160.226704
Annual Demand Rate	\$/kVA/mth min 5,000 KVA		4.536530	2.071770	6.608300	7.269130
Additional Demand	\$/kVA/mth			1.441990	1.441990	1.586189
Peak Usage Rate	\$/kWh min 25 GWh pa			0.006760	0.006760	0.007436
Off-Peak Usage Rate	\$/kWh			0.006760	0.006760	0.007436
TuOS Supply Charge	\$/day	SAAAAA021	409.680160	0.000000	409.680160	450.648176
Annual Demand Rate	\$/kVA/mth min 5,000 KVA		6.622680	2.071770	8.694450	9.563895
Additional Demand	\$/kVA/mth			1.441990	1.441990	1.586189
Peak Usage Rate	\$/kWh min 25 GWh pa			0.006760	0.006760	0.007436
Off-Peak Usage Rate	\$/kWh			0.006760	0.006760	0.007436
TuOS Supply Charge	\$/day	SAAAAA022	148.787130	0.000000	148.787130	163.665843
Annual Demand Rate	\$/kVA/mth min 5,000 KVA		4.532940	2.071770	6.604710	7.265181
Additional Demand	\$/kVA/mth			1.441990	1.441990	1.586189
Peak Usage Rate	\$/kWh min 25 GWh pa			0.006760	0.006760	0.007436
Off-Peak Usage Rate	\$/kWh			0.006760	0.006760	0.007436
TuOS Supply Charge	\$/day	SAAAAA024	110.144240	0.000000	110.144240	121.158664
Annual Demand Rate	\$/kVA/mth min 5,000 KVA		4.549040	2.071770	6.620810	7.282891
Additional Demand	\$/kVA/mth			1.441990	1.441990	1.586189
Peak Usage Rate	\$/kWh min 25 GWh pa			0.006760	0.006760	0.007436
Off-Peak Usage Rate	\$/kWh			0.006760	0.006760	0.007436
TuOS Supply Charge	\$/day	SAAAAA026	51.635150	0.000000	51.635150	56.798665
Annual Demand Rate	\$/kVA/mth min 5,000 KVA		4.612690	2.071770	6.684460	7.352906
Additional Demand	\$/kVA/mth			1.441990	1.441990	1.586189
Peak Usage Rate	\$/kWh min 25 GWh pa			0.006760	0.006760	0.007436
Off-Peak Usage Rate	\$/kWh			0.006760	0.006760	0.007436
TuOS Supply Charge	\$/day	SAAAAA035	250.358030	0.000000	250.358030	275.393833
Annual Demand Rate	\$/kVA/mth min 5,000 KVA		6.413090	2.071770	8.484860	9.333346
Additional Demand	\$/kVA/mth			1.441990	1.441990	1.586189
Peak Usage Rate	\$/kWh min 25 GWh pa			0.006760	0.006760	0.007436
Off-Peak Usage Rate	\$/kWh			0.006760	0.006760	0.007436
TuOS Supply Charge	\$/day	SAAAAA438	1,355.627300	0.000000	1,355.627300	1,491.190030
Annual Demand Rate	\$/kVA/mth min 5,000 KVA		1.050880	2.071770	3.122650	3.434915
Additional Demand	\$/kVA/mth			1.441990	1.441990	1.586189
Peak Usage Rate	\$/kWh min 25 GWh pa			0.006760	0.006760	0.007436
Off-Peak Usage Rate	\$/kWh			0.006760	0.006760	0.007436
Sub-Transmission (KVA) Locational		NMI				
TuOS Supply Charge	\$/day	2001000378	273.04038	0.000000	273.040380	300.344418
Annual Demand Rate	\$/kVA/mth min 10,000 KVA		5.61797	0.631130	6.249100	6.874010
Additional Demand	\$/kVA/mth			0.631130	0.631130	0.694243
Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
Off-Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
TuOS Supply Charge	\$/day	2002112609	1,787.03399	0.000000	1,787.033990	1,965.737389
Annual Demand Rate	\$/kVA/mth min 10,000 KVA		6.78020	0.631130	7.411330	8.152463
Additional Demand	\$/kVA/mth			0.631130	0.631130	0.694243
Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
Off-Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
TuOS Supply Charge	\$/day	2002213788	776.65375	0.000000	776.653750	854.319125
Annual Demand Rate	\$/kVA/mth min 10,000 KVA		1.01414	0.631130	1.645270	1.809797
Additional Demand	\$/kVA/mth			0.631130	0.631130	0.694243
Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
Off-Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
TuOS Supply Charge	\$/day	2002213796	776.65375	0.000000	776.653750	854.319125
Annual Demand Rate	\$/kVA/mth min 10,000 KVA		1.01414	0.631130	1.645270	1.809797
Additional Demand	\$/kVA/mth			0.631130	0.631130	0.694243
Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
Off-Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
TuOS Supply Charge	\$/day	2002216840	1,451.22807	0.000000	1,451.228070	1,596.350877
Annual Demand Rate	\$/kVA/mth min 10,000 KVA		1.31705	0.631130	1.948180	2.142998
Additional Demand	\$/kVA/mth			0.631130	0.631130	0.694243
Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
Off-Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
TuOS Supply Charge	\$/day	2002217226	4,130.41836	0.000000	4,130.418360	4,543.460196
Annual Demand Rate	\$/kVA/mth min 10,000 KVA		1.31705	0.631130	1.948180	2.142998
Additional Demand	\$/kVA/mth			0.631130	0.631130	0.694243
Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
Off-Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
TuOS Supply Charge	\$/day	TBA (St 2 Desal)	2,646.54448	0.000000	2,646.544480	2,911.198928
Annual Demand Rate	\$/kVA/mth min 10,000 KVA		1.31705	0.631130	1.948180	2.142998
Additional Demand	\$/kVA/mth			0.631130	0.631130	0.694243
Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
Off-Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
TuOS Supply Charge	\$/day	SAAAAA018	615.30741	0.000000	615.307410	676.838151
Annual Demand Rate	\$/kVA/mth min 10,000 KVA		6.57729	0.631130	7.208420	7.929262
Additional Demand	\$/kVA/mth			0.631130	0.631130	0.694243
Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
Off-Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
TuOS Supply Charge	\$/day	SAAAAA084	684.79671	0.000000	684.796710	753.276381
Annual Demand Rate	\$/kVA/mth min 10,000 KVA		5.61797	0.631130	6.249100	6.874010
Additional Demand	\$/kVA/mth			0.631130	0.631130	0.694243
Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
Off-Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
TuOS Supply Charge	\$/day	SAAAAAB557	1,168.60358	0.000000	1,168.603580	1,285.463938
Annual Demand Rate	\$/kVA/mth min 10,000 KVA		2.83406	0.631130	3.465190	3.811709
Additional Demand	\$/kVA/mth			0.631130	0.631130	0.694243
Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486
Off-Peak Usage Rate	\$/kWh			0.002260	0.002260	0.002486

ETSA UTILITIES NETWORK TARIFFS

APPLIES TO USAGE FROM 1 JULY 2011

OBSOLETE TARIFFS

High Voltage Obsolete (KVA)

Supply Rate	\$/day					0.000000	0.000000
Annual Demand Rate	\$/kVA/mth min 100 KVA	3.367180	4.444900			7.812080	8.593288
Additional Demand	\$/kVA/mth	0.000000	2.071770			2.071770	2.278947
Peak Usage Rate	\$/kWh	0.007200	0.019220			0.026420	0.029062
Off-Peak Usage Rate	\$/kWh	0.007200	0.019220			0.026420	0.029062

Low Voltage Business - Single Rate

Supply Rate	\$/day					0.307230	0.337953
Block 1 Usage Rate	\$/kWh First 833.3 kWh/mth	0.030000	0.085550	0.070430		0.115550	0.127105
Block 2 Usage Rate	\$/kWh Next 7,500 kWh/mth	0.034780	0.101020			0.135800	0.149380
Block 3 Usage Rate	\$/kWh Next 8,333.3 kWh/mth	0.037710	0.107030			0.144740	0.159214
Block 4 Usage Rate	\$/kWh Balance Usage	0.037710	0.107030			0.144740	0.159214

Low Voltage Business - Single Rate with Controlled Load

Supply Rate	\$/day					0.307230	0.337953
Block 1 Usage Rate	\$/kWh First 833.3 kWh/mth	0.030000	0.085550	0.070430		0.115550	0.127105
Block 2 Usage Rate	\$/kWh Next 7,500 kWh/mth	0.034780	0.101020			0.135800	0.149380
Block 3 Usage Rate	\$/kWh Next 8,333.3 kWh/mth	0.037710	0.107030			0.144740	0.159214
Block 4 Usage Rate	\$/kWh Balance Usage	0.037710	0.107030			0.144740	0.159214
Controlled Load Block 1 Usage Rate	\$/kWh First 666.7 kWh/mth	0.008090	0.029050			0.037140	0.040854
Controlled Load Block 2 Usage Rate	\$/kWh Balance Usage	0.008090	0.039450			0.047540	0.052294

Low Voltage Business - 2 Rate with Controlled Load

Supply Rate	\$/day					0.307230	0.337953
Peak Block 1 Usage Rate	\$/kWh First 1,666.7 kWh/mth	0.041620	0.112540	0.070430		0.154160	0.169576
Peak Block 2 Usage Rate	\$/kWh Next 6,666.7 kWh/mth	0.041620	0.112540			0.154160	0.169576
Peak Block 3 Usage Rate	\$/kWh Next 8,333.3 kWh/mth	0.041620	0.112540			0.154160	0.169576
Peak Block 4 Usage Rate	\$/kWh Balance Usage	0.041620	0.112540			0.154160	0.169576
Off-Peak Usage Rate	\$/kWh	0.007770	0.035530			0.043300	0.047630
Controlled Load Block 1 Usage Rate	\$/kWh First 666.7 kWh/mth	0.008090	0.029050			0.037140	0.040854
Controlled Load Block 2 Usage Rate	\$/kWh Balance Usage	0.008090	0.039450			0.047540	0.052294

Low Voltage Controlled Load

Controlled Load Block 1 Usage Rate	\$/kWh First 666.7 kWh/mth	0.008090	0.029050			0.037140	0.040854
Controlled Load Block 2 Usage Rate	\$/kWh Balance Usage	0.008090	0.039450			0.047540	0.052294

Notes accompanying 2011/12 Tariffs

Notes:

1. Distribution tariffs are determined on a GST exclusive basis. GST is added to the distribution tariffs.
2. ETSA Utilities must assign each Distribution Network User to a distribution tariff in respect of each of its connection points in accordance with the following principles.
 - (a) A Distribution Network User connected to the Distribution Network from 1 July 2010 requiring more than 100 amps (75kVA) supply must be assigned to a distribution network tariff that includes a demand component in respect of that connection point.
 - (b) A Distribution Network User connected to the Distribution Network at 30 June 2011 that has a maximum demand of 250kVA or more in respect of a connection point, must be assigned to a distribution tariff that includes a demand component in respect of that connection point.
 - (c) A Sub-Transmission (kVA) Network User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide Metropolitan area. A minimum annual demand of 10 MVA applies. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
 - (d) A Zone Substation (kVA) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5 MVA and a minimum annual usage of 25GWh apply. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
 - (e) A High Voltage Stepped Demand (kVA) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1 MVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
 - (f) A High Voltage Stepped Demand (kVA) <1,000 kVA customer is a Distribution Network User taking supply generally at 11kV with a kVA demand generally less than 1,000 kVA. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 80kVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.

- (g) A High Voltage (kVA) (Obsolete) customer is a Distribution Network User taking supply generally at 11kV. This tariff is available only to Distribution Network Users that were taking supply under the High Voltage Demand (kW) (Obsolete) tariff as at 11 October 1999. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 100kVA applies. A NEM compliant type 1-5 interval meter is required with the ability to measure both active and reactive power. An excluded charge applies for the monthly reading of Type 5 meters. These tariffs are invoiced monthly.
- (h) A High Voltage Business 2 rate customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A NEM compliant type 1-5 interval meter is required with the ability to measure both active and reactive power. Peak consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. Off Peak consumption is charged at a flat rate. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is available only to Distribution Network Users requiring less than 80kVA demand, except where a Distribution Network User was taking supply under this tariff as at 30 June 2010. This tariff is invoiced monthly. An excluded charge applies for the monthly reading of Type 5 meters.
- (i) A Low Voltage Stepped Demand (kVA) customer is a Distribution Network User generally taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum agreed maximum demand of 80KVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-5 interval meter is required with the ability to measure both active and reactive power. An excluded charge applies for the monthly reading of Type 5 meters. These tariffs are invoiced monthly.
- (j) A Low Voltage Business 2 rate customer is a Distribution Network User that is not a residential customer generally taking supply at less than 1kV and using peak and off-peak network charges. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Peak consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. Off Peak consumption is charged at a flat rate. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is available only to Distribution Network Users requiring less than 80kVA demand, except where a Distribution Network User was taking supply under this tariff as at 30 June 2010. An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is invoiced monthly or quarterly.
- (k) A Low Voltage Business single rate customer is a Distribution Network User that is not a residential customer generally taking supply at less than 1kV. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2010. This tariff is invoiced monthly or quarterly.
- (l) A Low Voltage Residential single rate customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is invoiced monthly or quarterly.
- (m) A Low Voltage Controlled Load is used by a Distribution Network User for permanently installed storage water heaters with a rated delivery of not less than 125 litres, storage space heaters and other approved applications involving a time switch and separate metering where the timing has been set in accordance with ETSA Utilities' requirements regarding the timing of loads. Consumption is charged at two rates, one rate for consumption up to and including 666.7 kWh/mth[#] and another rate for the balance of consumption. This tariff is available only to Distribution Network Users that were taking supply under the Controlled Load tariff as at 30 June 2003, or are utilising a business single or residential tariff at the NMI in conjunction with the controlled load. This tariff is invoiced at the same frequency as other tariffs used by the Distribution Network User at that NMI.
- (n) Unmetered Overnight Usage supply is defined as overnight use by a Distribution Network User for public lighting. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (o) Unmetered 24 Hour Usage supply is defined as constant 24 hour per day use by a Distribution Network User, typically public phones, traffic lights and telecommunications installations. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.

3. The supply and demand charges are levied and billed to Distribution Network Users periodically on a pro-rata basis.

4. Demand charges are determined on the basis of:

- (a) Agreed maximum demand (Annual Demand); and
- (b) Agreed additional maximum demand (Additional Demand), determined in accordance with Schedule 2 of Part B of the 2005-2010 Electricity Distribution Price Determination.

5. Peak energy is energy consumed on business days between the hours of 0700 and 2100 (Central Standard Time). For Distribution Network Users with metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 (Central Standard Time).

6. Off-peak energy is energy consumed other than peak energy.

7.

- (a) 333.3 kWh/mth approximates 4,000 kWh per annum;
- (b) 500 kWh/mth approximates 6,000 kWh per annum;
- (c) 666.7 kWh/mth approximates 8,000 kWh per annum;
- (d) 833.3 kWh/mth approximates 10,000 kWh per annum;
- (e) 6,666.7 kWh/mth approximates 80,000 kWh per annum;
- (f) 7,500 kWh/mth approximates 90,000 kWh per annum; and
- (g) 8,333.3 kWh/mth approximates 100,000 kWh per annum.

8. The following meter charges apply

• Meter Provision Type 6 Direct Current Connected	\$25.7781 per annum excl GST.
• Meter Provision Type 6 Current Transformer Connected	\$111.7492 per annum excl GST.
• Meter Provision Type 1-4 Exceptional	\$396.8065 per annum excl GST.
• Meter Service Other Meter Provider Customer	\$0.0000 per annum
• Meter Service Exit Fee Type 6	\$246.66 excl GST per transaction
• Meter Service Exit Fee Type 1-4	\$550.73 excl GST per transaction

Residential, Business Single Rate and Business Two Rate tariffs incorporate the Type 6 Direct Current Connected Meter Charge. If a customer assigned to these tariffs is using that meter then no further adjustments are required.

If a customer assigned to a Residential, Business Single Rate or Business Two Rate tariff is using a Type 6 Current Transformer Connected Meter, then an additional charge of the difference from the Type 6 Direct Current Connected Meter will apply.

If a customer assigned to a Residential, Business Single Rate or Business Two Rate tariff is using another meter provider's meter, then the Type 6 Direct Current Connected Meter charge will be rebated.

For those customers on demand tariffs that are using a Type 1-4 Exceptional meter then an additional charge of the Type 1-4 Exceptional Meter will apply. A Type 1-4 Exceptional Meter is meter provision services provided in respect of meters meeting the requirements of a metering installation type 1, metering installation type 2, metering installation type 3 or metering installation type 4 installed prior to 1 July 2000 provided in accordance with the requirement of clause 27 of ETSA Utilities' distribution licence as in force at 30 June 2005.

Exit fees apply where customers elect to switch to another meter type and/or meter provider.