

ETSA UTILITIES NETWORK TARIFFS
APPLIES TO USAGE FROM 1 JULY 2012

Customer Category	Units	Min Qty.	DUOS excl GST	METER excl GST	Total ETSA excl GST	TUOS P-Thru excl GST	PV JSO P-Thru excl GST	Total excl GST	Total incl GST
Low Voltage Residential - Single Rate									
Supply Rate	\$/day		0.258720	0.076750	0.335470			0.335470	0.369017
Block 1 Usage Rate	\$/kWh	First 333.3 kWh/mth	0.081350		0.081350	0.026490	0.022150	0.129990	0.142989
Block 2 Usage Rate	\$/kWh	Next 500 kWh/mth	0.107260		0.107260	0.038080	0.022640	0.167980	0.184778
Block 3 Usage Rate	\$/kWh	Next 833.3 kWh/mth	0.127600		0.127600	0.046340	0.026930	0.200870	0.220957
Block 4 Usage Rate	\$/kWh	Balance Usage	0.127600		0.127600	0.046340	0.026930	0.200870	0.220957
Low Voltage Residential - Single Rate with Controlled Load									
Supply Rate	\$/day		0.258720	0.076750	0.335470			0.335470	0.369017
Block 1 Usage Rate	\$/kWh	First 333.3 kWh/mth	0.081350		0.081350	0.026490	0.022150	0.129990	0.142989
Block 2 Usage Rate	\$/kWh	Next 500 kWh/mth	0.107260		0.107260	0.038080	0.022640	0.167980	0.184778
Block 3 Usage Rate	\$/kWh	Next 833.3 kWh/mth	0.127600		0.127600	0.046340	0.026930	0.200870	0.220957
Block 4 Usage Rate	\$/kWh	Balance Usage	0.127600		0.127600	0.046340	0.026930	0.200870	0.220957
Controlled Load Block 1 Usage Rate	\$/kWh	First 666.7 kWh/mth	0.031330		0.031330	0.008910	0.006610	0.046850	0.051535
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.042530		0.042530	0.008910	0.008980	0.060420	0.066462
Low Voltage Business - 2 Rate									
Supply Rate	\$/day		0.258720	0.076750	0.335470			0.335470	0.369017
Peak Block 1 Usage Rate	\$/kWh	First 1,666.7 kWh/mth	0.121350		0.121350	0.045840	0.026610	0.193800	0.213180
Peak Block 2 Usage Rate	\$/kWh	Next 6,666.7 kWh/mth	0.121350		0.121350	0.045840	0.025620	0.192810	0.212091
Peak Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.121350		0.121350	0.045840	0.025620	0.192810	0.212091
Peak Block 4 Usage Rate	\$/kWh	Balance Usage	0.121350		0.121350	0.045840	0.025620	0.192810	0.212091
Off-Peak Usage Rate	\$/kWh		0.038320		0.038320	0.008560	0.008090	0.054970	0.060467
High Voltage Business - 2 Rate									
Supply Rate	\$/day		0.258720	0.076750	0.335470			0.335470	0.369017
Peak Block 1 Usage Rate	\$/kWh	First 1,666.7 kWh/mth	0.121350		0.121350	0.045840	0.026610	0.193800	0.213180
Peak Block 2 Usage Rate	\$/kWh	Next 6,666.7 kWh/mth	0.121350		0.121350	0.045840	0.025620	0.192810	0.212091
Peak Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.121350		0.121350	0.045840	0.025620	0.192810	0.212091
Peak Block 4 Usage Rate	\$/kWh	Balance Usage	0.121350		0.121350	0.045840	0.025620	0.192810	0.212091
Off-Peak Usage Rate	\$/kWh		0.038320		0.038320	0.008560	0.008090	0.054970	0.060467
Low Voltage Unmetered Usage (Overnight Usage)									
Anytime Usage Rate	\$/kWh		0.052820		0.052820	0.016520	0.011150	0.080490	0.088539
Low Voltage Unmetered Usage (24 Hour Usage)									
Anytime Usage Rate	\$/kWh		0.047000		0.047000	0.014090	0.009920	0.071010	0.078111
Low Voltage Stepped Demand (KVA)									
		min 80 KVA							
Supply Rate	\$/day								
Annual Block 1 Demand Rate	\$/kVA/mth	First 100 KVA	11.657770		11.657770	3.788510	2.460750	17.907030	19.697733
Annual Block 2 Demand Rate	\$/kVA/mth	Next 150 KVA	6.800850		6.800850	3.788510	1.435540	12.024900	13.227390
Annual Block 3 Demand Rate	\$/kVA/mth	Next 750 KVA	4.979330		4.979330	3.788510	1.051050	9.818890	10.800779
Annual Block 4 Demand Rate	\$/kVA/mth	Balance KVA	3.764000		3.764000	3.788510	0.794510	8.347020	9.181722
Additional Demand	\$/kVA/mth		3.764000		3.764000	0.000000	0.794510	4.558510	5.014361
Peak Usage Rate	\$/kWh		0.024040		0.024040	0.008110	0.005080	0.037230	0.040953
Off-Peak Usage Rate	\$/kWh		0.024040		0.024040	0.008110	0.005080	0.037230	0.040953
High Voltage Stepped Demand (KVA) <1,000kVA									
		min 80 KVA							
Supply Rate	\$/day								
Annual Block 1 Demand Rate	\$/kVA/mth	First 100 KVA	11.657770		11.657770	3.788510	2.460750	17.907030	19.697733
Annual Block 2 Demand Rate	\$/kVA/mth	Next 150 KVA	6.800850		6.800850	3.788510	1.435540	12.024900	13.227390
Annual Block 3 Demand Rate	\$/kVA/mth	Next 750 KVA	4.979330		4.979330	3.788510	1.051050	9.818890	10.800779
Annual Block 4 Demand Rate	\$/kVA/mth	Balance KVA	3.764000		3.764000	3.788510	0.794510	8.347020	9.181722
Additional Demand	\$/kVA/mth		3.764000		3.764000	0.000000	0.794510	4.558510	5.014361
Peak Usage Rate	\$/kWh		0.024040		0.024040	0.008110	0.005080	0.037230	0.040953
Off-Peak Usage Rate	\$/kWh		0.024040		0.024040	0.008110	0.005080	0.037230	0.040953
High Voltage Stepped Demand (KVA)									
		min 1,000 KVA							
Supply Rate	\$/day								
Annual Block 1 Demand Rate	\$/kVA/mth	First 1,000 KVA	4.792800		4.792800	3.708210	1.011670	9.512680	10.463948
Annual Block 2 Demand Rate	\$/kVA/mth	Next 2,000 KVA	2.902780		2.902780	3.708210	0.612730	7.223720	7.946092
Annual Block 3 Demand Rate	\$/kVA/mth	Balance KVA	2.233920		2.233920	3.708210	0.471540	6.413670	7.055037
Additional Demand	\$/kVA/mth		2.233920		2.233920	0.000000	0.471540	2.705460	2.976006
Peak Usage Rate	\$/kWh		0.020720		0.020720	0.007920	0.004370	0.033010	0.036311
Off-Peak Usage Rate	\$/kWh		0.020720		0.020720	0.007920	0.004370	0.033010	0.036311
Zone Sub-station (KVA) (Load <10MW and Consumption <40GWh pa)									
Supply Rate	\$/day								
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.233920		2.233920	3.620020	0.471540	6.325480	6.958028
Additional Demand	\$/kVA/mth		1.554860		1.554860	0.000000	0.328200	1.883060	2.071366
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007290		0.007290	0.007790	0.001540	0.016620	0.018282
Off-Peak Usage Rate	\$/kWh		0.007290		0.007290	0.007790	0.001540	0.016620	0.018282
Zone Sub-station (KVA) Locational									
TUoS Supply Charge	\$/day					See Individual Locational Charges Below			
Supply Rate	\$/day								
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.233920		2.233920		0.471540	2.705460	2.976006
Additional Demand	\$/kVA/mth		1.554860		1.554860		0.328200	1.883060	2.071366
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007290		0.007290		0.001540	0.008830	0.009713
Off-Peak Usage Rate	\$/kWh		0.007290		0.007290		0.001540	0.008830	0.009713
Subtransmission (KVA) Locational									
TUoS Supply Charge	\$/day					See Individual Locational Charges Below			
Supply Rate	\$/day								
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.680520		0.680520		0.143650	0.824170	0.906587
Additional Demand	\$/kVA/mth		0.680520		0.680520		0.143650	0.824170	0.906587
Peak Usage Rate	\$/kWh		0.002430		0.002430		0.000510	0.002940	0.003234
Off-Peak Usage Rate	\$/kWh		0.002430		0.002430		0.000510	0.002940	0.003234

ETSA UTILITIES NETWORK TARIFFS

APPLIES TO USAGE FROM 1 JULY 2012

Zone Substation (KVA) Locational		NMI						
TUoS Supply Charge	\$/day	2001000608	0.000000	0.000000	48.346260	0.000000	48.346260	53.180886
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.233920	2.233920	4.694830	0.471540	7.400290	8.140319
Additional Demand	\$/kVA/mth		1.554860	1.554860		0.328200	1.883060	2.071366
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007290	0.007290		0.001540	0.008830	0.009713
Off-Peak Usage Rate	\$/kWh		0.007290	0.007290		0.001540	0.008830	0.009713
TUoS Supply Charge	\$/day	2002133131	0.000000	0.000000	155.853310	0.000000	155.853310	171.438641
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.233920	2.233920	4.653930	0.471540	7.359390	8.095329
Additional Demand	\$/kVA/mth		1.554860	1.554860		0.328200	1.883060	2.071366
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007290	0.007290		0.001540	0.008830	0.009713
Off-Peak Usage Rate	\$/kWh		0.007290	0.007290		0.001540	0.008830	0.009713
TUoS Supply Charge	\$/day	SAAAAA021	0.000000	0.000000	438.525890	0.000000	438.525890	482.378479
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.233920	2.233920	6.754680	0.471540	9.460140	10.406154
Additional Demand	\$/kVA/mth		1.554860	1.554860		0.328200	1.883060	2.071366
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007290	0.007290		0.001540	0.008830	0.009713
Off-Peak Usage Rate	\$/kWh		0.007290	0.007290		0.001540	0.008830	0.009713
TUoS Supply Charge	\$/day	SAAAAA022	0.000000	0.000000	141.572770	0.000000	141.572770	155.730047
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.233920	2.233920	4.650250	0.471540	7.355710	8.091281
Additional Demand	\$/kVA/mth		1.554860	1.554860		0.328200	1.883060	2.071366
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007290	0.007290		0.001540	0.008830	0.009713
Off-Peak Usage Rate	\$/kWh		0.007290	0.007290		0.001540	0.008830	0.009713
TUoS Supply Charge	\$/day	SAAAAA024	0.000000	0.000000	147.457190	0.000000	147.457190	162.202909
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.233920	2.233920	4.667970	0.471540	7.373430	8.110773
Additional Demand	\$/kVA/mth		1.554860	1.554860		0.328200	1.883060	2.071366
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007290	0.007290		0.001540	0.008830	0.009713
Off-Peak Usage Rate	\$/kWh		0.007290	0.007290		0.001540	0.008830	0.009713
TUoS Supply Charge	\$/day	SAAAAA026	0.000000	0.000000	71.333100	0.000000	71.333100	78.466410
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.233920	2.233920	4.733280	0.471540	7.438740	8.182614
Additional Demand	\$/kVA/mth		1.554860	1.554860		0.328200	1.883060	2.071366
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007290	0.007290		0.001540	0.008830	0.009713
Off-Peak Usage Rate	\$/kWh		0.007290	0.007290		0.001540	0.008830	0.009713
TUoS Supply Charge	\$/day	SAAAAA035	0.000000	0.000000	268.003640	0.000000	268.003640	294.804004
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.233920	2.233920	6.656270	0.471540	9.361730	10.297903
Additional Demand	\$/kVA/mth		1.554860	1.554860		0.328200	1.883060	2.071366
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007290	0.007290		0.001540	0.008830	0.009713
Off-Peak Usage Rate	\$/kWh		0.007290	0.007290		0.001540	0.008830	0.009713
TUoS Supply Charge	\$/day	SAAAAA438	0.000000	0.000000	84.350120	0.000000	84.350120	92.785132
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.233920	2.233920	4.674450	0.471540	7.379910	8.117901
Additional Demand	\$/kVA/mth		1.554860	1.554860		0.328200	1.883060	2.071366
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.007290	0.007290		0.001540	0.008830	0.009713
Off-Peak Usage Rate	\$/kWh		0.007290	0.007290		0.001540	0.008830	0.009713
Sub-Transmission (KVA) Locational		NMI						
TUoS Supply Charge	\$/day	2001000378	0.000000	0.000000	319.11717	0.000000	319.117165	351.028882
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.680520	0.680520	6.39017	0.143650	7.214344	7.935778
Additional Demand	\$/kVA/mth		0.680520	0.680520		0.143650	0.824170	0.906587
Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
Off-Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
TUoS Supply Charge	\$/day	2002112609	0.000000	0.000000	1,971.03507	0.000000	1,971.035073	2,168.138580
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.680520	0.680520	7.60809	0.143650	8.432262	9.275488
Additional Demand	\$/kVA/mth		0.680520	0.680520		0.143650	0.824170	0.906587
Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
Off-Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
TUoS Supply Charge	\$/day	2002213788	0.000000	0.000000	1,287.21113	0.000000	1,287.211128	1,415.932241
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.680520	0.680520	1.18958	0.143650	2.013750	2.215125
Additional Demand	\$/kVA/mth		0.680520	0.680520		0.143650	0.824170	0.906587
Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
Off-Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
TUoS Supply Charge	\$/day	2002213796	0.000000	0.000000	1,287.21113	0.000000	1,287.211128	1,415.932241
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.680520	0.680520	1.18958	0.143650	2.013750	2.215125
Additional Demand	\$/kVA/mth		0.680520	0.680520		0.143650	0.824170	0.906587
Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
Off-Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
TUoS Supply Charge	\$/day	2002216840	0.000000	0.000000	179.64587	0.000000	179.645868	197.610454
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.680520	0.680520	5.40756	0.143650	6.231727	6.854900
Additional Demand	\$/kVA/mth		0.680520	0.680520		0.143650	0.824170	0.906587
Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
Off-Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
TUoS Supply Charge	\$/day	2002217226	0.000000	0.000000	511.29978	0.000000	511.299777	562.429755
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.680520	0.680520	5.40756	0.143650	6.231727	6.854900
Additional Demand	\$/kVA/mth		0.680520	0.680520		0.143650	0.824170	0.906587
Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
Off-Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
TUoS Supply Charge	\$/day	2002246502	0.000000	0.000000	414.56739	0.000000	414.567387	456.024125
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.680520	0.680520	5.40756	0.143650	6.231727	6.854900
Additional Demand	\$/kVA/mth		0.680520	0.680520		0.143650	0.824170	0.906587
Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
Off-Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
TUoS Supply Charge	\$/day	SAAAAA018	0.000000	0.000000	724.49457	0.000000	724.494569	796.944026
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.680520	0.680520	7.37923	0.143650	8.203402	9.023743
Additional Demand	\$/kVA/mth		0.680520	0.680520		0.143650	0.824170	0.906587
Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
Off-Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
TUoS Supply Charge	\$/day	SAAAAA084	0.000000	0.000000	801.44916	0.000000	801.449164	881.594081
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.680520	0.680520	6.39017	0.143650	7.214344	7.935778
Additional Demand	\$/kVA/mth		0.680520	0.680520		0.143650	0.824170	0.906587
Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
Off-Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
TUoS Supply Charge	\$/day	SAAAAA557	0.000000	0.000000	1,314.39817	0.000000	1,314.398171	1,445.837988
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.680520	0.680520	3.32439	0.143650	4.148563	4.563419
Additional Demand	\$/kVA/mth		0.680520	0.680520		0.143650	0.824170	0.906587
Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234
Off-Peak Usage Rate	\$/kWh		0.002430	0.002430		0.000510	0.002940	0.003234

ETSA UTILITIES NETWORK TARIFFS
APPLIES TO USAGE FROM 1 JULY 2012

OBSOLETE TARIFFS

High Voltage Obsolete (kVA)

Supply Rate	\$/day		0.000000			0.000000	0.000000
Annual Demand Rate	\$/kVA/mth min 100 KVA	4.792800	4.792800	3.708210	1.011670	9.512680	10.463948
Additional Demand	\$/kVA/mth	2.233920	2.233920	0.000000	0.471540	2.705460	2.976006
Peak Usage Rate	\$/kWh	0.020720	0.020720	0.007920	0.004370	0.033010	0.036311
Off-Peak Usage Rate	\$/kWh	0.020720	0.020720	0.007920	0.004370	0.033010	0.036311

Low Voltage Business - Single Rate

Supply Rate	\$/day		0.258720	0.076750	0.335470		0.335470	0.369017	
Block 1 Usage Rate	\$/kWh	First 833.3 kWh/mth	0.092240		0.092240	0.033040	0.021460	0.146740	0.161414
Block 2 Usage Rate	\$/kWh	Next 7,500 kWh/mth	0.108930		0.108930	0.038310	0.022990	0.170230	0.187253
Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.115410		0.115410	0.041530	0.024360	0.181300	0.199430
Block 4 Usage Rate	\$/kWh	Balance Usage	0.115410		0.115410	0.041530	0.024360	0.181300	0.199430

Low Voltage Business - Single Rate with Controlled Load

Supply Rate	\$/day		0.258720	0.076750	0.335470		0.335470	0.369017
Block 1 Usage Rate	\$/kWh	First 833.3 kWh/mth	0.092240		0.092240	0.033040	0.021460	0.161414
Block 2 Usage Rate	\$/kWh	Next 7,500 kWh/mth	0.108930		0.108930	0.038310	0.022990	0.187253
Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.115410		0.115410	0.041530	0.024360	0.199430
Block 4 Usage Rate	\$/kWh	Balance Usage	0.115410		0.115410	0.041530	0.024360	0.199430
Controlled Load Block 1 Usage Rate	\$/kWh	First 666.7 kWh/mth	0.031330		0.031330	0.008910	0.006610	0.051535
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.042530		0.042530	0.008910	0.008980	0.066462

Low Voltage Business - 2 Rate with Controlled Load

Supply Rate	\$/day		0.258720	0.076750	0.335470		0.335470	0.369017
Peak Block 1 Usage Rate	\$/kWh	First 1,666.7 kWh/mth	0.121350		0.121350	0.045840	0.026610	0.193800
Peak Block 2 Usage Rate	\$/kWh	Next 6,666.7 kWh/mth	0.121350		0.121350	0.045840	0.025620	0.192810
Peak Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/mth	0.121350		0.121350	0.045840	0.025620	0.192810
Peak Block 4 Usage Rate	\$/kWh	Balance Usage	0.121350		0.121350	0.045840	0.025620	0.192810
Off-Peak Usage Rate	\$/kWh		0.038320		0.038320	0.008560	0.008090	0.054970
Controlled Load Block 1 Usage Rate	\$/kWh	First 666.7 kWh/mth	0.031330		0.031330	0.008910	0.006610	0.046850
Controlled Load Block 2 Usage Rate	\$/kWh	Balance Usage	0.042530		0.042530	0.008910	0.008980	0.060420

Low Voltage Controlled Load

Controlled Load Block 1 Usage Rate	\$/kWh First 666.7 kWh/mth	0.031330	0.031330	0.008910	0.006610	0.046850	0.051535
Controlled Load Block 2 Usage Rate	\$/kWh Balance Usage	0.042530	0.042530	0.008910	0.008980	0.060420	0.066462

Notes accompanying 2012/13 Tariffs

Notes:

- Distribution tariffs are determined on a GST exclusive basis. GST is added to the distribution tariffs.
- ETSA Utilities must assign each Distribution Network User to a distribution tariff in respect of each of its connection points in accordance with the following principles.
 - A Distribution Network User connected to the Distribution Network from 1 July 2010 requiring more than 100 amps (75kVA) supply must be assigned to a distribution network tariff that includes a demand component in respect of that connection point.
 - A Distribution Network User connected to the Distribution Network at 30 June 2011 that has a maximum demand of 250kVA or more in respect of a connection point, must be assigned to a distribution tariff that includes a demand component in respect of that connection point.
 - A Sub-Transmission (kVA) Network User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide Metropolitan area. A minimum annual demand of 10 MVA applies. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
 - A Zone Substation (kVA) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5 MVA and a minimum annual usage of 25GWh apply. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
 - A High Voltage Stepped Demand (kVA) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1 MVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
 - A High Voltage Stepped Demand (kVA) <1,000 kVA customer is a Distribution Network User taking supply generally at 11kV with a kVA demand generally less than 1,000 kVA. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 80kVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
 - A High Voltage (kVA) (Obsolete) customer is a Distribution Network User taking supply generally at 11kV. This tariff is available only to Distribution Network Users that were taking supply under the High Voltage Demand (kW) (Obsolete) tariff as at 11 October 1999. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 100kVA applies. A NEM compliant type 1-5 interval meter

is required with the ability to measure both active and reactive power. An excluded charge applies for the monthly reading of Type 5 meters. These tariffs are invoiced monthly.

- (h) A High Voltage Business 2 rate customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A NEM compliant type 1-5 interval meter is required with the ability to measure both active and reactive power. Peak consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. Off Peak consumption is charged at a flat rate. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is available only to Distribution Network Users requiring less than 80kVA demand, except where a Distribution Network User was taking supply under this tariff as at 30 June 2010. This tariff is invoiced monthly. An excluded charge applies for the monthly reading of Type 5 meters.
- (i) A Low Voltage Stepped Demand (kVA) customer is a Distribution Network User generally taking supply at less than 1kV and generally from the low voltage distribution transformer terminals. A minimum agreed maximum demand of 80KVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-5 interval meter is required with the ability to measure both active and reactive power. An excluded charge applies for the monthly reading of Type 5 meters. These tariffs are invoiced monthly.
- (j) A Low Voltage Business 2 rate customer is a Distribution Network User that is not a residential customer generally taking supply at less than 1kV and using peak and off-peak network charges. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Peak consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. Off Peak consumption is charged at a flat rate. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is available only to Distribution Network Users requiring less than 80kVA demand, except where a Distribution Network User was taking supply under this tariff as at 30 June 2010. An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is invoiced monthly or quarterly.
- (k) A Low Voltage Business single rate customer is a Distribution Network User that is not a residential customer generally taking supply at less than 1kV. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2010. This tariff is invoiced monthly or quarterly.
- (l) A Low Voltage Residential single rate customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. An excluded service charge applies where ETSA Utilities is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is invoiced monthly or quarterly.
- (m) A Low Voltage Controlled Load is used by a Distribution Network User for permanently installed storage water heaters with a rated delivery of not less than 125 litres, storage space heaters and other approved applications involving a time switch and separate metering where the timing has been set in accordance with ETSA Utilities' requirements regarding the timing of loads. Consumption is charged at two rates, one rate for consumption up to and including 666.7 kWh/mth[#] and another rate for the balance of consumption. This tariff is available only to Distribution Network Users that were taking supply under the Controlled Load tariff as at 30 June 2003, or are utilising a business single or residential tariff at the NMI in conjunction with the controlled load. This tariff is invoiced at the same frequency as other tariffs used by the Distribution Network User at that NMI.
- (n) Unmetered Overnight Usage supply is defined as overnight use by a Distribution Network User for public lighting. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.
- (o) Unmetered 24 Hour Usage supply is defined as constant 24 hour per day use by a Distribution Network User, typically public phones, traffic lights and telecommunications installations. These tariffs are generally invoiced monthly, unless otherwise agreed by ETSA Utilities.

3. The supply and demand charges are levied and billed to Distribution Network Users periodically on a pro-rata basis.

4. Demand charges are determined on the basis of:

- (a) Agreed maximum demand (Annual Demand); and
- (b) Agreed additional maximum demand (Additional Demand), determined in accordance with Schedule 2 of Part B of the 2005-2010 Electricity Distribution Price Determination.

5. Peak energy is energy consumed on business days between the hours of 0700 and 2100 (Central Standard Time). For Distribution Network Users with metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 (Central Standard Time).

6. Off-peak energy is energy consumed other than peak energy.

7.

- (a) 333.3 kWh/mth approximates 4,000 kWh per annum;
- (b) 500 kWh/mth approximates 6,000 kWh per annum;
- (c) 666.7 kWh/mth approximates 8,000 kWh per annum;
- (d) 833.3 kWh/mth approximates 10,000 kWh per annum;
- (e) 6,666.7 kWh/mth approximates 80,000 kWh per annum;
- (f) 7,500 kWh/mth approximates 90,000 kWh per annum; and
- (g) 8,333.3 kWh/mth approximates 100,000 kWh per annum.

8. The following meter charges apply

• Meter Provision Type 6 Direct Current Connected	\$28.0153 per annum excl GST.
• Meter Provision Type 6 Current Transformer Connected	\$121.4474 per annum excl GST.
• Meter Provision Type 1-4 Exceptional	\$431.2435 per annum excl GST.
• Meter Service Other Meter Provider Customer	\$0.0000 per annum
• Meter Service Exit Fee Type 6	\$250.57 excl GST per transaction
• Meter Service Exit Fee Type 1-4	\$559.46 excl GST per transaction

Residential, Business Single Rate and Business Two Rate tariffs incorporate the Type 6 Direct Current Connected Meter Charge. If a customer assigned to these tariffs is using that meter then no further adjustments are required.

If a customer assigned to a Residential, Business Single Rate or Business Two Rate tariff is using a Type 6 Current Transformer Connected Meter, then an additional charge of the difference from the Type 6 Direct Current Connected Meter will apply.

If a customer assigned to a Residential, Business Single Rate or Business Two Rate tariff is using another meter provider's meter, then the Type 6 Direct Current Connected Meter charge will be rebated.

For those customers on demand tariffs that are using a Type 1-4 Exceptional meter then an additional charge of the Type 1-4 Exceptional Meter will apply. A Type 1-4 Exceptional Meter is meter provision services provided in respect of meters meeting the requirements of a metering installation type 1, metering installation type 2, metering installation type 3 or metering installation type 4 installed prior to 1 July 2000 provided in accordance with the requirement of clause 27 of ETSA Utilities' distribution licence as in force at 30 June 2005.

Exit fees apply where customers elect to switch to another meter type and/or meter provider.