

SA Power Networks NETWORK TARIFFS APPLIES TO USAGE FROM 1 JULY 2013									
Customer Category	Units	Min Qty.	DUOS excl GST	METER excl GST	Total SA-PN excl GST	TUOS excl GST	PV JSO excl GST	Total excl GST	Total incl GST
Low Voltage Residential - Single Rate									
Supply Rate	\$/day		0.278752	0.084115	0.362867		0.000000	0.362867	0.399154
Block 1 Usage Rate	\$/kWh	First 333.3 kWh/m	0.092466		0.092466	0.023339	0.017816	0.133622	0.146984
Block 2 Usage Rate	\$/kWh	Next 500 kWh/m	0.120487		0.120487	0.033559	0.018207	0.172253	0.189478
Block 3 Usage Rate	\$/kWh	Next 833.3 kWh/m	0.143338		0.143338	0.040832	0.021660	0.205830	0.226413
Block 4 Usage Rate	\$/kWh	Balance Usage	0.143338		0.143338	0.040832	0.021660	0.205830	0.226413
Low Voltage Residential - Single Rate with Controlled Load									
Supply Rate	\$/day		0.278752	0.084115	0.362867		0.000000	0.362867	0.399154
Block 1 Usage Rate	\$/kWh	First 333.3 kWh/m	0.092466		0.092466	0.023339	0.017816	0.133622	0.146984
Block 2 Usage Rate	\$/kWh	Next 500 kWh/m	0.120487		0.120487	0.033559	0.018207	0.172253	0.189478
Block 3 Usage Rate	\$/kWh	Next 833.3 kWh/m	0.143338		0.143338	0.040832	0.021660	0.205830	0.226413
Block 4 Usage Rate	\$/kWh	Balance Usage	0.143338		0.143338	0.040832	0.021660	0.205830	0.226413
Controlled Load Block 1 Usage	\$/kWh	First 666.7 kWh/m	0.035194		0.035194	0.007853	0.005318	0.048365	0.053201
Controlled Load Block 2 Usage	\$/kWh	Balance Usage	0.047780		0.047780	0.007853	0.007220	0.062854	0.069139
Low Voltage Business - 2 Rate									
Supply Rate	\$/day		0.278752	0.084115	0.362867		0.000000	0.362867	0.399154
Peak Block 1 Usage Rate	\$/kWh	First 1,666.7 kWh/	0.136322		0.136322	0.040391	0.021368	0.198082	0.217890
Peak Block 2 Usage Rate	\$/kWh	Next 6,666.7 kWh/	0.136322		0.136322	0.040391	0.020600	0.197313	0.217044
Peak Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/	0.136322		0.136322	0.040391	0.020600	0.197313	0.217044
Peak Block 4 Usage Rate	\$/kWh	Balance Usage	0.136322		0.136322	0.040391	0.020600	0.197313	0.217044
Off-Peak Usage Rate	\$/kWh		0.043043		0.043043	0.007540	0.006504	0.057087	0.062796
High Voltage Business - 2 Rate									
Supply Rate	\$/day		0.278752	0.084115	0.362867		0.000000	0.362867	0.399154
Peak Block 1 Usage Rate	\$/kWh	First 1,666.7 kWh/	0.136322		0.136322	0.040391	0.021368	0.198082	0.217890
Peak Block 2 Usage Rate	\$/kWh	Next 6,666.7 kWh/	0.136322		0.136322	0.040391	0.020600	0.197313	0.217044
Peak Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/	0.136322		0.136322	0.040391	0.020600	0.197313	0.217044
Peak Block 4 Usage Rate	\$/kWh	Balance Usage	0.136322		0.136322	0.040391	0.020600	0.197313	0.217044
Off-Peak Usage Rate	\$/kWh		0.043043		0.043043	0.007540	0.006504	0.057087	0.062796
Low Voltage Unmetered Usage (Overnight Usage)									
Anytime Usage Rate	\$/kWh		0.059341		0.059341	0.014558	0.008967	0.082866	0.091153
Low Voltage Unmetered Usage (24 Hour Usage)									
Anytime Usage Rate	\$/kWh		0.052792		0.052792	0.012412	0.007977	0.073181	0.080500
Low Voltage Stepped Demand (KVA)									
Supply Rate	\$/day	min 80 KVA	0.000000		0.000000		0.000000	0.000000	0.000000
Annual Block 1 Demand Rate	\$/kVA/mth	First 100 KVA	13.095927		13.095927	3.338488	1.978925	18.413340	20.254674
Annual Block 2 Demand Rate	\$/kVA/mth	Next 150 KVA	7.639836		7.639836	3.338488	1.154455	12.132780	13.346058
Annual Block 3 Demand Rate	\$/kVA/mth	Next 750 KVA	5.593598		5.593598	3.338488	0.845248	9.777334	10.755068
Annual Block 4 Demand Rate	\$/kVA/mth	Balance KVA	4.228347		4.228347	3.338488	0.638945	8.205781	9.026359
Additional Demand	\$/kVA/mth		4.228347		4.228347	0.000000	0.638945	4.867293	5.354022
Peak Usage Rate	\$/kWh		0.027010		0.027010	0.007146	0.004082	0.038237	0.042061
Off-Peak Usage Rate	\$/kWh		0.027010		0.027010	0.007146	0.004082	0.038237	0.042061
High Voltage Stepped Demand (KVA) <1,000kVA									
Supply Rate	\$/day	min 80 KVA	0.000000		0.000000		0.000000	0.000000	0.000000
Annual Block 1 Demand Rate	\$/kVA/mth	First 100 KVA	13.095927		13.095927	3.338488	1.978925	18.413340	20.254674
Annual Block 2 Demand Rate	\$/kVA/mth	Next 150 KVA	7.639836		7.639836	3.338488	1.154455	12.132780	13.346058
Annual Block 3 Demand Rate	\$/kVA/mth	Next 750 KVA	5.593598		5.593598	3.338488	0.845248	9.777334	10.755068
Annual Block 4 Demand Rate	\$/kVA/mth	Balance KVA	4.228347		4.228347	3.338488	0.638945	8.205781	9.026359
Additional Demand	\$/kVA/mth		4.228347		4.228347	0.000000	0.638945	4.867293	5.354022
Peak Usage Rate	\$/kWh		0.027010		0.027010	0.007146	0.004082	0.038237	0.042061
Off-Peak Usage Rate	\$/kWh		0.027010		0.027010	0.007146	0.004082	0.038237	0.042061
High Voltage Stepped Demand (KVA)									
Supply Rate	\$/day	min 1,000 KVA	0.000000		0.000000		0.000000	0.000000	0.000000
Annual Block 1 Demand Rate	\$/kVA/mth	First 1,000 KVA	5.384063		5.384063	3.267728	0.813586	9.465376	10.411914
Annual Block 2 Demand Rate	\$/kVA/mth	Next 2,000 KVA	3.260886		3.260886	3.267728	0.492752	7.021366	7.723503
Annual Block 3 Demand Rate	\$/kVA/mth	Balance KVA	2.509507		2.509507	3.267728	0.379212	6.156446	6.772091
Additional Demand	\$/kVA/mth		2.509507		2.509507	0.000000	0.379212	2.888718	3.177599
Peak Usage Rate	\$/kWh		0.023278		0.023278	0.006983	0.003518	0.033779	0.037157
Off-Peak Usage Rate	\$/kWh		0.023278		0.023278	0.006983	0.003518	0.033779	0.037157
Zone Sub-station (KVA) (Load <10MW and Consumption <40GWh pa)									
Supply Rate	\$/day								
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.509507		2.509507	3.190008	0.379212	6.078726	6.686599
Additional Demand	\$/kVA/mth		1.746669		1.746669	0.000000	0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.008185		0.008185	0.006867	0.001237	0.016289	0.017918
Off-Peak Usage Rate	\$/kWh		0.008185		0.008185	0.006867	0.001237	0.016289	0.017918
Subtransmission (KVA) (Load <10MW and Consumption <40GWh pa)									
Supply Rate	\$/day								
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.764475		0.764475	3.190008	0.115520	4.070002	4.477002
Additional Demand	\$/kVA/mth		0.764475		0.764475	0.000000	0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh		0.002734		0.002734	0.006867	0.000413	0.010014	0.011016
Off-Peak Usage Rate	\$/kWh		0.002734		0.002734	0.006867	0.000413	0.010014	0.011016
Zone Sub-station (KVA) Locational									
TUoS Supply Charge	\$/day					locational		locational	locational
Supply Rate	\$/day								
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	2.509507		2.509507	locational	0.379212	locational	locational
Additional Demand	\$/kVA/mth		1.746669		1.746669		0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.008185		0.008185		0.001237	0.009422	0.010364
Off-Peak Usage Rate	\$/kWh		0.008185		0.008185		0.001237	0.009422	0.010364
Subtransmission (KVA) Locational									
TUoS Supply Charge	\$/day					locational		locational	locational
Supply Rate	\$/day								
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.764475		0.764475	locational	0.115520	locational	locational
Additional Demand	\$/kVA/mth		0.764475		0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh		0.002734		0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh		0.002734		0.002734		0.000413	0.003147	0.003462

SA Power Networks NETWORK TARIFFS									
APPLIES TO USAGE FROM 1 JULY 2013									
Zone Substation (KVA) Locational			NMI						
TUoS Supply Charge	\$/day		2001000608	0.000000	0.000000	40.352210	0.000000	40.352210	44.387431
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA		2.509507	2.509507	4.412730	0.379212	7.301448	8.031593
Additional Demand	\$/kVA/mth			1.746669	1.746669		0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa		0.008185	0.008185		0.001237	0.009422	0.010364
Off-Peak Usage Rate	\$/kWh			0.008185	0.008185		0.001237	0.009422	0.010364
TUoS Supply Charge	\$/day		2002133131	0.000000	0.000000	134.297790	0.000000	134.297790	147.727669
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA		2.509507	2.509507	4.382000	0.379212	7.270718	7.997790
Additional Demand	\$/kVA/mth			1.746669	1.746669		0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa		0.008185	0.008185		0.001237	0.009422	0.010364
Off-Peak Usage Rate	\$/kWh			0.008185	0.008185		0.001237	0.009422	0.010364
TUoS Supply Charge	\$/day		SAAAAA021	0.000000	0.000000	378.394460	0.000000	378.394460	416.233906
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA		2.509507	2.509507	6.012780	0.379212	8.901498	9.791648
Additional Demand	\$/kVA/mth			1.746669	1.746669		0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa		0.008185	0.008185		0.001237	0.009422	0.010364
Off-Peak Usage Rate	\$/kWh			0.008185	0.008185		0.001237	0.009422	0.010364
TUoS Supply Charge	\$/day		SAAAAA022	0.000000	0.000000	122.330660	0.000000	122.330660	134.563726
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA		2.509507	2.509507	4.390680	0.379212	7.279398	8.007338
Additional Demand	\$/kVA/mth			1.746669	1.746669		0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa		0.008185	0.008185		0.001237	0.009422	0.010364
Off-Peak Usage Rate	\$/kWh			0.008185	0.008185		0.001237	0.009422	0.010364
TUoS Supply Charge	\$/day		SAAAAA024	0.000000	0.000000	151.903210	0.000000	151.903210	167.093531
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA		2.509507	2.509507	4.390910	0.379212	7.279628	8.007691
Additional Demand	\$/kVA/mth			1.746669	1.746669		0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa		0.008185	0.008185		0.001237	0.009422	0.010364
Off-Peak Usage Rate	\$/kWh			0.008185	0.008185		0.001237	0.009422	0.010364
TUoS Supply Charge	\$/day		SAAAAA026	0.000000	0.000000	30.942550	0.000000	30.942550	34.036805
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA		2.509507	2.509507	4.456380	0.379212	7.345098	8.079608
Additional Demand	\$/kVA/mth			1.746669	1.746669		0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa		0.008185	0.008185		0.001237	0.009422	0.010364
Off-Peak Usage Rate	\$/kWh			0.008185	0.008185		0.001237	0.009422	0.010364
TUoS Supply Charge	\$/day		SAAAAA035	0.000000	0.000000	177.883970	0.000000	177.883970	195.672367
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA		2.509507	2.509507	5.927880	0.379212	8.816598	9.698258
Additional Demand	\$/kVA/mth			1.746669	1.746669		0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa		0.008185	0.008185		0.001237	0.009422	0.010364
Off-Peak Usage Rate	\$/kWh			0.008185	0.008185		0.001237	0.009422	0.010364
TUoS Supply Charge	\$/day		SAAAAA438	0.000000	0.000000	70.639870	0.000000	70.639870	77.703857
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA		2.509507	2.509507	4.408370	0.379212	7.297088	8.026797
Additional Demand	\$/kVA/mth			1.746669	1.746669		0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa		0.008185	0.008185		0.001237	0.009422	0.010364
Off-Peak Usage Rate	\$/kWh			0.008185	0.008185		0.001237	0.009422	0.010364
Sub-Transmission (KVA) Locational			NMI						
TUoS Supply Charge	\$/day		2001000378	0.000000	0.000000	363.554550	0.000000	363.554550	399.910005
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.764475	0.764475	5.347580	0.115520	6.227574	6.850332
Additional Demand	\$/kVA/mth			0.764475	0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
TUoS Supply Charge	\$/day		2002112609	0.000000	0.000000	1,546.530770	0.000000	1,546.530770	1,701.183847
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.764475	0.764475	6.135770	0.115520	7.016764	7.717341
Additional Demand	\$/kVA/mth			0.764475	0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
TUoS Supply Charge	\$/day		2002213788	0.000000	0.000000	1,099.214520	0.000000	1,099.214520	1,209.135972
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.764475	0.764475	0.903110	0.115520	1.783104	1.961415
Additional Demand	\$/kVA/mth			0.764475	0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
TUoS Supply Charge	\$/day		2002213796	0.000000	0.000000	121.125370	0.000000	121.125370	133.237907
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.764475	0.764475	4.347420	0.115520	5.227414	5.750156
Additional Demand	\$/kVA/mth			0.764475	0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
TUoS Supply Charge	\$/day		2002216840	0.000000	0.000000	805.184860	0.000000	805.184860	885.703362
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.764475	0.764475	1.074920	0.115520	1.954914	2.150406
Additional Demand	\$/kVA/mth			0.764475	0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
TUoS Supply Charge	\$/day		2002217226	0.000000	0.000000	271.233950	0.000000	271.233950	298.357345
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.764475	0.764475	4.553500	0.115520	5.433494	5.976844
Additional Demand	\$/kVA/mth			0.764475	0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
TUoS Supply Charge	\$/day		2002246502	0.000000	0.000000	2,525.327580	0.000000	2,525.327580	2,777.860338
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.764475	0.764475	1.074920	0.115520	1.954914	2.150406
Additional Demand	\$/kVA/mth			0.764475	0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
TUoS Supply Charge	\$/day		SAAAAA018	0.000000	0.000000	568.262300	0.000000	568.262300	625.088530
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.764475	0.764475	5.970990	0.115520	6.850984	7.536083
Additional Demand	\$/kVA/mth			0.764475	0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
TUoS Supply Charge	\$/day		SAAAAA084	0.000000	0.000000	881.446110	0.000000	881.446110	969.590721
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.764475	0.764475	5.347580	0.115520	6.227574	6.850332
Additional Demand	\$/kVA/mth			0.764475	0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
TUoS Supply Charge	\$/day		SAAAAAB567	0.000000	0.000000	1,267.640890	0.000000	1,267.640890	1,394.404979
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA		0.764475	0.764475	2.523800	0.115520	3.403794	3.744174
Additional Demand	\$/kVA/mth			0.764475	0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh			0.002734	0.002734		0.000413	0.003147	0.003462

SA Power Networks NETWORK TARIFFS
APPLIES TO USAGE FROM 1 JULY 2013

OBSOLETE TARIFFS									
High Voltage Obsolete (KVA)									
Supply Rate	\$/day				0.000000			0.000000	0.000000
Annual Demand Rate	\$/kVA/mth	min 100 KVA	5.384063	5.384063	3.267728	0.813586	9.465376	10.411914	
Additional Demand	\$/kVA/mth		2.509507	2.509507	0.000000	0.379212	2.888718	3.177590	
Peak Usage Rate	\$/kWh		0.023278	0.023278	0.006983	0.003518	0.033779	0.037157	
Off-Peak Usage Rate	\$/kWh		0.023278	0.023278	0.006983	0.003518	0.033779	0.037157	
Low Voltage Business - Single Rate									
Supply Rate	\$/day		0.278752	0.084115	0.362867	0.000000	0.000000	0.362867	0.399154
Block 1 Usage Rate	\$/kWh	First 833.3 kWh/m	0.103622	0.103622	0.029116	0.017196	0.149933	0.164927	
Block 2 Usage Rate	\$/kWh	Next 7,500 kWh/m	0.122365	0.122365	0.033756	0.018491	0.174612	0.192073	
Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/m	0.129650	0.129650	0.036598	0.019591	0.185839	0.204423	
Block 4 Usage Rate	\$/kWh	Balance Usage	0.129650	0.129650	0.036598	0.019591	0.185839	0.204423	
Low Voltage Business - Single Rate with Controlled Load									
Supply Rate	\$/day		0.278752	0.084115	0.362867	0.000000	0.000000	0.362867	0.399154
Block 1 Usage Rate	\$/kWh	First 833.3 kWh/m	0.103622	0.103622	0.029116	0.017196	0.149933	0.164927	
Block 2 Usage Rate	\$/kWh	Next 7,500 kWh/m	0.122365	0.122365	0.033756	0.018491	0.174612	0.192073	
Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/m	0.129650	0.129650	0.036598	0.019591	0.185839	0.204423	
Block 4 Usage Rate	\$/kWh	Balance Usage	0.129650	0.129650	0.036598	0.019591	0.185839	0.204423	
Controlled Load Block 1 Usage	\$/kWh	First 666.7 kWh/m	0.035194	0.035194	0.007853	0.005318	0.048366	0.053201	
Controlled Load Block 2 Usage	\$/kWh	Balance Usage	0.047780	0.047780	0.007853	0.007220	0.062854	0.069139	
Low Voltage Business - 2 Rate with Controlled Load									
Supply Rate	\$/day		0.278752	0.084115	0.362867	0.000000	0.000000	0.362867	0.399154
Peak Block 1 Usage Rate	\$/kWh	First 1,666.7 kWh/m	0.136322	0.136322	0.040391	0.021368	0.198082	0.217890	
Peak Block 2 Usage Rate	\$/kWh	Next 6,666.7 kWh/m	0.136322	0.136322	0.040391	0.020600	0.197313	0.217044	
Peak Block 3 Usage Rate	\$/kWh	Next 8,333.3 kWh/m	0.136322	0.136322	0.040391	0.020600	0.197313	0.217044	
Peak Block 4 Usage Rate	\$/kWh	Balance Usage	0.136322	0.136322	0.040391	0.020600	0.197313	0.217044	
Off-Peak Usage Rate	\$/kWh		0.043043	0.043043	0.007540	0.006504	0.057087	0.062796	
Controlled Load Block 1 Usage	\$/kWh	First 666.7 kWh/m	0.035194	0.035194	0.007853	0.005318	0.048366	0.053201	
Controlled Load Block 2 Usage	\$/kWh	Balance Usage	0.047780	0.047780	0.007853	0.007220	0.062854	0.069139	
Low Voltage Controlled Load									
Controlled Load Block 1 Usage	\$/kWh	First 666.7 kWh/m	0.035194	0.035194	0.007853	0.005318	0.048366	0.053201	
Controlled Load Block 2 Usage	\$/kWh	Balance Usage	0.047780	0.047780	0.007853	0.007220	0.062854	0.069139	

Back up supply tariffs:

These tariffs are only available for sites with more than one National Market Meter Identifier where the second NMI is for a back up supply to the site on a stepped demand tariff. Typically these sites are customers with greater than 4MVA demands and for critical infrastructure; eg Water assets, Hospitals, telecommunications sites or data centre's. These tariffs recognise that the primary NMI demand charges are contributing to the transmission costs for the site. The back up NMI's are charging for the demand at the Distribution Use of System charge and the energy component of the tariff is equal to the primary NMI tariff rates.

Low Voltage Stepped Demand (KVA) Back up supply								
		min 80 KVA						
Supply Rate	\$/day		0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Block 1 Demand Rate	\$/kVA/mth	First 100 KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Block 2 Demand Rate	\$/kVA/mth	Next 150 KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Block 3 Demand Rate	\$/kVA/mth	Next 750 KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Block 4 Demand Rate	\$/kVA/mth	Balance KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Additional Demand	\$/kVA/mth		4.228347	4.228347	0.000000	0.638945	4.867293	5.354022
Peak Usage Rate	\$/kWh		0.027010	0.027010	0.007146	0.004082	0.038237	0.042061
Off-Peak Usage Rate	\$/kWh		0.027010	0.027010	0.007146	0.004082	0.038237	0.042061
High Voltage Stepped Demand (KVA) Back up supply								
		min 80 KVA						
Supply Rate	\$/day		0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Block 1 Demand Rate	\$/kVA/mth	First 100 KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Block 2 Demand Rate	\$/kVA/mth	Next 150 KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Block 3 Demand Rate	\$/kVA/mth	Next 750 KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Block 4 Demand Rate	\$/kVA/mth	Balance KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Additional Demand	\$/kVA/mth		4.228347	4.228347	0.000000	0.638945	4.867293	5.354022
Peak Usage Rate	\$/kWh		0.027010	0.027010	0.007146	0.004082	0.038237	0.042061
Off-Peak Usage Rate	\$/kWh		0.027010	0.027010	0.007146	0.004082	0.038237	0.042061
High Voltage Stepped Demand (KVA) Back up Supply								
		min 1,000 KVA						
Supply Rate	\$/day		0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Block 1 Demand Rate	\$/kVA/mth	First 1,000 KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Block 2 Demand Rate	\$/kVA/mth	Next 2,000 KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Block 3 Demand Rate	\$/kVA/mth	Balance KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Additional Demand	\$/kVA/mth		2.509507	2.509507	0.000000	0.379212	2.888718	3.177590
Peak Usage Rate	\$/kWh		0.023278	0.023278	0.006983	0.003518	0.033779	0.037157
Off-Peak Usage Rate	\$/kWh		0.023278	0.023278	0.006983	0.003518	0.033779	0.037157
Zone Sub-station (KVA) (Load <10MW and Consumption <40GWh pa) Back up Supply								
Supply Rate	\$/day		0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Additional Demand	\$/kVA/mth		1.746669	1.746669	0.000000	0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.008185	0.008185	0.006867	0.001237	0.016289	0.017918
Off-Peak Usage Rate	\$/kWh		0.008185	0.008185	0.006867	0.001237	0.016289	0.017918
Subtransmission (KVA) (Load <10MW and Consumption <40GWh pa) Back up Supply								
Supply Rate	\$/day		0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.000000	0.000000	0.000000	0.000000	0.000000	0.000000
Additional Demand	\$/kVA/mth		0.764475	0.764475	0.000000	0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh		0.002734	0.002734	0.006867	0.000413	0.010014	0.011016
Off-Peak Usage Rate	\$/kWh		0.002734	0.002734	0.006867	0.000413	0.010014	0.011016
Zone Sub-station (KVA) Locational Back up Supply								
TUoS Supply Charge	\$/day				locational		locational	locational
Supply Rate	\$/day							
Annual Demand Rate	\$/kVA/mth	min 5,000 KVA	0.000000	0.000000	locational	0.000000	locational	locational
Additional Demand	\$/kVA/mth		1.746669	1.746669		0.263939	2.010608	2.211669
Peak Usage Rate	\$/kWh	min 25 GWh pa	0.008185	0.008185		0.001237	0.009422	0.010364
Off-Peak Usage Rate	\$/kWh		0.008185	0.008185		0.001237	0.009422	0.010364
Subtransmission (KVA) Locational Back up Supply								
TUoS Supply Charge	\$/day				locational		locational	locational
Supply Rate	\$/day							
Annual Demand Rate	\$/kVA/mth	min 10,000 KVA	0.000000	0.000000	locational	0.000000	locational	locational
Additional Demand	\$/kVA/mth		0.764475	0.764475		0.115520	0.879994	0.967994
Peak Usage Rate	\$/kWh		0.002734	0.002734		0.000413	0.003147	0.003462
Off-Peak Usage Rate	\$/kWh		0.002734	0.002734		0.000413	0.003147	0.003462

12. NOTES ACCOMPANYING 2013/14 TARIFFS

Notes:

1. Distribution tariffs are determined on a GST exclusive basis. GST is added to the distribution tariffs.
2. SA Power Networks must assign each Distribution Network User to a distribution tariff in respect of each of its connection points in accordance with the following principles.
 - (a) A Distribution Network User connected to the Distribution Network from 1 July 2010 requiring more than 100 amps (75kVA) supply must be assigned to a distribution network tariff that includes a demand component in respect of that connection point.
 - (b) A Distribution Network User connected to the Distribution Network at 30 June 2011 that has a maximum demand of 250kVA or more in respect of a connection point, must be assigned to a distribution tariff that includes a demand component in respect of that connection point.
 - (c) A Sub-Transmission (kVA) Network User is a Distribution Network User taking supply at 66kV, or at 33kV outside of the Adelaide Metropolitan area. A minimum annual demand of 10 MVA applies. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
 - (d) A Zone Substation (kVA) customer is a Distribution Network User taking supply generally at 11kV from the low voltage transformer terminals. Supply may also be taken at lower voltages that exceed 1kV. A minimum annual demand of 5 MVA and a minimum annual usage of 25GWh apply. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
 - (e) A High Voltage Stepped Demand (kVA) customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 1 MVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
 - (f) A High Voltage Stepped Demand (kVA) <1,000 kVA customer is a Distribution Network User taking supply generally at 11kV with a kVA demand generally less than 1,000 kVA. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 80kVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.
 - (g) A High Voltage (kVA) (Obsolete) customer is a Distribution Network User taking supply generally at 11kV. This tariff is available only to Distribution Network Users that were taking supply under the High Voltage Demand (kW) (Obsolete) tariff as at 11 October 1999. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A minimum annual demand of 100kVA applies. A NEM compliant type 1-5 interval meter is required with the ability to measure both active and reactive power. An excluded charge applies for the monthly reading of Type 5 meters. These tariffs are invoiced monthly.
 - (h) A High Voltage Business 2 rate customer is a Distribution Network User taking supply generally at 11kV. Supply may also be taken at lower voltages that exceed 1kV or at 33kV in metropolitan Adelaide. A NEM compliant type 1-5 interval meter is required with the ability to measure both active and reactive power. Peak consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. Off Peak consumption is charged at a flat rate. An excluded service charge applies where SA Power Networks is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is available only to Distribution Network Users requiring less than 80kVA demand, except where a Distribution Network User was taking supply under this tariff as at 30 June 2010. This tariff is invoiced monthly. An excluded charge applies for the monthly reading of Type 5 meters.
 - (i) A Low Voltage Stepped Demand (kVA) customer is a Distribution Network User generally taking supply at less than 1kV and generally from the low voltage distribution transformer

terminals. A minimum agreed maximum demand of 80KVA applies. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-5 interval meter is required with the ability to measure both active and reactive power. An excluded charge applies for the monthly reading of Type 5 meters. These tariffs are invoiced monthly.

- (j) A Low Voltage Business 2 rate customer is a Distribution Network User that is not a residential customer generally taking supply at less than 1kV and using peak and off-peak network charges. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Peak consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. Off Peak consumption is charged at a flat rate. An excluded service charge applies where SA Power Networks is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). This tariff is available only to Distribution Network Users requiring less than 80kVA demand, except where a Distribution Network User was taking supply under this tariff as at 30 June 2010 and where the customer's supply arrangements have not altered. An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is invoiced monthly or quarterly.
- (k) A Low Voltage Business single rate customer is a Distribution Network User that is not a residential customer generally taking supply at less than 1kV. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. An excluded service charge applies where SA Power Networks is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is available only to Distribution Network Users that were taking supply under this tariff as at 30 June 2010 and where the customer's supply arrangements have not altered. This tariff is invoiced monthly or quarterly.
- (l) A Low Voltage Residential single rate customer is a Distribution Network User that is a residential customer taking supply at less than 1kV. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. The User utilises a type 1-6 NEM compliant meter. Where a Type 1-5 meter is utilised, the meter must have the ability to measure both active and reactive power. Consumption is charged at four blocks of consumption and is detailed in the Tariff Schedule. An excluded service charge applies where SA Power Networks is required to read the type 1-4 meter (eg for tier one customers and for tier two customers < 160MWh pa). An excluded charge also applies for the monthly reading of Type 5-6 meters. This tariff is invoiced monthly or quarterly.
- (m) A Low Voltage Controlled Load is used by a Distribution Network User for permanently installed storage water heaters with a rated delivery of not less than 125 litres, storage space heaters and other approved applications involving a time switch and separate metering where the timing has been set in accordance with SA Power Networks' requirements regarding the timing of loads. Consumption is charged at two rates, one rate for consumption up to and including 666.7 kWh/mth[#] and another rate for the balance of consumption. This tariff is available only to Distribution Network Users that were taking supply under the Controlled Load tariff as at 30 June 2003, or are utilising a business single or residential tariff at the NMI in conjunction with the controlled load. This tariff is invoiced at the same frequency as other tariffs used by the Distribution Network User at that NMI.
- (n) Unmetered Overnight Usage supply is defined as overnight use by a Distribution Network User for public lighting. These tariffs are generally invoiced monthly, unless otherwise agreed by SA Power Networks.
- (o) Unmetered 24 Hour Usage supply is defined as constant 24 hour per day use by a Distribution Network User, typically public phones, traffic lights and telecommunications installations. These tariffs are generally invoiced monthly, unless otherwise agreed by SA Power Networks.

(p) Back up tariffs are only available to sites that have a primary supply with a NMI on a demand tariff described above. These tariffs have a B in the description eg VLVSBI. The steps to be applied to the annual demand are detailed in the Tariff Schedule. A NEM compliant type 1-4 interval meter is required with the ability to measure both active and reactive power. These tariffs are invoiced monthly.

3. The supply and demand charges are levied and billed to Distribution Network Users periodically on a pro-rata basis.

4. Demand charges are determined on the basis of:

- (a) Agreed maximum demand (Annual Demand); and
- (b) Agreed additional maximum demand (Additional Demand), determined in accordance with Schedule 2 of Part B of the 2005-2010 Electricity Distribution Price Determination.

5. Peak energy is energy consumed on business days between the hours of 0700 and 2100 (Central Standard Time). For Distribution Network Users with metering that does not recognise specific days, peak energy is energy consumed on each day between the hours of 0700 and 2100 (Central Standard Time).

6. Off-peak energy is energy consumed other than peak energy.

7.

- (a) 333.3 kWh/mth approximates 4,000 kWh per annum;
- (b) 500 kWh/mth approximates 6,000 kWh per annum;
- (c) 666.7 kWh/mth approximates 8,000 kWh per annum;
- (d) 833.3 kWh/mth approximates 10,000 kWh per annum;
- (e) 6,666.7 kWh/mth approximates 80,000 kWh per annum;
- (f) 7,500 kWh/mth approximates 90,000 kWh per annum; and
- (g) 8,333.3 kWh/mth approximates 100,000 kWh per annum.

8. The following meter charges apply

- | | |
|--|-----------------------------------|
| • Meter Provision Type 6 Direct Current Connected | \$30.7021 per annum excl GST. |
| • Meter Provision Type 6 Current Transformer Connected | \$133.0950 per annum excl GST. |
| • Meter Provision Type 1-4 Exceptional | \$472.6027 per annum excl GST. |
| • Meter Service Other Meter Provider Customer | \$0.0000 per annum |
| • Meter Service Exit Fee Type 6 CT | \$256.84 excl GST per transaction |
| • Meter Service Exit Fee Type 1-4 | \$573.46 excl GST per transaction |

Residential, Business Single Rate and Business Two Rate tariffs incorporate the Type 6 Direct Current Connected Meter Charge. If a customer assigned to these tariffs is using that meter then no further adjustments are required.

If a customer assigned to a Residential, Business Single Rate or Business Two Rate tariff is using a Type 6 Current Transformer Connected Meter, then an additional charge of the difference from the Type 6 Direct Current Connected Meter will apply.

If a customer assigned to a Residential, Business Single Rate or Business Two Rate tariff is using another meter provider's meter, then the Type 6 Direct Current Connected Meter charge will be rebated.

For those customers on demand tariffs that are using a Type 1-4 Exceptional meter then an additional charge of the Type 1-4 Exceptional Meter will apply. A Type 1-4 Exceptional Meter is meter provision services provided in respect of meters meeting the requirements of a metering installation type 1, metering installation type 2, metering installation type 3 or metering installation type 4 installed prior to 1 July 2000 provided in accordance with the requirement of clause 27 of SA Power Networks' distribution licence as in force at 30 June 2005.

Exit fees apply to type 6 CT meters and to Type 1-4 Exceptional meters where customers elect to switch to another meter type and/or meter provider.