



Aurora Energy – Network Tariffs

Network Tariff Application Guide

As Approved by the Regulator

UNCONTROLLED WHEN PRINTED

COPYRIGHT © AURORA ENERGY PTY LTD, ABN 85 082 464 622, ALL RIGHTS RESERVED

This document is protected by copyright vested in Aurora Energy Pty Ltd. No part of the document may be reproduced or transmitted in any form by any means including, without limitation, electronic, photocopying, recording or otherwise, without the prior written permission of Aurora Energy. No information embodied in the documents which is not already in the public domain shall be communicated in any manner whatsoever to any third party without the prior written consent of Aurora Energy. Any breach of the above obligations may be restrained by legal proceedings seeking remedies including injunctions, damages and costs.

CONTACT

This document is the responsibility of the Commercial Management Group within the Network Division of Aurora Energy Pty Ltd (ABN 85 082 464 622). Please contact the indicated owner of the document with any queries or suggestions.

REVIEW DATE

This document is due for review not later than 31 May 2012

RESPONSIBILITIES**Document Owner**

Mr Stephen Wilson
Aurora Energy Pty Ltd
21 Kirksway Place
Hobart TAS 7000
Phone: 0458 004 324
email: Stephen.wilson@auroraenergy.com.au

Implementation

Commercial Management – Commercial Team

Audit

Periodic audits to establish conformance with this document will be conducted by Aurora's Commercial Management Group.

Compliance

All Group Managers

Document Management

Commercial Management – Commercial Team

Disclaimer

This document is for generating internal and external information belonging to Aurora Energy acting in its capacity as a Distribution Network Service Provider in the state of Tasmania only and it may or may not contain all available information on the subject matter this document purports to address. The information contained in this document is subject to review and Aurora Energy may amend this document at any time. Amendments will be indicated in the Amendment Table, but Aurora Energy does not undertake to keep this document up to date.

To the maximum extent permitted by law, Aurora Energy makes no representation or warranty (express or implied) as to the accuracy, reliability, or completeness of the information contained in this document, or its suitability for any intended purpose. Aurora Energy (which, for the purposes of this disclaimer, includes all of its related bodies corporate, its officers, employees, contractors, agents and consultants, and those of its bodies corporate) shall have no liability for any loss or damage (be it direct or indirect, including liability by reason of negligence or negligent misstatement) for any statements, opinions, information or matter (expressed or implied) arising out of, contained in, or derived from, or for any omissions from, the information in this document..

AURORA ENERGY PTY LTD**Network Tariff Application Guide**

Version History

Version No	Date of Revision	Authorised By	Details of Amendment
1.0	17 June 2011	Revenue Assurance Manager	Initial Version
2.0	17 June 2011	Regulatory Manager	Final Version
2.0	17 June 2011	Commercial Manager	Approved for publication

Amendments to each version of this document will be tracked through Aurora's document management system.

CONTENTS

1. Application of Network Tariffs	1
1.1. Goods and Service Tax (GST)	1
1.2. Time Zones	1
1.3. Metering Services	1
1.4. Choice of Network Charges	1
1.5. Changes of Tariff	1
1.6. Obsolete Tariffs	1
1.7. Mid Month Change of Retailer of Choice	2
1.8. Standby Electricity Supply	2
1.9. Embedded Generation	2
1.10. Published Network Tariffs	2
2. General Network – Residential (N01)	4
3. General Network - Business (N02)	4
4. General Network – Business, Nursing Homes (N02a)	4
5. General Network – Business, Curtilage (N02b)	5
6. Uncontrolled Energy (N05)	5
6.1. Requirements of Water Heating Systems	5
6.2. Requirements of Residential Space Heating Systems	7
6.3. Requirements of Domestic Indoor Pool Heating Systems	7
6.4. Domestic Spa Systems	7
7. Controlled Energy (N06)	7
7.1. General Conditions	7
7.2. Time of Use Availability	8
7.3. Requirements of Water Heating Systems	8
8. Controlled Energy (N06a)	9
8.1. General Conditions	9
8.2. Time of Use Availability	9
8.3. Requirements of Water Heating Systems	9
9. LV PAYG (N13)	10
10. LV ToU Residential (N13r)	10
10.1. Use of System Charges	10
10.2. Metering	11
10.3. Requirements of Water Heating Systems	11
10.4. Time of Use Periods	11
11. LV ToU - Business (N13b & N13c)	12
11.1. Use of System Charges	12
11.2. Metering	12

11.3. Requirements of Water Heating Systems	12
11.4. Time of Use Periods	13
12. Small LV Unmetered (N07)	13
13. LV Day/Night (Irrigation) (N08).....	14
13.1. Time of Use Availability.....	14
14. LV Irrigation (ToU) (N08a & N08b).....	15
14.1. Use of System Charges	15
14.2. Metering.....	15
14.3. Time of Use Periods	16
15. LV kW Demand (N03)	16
16. LV kVA Demand (N09).....	17
17. HV kVA Demand (N10)	17
18. HV kVA Specified Demand (N10s).....	17
18.1. Use of System Charges	18
18.2. Metering.....	18
18.3. Negotiation of “Specified Demand”.....	18
18.4. Calculation of NUoS Charges for Specified Demand	18
18.5. Time of Use Periods	19
19. HV kW Demand (N11)	19
20. HV kVA Specified Demand (> 2.0 MVA) (N15).....	21
20.1. Use of System Charges	21
20.2. Negotiation of “Specified Demand”.....	21
20.3. Calculation of NUoS Charges for Specified Demand Tariffs	21
20.4. Time of Use Periods	22
21. Street Lighting (N20)	22
22. Import Energy (N21).....	22
22.1. Metering.....	22
23. Individual Tariff Calculation	23
23.1. Embedded Generation	23
24. Other Matters	24
24.1. Reassignment of Network Tariffs	24
24.2. Maximum Demand Application	24
25. Definitions	26
26. References	29

1. Application of Network Tariffs

1.1. Goods and Service Tax (GST)

The network use of system prices and regulated Network Tariffs published by Aurora, unless otherwise stated, are exclusive of GST.

1.2. Time Zones

All times reflected in this document are in Australian Eastern Standard Time (AEST).

1.3. Metering Services

The standard charge for the provision of metering services may apply, depending upon the contestability status of the customer.

Where a customer has entered into a market contract in accordance with the Contestable Customer Regulations the standard metering services charge will not apply. Charges for the provision of metering services will apply should Aurora be appointed as the Metering Provider (MP) and will be negotiated in accordance with the MP contract.

In all other cases the standard metering services charge will apply.

1.4. Choice of Network Charges

It is a matter for the customer's retailer of choice to determine the Network Tariff that is appropriate for their needs. Transfers between Network Tariffs will apply from the beginning of the normal billing period following the month in which written advice is received and transfers will not have any retrospective effect.

Aurora reserves the right to review a customer's Network Tariff in the event of any electrical load changes and will notify the customer's retailer of choice regarding any resulting Network Tariff pricing changes. The final decision on the appropriate Network Tariff shall be at the discretion of Aurora.

There will be instances where a customer may have a separate connection agreement with Aurora and in these instances Aurora may directly invoice the customer for network use and the customer's retailer of choice will only provide energy related commercial services.

1.5. Changes of Tariff

Customers seeking Network Tariff reassignment must remain on the reassigned Network Tariff for a minimum twelve (12) month period unless otherwise agreed with Aurora.

1.6. Obsolete Tariffs

Retailers and customers who choose to transfer from an obsolete Network Tariff will lose all rights to all obsolete Network Tariffs at that installation, i.e. the entire installation will be required to move to currently available published Network Tariffs.

1.7. Mid Month Change of Retailer of Choice

When a customer elects to change their retailer of choice at any time during a calendar month, Network Use of System (NUoS) invoices will be allocated pro-rata between the retailers involved.

NUoS invoices will use the “actual readings” obtained on the day of transfer.

Unmetered electricity supplies will be transferred on a pro rata basis based on the number of days in the month the customer was contracted with each retailer. It will not be possible to transfer unmetered electricity supplies between Retailers on the same business day.

1.8. Standby Electricity Supply

Where customers with critical electricity supply needs have a requirement for standby electricity supply capability, applicable network charges will be negotiated on the basis of the assets involved and the amount of feeder capacity required to be kept in reserve to accommodate the standby supply.

1.9. Embedded Generation

Network Use of System charges for Embedded Generation will be individually calculated (Refer to Section 23.1).

1.10. Published Network Tariffs

Published Network Tariff applications depend on a number of facets including annual electrical energy consumption measured at the connection point, the supply voltage measured at the connection point, the method of connection to Aurora’s distribution network and the type of meter(s) installed at the customer’s installation.

Aurora’s current published Network Tariff prices can be found on its website at:

http://www.auroraenergy.com.au/electricity_network/network_tariffs/current_network_tariffs.asp

Aurora's Network Tariffs are:

Description	Aurora Code	MSATS Code	Type
General Network - Residential	N01	AuResGen	Published Tariff
General Network - Business	N02	AuBLVGen	Published Tariff
General Network – Business, Nursing Homes	N02a	AuBLVNurse	Published Obsolete Tariff
General Network – Business, Curtilage	N02b	AuBLVCurt	Published Obsolete Tariff
LV kW Demand	N03	AuBLVDmKW	Published Obsolete Tariff
Uncontrolled Energy	N05	AuHeatUnco	Published Tariff
Controlled Energy	N06	AuHeatCont	Published Tariff
Controlled Energy	N06a	AuHeatConn	Published Tariff
Small LV Unmetered	N07	AuUMS	Published Tariff
LV Day/Night (Irrigation)	N08	AuIrrig	Published Obsolete Tariff
LV Irrigation (ToU)	N08a N08b	AuIrrigTou AuIrriTouB	Published Tariff
LV kVA Demand	N09	AuBLVDMKVA	Published Tariff
HV kVA Demand	N10	AuBHVDmKVA	Published Obsolete Tariff
HV kVA Specified Demand	N10s	AuHVSPECdm	Published Tariff
HV kW Demand	N11	AuBHVDmKW	Published Obsolete Tariff
LV PAYG	N13	AuPAYG	Published Obsolete Tariff
LV ToU - Business	N13b N13c	AuBusToU AuBusToUB	Published Tariff
LV ToU - Residential	N13r	AuResToU	Published Tariff
HV kVA Specified Demand (>2.0MVA)	N15	AuCHVDm2	Published Tariff
Street Lighting	N20	AuUMSsl	Published Tariff
Import Energy	N21	AU_IMPORT	Published Tariff
Individual Network Tariff Calculation		AuSpcCust	Negotiated Tariff.

2. General Network – Residential (N01)

(MSATS Code – AuResGen)

This Network Tariff is for low voltage installations that are premises used wholly or principally as Private Residential Dwellings.

There are no restrictions on the use of the supply (i.e. may be used for general power, heating, water heating, etc.).

Farm outbuildings may be connected on this Network Tariff provided that the connection is through the meters for the farm residence.

A Type 6 meter is the minimum required for installations on this Network Tariff.

3. General Network - Business (N02)

(MSATS Code – AuBLVGen)

This is the basic, low voltage Network Tariff for installations that are not Private Residential Dwellings.

There are no restrictions on the use of the supply (i.e. may be used for general power, heating, water heating, etc.).

A Type 6 meter is the minimum required for installations on this Network Tariff.

4. General Network – Business, Nursing Homes (N02a)

(MSATS Code – AuBLVNurse)

This Network Tariff is obsolete and therefore no longer available to new customers.

This low voltage Network Tariff is applicable only to those businesses registered as aged care facilities.

There are no restrictions on the use of the supply (i.e. may be used for general power, heating, water heating, etc.).

A Type 6 meter is the minimum required for installations on this Network Tariff.

This Network Tariff is obsolete, with no new connections allowed from 1 July 2008.

Please Note: Customers who choose to transfer off any one Obsolete Tariff for an installation will lose all rights to all Obsolete Tariffs for that installation, i.e. the entire installation will be required to move to currently available published Network Tariffs.

5. General Network – Business, Curtilage (N02b)

(MSATS Code – AuBLVCurt)

This Network Tariff is obsolete and therefore no longer available to new customers.

This low voltage Network Tariff is for rural customers having a single connection point but requiring more than one meter due to site layout.

The single connection point must supply an installation qualifying for, and being supplied Network Tariff N01.

There are no restrictions on the use of the supply (i.e. may be used for general power, heating, water heating, etc.).

A Type 6 meter is the minimum required for installations on this Network Tariff.

This Network Tariff is obsolete, with no new connections allowed from 1 July 2008.

Please Note: Customers who choose to transfer off any one Obsolete Tariff for an installation will lose all rights to all Obsolete Tariffs for that installation, i.e. the entire installation will be required to move to currently available published Network Tariffs.

6. Uncontrolled Energy (N05)

(MSATS Code – AuHeatUnco)

This Network Tariff is for low voltage installations.

In installations that are Private Residential Dwellings, this Network Tariff:

- is for water heating and/or residential space heating and/or domestic indoor pool heating only; and
- may only be used if the installation also has a current connection on Network Tariff N01.

In installations that are not Private Residential Dwellings, this Network Tariff:

- is for water heating only; and
- may only be used if the installation also has a current connection on Network Tariff N02 or N02a.

With the exception of thermal-storage space heaters or thermal-storage water heaters, this Network Tariff may not be applied to any apparatus also connected under another Network Tariff.

A Type 6 meter is the minimum required for installations on this Network Tariff.

6.1. Requirements of Water Heating Systems

In installations that are Private Residential Dwellings, for connection on this Network Tariff, the water heating systems:

- must comply with AS 1056, Storage water heaters; and

- should comply with AS/NZS 3500.4:2003, Plumbing and drainage – Heated waters services and AS 3500.4.1 – 1997, National Plumbing and Drainage – Hot water supply systems – Performance requirements; and
- must, if the delivery rating of the water heating system is less than or equal to 500 litres, have an electric heating unit rating not exceeding 16 Watts per litre; or
- must, if the delivery rating of the water heating system is greater than 500 litres, have an electric heating unit rating not exceeding 32 Watts per litre.

Non-compliant systems may be refused connection or be disconnected.

Where a Private Residential Dwellings has a water storage heater installed, and the delivery rating is greater than 20 litres but less than 100 litres, the limit of 16 Watts per litre may be exceeded by that individual water storage heater. Only one water storage unit, with a delivery rating between 20 and 100 litres that exceeds the 16 Watts per litre threshold may be installed at a Private Residential Dwelling.

In installations that are not Private Residential Dwellings, for connection on this Network Tariff, the water heating systems:

- must comply with Australian Standard 1056, Storage Water Heaters; and
- should comply with AS/NZS 3500.4:2003, Plumbing and drainage – Heated waters services and AS 3500.4.1 – 1997, National Plumbing and Drainage – Hot water supply systems – Performance requirements, and
- must, if the delivery rating of the water heating system is less than or equal to 500 litres, have an electric heating unit rating not exceeding 16 Watts per litre; or
- must, if the delivery rating of the water heating system is greater than 500 litres, have an electric heating unit rating not exceeding 32 Watts per litre.

Non-compliant systems may be refused connection or be disconnected.

Where an installation that is not a Private Residential Dwelling has two or more water storage heaters installed, and the combined delivery rating is greater than 500 litres, the limit of 32 Watts per litre may be exceeded by an individual water storage heater provided that the ratio of the total wattage of all the water heating units to the total delivery rating does not exceed 32 Watts per litre.

Dairy water heaters containing main and booster heating units may have both heating units connected under this Network Tariff.

Dairy water heaters are not required to comply with the AS 1056.

The electric heating unit ratings do not apply to dairy water heaters.

6.2. Requirements of Residential Space Heating Systems

Permanently installed wired-in electric heater(s) may be eligible for this Network Tariff on condition that the wiring of any electric heater is installed by a registered electrician in accordance with AS/NZS 3000 wiring rules and associated regulations and acts, and one of the following conditions are met:

- if a residence has a permanently installed wired-in electric heater with an output of 3.5 kW in a living area, on a single functional switch then this, and any additional permanently wired space heaters throughout the residence, may be installed on this Network Tariff; or
- a total rating of at least 5 kW of the same heating system installed throughout the residence. This heating system must be the priority heating system of the main living area and must have a single functional switch in each heated area throughout the residence. However where a ducted heating system is installed, the control switch must be located near the heating unit in order to qualify for this Network Tariff; or
- heating in secondary areas such as bedrooms and hallways if the residence has off peak storage heating in the living area(s) as its priority source of heating. The secondary heating system should be a permanently connected single propriety heating system with a total of 5 kW or more heating capacity.

6.3. Requirements of Domestic Indoor Pool Heating Systems

Private domestic indoor swimming pools are allowed under Network Tariff N05 if an installation:

- complies with the residential space heating system rules as provided above; and
- has an electrical input power limit of 400 Watt/m² of surface area.

This Network Tariff will be applied following an electrical works request to Aurora from an electrical contractor. Upon receipt of the electrical works request, the Network Tariff will be applied to a customer's account from the date the meter was changed or the day after the last meter reading, whichever is the later.

6.4. Domestic Spa Systems

Spas are not eligible for Network Tariff N05.

7. Controlled Energy (N06)

(MSATS Code – AuHEATCONT)

This Network Tariff is for low voltage installations.

7.1. General Conditions

In installations that are Private Residential Dwellings, this Network Tariff:

- is for water heating and/or residential space heating and/or other “wired in” appliances as approved by Aurora; or

- may be used for heating swimming pools, including those that incorporate a spa. Note that an individual spa from which the water goes to waste after use may not be connected on this Network Tariff; and
- may only be used if the premises also has a current connection on Network Tariff N01.

In installations that are not Private Residential Dwellings, this Network Tariff:

- is for water heating and/or space heating and/or other “wired in” appliances as approved by Aurora; and
- may only be used if the premises also has a current connection on Network Tariff N02, or N02a.

With the exception of thermal-storage space heaters or thermal-storage water heaters, this Network Tariff N06 may not be applied to any apparatus also connected under another Network Tariff.

In all installations, this Network Tariff N06 may not be used for circuits supplying general-purpose outlets, other than existing outlets supplied on this tariff.

A Type 6 meter is the minimum required for installations on this Network Tariff.

7.2. Time of Use Availability

This Network Tariff is a “time of use” tariff. Energy to installations connected on this Network Tariff will be available daily for:

- at least nine hours between 20:00 hours and 07:00 hours the following day; and
- a further two hours between 13:00 hours and 16:30 hours.

Aurora will choose the actual times during the periods that the energy will be available.

7.3. Requirements of Water Heating Systems

In installations that are Private Residential Dwellings, for connection on this Network Tariff, the water heating systems:

- must comply with AS 1056, Storage water heaters; and
- should comply with AS/NZS 3500.4:2003, Plumbing and drainage – Heated waters services and AS 3500.4.1 – 1997, National Plumbing and Drainage – Hot water supply systems – Performance requirements.

Non-compliant systems may be refused connection or disconnected.

In installations that are not Private Residential Dwellings, for connection on this Network Tariff, the water heating systems:

- must comply with AS 1056, Storage water heaters; and
- should comply with AS/NZS 3500.4:2003, Plumbing and drainage – Heated waters services and AS 3500.4.1 – 1997, National Plumbing and Drainage – Hot water supply systems – Performance requirements.

Non-compliant systems may be refused connection or disconnected.

8. Controlled Energy (N06a)

[MSATS Code – AuHEATCONN]

This Network Tariff is for low voltage installations.

8.1. General Conditions

In installations that are Private Residential Dwellings, this Network Tariff:

- is for water heating and/or residential space heating and/or other circuits as approved by Aurora;
- may be used for heating swimming pools, including those that incorporate a spa. Note that an individual spa from which the water goes to waste after use may not be connected on this Network Tariff; and
- may only be used if the installation also has a current connection on Network Tariff N01 or N13b.

In installations that are not Private Residential Dwellings, this Network Tariff:

- is for water heating and/or space heating and/or other circuits as approved by Aurora Network; and
- may only be used if the installation also has a current connection on Network Tariff N02 or N13b.

In all installations, this Network Tariff N06a may be used for circuits supplying general-purpose outlets.

A Type 6 meter is the minimum required for installations on this Network Tariff.

8.2. Time of Use Availability

This tariff is a “time of use” tariff. Energy to installations connected on this tariff will be available between 22:00 hours and 07:00 hours the following day.

8.3. Requirements of Water Heating Systems

In installations that are Private Residential Dwellings, for connection on this Network Tariff, the water heating systems:

- must comply with AS 1056, Storage water heaters; and
- should comply with AS/NZS 3500.4:2003, Plumbing and drainage – Heated waters services and AS 3500.4.1 – 1997, National Plumbing and Drainage – Hot water supply systems – Performance requirements.

Non-compliant systems may be refused connection or disconnected.

In installations that are not Private Residential Dwellings, for connection on this tariff, the water heating systems:

- must comply with AS 1056, Storage water heaters; and
- should comply with AS/NZs 3500.4:2003, Plumbing and drainage – Heated waters services and AS 3500.4.1 – 1997, National Plumbing and Drainage – Hot water supply systems – Performance requirements.

Non-compliant systems may be refused connection or disconnected.

9. LV PAYG (N13)

(MSATS Code – AuPAYG)

This Network Tariff is obsolete and therefore no longer available to new customers.

This Network Tariff is for low voltage installations that are premises used wholly or principally as Private Residential Dwellings.

There are no restrictions on the use of the supply (i.e. may be used for general power, heating, water heating, etc.).

This Network Tariff may not be used in conjunction with any other Network Tariff.

This Network Tariff is obsolete with no new connections allowed from 1 July 2009.

Please Note: Customers who choose to transfer off any one Obsolete Tariff for an installation will lose all rights to all Obsolete Tariffs for that installation, i.e. the entire installation will be required to move to currently available published Network Tariffs.

Metering for this tariff is provided by Aurora Retail.

10. LV ToU Residential (N13r)

(MSATS Code – AuResToU)

This Network Tariff is for low voltage installations that are premises used wholly or principally as Private Residential Dwellings.

There are no restrictions on the use for the supply.

Note: Farm outbuildings may be connected on this tariff provided that the connection is through the meters for the farm residence.

An installation that is supplied under this tariff may move to Network Tariff N01, provided it remains a Private Residential Dwelling.

A meter capable of recording time of use data is required for installations on this Network Tariff.

10.1. Use of System Charges

The Use of System charges applicable for this Network Tariff are composed of the following charging components:

a) DUoS

- 1) A fixed daily charge; and
- 2) An energy-based charge; the rate of the energy charge varies according to the time of day at which energy is consumed, with the periods being as identified in Table 1.

b) TUoS

- 1) An energy-based charge; the rate of the energy charge varies according to the time of day at which energy is consumed, with the periods being as identified in Table 1.

10.2. Metering

A charge for the provision of metering services may apply, depending upon whether or not Aurora is appointed as metering provider.

10.3. Requirements of Water Heating Systems

For connection on this Network Tariff, water heating systems:

- must comply with AS 1056, Storage water heaters; and
- should comply with AS/NZS 3500.4:2003, Plumbing and drainage – Heated waters services and AS 3500.4.1 – 1997, National Plumbing and Drainage – Hot water supply systems – Performance requirements.

Non-compliant systems may be refused connection or disconnected.

10.4. Time of Use Periods

The table below sets out the Time of Use periods applicable to Network Tariff N13r.

Table 1: Time Periods for LV ToU - Residential

Time Period	Tariff Rate
Week Day (07:00 – 11:00) (Monday – Friday)	Peak
Week Day (11:00 – 16:30) (Monday – Friday)	Shoulder
Week Day (16:30 – 22:00) (Monday – Friday)	Peak
Weekend Day (07:00 – 22:00) (Saturday & Sunday)	Shoulder
Any Day (22:00 – 07:00) (Monday – Sunday)	Off-peak

11. LV ToU - Business (N13b & N13c)

(MSATS Code – AuBusToU & AuBusToUB)

This Network Tariff is for low voltage installations that are not Private Residential Dwellings.

There are no restrictions on the use of the supply (i.e. may be used for general power, heating, water heating, etc.).

A site that is supplied under this Network Tariff may not move to Network Tariffs N02a or N02b.

A type 6 meter is the minimum required for installations on this Network Tariff.

Two different meter services apply under this Network Tariff:

- 1) interval metering capable of recording time of use data (MSATS code AuBusToU); and
- 2) basic metering capable of recording cumulative energy consumed within the time periods specified in Table 2 (MSATS code AuBusToUB).

11.1. Use of System Charges

The Use of System charges applicable for this Network Tariff are composed of the following charging components:

a) DUoS

- 1) A fixed daily charge; and
- 2) An energy based charge; the rate of the energy charge varies according to the time of day at which energy is consumed, with the periods being identified in Table 2.

b) TUoS

- 1) An energy-based charge; the rate of the energy charge varies according to the time of day at which energy is consumed, with the periods being as identified in Table 2.

11.2. Metering

AuBusToU -A charge for the provision of interval metering services may apply, depending upon whether or not Aurora is appointed as Metering Provider and does not form part of this Network Tariff.

AuBusToUB - A charge for the provision of basic metering services will apply and forms part of this Network Tariff.

11.3. Requirements of Water Heating Systems

For connection on this Network Tariff, water heating systems:

- must comply with AS 1056, Storage water heaters; and
- should comply with AS/NZS 3500.4:2003, Plumbing and drainage – Heated waters services and AS 3500.4.1 – 1997, National Plumbing and Drainage – Hot water supply systems – Performance requirements.

Non-compliant systems may be refused connection or disconnected.

11.4. Time of Use Periods

The table below sets out the Time of Use periods applicable to Tariff N13b and N13c.

Table 2: Time Periods for LV ToU Business

Time Period	Tariff Rate
Week Day (07:00 – 22:00) (Monday – Friday)	Peak
Weekend Day (07:00 – 22:00) (Saturday & Sunday)	Shoulder
Any Day (22:00 – 07:00) (Monday – Sunday)	Off-peak

12. Small LV Unmetered (N07)

(MSATS Code – AuUMS)

This Network Tariff is for small, low voltage, low demand installations with a relatively constant load profile. For example:

- illuminated street signs;
- public telephone kiosks;
- electric fences;
- two-way radio transmitters;
- fixed steady wattage installations;
- traffic lights; or
- level crossings.

All installations on this Network Tariff must have all components permanently connected. For the avoidance of doubt, an installation containing a general purpose outlet does not qualify for this Network Tariff N07.

Exception: Shows & public functions qualify for this Network Tariff N07. Shows and public functions on this Network Tariff may have installed general purpose outlets.

13. LV Day/Night (Irrigation) (N08)

(MSATS Code – AuIrrig)

This Network Tariff is obsolete and therefore no longer available to new customers.

This low voltage Network Tariff is for primary producers' business installations that are used solely for the irrigation of crops, which must be classified as ANZSIC class 01.

A Type 6 meter is the minimum required for installations on this Network Tariff.

This Network Tariff is obsolete, no new connections are allowed on this Network Tariff after 1 July 2009. This tariff will be deleted as a Network Tariff and will not be available after 1 July 2012 to any customer. All customers currently connected to Network Tariff N08 will be advised by Aurora of their requirement to move to an alternative Network Tariff prior to 31 March 2012.

Existing sites that are connected on Network Tariff N08 at 1 July 2009 may remain on that tariff.

Please note: Customers who choose to transfer off any one Obsolete Tariff for and installation will lose all rights to all Obsolete Tariffs for that installation, i.e. the entire installation will be required to move to currently available Network Tariffs.

13.1. Time of Use Availability

This Network Tariff is a simple “time of use” tariff, with different rates for “peak” and “off-peak” consumption.

The off-peak rate will be available daily for not less than ten hours between 20:00 hours and 07:00 hours the following day. In general, the “window” will be of 10 hours duration. Subject to network constraints and at the discretion of Aurora, an 11 hour window may be available upon request.

To provide a “staggered start” to ensure distribution network stability, the off-peak window for individual customers will start between 20:00 and 21:00, and end between 06:00 and 07:00 the following day.

Aurora will arrange the start and finish times.

14. LV Irrigation (ToU) (N08a & N08b)

(MSATS Code – AuIrrigToU & AuIrrToUB)

This low voltage Network Tariff is for primary producers' business installations that are used solely for the irrigation of crops, which must be classified as ANZSIC class 01.

A type 6 meter is the minimum required for installations on this Network Tariff.

Two different meter services apply under this Network Tariff:

- 1) interval metering capable of recording time of use data (MSATS code AuIrrigToU); and
- 2) basic metering capable of recording cumulative energy consumed within the time periods specified in Table 3 (MSATS code AuIrrToUB).

14.1. Use of System Charges

The Use of System charges applicable for this Network Tariff are composed of the following charging components:

- a) DUoS
 - 1) A fixed daily charge; and
 - 2) An energy-based charge; the rate of the energy charge varies according to the time of day at which energy is consumed, with the periods being as identified in Table 3.
- b) TUoS
 - 1) An energy-based charge; the rate of the energy charge varies according to the time of day at which energy is consumed, with the periods being as identified in Table 3.

14.2. Metering

AuIrrigToU - A charge for the provision of interval metering services may apply, depending upon whether or not Aurora is appointed as Metering Provider and does not form part of this Network Tariff.

AuIrrToUB - A charge for the provision of basic metering services will apply and forms part of this Network Tariff.

14.3. Time of Use Periods

The table below sets out the Time of Use periods applicable to Tariff N08a and N08b.

Table 3: Time Periods for LV Irrigation (ToU)

Time Period	Summer (1 Oct – 31 Mar)	Winter (1 Apr – 30 Sep)
Week Day (07:00 – 22:00) (Monday – Friday)	Shoulder	Peak
Weekend Day (07:00 – 22:00) (Saturday & Sunday)	Off-peak	Shoulder
Any Day (22:00 – 07:00) (Monday – Sunday)	Off-peak	Off-peak

15. LV kW Demand (N03)

(MSATS Code – AuBLVDmKW)

This Network Tariff is obsolete and therefore no longer available to new customers.

This Network Tariff is for installations taking low voltage 3-phase supply.

There are no restrictions on the use of the supply (i.e. may be used for general power, heating, water heating, etc.).

This Network Tariff may not be used in conjunction with any other Network Tariff.

This tariff is obsolete with no new connections allowed. The replacement LV demand tariff is N09. This tariff will be deleted as a Network Tariff and will not be available after 1 July 2012 to any customer. All customers currently connected to Network Tariff N03 will be advised by Aurora of their requirement to move to an alternative Network Tariff prior to 31 March 2012.

Please note: that customers that choose to transfer off any one Obsolete Tariff for an installation will lose all rights to all Obsolete Tariffs for that installation, i.e. the entire installation will be required to move to currently available published Network Tariffs.

A Type 6 meter is the minimum required for installations on this Network Tariff.

16. LV kVA Demand (N09)

(MSATS Code – AuBLVDMKVA)

This Network Tariff is for installations taking low voltage 3-phase supply.

There are no restrictions on the use of the supply; that is, electricity taken on this tariff may be used for general power, heating, water heating, etc.

This Network Tariff may not be used in conjunction with any other Network Tariff.

A Type 6 meter is the minimum required for installations on this Network Tariff.

17. HV kVA Demand (N10)

(MSATS Code – AuBHVDmKVA)

This Network Tariff is obsolete and therefore no longer available to new customers.

This Network Tariff is for customers taking supply at high voltage.

There are no restrictions on the use of the supply; that is, the electricity may be used for general power, heating, water heating, etc.

The customer must supply its own transformers & switchgear for installations connected on this Network Tariff.

This Network Tariff may not be used in conjunction with any other Network Tariff.

Metering of consumption is at the HV connection point.

This Network Tariff is obsolete; no new connections are allowed on this tariff. This tariff will be deleted as a Network Tariff and will not be available after 1 July 2012 to any customer. All customers currently connected to Network Tariff N10 will be advised by Aurora of their requirement to move to an alternative Network Tariff prior to 31 March 2012.

Please note: Customers who choose to transfer off any one Obsolete Tariff for an installation will lose all rights to all Obsolete Tariffs for that installation, i.e. the entire installation will be required to move to currently available Network Tariffs.

18. HV kVA Specified Demand (N10s)

(MSATS Code – AuHVSpecDm)

This Network Tariff is for installations taking supply at high voltage, with an expected ATMD less than 2 MVA.

A site connected to the Aurora distribution network with this Network Tariff is not eligible for any other Network Tariff.

A meter capable of recording “interval data” is required for installations on this tariff.

18.1. Use of System Charges

The Use of System charges applicable for this tariff are composed of the following charging components:

- a) DUoS
 - 1) A fixed daily charge; and
 - 2) An energy-based charge; the rate of the energy charge varies according to the time of day at which energy is consumed, with the periods being as identified in Table 4; and
 - 3) A demand-based charge calculated according to the method given in section 18.4. For the purposes of this calculation, the Excess Demand rate is 10 times the Specified Demand rate.
- b) TUoS
 - 1) An energy-based charge; the rate of the energy charge varies according to the time of day at which energy is consumed, with the periods being as identified in Table 4; and
 - 2) A demand-based charge calculated according to the method given in section 18.4. For the purposes of this calculation, the Excess Demand rate is 10 times the Specified Demand rate.

18.2. Metering

A charge for the provision of metering services may apply, depending upon whether or not Aurora is appointed as Metering Provider.

18.3. Negotiation of “Specified Demand”

Customers on Network Tariff N10s are able to agree with Aurora a Specified Demand for their electrical installation.

Once agreed this value is used in the calculation of demand charges for the following period.

Negotiation of the Specified Demand for subsequent periods should be completed at least two months prior to the end of the last negotiated period.

Renegotiation of the Specified Demand is limited to one occurrence each 12 months or as otherwise agreed with Aurora.

18.4. Calculation of NUoS Charges for Specified Demand

The demand-based charges for an installation on Network Tariff N10s would be calculated monthly as follows:

- a) the monthly demand-based charge is the sum of the daily demand-based charges for the month;
- b) the daily demand-based charges are:
 - 1) if any daily ATMD in the month is less than or equal to 100% of the Specified Demand, the demand charge for the day will be equal to the Specified Demand multiplied by the Specified Demand rate; or

- 2) if the daily ATMD is greater than the Specified Demand, but not greater than 120% of the Specified Demand, then the demand charge for the day will be the maximum demand multiplied by the Specified Demand rate; or
- 3) if any daily maximum demand in the month is greater than the Specified Demand by 120%, the daily demand charge will be the sum of:
 - 120% of the Specified Demand multiplied by the Specified Demand rate; and
 - the difference between the Maximum Demand and 120% of the Specified Demand multiplied by the Excess Demand rate;
- 4) the Excess Demand rate is 10 times the specified demand rate.

18.5. Time of Use Periods

The table below sets out the Time of Use periods applicable to Tariff N10s.

Table 4: Time Periods for HV kVA Specified Demand

Time Period	Summer (1 Oct – 31 Mar)	Winter (1 Apr – 30 Sep)
Week Day (07:00 – 22:00) (Monday – Friday)	Shoulder	Peak
Weekend Day (07:00 – 22:00) (Saturday & Sunday)	Off-peak	Shoulder
Any Day (22:00 – 07:00) (Monday – Sunday)	Off-peak	Off-peak

19. HV kW Demand (N11)

(MSATS Code – AuBHVDmKW)

This Network Tariff is obsolete and therefore no longer available to new customers.

This Network Tariff is for customers taking supply at high voltage.

There are no restrictions on the use of the supply.

The customer must supply its own transformers & switchgear for installations connected on this Network Tariff.

A site connected to the Aurora distribution network with this Network Tariff is not eligible for any other Network Tariff.

Metering of consumption is at the HV connection point.

This tariff is obsolete; no new connections are allowed on this Network Tariff. This tariff will be deleted as a Network Tariff and will not be available after 1 July 2012 to any customer. All customers currently connected to Network Tariff N11 will be advised by Aurora of their requirement to move to an alternative Network Tariff prior to 31 March 2012.

Please note: Customers who choose to transfer off any one Obsolete Tariff for an installation will lose all rights to all Obsolete Tariffs for that installation, i.e. the entire installation will be required to move to currently available published Network Tariffs.

20. HV kVA Specified Demand (> 2.0 MVA) (N15)

(MSATS Code – AuCHVDm2)

This Network Tariff applies to customers, with a demand in excess of 2.0 MVA, supplied directly from the Aurora distribution network with no Aurora owned assets beyond the connection point.

The customer must supply its own transformers & switchgear for high voltage installations connected on this Network Tariff.

A site connected to the Aurora distribution network with this Network Tariff is not eligible for any other Network Tariff.

Metering of consumption is at the high voltage connection point.

20.1. Use of System Charges

The Use of System charges applicable for this tariff are composed of the following charging components:

a) DUoS

- 1) A fixed daily charge; and
- 2) An energy-based charge; the rate of the energy charge varies according to the time of day at which energy is consumed, with the periods being as identified in Table 5; and
- 3) A demand-based charge calculated according to the method given in section 20.3. For the purposes of this calculation, the Excess Demand rate is 5 times the Specified Demand rate.

b) TUoS

- 1) A demand-based charge calculated according to the method given in section 20.3. For the purposes of this calculation, the Excess Demand rate is 5 times the Specified Demand rate.

20.2. Negotiation of “Specified Demand”

Customers on Network Tariff N15 are able to agree with Aurora a Specified Demand for their electrical installation.

Once agreed this value is used in the calculation of demand charges for the following period.

Negotiation of the Specified Demand for subsequent periods should be completed at least two months prior to the end of the last negotiated period.

Renegotiation of Specified Demand is limited to one occurrence each twelve months or as otherwise agreed with Aurora.

20.3. Calculation of NUoS Charges for Specified Demand Tariffs

The demand-based charges for an installation on the Network Tariff N15 would be calculated monthly as follows:

- a) the monthly demand-based charge is the sum of the daily demand-based charges for the month;

b) the daily demand-based charges are:

- 1) if any daily ATMD in the month is less than or equal to 100% of the Specified Demand, the demand charge for the day will be equal to the Specified Demand multiplied by the Specified Demand rate; or
- 2) if any daily ATMD in the month is greater than the Specified Demand, the daily demand charge will be the sum of:
 - the Specified Demand multiplied by the Specified Demand rate; and
 - the difference between the ATMD and the Specified Demand multiplied by the Excess Demand rate;
- 3) the Excess Demand rate is 5 times the specified demand rate.

20.4. Time of Use Periods

The table below sets out the Time of Use periods applicable to Network Tariff N15.

Table 5: Time of Use Periods for HV kVA Specified Demand (>2MVA)

Time Period	Summer (1 Oct – 31 Mar)	Winter (1 Apr – 30 Sep)
Week Day (07:00 – 22:00) (Monday – Friday)	Shoulder	Peak
Weekend Day (07:00 – 22:00) (Saturday & Sunday)	Off-peak	Shoulder
Any Day (22:00 – 07:00) (Monday – Sunday)	Off-peak	Off-peak

21. Street Lighting (N20)

(MSATS Code – AuUmsSl)

This low voltage Network Tariff is available to councils and road authorities.

The street lighting tariff rate is based on a “use of system charge” and is charged on a per lamp wattage rate. The Network Tariff charge is incorporated into the final aggregated street light charge, which is published for all light types.

This Network Tariff does not include charges for the installation and/or replacement of lamps. Costs for installation and/or replacement of lamps are an additional charge.

22. Import Energy (N21)

(MSATS Code – Au_Import)

This tariff is for those installations that import energy into the Distribution System.

22.1. Metering

A charge for the provision of basic metering services may apply.

23. Individual Tariff Calculation

(MSATS Code – AuSpcCust)

Individual Tariff Calculation (ITC) network prices will typically apply to customers with an electrical demand in excess of 2.0 MVA or where a customer's circumstances in a pricing zone identifies that the average shared network charge to be meaningless or distorted. Individually calculated customer network charges are determined by modelling the connection point requirements as requested by the customer or their agents.

ITC prices are based on actual Transmission Use of System (TUoS) charges for the relevant transmission connection point, plus charges associated with the actual shared distribution network utilised for the electricity supply, plus connection charges based on the actual connection assets utilised. This provides the greatest cost reflectivity for this type of customer and is feasible since the number of such customers is relatively small.

ITC pricing is also justified by virtue of the shared distribution network assets being designated specifically to meet the requirements of these customers. Where the designation of shared network assets is difficult due to the specific connectivity of the customer, Aurora will apply ITC pricing on a mutually agreed basis.

ITC pricing can also be influenced by the load factor of the Customer's installation.

ITC pricing for customers with electrical demand that is less than 2.0 MVA could occur where:

- a customer has a dedicated supply system that is different and separate from the remainder of the supply network;
- there are only a small number of customers in a supply system making average prices inappropriate; or
- inequitable treatment of otherwise comparable customers arises from the electrical demand lower limit of 2.0 MVA. Selection of these customers will be at Aurora's discretion.

23.1. Embedded Generation

Network Tariff charges for Embedded Generation will always be treated on an individually calculated basis.

24. Other Matters

24.1. Reassignment of Network Tariffs

Customers seeking Network Tariff reassignment must remain on the reassigned Network Tariff for a minimum twelve (12) month period.

This condition prevents customers from changing Network Tariffs to take advantage of seasonal variations in prices according to their individual load; thereby bypassing payment that reflects use of the distribution network over a full twelve (12) month cycle.

Customers seeking tariff reassignment must:

- a) be eligible for tariff reassignment; and
- b) provide Aurora with 1 month notification period; and
- c) pay the applicable tariff alteration fee.

A tariff reassignment request may be made:

- a) through the customer's retailer; where;
 - 1) the retailer will notify Aurora; or
- b) through Aurora, where:
 - 1) Aurora will advise the customer's retailer.

Exceptions to the above conditions will only be made at Aurora's discretion where it can be demonstrated that to not do so would result in unreasonable penalties or impose hardship on the customer.

Customers who choose to transfer from an Obsolete Tariff will lose all rights to all Obsolete Tariffs at that premise, i.e. the entire site will be required to move to currently available published Network Tariffs.

24.2. Maximum Demand Application

For the purposes of determining a customer's maximum demand for Network Tariff application the following rules will apply.

24.2.1. Definition of Maximum Demand

Maximum demand means the electrical demand measured in kiloVoltAmps (kVA) or kiloWatts (kW) and is calculated as the energy consumption recorded over the demand integration period divided by the demand integration period in hours. The value is used for setting the maximum demand charges to be paid by the customer to the distributor each billing period.

24.2.2. Calculation of Maximum Demand

Any Network Tariff charges based upon the maximum demand of an installation are calculated using the maximum demand for the installation during the billing period. The maximum demand of an installation during a billing period is taken to be the largest value of the electrical demand for that installation during that billing period. The electrical demand of an installation for a “Demand Integration Period” is taken to be the energy consumption of that installation during the “Demand Integration Period” divided by the length of the “Demand Integration Period” measured in hours. Currently, the Demand Integration Period is 15 minutes

24.2.3. Increases in Electrical Demand

Where a customer requires a change in Network Tariff due to an increase in electrical demand at a connection point, the customer must submit a written request to Aurora. The increased level of electrical demand shall apply from the requested date or as near as possible thereafter, subject to any required works being completed by Aurora.

24.2.4. Temporary Increases in Maximum Demand

Temporary increases in electrical demand will:

- be subject to negotiation and approval by Aurora;
- be defined in terms of “additional demand” for a specific period and charged at an agreed Demand Charge rate;
- apply for one full billing period, except in the case of commissioning of new plant, in which case the duration of the temporary increase may be extended for the duration of the commissioning period; and
- be limited to one occurrence each 12 months or as otherwise agreed with Aurora.

24.2.5. Reduction in Maximum Demand

Where a customer requires a change in Network Tariff due to a reduction in electrical demand at their connection point, the customer must provide six (6) months written advice to Aurora detailing their new requirement. Aurora must notify the customer in writing within sixty (60) days advising the revised charges.

However, following the installation by a customer of load management equipment approved by Aurora or the implementation of a demand management initiative approved by Aurora, the six (6) month notice period referred to above may be reduced at the discretion of Aurora.

25. Definitions

AEMO	Australian Energy Market Operator.
Any Time Maximum Demand (ATMD)	The Maximum Demand at anytime during a Billing Period.
AS/NZS	Australia and New Zealand Standards.
Aurora	Unless otherwise stated means Aurora Energy Pty Ltd ABN 85 082 464 622 in its capacity as a Distribution Network Service Provider.
Aurora Retail	Unless otherwise stated means Aurora Energy Pty Ltd ABN 85 082 464 622 in its capacity as a retailer.
Basic Metering Services	Reading services for accumulation meters or unmetered supplied as defined in the NER.
Billing Period	The period covered by the bill sent to a retailer or customer.
Connection Point	In relation to a Customer, the point at which electricity leaves the Distribution System for delivery to the Customer provided that where the Customer's Electrical Installation is not directly connected to the Distribution System, the Connection Point is the point at which the electricity last leaves the Distribution System before being delivered to the Customer, whether or not the electricity passes through facilities owned or operated by another person before being delivered to the Customer.
Contestable Customer Regulations	Electricity Supply Industry (Contestable Customer) Regulations 2005.
Customer	As defined in the Tasmanian Electricity Code.
Distribution Network	As defined in the Tasmanian Electricity Code.
Distribution Network Service Provider	A person who engages in the activity of owning, controlling, or operating a Distribution System.
Distribution System	As defined in the NER.
Distribution Use of System (DUoS)	A charge to a Distribution Network user for use of the Distribution System for the conveyance of electricity.
Embedded Generation	A generation unit connected within a Distribution System and not having direct access to a Transmission System.
Electrical Contractor	An electrical contractor is a business person who is highly trained and is also registered to employ electricians to help install and design electricity.
Excess Demand	The difference between the Specified Demand and the Maximum Demand – the additional demand for a specific period and charged at the agreed charge rate.
Generation Unit	The actual generator of electricity and all the related equipment essential to its functioning as a single entity.
high voltage (HV)	A voltage exceeding 1,000 volts.

Interval Metering Services	Reading services for interval meters – types 1-5 as defined in the NER and provision of other services.
Irrigation	The provision of water pumping capability that facilitates primary production.
ITC	Has the meaning “Individual Tariff Calculation”.
Load Factor	This is the ratio of a Customer’s average electrical load divided by the maximum electrical load.
low voltage (LV)	A voltage not exceeding 1,000 volts.
Maximum Demand	The highest amount of electrical power delivered, or forecast to be delivered, over a defined period (day, week, month, season or year) either at a connection point, or simultaneously at a defined set of connection points.
National Electricity Market (or NEM)	As defined in the Tasmanian Electricity Code.
NER	National Electricity Rules.
Network	The apparatus, equipment, plant and buildings used to convey, and control the conveyance of, electricity to customers (whether wholesale or retail) excluding any connection assets. In relation to a Network Service Provider, a network owned, operated or controlled by that Network Service Provider.
Network Tariff	means the schedule of fees (including the rate or rates) Aurora uses to calculate the amount it charges customers, or a class of customers, for network services, and for network services and metering services associated with a Type 5, 6 or 7 installation, as amended from time to time.
Obsolete Tariff	Network Tariffs that have been superseded but remain in place until such time as they are rescinded or the electrical configuration of a Customer’s installation is altered.
Published Tariffs	Those Network Tariffs published from time to time, usually annually, by Aurora.
Private Residential Dwelling	A reference to a private residential dwelling is a house, unit, town house or apartment and is a reference to an establishment that, in the reasonable opinion of Aurora is not classifiable under the Australian and New Zealand Standard Industrial Classification (ANZSIC). The ANZSIC system is based on businesses, and it is used to classify businesses. It includes any organisation, which provides goods and services, including companies, non-profit organisations, government departments and enterprises.
Registered Electrician	A Person or Company licensed under the Electricity Industry Safety and Administration Act 1997 and the Occupational Licensing Act 2005 to perform maintenance, alteration or installation work on electrical infrastructure and associated fittings.
Retailer of Choice	The customer’s current or chosen electricity retailer.
Specified Demand	Means the value of the electrical demand at the site to which the Specified Demand Network Tariff applies as nominated by the operator of that site to Aurora.
Supply Voltage	The nominal voltage measured at the Connection Point.

Time of Use	A tariff application that has variable rates dependent on the time of day electricity is consumed.
Transmission Network	As defined in the Tasmanian Electricity Code.
Transmission System	As defined in the Tasmanian Electricity Code.
Transmission Use of System (TUoS)	A charge to a Transmission Network user for use of the Transmission System for the conveyance of electricity.
Use of System (UoS)	A charge to a Network user for use of the Distribution and or Transmission System for the conveyance of electricity.

26. References

Aurora Published Network Tariff Rates

http://www.auroraenergy.com.au/electricity_network/network_tariffs/current_network_tariffs.asp

Report on Formation and Introduction of Network Tariffs

http://www.auroraenergy.com.au/electricity_network/network_tariffs/current_network_tariffs.asp

Australian Energy Regulator

<http://www.aer.gov.au/>

Australian Energy Market Operator

<http://aemo.com.au>

Transend Networks Pty Ltd

<http://www.transend.com.au/>