

ActewAGL Distribution 2013/14

Statement of Tariff Classes and Tariffs

June 2013

Contents

Contents	iii
List of tables	iv
Overview	v
1 Introduction	1
1.1 Purpose and scope of the document	1
1.2 Background	1
2 The structure and basis of ActewAGL Distribution's network tariffs	3
2.1 Network tariff structure	3
2.2 ActewAGL Distribution's metering charges	9
3 Network tariffs for 2013/14	11
3.1 Network charges	11
3.2 Changes to network tariffs	13
3.3 Miscellaneous services charges	16

List of tables

Table 2-1	Network tariff structure – residential	5
Table 2-2	Network tariff structure - commercial low voltage.....	7
Table 2-3	Network tariff structure - high voltage.....	8
Table 3-1	Network use of system charges 2013/14	11
Table 3-2	Comparison of Network Charges with GST	14
Table 3-3	Changes in miscellaneous services charges	16
Table 3-4	Metering services charges.....	18

Overview

- ActewAGL Distribution offers customers a range of network tariff options across three tariff classes—residential, commercial low voltage and high voltage. Customers are able to choose the tariff that best suits their needs, subject to some eligibility requirements as set out in this document.
- ActewAGL Distribution has adopted net metering arrangement for consumers installing small embedded photovoltaic (PV) generation systems (less than 30KW) and not receiving the ACT feed-in tariff.
- ActewAGL Distribution's network charges remain the lowest in the National Electricity Market (NEM), as indicated by AEMC estimates.¹
- In 2013/14, network and metering charges will raise the electricity bill for an average residential customer, consuming 7000 kWh on the residential basic network charge, by \$0.71 per week (including GST). This represents a real increase of 3.9 per cent (5.7 per cent nominal) in network charges.
- For a commercial customer consuming 30 MWh per annum on the general network charge, the network and metering price increases would raise the electricity bill by \$3.69 per week (including GST). This represents a 3.4 per cent real increase (5.2 per cent nominal) in network charges.

¹ AEMC 2013, *Electricity Price Trends Final Report*, March, chapter 3

1 Introduction

1.1 Purpose and scope of the document

ActewAGL Distribution has prepared this statement of tariff classes and tariffs in accordance with the requirements in Chapter 11 of the National Electricity Amendment Rules (the transitional Rules). The transitional Rules (clause 6.18.9) require ActewAGL to maintain on its website:

- a statement of ActewAGL's tariff classes² and tariffs that are applicable to each class;
- for each tariff within a tariff class, the charging parameters³ and the elements of service to which they relate; and
- a statement of expected price trends, giving an indication of how ActewAGL expects prices to change over the period to June 2014, and the reasons for those expected changes.

This document contains the required information.

1.2 Background

The Australian Energy Regulator (the AER) is responsible for the economic regulation of distribution services provided by ActewAGL Distribution. The transitional Rules for the 2009-14 regulatory period require the AER to determine the maximum allowed average revenue (MAAR) for ActewAGL Distribution's standard control services and a revenue cap for alternative control (metering) services. The principles and requirements for translating the revenue requirements into schedules of prices are provided in Part I of the transitional Rules.

Following a detailed review process, commencing with ActewAGL Distribution's submission of its regulatory proposal in June 2008, the AER released the Australian Capital Territory Distribution Determination 2009/10 to 2013/14: Final Decision (the final decision) on 30 April 2009. The AER summarises the drivers of network price increases over the period as follows:

Over the course of the next regulatory control period, ActewAGL will significantly increase investment on its network, which will result in higher prices for electricity consumers in the ACT. Higher prices will be largely driven by significant investment in four major capital projects. These projects include construction of two new zone substations, which are the first to be built in the ACT since 1994, augmentation of a third substation and construction of new assets to improve the security of electricity supply to the ACT. In addition, ActewAGL has already undertaken significant capital works to reinforce and replace a large number of unsafe poles, and these costs will now flow through to

² A tariff class is defined in Chapter 10 of the *Network Electricity Rules* as "a class of for one or more direct control services who are subject to a particular tariff or particular tariffs."

³ Charging parameters are defined as "the constituent elements of a tariff" in chapter 10 of the *National Electricity Rules*.

consumers. While consumers within the ACT will face higher charges as a result of this investment, they will also benefit from a more reliable and secure network.⁴

The AER also notes that, in addition to higher capital investment, increases in network charges are being driven by the introduction of the feed-in tariff scheme, which imposes additional costs on ActewAGL Distribution.⁵

In May 2012 the AER accepted ActewAGL Distribution's request to revoke the determination, in accordance with clause 6.13 of the transitional Rules, to correct an error in forecast superannuation payments. A copy of the AER decision is available on the AER website. As a result of the correction, the X factor for standard control services for 2012/13 and 2013/14 has changed from -4.00 per cent to -5.41 per cent.

⁴ AER 2009, *Australian Capital Territory Distribution Determination 2009/10 to 2013/14: Final Decision*, April, p. viii

⁵ AER 2009, *Australian Capital Territory Distribution Determination 2009/10 to 2013/14: Final Decision*, April, p. viii

2 The structure and basis of ActewAGL Distribution's network tariffs

2.1 Network tariff structure

ActewAGL Distribution offers network tariffs in three tariff classes:

- Residential;
- Commercial low voltage (LV); and
- High voltage (HV).

Within each of these three tariff classes, ActewAGL Distribution has developed a suite of network tariffs that effectively meet the diverse needs of its customer base, encourage efficient use of the network and signal the costs of future network expansion. Residential customers are offered a choice of four network tariff options plus two controlled load off-peak options and an embedded renewable generation tariff option. Commercial LV customers are offered four main tariff options. Commercial customers on the general network charge also have access to the controlled load off-peak tariff options and the embedded renewable generation tariff option on a similar basis to customers in the residential class. Commercial HV customers are offered four tariff options. Customers are able to choose the option which best suits their needs, subject to the eligibility criteria set out in Tables 2.1 to 2.3 below.

The network tariffs comprise different combinations of the following *charging parameters*:

- Network access charges—these apply per customer for residential consumers and per connection point for commercial customers. They involve a fixed daily charge and do not vary with electricity consumption or capacity;
- Energy charges—these apply to each unit of electricity consumed. The c/kWh rate may vary with the level of consumption (with higher rates applying above certain thresholds) or with the time-of-use (with lower rates applying at off-peak periods);
- Maximum demand charges—these apply per connection point for some commercial tariffs. They involve a charge per unit of maximum demand (in c/kVA/day). The maximum demand is the highest demand calculated over a 30-minute interval during the billing period;
- Capacity charges—these apply on the same basis as maximum demand charges, but are for the maximum demand calculated over a 30-minute interval during the previous 12 months.

The tariffs and charging parameters for each tariff class are shown in the following tables (2.1 to 2.3). The tables include an explanation of the purpose of each tariff and the customers to which each tariff may apply.

2.1.1 Network tariffs for residential customers

ActewAGL Distribution's residential network tariff structure is shown in Table 2-1. The *Residential time-of-use (TOU)*, *Residential 5000* and *Residential with heat pump* tariffs are refinements of the *Residential basic* tariff to reflect customer load profiles. The *Residential TOU* tariff provides an opportunity and an incentive for customers with the necessary metering capability to respond to price signals at different times of the day, where reflected in the final price of their retailer, and manage their electricity bill in line with the costs they impose on the network. The *Residential TOU* tariff is the default tariff for all new residential and commercial connections. The *Residential 5000* and *Residential with heat pump* tariffs involve a higher connection charge and an inclining block structure with a higher energy charge (cents per kWh) applying above certain thresholds. These tariffs more accurately tailor costs to the load profile of these customers. The off-peak tariff options can be used in conjunction with the *Residential basic* and the *Residential TOU* network charges.

Table 2-1 Network tariff structure – residential

Tariff	Charging parameters	Explanation
Residential basic network	Network access charge (c/day/customer) Energy charge (c/kWh)	The residential basic network tariff is available to installations at private dwellings, excluding serviced apartments, but including: • Living quarters for members and staff of religious orders; • Living quarters on farms; • Charitable homes; • Retirement villages; • Residential sections of nursing homes and hospitals; • Churches, buildings or premises which are primarily used for public worship; and • Approved caravan sites. The energy charge varies neither with the level of consumption nor the time of day. However, customers on this tariff are also eligible for the off-peak tariffs.
Residential time-of-use (TOU) network ⁶	Network access charge (c/day/customer) Energy at max times, ie 7am to 9am and 5pm to 8pm every day (c/kWh) Energy at mid times, ie 9am to 5pm and 8pm to 10pm every day (c/kWh) Energy at economy times, ie all other times (c/kWh)	This tariff is available to residential customers (as defined above) and to electric vehicle recharge facilities on residential premises with a meter able to be read as a time-of-use meter. The energy charges relate to the supply of network services at various times. Higher rates apply at max or peak times to encourage users to shift their load to off-peak periods. Customers on this tariff are also eligible for the controlled load off-peak tariffs. Residential consumers with a meter with two registers capable of providing time-of-use consumption data from each register may have the time-of-use charges applied separately to each register.
Residential 5000 network	Network access charge (c/day/customer) Energy for the first 60 kWh/day (c/kWh) Energy above 60 kWh/day (c/kWh)	This tariff is designed for residential customers who have large continuous (rather than time controlled) loads, such as electric hot water systems, and consume over 5,000 kWh per annum. The energy charges relate to the supply of network services above and below certain volume thresholds. An inclining block structure applies (ie higher energy rates for the second block of energy). The lower energy rate is limited to consumption up to 60 kWh per day, reflecting a typical domestic usage profile. This is sufficient to cover the energy requirements of many residential consumers.
Residential with heat pump	Network access charge (c/day/customer) Energy for the first 165 kWh/day (c/kWh) Energy above 165 kWh (c/kWh)	This tariff is only available to residential customers with a reverse cycle air conditioner. An inclining block structure applies (ie higher energy rates for the second block of energy). The lower energy rate is set to recover the incremental cost of energy load on the network as a demand management tool to lower winter peak loads and improve utilisation of the network in summer and so improve overall network utilisation.
Off-peak (1) night network	Energy at controlled times, ie between 10 pm and 7 am (c/kWh)	The off-peak (1) night charge is available only to customers utilising a controlled load element, and taking all other energy at residential basic network, residential time-of-use or general network rates. It is not available where the customer's meter is read as an interval meter. The off-peak (1) night charge is applicable to permanent heat (or cold) storage; electric vehicle

⁶ All times for metering are Eastern Standard Time.

Tariff	Charging parameters	Explanation
		recharge; and CNG vehicle gas compression installations. The design and rating must be acceptable to ActewAGL. The installation must use most energy during the controlled times but may be boosted at the principal charge, or charges, at other times. The off-peak (1) night network energy charge relates to supply of network services at controlled times, for 6 to 8 hours per day between the hours of 10 pm and 7 am.
Off-peak (3) day and night network	Energy at controlled times, ie between 10 pm and 7 am and 9 am and 5 pm (c/kWh)	Available only to customers utilising a controlled load element, and taking all other energy at residential basic network, residential time-of-use or general network rates. This charge is not available where the customer's meter is read as an interval meter. This charge is applicable to permanent heat (or cold) storage installations. The design and rating must be acceptable to ActewAGL. The off-peak (3) day and night network energy rate applies to power supplied for up to 13 hours per day between 10 pm and 7 am and again between 9 am and 5 pm.
Renewable generation	Energy charges (c/kWh)	This tariff applies to customers with grid connected solar or wind energy generation systems. Different arrangements apply to customers participating in the ACT feed-in tariff scheme, in accordance with the <i>Electricity Feed-in (Renewable Energy Premium) Act 2008 (ACT)</i> . For 2013/14, net metering applies for new PV installations.

2.1.2 Network tariffs for low voltage commercial customers

ActewAGL Distribution sets different tariffs for commercial low voltage (LV) and commercial high voltage (HV) customers recognising the different costs associated with supplying each group. Within the commercial LV tariff class a range of tariff options has been developed to meet the diverse needs of commercial customers and to accommodate their differing load profiles and ability to respond to price signals. Of the four main options offered to commercial LV customers, all but the *General network* tariff involve time-of-use charges. The *General network* tariff does, however, involve an inclining block tariff structure with higher energy charges (c/kWh) applying above certain thresholds. Also, the off-peak (controlled load) tariffs are available to customers on the *General network* tariff.

Two of the commercial LV options involve capacity and/or maximum demand charges, in conjunction with time-of-use charges. Customers able to increase their load factor⁷ have an incentive to choose a tariff with a demand or capacity charge, and reduce their energy bills. Customers on the *General network* and *General time-of-use network* charges can move to the demand charges and lower their network costs if they have a sufficiently large load (for the cost savings to offset the higher cost of interval metering) and a reasonable load profile.

⁷ The load factor is the ratio of average load to peak load.

Table 2-2 Network tariff structure - commercial low voltage

Tariff	Charging parameters	Explanation
General network	Network access charge (c/day/customer) Energy for the first 330 kWh/day (c/kWh) Energy above 330 kWh/day (c/kWh)	This tariff is available to all customers. The tariff is most suitable for small commercial consumers operating in regular business hours or larger customers with poorer load factors (peaky loads). This tariff may be used in conjunction with the off-peak tariffs.
General TOU network	Network access charge (c/day/customer) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is particularly suitable for small commercial customers with discretionary or relatively large off-peak loads such as bakers, freezer installations and irrigators. The energy charges relate to supply of network services at different times.
LV TOU kVA demand network	Network access charge (c/day/connection point). Maximum demand (in billing period) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for customers with an average or stable commercial load. The maximum demand charge is designed to encourage consumers to manage their demand upon the network. The energy charges relate to supply of energy at different times, with lower rates in off-peak times reflecting the availability of capacity and encouraging consumers to shift their load from peak to off-peak times to utilise the available capacity.
LV TOU capacity network	Network access charge (c/day/connection point) Maximum demand (in billing period) (c/kVA/day) Capacity (max demand in last year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is open to all low voltage consumers and intended to reward those customers with seasonally stable loads. It is prescribed for low voltage customers with embedded generation. The tariff provides an incentive for customers with embedded generation to manage their output and their down-times (eg for servicing) so as to minimise their demand on the network.
Streetlighting	Network access charge (c/day/customer) Energy at any time (c/kWh)	This tariff applies to the night-time lighting of streets and public ways and places.
Small unmetered loads	Network access charge (c/day/customer) Energy at any time (c/kWh)	This tariff applies to eligible installations as determined by ActewAGL, including: • telephone boxes • telecommunication devices • other, as determined by the National Metrology Coordinator. Energy charges are calculated based on the assessed rating of the load and the charge period.

* Business times are between 7 am and 5 pm Eastern Standard Time on weekdays. Evening times are between 5 pm and 10 pm Eastern Standard Time on weekdays. Off-peak times are all other times.

2.1.3 Network tariffs for high voltage customers

To qualify for the high voltage demand network charges, consumers must take their energy at high voltage (nominal voltage not less than 11 kV) and make a capital contribution towards their connection assets and transformers. High voltage consumers have the option of owning and operating their own high voltage assets. Some customers have aggregated their load, incorporating part of ActewAGL Distribution's low voltage network to become a high voltage customer. A separate high voltage network charge is available for such customers.

Customers taking their energy at high voltage also have the option of selecting the network tariffs available to low voltage consumers. For example, a high voltage customer with a poor load factor could select the *General* or the *General time-of-use* network charge.

Table 2-3 Network tariff structure - high voltage

Tariff (code)	Charging parameters	Explanation
HV TOU Demand Network (111)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for large customers taking supply at high voltage with a low voltage network owned and maintained by ActewAGL. The energy charges relate to supply of network services at different times, with lower rates in off-peak times encouraging customers to increase their utilisation of the network in off-peak periods. The demand charge is applied to the maximum demand in the billing period while the capacity charge is applied to the maximum demand in the previous 12 months. The capacity charge encourages consumers to monitor and manage their peak demand over the year while the demand charge continues to encourage consumers to manage their demand requirements each month.
HV TOU Demand Network – Customer HV (112)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for large customers taking supply at high voltage with a low voltage network owned and maintained by ActewAGL, where the customer owns and is responsible for their high voltage assets (including transformers and switch gear).
HV TOU Demand Network – Customer LV (121)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This network charge is appropriate for large customers taking supply at high voltage where the customer owns and is fully responsible for their own low voltage network. The network access charge relates to the connection services provided to the customer including provision of the current transformer necessary to meter these large loads. The capacity charge encourages the consumer to monitor and manage their peak demand over the year while the demand charge continues to encourage consumers to manage their capacity requirements each month. The energy charges relate to supply of network services at different times, with lower rates in off-peak times reflecting the relatively low costs of off-peak supply, and thereby providing incentives for customers to switch their utilisation of the network to off-peak periods.

<i>Tariff (code)</i>	<i>Charging parameters</i>	<i>Explanation</i>
HV TOU Demand Network – Customer HV and LV (122)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This network charge is appropriate for large customers taking supply at high voltage where the customer owns and is fully responsible for their own low voltage network and where the customer owns and is responsible for their high voltage assets (including transformers and switch gear).

* Business times are between 7 am and 5 pm Eastern Standard Time on weekdays. Evening times are between 5 pm and 10 pm Eastern Standard Time on weekdays. Off-peak times are all other times.

2.1.4 Miscellaneous charges and fees

In addition to the network tariffs set out above, ActewAGL Distribution offers a range of miscellaneous services with charges for each service. These services are part of ActewAGL Distribution's standard control services, as set out in Appendix D of the Final Distribution Determination. The charges are regulated through the maximum allowed average revenue cap applying to standard control services. The structure of each charge depends on the type of service. Some services are charged on a per visit basis, others per installation or per test. The charges for miscellaneous services are set on a cost reflective basis. For example, separate rates apply for temporary connections depending on whether they relate to an overhead, standard underground or free-standing underground connection, as these will involve different costs. Standard control miscellaneous services fees and charges are discussed further in chapter 3.

ActewAGL Distribution also provides some miscellaneous services as part of its alternative control (metering) services. These include meter tests, installation of interval meters at a customer's request, and special meter reads..

2.2 ActewAGL Distribution's metering charges

ActewAGL Distribution's schedule of metering charges comprises daily charges for the provision of each of five different types of metering services and charges for special meter reads.

ActewAGL Distribution's schedule of metering charges comprises daily charges for the provision of each of four different types of manually read metering services and charges for special meter reads. Meters for residential consumers are usually read quarterly while those for small low voltage commercial consumers (consuming less than 160 MWh pa) are usually read monthly. Metering services for larger low voltage consumers and for high voltage consumers are open to competition and are not regulated.

The metering charges for small consumers are set on a cost reflective basis. The costs of meter reading and meters (including depreciation, return on capital, installation and maintenance and administration) have been calculated for each meter type. The costs are applied to the number of meters of each type to derive the total cost for each meter type. The meter types are each allocated to a class of metering service and the total cost of each class

is allocated to the customers in that class to estimate the average cost of the metering service to each class.

3 Network tariffs for 2013/14

3.1 Network charges

ActewAGL's network charges are made up of distribution charges and transmission charges. The distribution charges recover the cost of ActewAGL's electricity distribution service within the ACT. The transmission charges recover TransGrid's charges to ActewAGL for the delivery of energy to the ACT. The AER regulates both ActewAGL's distribution charges and TransGrid's transmission charges.

ActewAGL Distribution is required to provide tariffs designed to pass on to customers the charges it will incur for transmission services. The amount passed on to customers is not to exceed the estimated amount of transmission charges for each year adjusted for over or under recovery in the previous regulatory year.

Table 3-1 shows the distribution, transmission and network charges for 2013/14, excluding GST.

Table 3-1 Network use of system charges 2013/14

Code	Description	Pricing Unit	Distribution Charges 2013/14	Transmission Charges 2013/14	Network Charges 2013/14
Residential tariffs					
010	Residential Basic Network				
	Network access charge	cents/day	21.44	0.00	21.44
	Energy consumption	cents/kWh	5.649	1.421	7.070
015	Residential TOU Network				
	Network access charge	cents/day	21.44	0.00	21.44
	Energy consumption at max times	cents/kWh	9.894	0.196	10.090
	Energy consumption at mid times	cents/kWh	5.511	0.149	5.660
	Energy consumption at economy times	cents/kWh	4.042	0.118	4.160
020	Residential 5000 Network				
	Network access charge	cents/day	42.64	0.00	42.64
	Energy consumption for the first 60 kWh per day	cents/kWh	4.109	1.421	5.530
	Energy consumption above 60 kWh per day	cents/kWh	5.649	1.421	7.070
030	Residential with Heat Pump Network				
	Network access charge	cents/day	85.34	0.00	85.34
	Energy consumption for the first 165 kWh per day	cents/kWh	2.893	1.177	4.070
	Energy consumption above 165 kWh per day	cents/kWh	5.649	1.421	7.070
060	Off-Peak (1) Night Network				
	Energy consumption	cents/kWh	0.085	1.335	1.420
070	Off-Peak (3) Day & Night Network				
	Energy consumption	cents/kWh	0.204	1.736	1.940
	Renewable Energy Generation				
	Energy consumption (Obsolete)	cents/kWh	0.000	0.000	0.000
	Energy exports	cents/kWh	0.000	-0.50	-0.50

Code	Description	Pricing Unit	Distribution Charges 2013/14	Transmission Charges 2013/14	Network Charges 2013/14
Commercial low voltage tariffs					
040	General Network				
	Network access charge	cents/day	42.33	0.00	42.33
	Energy consumption for the first 330 kWh per day	cents/kWh	9.097	1.783	10.880
	Energy consumption above 330 kWh per day	cents/kWh	12.818	1.682	14.500
135	Small Unmetered Loads Network				
	Network access charge	cents/day	35.80	0.00	35.80
	Energy consumption	cents/kWh	10.738	1.811	12.549
080	Streetlighting Network				
	Network access charge	cents/day	43.00	0.00	43.00
	Energy consumption	cents/kWh	6.126	1.084	7.210
090	General TOU Network				
	Network access charge	cents/day	42.33	0.00	42.33
	Energy consumption at business times	cents/kWh	17.134	0.426	17.560
	Energy consumption at evening times	cents/kWh	8.532	0.248	8.780
	Energy consumption at off-peak times	cents/kWh	3.478	0.172	3.650
Low voltage time of use demand network					
101	LV TOU kVA Demand Network				
	Network access charge per connection point	cents/day	49.00	0.00	49.00
	Maximum demand charge	c/kVA/day	39.021	6.079	45.100
	Energy consumption at business times	cents/kWh	4.733	0.817	5.550
	Energy consumption at evening times	cents/kWh	2.798	0.782	3.580
	Energy consumption at off-peak times	cents/kWh	1.045	0.725	1.770
103	LV TOU Capacity Network				
	Network access charge per connection point	cents/day	49.00	0.00	49.00
	Maximum demand charge	c/kVA/day	18.082	2.918	21.000
	Capacity charge	c/kVA/day	18.082	2.918	21.000
	Energy consumption at business times	cents/kWh	4.733	0.817	5.550
	Energy consumption at evening times	cents/kWh	2.798	0.782	3.580
	Energy consumption at off-peak times	cents/kWh	1.143	0.627	1.770
High voltage tariffs					
High voltage time of use demand network with ActewAGL low voltage network					
111	HV TOU Demand Network				
	Network access charge per connection point	\$/day	17.00	0.00	17.00
	Maximum demand charge	c/kVA/day	14.915	2.885	17.800
	Capacity charge	c/kVA/day	14.492	3.308	17.800
	Energy consumption at business times	cents/kWh	3.583	0.937	4.520
	Energy consumption at evening times	cents/kWh	2.141	0.779	2.920
	Energy consumption at off-peak times	cents/kWh	0.790	0.720	1.510
112	HV TOU Demand Network – Customer HV				
	Network access charge per connection point	\$/day	17.00	0.00	17.00
	Maximum demand charge	c/kVA/day	13.915	2.885	16.800
	Capacity charge	c/kVA/day	13.492	3.308	16.800
	Energy consumption at business times	cents/kWh	3.583	0.937	4.520
	Energy consumption at evening times	cents/kWh	2.141	0.779	2.920
	Energy consumption at off-peak times	cents/kWh	0.790	0.720	1.510
High voltage time of use demand network without ActewAGL low voltage network					
121	HV TOU Demand Network – Customer LV				
	Network access charge per connection point	\$/day	17.00	0.00	17.00
	Maximum demand charge	c/kVA/day	14.915	2.885	17.800

Code	Description	Pricing Unit	Distribution Charges 2013/14	Transmission Charges 2013/14	Network Charges 2013/14
	Capacity charge	c/kVA/day	14.915	2.885	17.800
	Energy consumption at business times	cents/kWh	3.303	0.817	4.120
	Energy consumption at evening times	cents/kWh	1.791	0.779	2.570
	Energy consumption at off-peak times	cents/kWh	0.650	0.720	1.370
122	HV TOU Demand Network – Customer HV and LV				
	Network access charge per connection point	\$/day	17.00	0.00	17.00
	Maximum demand charge	c/kVA/day	13.915	2.885	16.800
	Capacity charge	c/kVA/day	13.915	2.885	16.800
	Energy consumption at business times	cents/kWh	3.303	0.817	4.120
	Energy consumption at evening times	cents/kWh	1.791	0.779	2.570
	Energy consumption at off-peak times	cents/kWh	0.650	0.720	1.370

3.2 Changes to network tariffs

ActewAGL Distribution has changed the buy-back arrangements for consumers installing small embedded PV generation systems (less than 30KW). To enable that change, it is adopting a net metering arrangement. From 1 July 2013, ActewAGL Distribution will pay consumer's retailer the avoided TUOS costs for energy exported into the electricity network. To implement the change, ActewAGL Distribution would change the relevant section of its schedule of charges to read:

If a customer has a grid-connected renewable energy generator with a net metering facility and the customer is not receiving the ACT feed-in tariff, the following arrangements shall apply to PV installations:

The customer shall pay the published network charge for energy imported from ActewAGL Distribution's network (based upon the customer's meter reading).

ActewAGL Distribution will pay to the customer's retailer an amount equal to ActewAGL Distribution's estimated avoided cost of TUOS charges on energy exported into the electricity network (based upon the customer's meter reading).

The customer shall continue to pay the network access charge.

This arrangement is available only to customers with less than 30 kilowatts installed capacity of renewable generation with a net metering facility able to record energy imported and exported into the electricity network.

Customers with a grid-connected renewable energy generator which was connected on or before 30 June 2013 may continue with the existing arrangements applicable to that customer.

In all other circumstances where a customer has a grid-connected renewable energy generator with an installed capacity of less than 30 kilowatts, including where the customer is receiving the ACT feed-in tariff, the following arrangements shall apply:

The customer shall pay the published network charge for the gross amount of energy imported from ActewAGL Distribution's network.

ActewAGL Distribution shall not charge the customer for the use of the network for the energy exported.

The customer shall continue to pay the network access charge.

"Energy exported" means energy generated by a photovoltaic system that results in energy flowing from the customer's premises into the electricity network.

Table 3.2 compares the network charges in 2013/14 with and without GST. Also, it compares network charges in 2013/14 with those in 2012/13. On average, tariffs have increased about 0.33 c/kWh including GST. This represents an average increase of about 4.0%.

Table 3-2 Comparison of Network Charges with GST

Code	Description	Unit	Network Charges incl. GST 2012/13	Network Charges excl. GST 2013/14	Network Charges incl. GST 2013/14
RESIDENTIAL TARIFFS					
010	Residential Basic Network				
	Network access charge	cents/day	18.095	21.44	23.584
	Energy consumption	cents/kWh	7.546	7.07	7.777
015	Residential TOU Network				
	Network access charge	cents/day	18.095	21.44	23.584
	Energy consumption at max times	cents/kWh	10.505	10.09	11.099
	Energy consumption at mid times	cents/kWh	6.072	5.66	6.226
	Energy consumption at economy times	cents/kWh	4.499	4.16	4.576
020	Residential 5000 Network				
	Network access charge	cents/day	41.415	42.64	46.904
	Energy consumption for the first 60 kWh per day	cents/kWh	5.852	5.53	6.083
	Energy consumption above 60 kWh per day	cents/kWh	7.546	7.07	7.777
30	Residential with Heat Pump Network				
	Network access charge	cents/day	88.385	85.34	93.874
	Energy consumption for the first 165 kWh per day	cents/kWh	4.246	4.07	4.477
	Energy consumption above 165 kWh per day	cents/kWh	7.546	7.07	7.777
060	Off-Peak (1) Night Network				
	Energy consumption	cents/kWh	1.694	1.42	1.562
070	Off-Peak (3) Day & Night Network				
	Energy consumption	cents/kWh	2.266	1.94	2.134
	Renewable Energy Generation				
	Energy consumption	cents/kWh	0.000	0.00	0.000
	Energy exports	cents/kWh	0.000	-0.50	-0.550
COMMERCIAL LOW VOLTAGE TARIFFS					
040	General Network				
	Network access charge	cents/day	35.981	42.33	46.563
	Energy consumption for the first 330 kWh per day	cents/kWh	11.462	10.88	11.968
	Energy consumption above 330 kWh per day	cents/kWh	15.092	14.50	15.950
135	Small Unmetered Loads Network				
	Network access charge	cents/day	29.48	35.80	39.380
	Energy consumption	cents/kWh	13.332	12.549	13.8039
080	Streetlighting Network				
	Network access charge	cents/day	36.300	43.00	47.300
	Energy consumption	cents/kWh	7.711	7.21	7.931

Code	Description	Unit	Network Charges incl. GST 2012/13	Network Charges excl. GST 2013/14	Network Charges incl. GST 2013/14
090	General TOU Network				
	Network access charge	cents/day	35.981	42.33	46.563
	Energy consumption at business times	cents/kWh	18.216	17.56	19.316
	Energy consumption at evening times	cents/kWh	9.284	8.78	9.658
	Energy consumption at off-peak times	cents/kWh	4.026	3.65	4.015
	Low voltage time of use demand network				
101	LV TOU kVA Demand Network				
	Network access charge per connection point	cents/day	42.900	49.00	53.900
	Maximum demand charge	c/kVA/day	47.080	45.10	49.610
	Energy consumption at business times	cents/kWh	6.006	5.55	6.105
	Energy consumption at evening times	cents/kWh	4.070	3.58	3.938
	Energy consumption at off-peak times	cents/kWh	2.112	1.77	1.947
103	LV TOU Capacity Network				
	Network access charge per connection point	cents/day	42.900	49.00	53.900
	Maximum demand charge	c/kVA/day	21.670	21.00	23.100
	Capacity charge	c/kVA/day	21.670	21.00	23.100
	Energy consumption at business times	cents/kWh	6.006	5.55	6.105
	Energy consumption at evening times	cents/kWh	4.070	3.58	3.938
	Energy consumption at off-peak times	cents/kWh	2.112	1.77	1.947
HIGH VOLTAGE TARIFFS					
High voltage time of use demand network with ActewAGL low voltage network					
111	HV TOU Demand Network				
	Network access charge per connection point	\$/day	15.400	17.00	18.700
	Maximum demand charge	c/kVA/day	18.480	17.80	19.580
	Capacity charge	c/kVA/day	18.480	17.80	19.580
	Energy consumption at business times	cents/kWh	4.994	4.52	4.972
	Energy consumption at evening times	cents/kWh	3.322	2.92	3.212
	Energy consumption at off-peak times	cents/kWh	1.793	1.51	1.661
112	HV TOU Demand Network – Customer HV				
	Network access charge per connection point	\$/day	15.400	17.00	18.700
	Maximum demand charge	c/kVA/day	17.380	16.80	18.480
	Capacity charge	c/kVA/day	17.380	16.80	18.480
	Energy consumption at business times	cents/kWh	4.994	4.52	4.972
	Energy consumption at evening times	cents/kWh	3.322	2.92	3.212
	Energy consumption at off-peak times	cents/kWh	1.793	1.51	1.661

Code	Description	Unit	Network Charges incl. GST 2012/13	Network Charges excl. GST 2013/14	Network Charges incl. GST 2013/14
High voltage time of use demand network without ActewAGL low voltage network					
121	HV TOU Demand Network – Customer LV				
	Network access charge per connection point	\$/day	15.400	17.00	18.700
	Maximum demand charge	c/kVA/day	18.480	17.80	19.580
	Capacity charge	c/kVA/day	18.480	17.80	19.580
	Energy consumption at business times	cents/kWh	4.554	4.12	4.532
	Energy consumption at evening times	cents/kWh	2.937	2.57	2.827
	Energy consumption at off-peak times	cents/kWh	1.639	1.37	1.507
122	HV TOU Demand Network – Customer HV and LV				
	Network access charge per connection point	\$/day	15.400	17.00	18.700
	Maximum demand charge	c/kVA/day	17.380	16.80	18.480
	Capacity charge	c/kVA/day	17.380	16.80	18.480
	Energy consumption at business times	cents/kWh	4.554	4.12	4.532
	Energy consumption at evening times	cents/kWh	2.937	2.57	2.827
	Energy consumption at off-peak times	cents/kWh	1.639	1.37	1.507

3.3 Miscellaneous services charges

Table 3-3 presents ActewAGL Distribution's charges for miscellaneous services for 2013/14 excluding and including GST. Also shown are the charges for miscellaneous services for 2012/13, including GST.

Table 3-3 Changes in miscellaneous services charges

Code	Description	Unit	Prices incl. GST 2012/13	Prices excl. GST 2013/14	Prices incl. GST 2013/14
For visit to re-energise or de-energise a site					
501	Business hours – re-energise a site	per visit	\$58.00	\$54.55	\$60.00
502	After hours – re-energise a site	per visit	\$124.00	\$117.27	\$129.00
503	Business hours – de-energise a site	per visit	\$51.00	\$48.18	\$53.00
504	Meter test during business hours (refunded if the meter proves to be faulty)	per visit	\$72.00	\$67.27	\$74.00
505	De-energise a site for non-payment	per visit	\$96.00	\$90.91	\$100.00
506	Special meter reading , or check read deposit (refunded if the original reading was incorrect).	per visit	\$37.00	\$34.55	\$38.00
507	Install interval meter at customers request	per visit	\$69.30	\$64.64	\$71.10
508	Field visit only (De-energise a site for non-payment)	per visit	\$69.00	\$65.45	\$72.0
509	Replace or install a meter to facilitate renewable energy installation	per visit	\$69.30	\$64.64	\$71.10
Temporary connections					
520	Overhead	per installation	\$410.00	\$387.27	\$426.00

Code	Description	Unit	Prices incl. GST 2012/13	Prices excl. GST 2013/14	Prices incl. GST 2013/14
521	Standard underground	per installation	\$596.00	\$563.64	\$620.00
522	Free-standing underground	per installation	\$723.00	\$683.64	\$752.00
Services					
530	Overhead: remove, reposition or disconnect service	per site visit	\$296.00	\$280.00	\$308.00
531	Underground: remove, reposition or disconnect service	per site visit	\$711.00	\$671.82	\$739.00
Upgrade service from single to three phase at customer's request where load does not justify three phase					
532	Overhead	per installation	\$382.00	\$360.91	\$397.00
533	Underground – service cable replacement not required	per installation	\$382.00	\$360.91	\$397.00
534	Underground – service cable replacement required	per installation	\$711.00	\$671.82	\$739.00
540	Rescheduled visit (applied where a revisit to a site is necessitated by obstructed access, non-compliance with the Service and Installation Rules or the client is not ready for the scheduled work.)	per visit	\$196.00	\$185.45	\$204.00
550	Issue of copies of electrical drawings	per sheet or electronic equivalent	\$15.30	\$14.45	\$15.90
560	De-energising wires (to allow safe approach, for example, for tree pruning, plant operation, oversize loads, construction activities)	per occurrence	\$475.0	\$449.09	\$494.00
570	Embedded generation - operational and maintenance charges for small embedded generators (other renewable <30KW)				
	for connection assets		2.0%	2.0%	2.0%*
	for shared network assets (if applicable)		2.0%	2.0%	2.0%*
*This is a % of the capital cost of the assets.					

3.3.1 Metering services charges

Table 3-4 presents ActewAGL Distribution's metering services charges for 2013/14 excluding and including GST. Also shown are the charges for metering services for 2012/13, including GST.

Table 3-4 Metering services charges

Code	Description	Unit	Prices incl. GST 2012/13	Prices excl. GST 2013/14	Prices incl. GST 2013/14
MP1	Quarterly basic metering rate	-			
	Accumulation and time-of-use meters read quarterly	cents per day per NMI	14.025	12.96	14.256
MP2	Monthly basic metering rate	-			
	Accumulation and time-of-use meters read monthly	cents per day per NMI	24.519	22.67	24.937
MP3	Time-of-use metering rate	-			
	Time-of-use meters read monthly	cents per day per NMI	24.519	22.67	24.937
MP4	Monthly manually-read interval metering rate				
	Interval meters recording at either 15- or 30-minute intervals, read manually and processed monthly	\$ per day per NMI	\$1.991	1.83	2.013
MP5	Internal metering rate	-			
	Sites entitled to the Internal network charge	cents per day per NMI	24.519	22.67	24.937
MP6	Quarterly manually-read interval metering rate				
	Interval meters recording at either 15- or 30-minute intervals, read manually and processed quarterly	cents per day per NMI	57.200	52.20	57.42