

ActewAGL Distribution 2014/15

Statement of Tariff Classes and Tariffs

June 2014

List of tables	iv
Overview	v
1 Introduction	1
1.1 Purpose and scope of the document	1
1.2 Background	1
1.3 Structure of the document	2
2 Network tariffs	3
2.1 Network tariff structure	3
2.2 Network charges for 2014/15	10
2.3 Changes in network charges in 2014/15	12
3 Charges for metering and ancillary services	16
3.1 Ancillary services	16
3.2 Metering services charges for 2014/15	18
4 Expected price trends	19
4.1 Expected distribution price trends	19
4.2 Expected metering price trends	21
4.3 Expected ancillary service price trends	22

List of tables

Table 2-1	Network tariff structure – residential	5
Table 2-2	Network tariff structure - commercial low voltage.....	7
Table 2-3	Network tariff structure - high voltage.....	9
Table 2-4	Network use of system charges 2014/15 (excluding GST)	10
Table 2-5	Change in network use of system charges 2013/14 to 2014/15	13
Table 3-1	Charges for ancillary services 2014/15	16
Table 3-2	Metering charges.....	18
Table 4-1	Indicative distribution use of system charges 2015/16 to 2018/19 (excluding GST)	19
Table 4-2	Indicative metering charges 2015/16 to 2018/19 (excluding GST)	21
Table 4-3	Indicative ancillary service charges 2015/16 to 2018/19 (excluding GST)	22

Overview

- ActewAGL Distribution offers customers a range of network tariff options across three tariff classes—residential, commercial low voltage and high voltage. Customers are able to choose the tariff that best suits their needs, subject to some eligibility requirements as set out in this document.
- The 2014/15 tariff and charges shown in this document are from ActewAGL Distribution's approved 2014/15 Network Pricing Proposal.¹ The indicative prices for the following four years (1 July 2015 to 30 June 2019) are based on ActewAGL Distribution's regulatory proposal for the period, which was submitted to the AER on 2 June 2014. The AER's final determination on this proposal is expected in April 2015. Prices which comply with this determination will then be set through the annual network pricing approval process.
- The AER approved distribution use of system (DUOS) charges for 2014/15 are 1.13 cents per kWh, or 17.5 per cent in nominal terms, lower on average than the DUOS charges for 2013/14.
- Transmission use of system (TUOS) charges are 0.86 cents per kWh, or 64.2 per cent in nominal terms, higher on average than the charges for 2013/14.
- The new separate charge for jurisdictional schemes will average 0.98 cents per kWh. This is 16.0 per cent (in nominal terms) higher than the implicit jurisdictional scheme charges in 2013/14, largely due to the commencement of the large scale feed-in tariff scheme.
- Charges for ancillary network services and metering services for 2014/15 average about 2.9 per cent higher than the 2013/14 charges.
- As a result, the network use of system (NUOS) charges (comprising DUOS, TUOS and charges for jurisdictional schemes) and metering for 2014/15 are on average 0.73 c/kWh, or 9.0 per cent in nominal terms, higher than the average NUOS plus metering charges for 2013/14. ActewAGL Distribution estimates that the 2014/15 network and metering charges will raise the electricity network bill for an average residential customer, consuming 7000 kWh on the residential basic network charge, by \$1.01 per week (including GST)—a real increase of 4.6 per cent (7.7 per cent nominal).
- For a commercial customer consuming 30 MWh per annum on the general network charge, the network and metering price increases would raise the

¹ See <http://www.aer.gov.au/node/26031>

electricity network bill by \$5.92 per week (including GST)— implying a 4.9 per cent real change in prices (8.0 per cent nominal increase).

1 Introduction

1.1 Purpose and scope of the document

ActewAGL Distribution has prepared this statement of tariff classes and tariffs in accordance with the requirements in chapter 6 of the National Electricity Rules (the Rules). Clause 6.18.9 requires ActewAGL Distribution to maintain on its website:

- a statement of tariff classes² and tariffs that are applicable to each class;
- for each tariff within a tariff class, the charging parameters³ and the elements of service to which they relate; and
- a statement of expected price trends, giving an indication of how ActewAGL Distribution expects prices to change over the regulatory period, and the reasons for those expected changes.

This document contains the required information. The statement covers the transitional regulatory period (1 July 2014 to 30 June 2015) and the subsequent regulatory period (1 July 2015 to 30 June 2019). The prices for the transitional regulatory period are as approved by the AER on 13 June 2014. The prices for the subsequent period are as proposed by ActewAGL Distribution in its regulatory proposal for the period.⁴ These prices are indicative.

1.2 Background

The Australian Energy Regulator (the AER) is responsible for the economic regulation of distribution services provided by ActewAGL Distribution. The AER has determined the maximum allowed average revenue (MAAR) for ActewAGL Distribution's standard control services and the price caps for alternative control services (ancillary network services and metering services) for the 2014/15 transitional regulatory year.⁵ The AER has set the X factor for standard control services for 2014/15 at 19.59 per cent.⁶ Prices for ancillary services and metering services are to be escalated by CPI.

This document should be read in conjunction with the AER's Placeholder Determination and ActewAGL Distribution's transitional regulatory proposal and subsequent regulatory proposal (published on the AER's website), as they set out in detail the basis of the costs that are reflected in ActewAGL Distribution's prices. Expenditure on asset renewal and replacement expenditure will increase in the transitional regulatory period as ActewAGL Distribution extends its asset replacement focus to include underground cables, which in many cases have reached the end of their useful life, or where asset replacement has become a viable alternative to repairing cables on a piecemeal basis. Suburban pole replacement will continue

² A tariff class is defined in Chapter 10 of the *Network Electricity Rules* as "a class of for one or more direct control services who are subject to a particular tariff or particular tariffs."

³ Charging parameters are defined as "the constituent elements of a tariff" in chapter 10 of the *National Electricity Rules*.

⁴ The proposal was submitted to the AER on 2 June 2014.

⁵ AER 2014, *ActewAGL Placeholder determination for the transitional regulatory control period 2014-15*.

⁶ AER 2014, *AER transitional distribution decision for ACT and New South Wales DNSPs, 2014/15*, p. 32

to be a significant driver of capital expenditure outcomes in the 2014-19 regulatory period as ActewAGL Distribution continues the pole replacement program that was approved by the AER in 2009.

When comparing allowed distribution revenues and prices in 2013/14 and 2014/15, it is important to correctly take account of changes in the treatment of jurisdictional scheme costs and costs associated with ActewAGL Distribution's dual function assets. These amounts were included in the AER approved average revenue for each year of the 2009-14 regulatory period, but have been removed and treated separately for 2014/15, in accordance with the AER's Placeholder Determination.

1.3 Structure of the document

ActewAGL Distribution's tariff structure and proposed 2014/15 charges for standard control services are set out in chapter 2. The chapter includes details on the components and rationale for each tariff, as well as a discussion of the changes relative to 2013/14.

The structure and basis of ActewAGL Distribution's charges for alternative control services (ancillary network services and metering services), the charges for 2014/15 and the changes relative to 2013/14 are presented and explained in chapter 3.

Expected price trends over the period 2014-19 are provided in chapter 4.

2 Network tariffs

The *Rules* (clause 6.18.2) require a description of the *tariff classes*⁷ and tariffs that are to apply in 2014/15. For each tariff within a tariff class, the *charging parameters*⁸ and the elements of service to which they relate must also be set out in the pricing proposal.

2.1 Network tariff structure

ActewAGL Distribution's offers network tariffs in three tariff classes:

- Residential;
- Commercial low voltage (LV); and
- High voltage (HV).

The *Rules* stipulate that tariff classes must be constituted with regard to the need to group customers together on an economically efficient basis and the need to avoid unnecessary transactions costs (clause 6.18.3(d)). ActewAGL Distribution meets this requirement by grouping customers according to type of connection (residential or commercial), and connection voltage (LV or HV). Customers within each class have similar load and connection characteristics. The relevant costs for each class can then be identified and reflected in the tariffs for each class.

Within each of these three tariff classes, ActewAGL Distribution has developed a suite of network tariffs that effectively meet the diverse needs of its customer base, encourage efficient use of the network and signal the costs of future network expansion. Residential customers are offered a choice of four network tariff options plus two controlled load off-peak options and an embedded renewable generation tariff option. Commercial LV customers are offered four main tariff options. Commercial customers on the general network charge also have access to the controlled load off-peak tariff options and the embedded renewable generation tariff option on a similar basis to customers in the residential class. Commercial HV customers are offered four tariff options. Customers are able to choose the option which best suits their needs, subject to the eligibility criteria set out in Tables 2.1 to 2.3 below.

The network tariffs comprise different combinations of the following *charging parameters*:

- Network access charges—these apply per customer for residential consumers and per connection point for commercial customers. They involve a fixed daily charge and do not vary with electricity consumption or capacity;
- Energy charges—these apply to each unit of electricity consumed. The c/kWh rate may vary with the level of consumption (with higher rates applying above certain thresholds) or with the time-of-use (with lower rates applying at off-peak periods);
- Maximum demand charges—these apply per connection point for some commercial tariffs. They involve a charge per unit of maximum demand (in c/kVA/day). The

⁷ A tariff class is defined in chapter 10 of the *National Electricity Rules* as “a class of customers for one or more direct control services who are subject to a particular tariff or particular tariffs”.

⁸ Charging parameters are defined as “the constituent elements of a tariff” in chapter 10 of the *National Electricity Rules*.

maximum demand is the highest demand calculated over a 30-minute interval during the billing period;

- Capacity charges—these apply on the same basis as maximum demand charges, but are for the maximum demand calculated over a 30-minute interval during the previous 12 months.

Network access charges relate to the connection services provided to customers. They are associated with the costs of the provision and use of connection assets for each tariff class, as well as customer related costs such as network call centre costs.

Energy charges relate to the distribution services provided to customers. They are linked to the costs of the provision and use of distribution assets (other than connection assets), and also recover most of the common services costs. Higher energy rates at peak periods reflect higher costs. Higher energy rates beyond 330 kWh per day for the general network charge encourage larger consumers with a good load factor to move to demand or time-of-use network charges.

Maximum demand and capacity charges relate to the capacity provided to meet maximum demand and provide incentives for consumers to manage their load on the network.

The allocation of costs to charging parameters is discussed further in section 2.4 below.

The tariffs and charging parameters for each tariff class are shown in the following tables (2.1 to 2.3). The tables include an explanation of the purpose of each tariff and the customers to which each tariff may apply.

2.1.1 Network tariffs for residential customers

ActewAGL Distribution's residential network tariff structure is shown in Table 2-1. The *Residential time-of-use (TOU)*, *Residential 5000* and *Residential with heat pump* tariffs are refinements of the *Residential basic* tariff to reflect customer load profiles. The *Residential TOU* tariff provides an opportunity and an incentive for customers with the necessary metering capability to respond to price signals at different times of the day, where reflected in the final price of their retailer, and manage their electricity bill in line with the costs they impose on the network. The *Residential TOU* tariff is the default tariff for all new residential and commercial connections. The *Residential 5000* and *Residential with heat pump* tariffs involve a higher connection charge and an inclining block structure with a higher energy charge (cents per kWh) applying above certain thresholds. These tariffs more accurately tailor costs to the load profile of these customers. The off-peak tariff options can be used in conjunction with the *Residential basic* and the *Residential TOU* network charges.

Table 2-1 Network tariff structure – residential

Tariff	Charging parameters	Explanation
Residential basic network	Network access charge (c/day/customer) Energy charge (c/kWh)	The residential basic network tariff is available to installations at private dwellings, excluding serviced apartments, but including: • Living quarters for members and staff of religious orders; • Living quarters on farms; • Charitable homes; • Retirement villages; • Residential sections of nursing homes and hospitals; • Churches, buildings or premises which are primarily used for public worship; and • Approved caravan sites. The energy charge varies neither with the level of consumption nor the time of day. However, customers on this tariff are also eligible for the off-peak tariffs.
Residential time-of-use (TOU) network ⁹	Network access charge (c/day/customer) Energy at max times, ie 7am to 9am and 5pm to 8pm every day (c/kWh) Energy at mid times, ie 9am to 5pm and 8pm to 10pm every day (c/kWh) Energy at economy times, ie all other times (c/kWh)	This tariff is available to residential customers (as defined above) with a meter able to be read as a time-of-use meter and to electric vehicle recharge facilities on residential premises. The energy charges relate to the supply of network services at various times. Higher rates apply at max or peak times to encourage users to shift their load to off-peak periods. Customers on this tariff are also eligible for the controlled load off-peak tariffs. Residential consumers with a meter with two registers capable of providing time-of-use consumption data from each register may have the time-of-use charges applied separately to each register.
Residential 5000 network	Network access charge (c/day/customer) Energy for the first 60 kWh/day (c/kWh) Energy above 60 kWh/day (c/kWh)	This tariff is designed for residential customers who have large continuous (rather than time controlled) loads, such as electric hot water systems, and consume over 5,000 kWh per annum. The energy charges relate to the supply of network services above and below certain volume thresholds. An inclining block structure applies (ie higher energy rates for the second block of energy). The lower energy rate is limited to consumption up to 60 kWh per day, reflecting a typical domestic usage profile. This is sufficient to cover the energy requirements of many residential consumers.
Residential with heat pump	Network access charge (c/day/customer) Energy for the first 165 kWh/day (c/kWh) Energy above 165 kWh (c/kWh)	This tariff is only available to residential customers with a reverse cycle air conditioner. An inclining block structure applies (ie higher energy rates for the second block of energy). The lower energy rate is set to recover the incremental cost of energy load on the network as a demand management tool to lower winter peak loads and improve utilisation of the network in summer and so improve overall network utilisation.
Off-peak (1) night network	Energy at controlled times, ie between 10 pm and 7 am (c/kWh)	The off-peak (1) night charge is available only to customers utilising a controlled load element, and taking all other energy at residential basic network, residential time-of-use or general network rates. The off-peak (1) night charge is applicable to permanent heat (or cold) storage; electric vehicle recharge; and CNG vehicle gas compression installations. The design

⁹ All times for metering are Eastern Standard Time.

Tariff	Charging parameters	Explanation
		and rating must be acceptable to ActewAGL. The installation must use most energy during the controlled times but may be boosted at the principal charge, or charges, at other times. The off-peak (1) night network energy charge relates to supply of network services at controlled times, for 6 to 8 hours per day between the hours of 10 pm and 7 am.
Off-peak (3) day and night network	Energy at controlled times, ie between 10 pm and 7 am and 9 am and 5 pm (c/kWh)	Available only to customers utilising a controlled load element, and taking all other energy at residential basic network, residential time-off-use or general network rates. This charge is applicable to permanent heat (or cold) storage installations. The design and rating must be acceptable to ActewAGL. The off-peak (3) day and night network energy rate applies to power supplied for up to 13 hours per day between 10 pm and 7 am and again between 9 am and 5 pm.
Renewable generation	Energy charges (c/kWh)	This tariff applies to customers with grid connected solar or wind energy generation systems. Different arrangements apply to customers participating in the ACT feed-in tariff scheme, in accordance with the <i>Electricity Feed-in (Renewable Energy Premium) Act 2008</i> (ACT). Net metering applies to new PV installations since July 2013.

2.1.2 Network tariffs for low voltage commercial customers

ActewAGL Distribution sets different tariffs for commercial low voltage (LV) and commercial high voltage (HV) customers recognising the different costs associated with supplying each group. Within the commercial LV tariff class a range of tariff options has been developed to meet the diverse needs of commercial customers and to accommodate their differing load profiles and ability to respond to price signals. Of the four main options offered to commercial LV customers, all but the *General network* tariff involve time-of-use charges. The *General network* tariff does, however, involve an inclining block tariff structure with higher energy charge (c/kWh) applying above a threshold of 330 kWh per day (about 10 MWh per month). Also, the off-peak (controlled load) tariffs are available to customers on the *General network* tariff.

Two of the commercial LV options involve capacity and/or maximum demand charges, in conjunction with time-of-use charges. Customers able to improve their load factor¹⁰ have an incentive to choose a tariff with a demand or capacity charge, and reduce their energy bills. Customers on the *General network* and *General time-of-use network* charges can move to the demand charges and lower their network costs if they have a sufficiently large load (for the cost savings to offset the higher cost of interval metering) and a reasonable load profile.

¹⁰ The load factor is the ratio of average load to peak load.

Table 2-2 Network tariff structure - commercial low voltage

Tariff	Charging parameters	Explanation
General network	Network access charge (c/day/customer) Energy for the first 330 kWh/day (c/kWh) Energy above 330 kWh/day (c/kWh)	This tariff is available to all customers. The tariff is most suitable for small commercial consumers operating in regular business hours or larger customers with poorer load factors (peaky loads). This tariff may be used in conjunction with the off-peak tariffs.
General TOU network	Network access charge (c/day/customer) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is particularly suitable for small commercial customers with discretionary or relatively large off-peak loads such as bakers, freezer installations and irrigators. The energy charges relate to supply of network services at different times.
LV TOU kVA demand network	Network access charge (c/day/connection point). Maximum demand (in billing period) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for customers with an average or stable commercial load. The maximum demand charge is designed to encourage consumers to manage their demand upon the network. The energy charges relate to supply of energy at different times, with lower rates in off-peak times reflecting the availability of capacity and encouraging consumers to shift their load from peak to off-peak times to utilise the available capacity.
LV TOU capacity network	Network access charge (c/day/connection point) Maximum demand (in billing period) (c/kVA/day) Capacity (max demand in last year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is open to all low voltage consumers and intended to reward those customers with seasonally stable loads. It is prescribed for low voltage customers with embedded generation. The tariff provides an incentive for customers with embedded generation to manage their output and their down-times (eg for servicing) so as to minimise their demand on the network.
Streetlighting	Network access charge (c/day/customer) Energy at any time (c/kWh)	This tariff applies to the night-time lighting of streets and public ways and places.
Small unmetered loads	Network access charge (c/day/customer) Energy at any time (c/kWh)	This tariff applies to eligible installations as determined by ActewAGL, including: • telephone boxes • telecommunication devices • other, as determined by the National Metrology Coordinator. Energy charges are calculated based on the assessed rating of the load and the charge period.

* Business times are between 7 am and 5 pm Eastern Standard Time on weekdays. Evening times are between 5 pm and 10 pm Eastern Standard Time on weekdays. Off-peak times are all other times.

2.1.3 Network tariffs for high voltage customers

To qualify for the high voltage demand network charges, consumers must take their energy at high voltage (nominal voltage not less than 11 kV) and make a capital contribution towards their connection assets and transformers. High voltage consumers have the option of owning and operating their own high voltage assets. Some customers have aggregated their load, incorporating part of ActewAGL Distribution's low voltage network to become a high voltage customer. A separate high voltage network charge is available for such customers.

Customers taking their energy at high voltage also have the option of selecting the network tariffs available to low voltage consumers. For example, a high voltage customer with a poor load factor could select the *General* or the *General time-of-use* network charge.

Table 2-3 Network tariff structure - high voltage

Tariff (code)	Charging parameters	Explanation
HV TOU Demand Network (111)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for large customers taking supply at high voltage with a low voltage network owned and maintained by ActewAGL. The energy charges relate to supply of network services at different times, with lower rates in off-peak times encouraging customers to increase their utilisation of the network in off-peak periods. The demand charge is applied to the maximum demand in the billing period while the capacity charge is applied to the maximum demand in the previous 12 months. The capacity charge encourages consumers to monitor and manage their peak demand over the year while the demand charge continues to encourage consumers to manage their demand requirements each month.
HV TOU Demand Network – Customer HV (112)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for large customers taking supply at high voltage with a low voltage network owned and maintained by ActewAGL, where the customer owns and is responsible for their high voltage assets (including transformers and switch gear).
HV TOU Demand Network – Customer LV (121)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This network charge is appropriate for large customers taking supply at high voltage where the customer owns and is fully responsible for their own low voltage network. The network access charge relates to the connection services provided to the customer including provision of the current transformer necessary to meter these large loads. The capacity charge encourages the consumer to monitor and manage their peak demand over the year while the demand charge continues to encourage consumers to manage their capacity requirements each month. The energy charges relate to supply of network services at different times, with lower rates in off-peak times reflecting the relatively low costs of off-peak supply, and thereby providing incentives for customers to switch their utilisation of the network to off-peak periods.
HV TOU Demand Network – Customer HV and LV (122)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This network charge is appropriate for large customers taking supply at high voltage where the customer owns and is fully responsible for their own low voltage network and where the customer owns and is responsible for their high voltage assets (including transformers and switch gear).

* Business times are between 7 am and 5 pm Eastern Standard Time on weekdays. Evening times are between 5 pm and 10 pm Eastern Standard Time on weekdays. Off-peak times are all other times.

2.1.4 Ancillary network charges

In addition to the network tariffs set out above, ActewAGL Distribution offers a range of ancillary network services. The structure of each ancillary service charge depends on the type of service. Some services are charged on a per visit basis, others per installation or per test. The charges for ancillary network services are set on a cost reflective basis, in accordance with the Placeholder Determination. For example, separate rates apply for temporary connections depending on whether they relate to an overhead or underground connection, as these will involve different costs. Ancillary network services and metering services charges are discussed further in chapter 3.

2.2 Network charges for 2014/15

ActewAGL Distribution's network charges are made up of distribution charges, transmission charges and jurisdictional scheme charges. The distribution charges recover the cost of ActewAGL's electricity distribution service within the ACT. The transmission charges recover TransGrid's charges to ActewAGL for the delivery of energy to the ACT and most of ActewAGL Distribution's costs for sub-transmission services. The AER regulates both ActewAGL's distribution charges and TransGrid's transmission charges. Also, the AER allows ActewAGL Distribution to recover the cost of jurisdictional schemes including the ACT feed-in tariff, the Utilities Network Facilities Tax and the Energy Industry Levy.

ActewAGL Distribution is required by the Rules to provide tariffs designed to pass on to customers the charges it will incur for transmission services and jurisdictional schemes. The amount passed on to customers is not to exceed the estimated amount of transmission charges and jurisdictional schemes for each year adjusted for over or under recovery in the previous regulatory year.

Table 2-4 shows the AER approved distribution, transmission, jurisdictional scheme and network charges for 2014/15, excluding GST.

Table 2-4 Network use of system charges 2014/15 (excluding GST)

		Distribution Charges	Transmission Charges	Jurisdictional Charges	Network Charges
Description	Unit	2014/15	2014/15	2014/15	2014/15
RESIDENTIAL TARIFFS					
10 Residential Basic Network					
Network access charge	cents/day	23.1600	0.0000	0.0000	23.1600
Energy consumption	cents/kWh	4.4333	2.1990	1.0077	7.6400
15 Residential TOU Network					
Network access charge	cents/day	23.1600	0.0000	0.0000	23.1600
Energy at max times	cents/kWh	7.8719	1.2180	1.2501	10.3400
Energy at mid times	cents/kWh	4.8418	0.9580	1.0002	6.8000
Energy at economy times	cents/kWh	3.3016	0.7250	0.7534	4.7800
20 Residential 5000 Network					
Network access charge	cents/day	44.3600	0.0000	0.0000	44.3600

Energy for the first 60 kWh per day	cents/kWh	2.9743	2.1380	1.0077	6.1200
Energy above 60 kWh per day	cents/kWh	4.4333	2.1990	1.0077	7.6400
30 Residential with Heat Pump Network					
Network access charge	cents/day	87.0600	0.0000	0.0000	87.0600
Energy for the first 165 kWh per day	cents/kWh	1.6313	2.0310	1.0077	4.6700
Energy above 165 kWh per day	cents/kWh	4.4333	2.1990	1.0077	7.6400
60 Off-Peak (1) Night Network					
Energy consumption	cents/kWh	0.0981	1.5920	0.4999	2.1900
70 Off-Peak (3) Day & Night Network					
Energy consumption	cents/kWh	0.2332	2.0000	0.6668	2.9000

COMMERCIAL LOW VOLTAGE TARIFFS

40 General Network

Network access charge	cents/day	42.6700	0.0000	0.0000	42.6700
Energy for the first 330 kWh per day	cents/kWh	8.3354	2.4740	1.0006	11.8100
Energy above 330 kWh per day	cents/kWh	10.5674	3.4230	0.9996	14.9900

135 Small Unmetered Loads Network

Network access charge	cents/day	37.7000	0.0000	0.0000	37.7000
Energy consumption	cents/kWh	9.1326	1.9917	1.0037	12.1280

80 Streetlighting Network

Network access charge	cents/day	43.0000	0.0000	0.0000	43.0000
Energy consumption	cents/kWh	6.1861	0.9740	1.0099	8.1700

90 General TOU Network

Network access charge	cents/day	42.6700	0.0000	0.0000	42.6700
Energy at business times	cents/kWh	14.6319	2.1160	1.2721	18.0200
Energy at evening times	cents/kWh	7.2149	1.1650	0.9501	9.3300
Energy at off-peak times	cents/kWh	3.3352	0.2290	0.7758	4.3400

Low voltage time of use demand network

101 LV TOU kVA Demand Network

Network access per connection point	cents/day	50.0000	0.0000	0.0000	50.0000
Maximum demand charge	c/KVA/day	34.3120	14.2880	0.0000	48.6000
Energy at business times	cents/kWh	2.7389	1.9990	1.2721	6.0100
Energy at evening times	cents/kWh	2.0849	1.2050	0.9501	4.2400
Energy at off-peak times	cents/kWh	1.0232	0.3410	0.7758	2.1400

103 LV TOU Capacity Network

Network access per connection point	cents/day	50.0000	0.0000	0.0000	50.0000
Maximum demand charge	c/KVA/day	19.6140	3.0860	0.0000	22.7000
Capacity charge	c/KVA/day	19.6140	3.0860	0.0000	22.7000
Energy at business times	cents/kWh	3.7959	0.9420	1.2721	6.0100
Energy at evening times	cents/kWh	2.7309	0.5590	0.9501	4.2400
Energy at off-peak times	cents/kWh	1.2152	0.1490	0.7758	2.1400

HIGH VOLTAGE TARIFFS

High voltage time of use demand network with ActewAGL low voltage network

111 HV TOU Demand Network

Network access per connection point	\$/day	19.0000	0.0000	0.0000	19.0000
Maximum demand charge	c/KVA/day	11.8580	7.2420	0.0000	19.1000
Capacity charge	c/KVA/day	11.8580	7.2420	0.0000	19.1000
Energy at business times	cents/kWh	2.0493	1.4640	1.2467	4.7600
Energy at evening times	cents/kWh	1.2209	1.1180	0.9311	3.2700

Energy at off-peak times	cents/kWh	0.4927	0.6870	0.7603	1.9400
112 HV TOU Demand Network – Customer HV					
Network access per connection point	\$/day	19.0000	0.0000	0.0000	19.0000
Maximum demand charge	c/KVA/day	10.9580	7.2420	0.0000	18.2000
Capacity charge	c/KVA/day	10.9580	7.2420	0.0000	18.2000
Energy at business times	cents/kWh	2.0493	1.4640	1.2467	4.7600
Energy at evening times	cents/kWh	1.2209	1.1180	0.9311	3.2700
Energy at off-peak times	cents/kWh	0.4927	0.6870	0.7603	1.9400

High voltage time of use demand network without ActewAGL low voltage network

121 HV TOU Demand Network – Customer LV

Network access per connection point	\$/day	19.0000	0.0000	0.0000	19.0000
Maximum demand charge	c/KVA/day	11.9780	7.1220	0.0000	19.1000
Capacity charge	c/KVA/day	11.9780	7.1220	0.0000	19.1000
Energy at business times	cents/kWh	1.6703	1.4430	1.2467	4.3600
Energy at evening times	cents/kWh	0.8829	1.1060	0.9311	2.9200
Energy at off-peak times	cents/kWh	0.3577	0.6820	0.7603	1.8000

122 HV TOU Demand Network – Customer HV and LV

Network access per connection point	\$/day	19.0000	0.0000	0.0000	19.0000
Maximum demand charge	c/KVA/day	14.6390	3.5610	0.0000	18.2000
Capacity charge	c/KVA/day	14.6390	3.5610	0.0000	18.2000
Energy at business times	cents/kWh	2.3913	0.7220	1.2467	4.3600
Energy at evening times	cents/kWh	1.4359	0.5530	0.9311	2.9200
Energy at off-peak times	cents/kWh	0.6987	0.3410	0.7603	1.8000

2.3 Changes in network charges in 2014/15

Network charges will increase by 9.2 per cent, on average, in 2014/15 despite a 17.5 per cent reduction in ActewAGL Distribution's distribution use-of-system (DUOS) charges. The main reason for this is that the cost of jurisdictional schemes are now excluded from DUOS charges and recovered as a separate component of network use-of-system (NUOS) charges. Also, charges related to jurisdictional schemes are expected to rise 16 per cent in 2014/15 to recover the additional costs associated with the feed-in tariff for large-scale renewable energy generators.

Furthermore, transmission use-of-system (TUOS) charges have increased 64 per cent, mainly because of the inclusion of most of the costs of ActewAGL Distribution 132 KV network in transmission charges. The new bulk supply point in Williamsdale means that most of ActewAGL Distribution's 132 kV network not only distributes electricity in the ACT but also operates in parallel and supports TransGrid's transmission lines supplying Cooma. The AER has determined that these dual function assets be regulated as transmission assets with costs recovered in TUOS charges.

These changes are depicted in Figure 1.

Figure 1. Changes to average network charges 2013/14 to 2014/15




Table 2-5 shows the AER approved network charges for 2013/14 and 2014/15, excluding GST, the amount of the average increase in prices and the percentage average increase in prices.

Table 2-5 Change in network use of system charges 2013/14 to 2014/15

Description	Unit	Network Charges 2013/14	Network Charges 2014/15	Average Change c/kWh	Average Change %
RESIDENTIAL TARIFFS					
10 Residential Basic Network				0.659	8.1%
Network access charge	cents/day	21.440	23.160		
Energy consumption	cents/kWh	7.070	7.640		
15 Residential TOU Network				0.866	10.5%
Network access charge	cents/day	21.440	23.160		
Energy at max times	cents/kWh	10.090	10.340		
Energy at mid times	cents/kWh	5.660	6.800		
Energy at economy times	cents/kWh	4.160	4.780		
20 Residential 5000 Network					
Network access charge	cents/day	42.640	44.360	0.711	8.3%

Energy for the first 60 kWh per day	cents/kWh	5.530	6.120		
Energy above 60 kWh per day	cents/kWh	7.070	7.640		
30 Residential with Heat Pump Network					
Network access charge	cents/day	85.340	87.060	0.635	10.8%
Energy for the first 165 kWh per day	cents/kWh	4.070	4.670		
Energy above 165 kWh per day	cents/kWh	7.070	7.640		
60 Off-Peak (1) Night Network					
Energy consumption	cents/kWh	1.420	2.190	0.770	54.2%
70 Off-Peak (3) Day & Night Network					
Energy consumption	cents/kWh	1.940	2.900	0.960	49.5%
COMMERCIAL LOW VOLTAGE TARIFFS					
40 General Network				0.907	7.7%
Network access charge	cents/day	42.330	42.670		
Energy for the first 330 kWh per day	cents/kWh	10.880	11.810		
Energy above 330 kWh per day	cents/kWh	14.500	14.990		
135 Small Unmetered Loads Network				- 0.410	-3.2%
Network access charge	cents/day	35.800	37.700		
Energy consumption	cents/kWh	12.549	12.128		
80 Streetlighting Network				0.960	13.3%
Network access charge	cents/day	43.000	43.000		
Energy consumption	cents/kWh	7.210	8.170		
90 General TOU Network				0.579	5.8%
Network access charge	cents/day	42.330	42.670		
Energy at business times	cents/kWh	17.560	18.020		
Energy at evening times	cents/kWh	8.780	9.330		
Energy at off-peak times	cents/kWh	3.650	4.340		
Low voltage time of use demand network					
101 LV TOU kVA Demand Network				0.780	9.9%
Network access per connection point	cents/day	49.000	50.000		
Maximum demand charge	c/KVA/day	45.100	48.600		
Energy at business times	cents/kWh	5.550	6.010		
Energy at evening times	cents/kWh	3.580	4.240		
Energy at off-peak times	cents/kWh	1.770	2.140		
103 LV TOU Capacity Network				0.704	10.7%
Network access per connection point	cents/day	49.000	50.000		
Maximum demand charge	c/KVA/day	21.000	22.700		
Capacity charge	c/KVA/day	21.000	22.700		
Energy at business times	cents/kWh	5.550	6.010		
Energy at evening times	cents/kWh	3.580	4.240		
Energy at off-peak times	cents/kWh	1.770	2.140		
HIGH VOLTAGE TARIFFS					
High voltage time of use demand network with ActewAGL low voltage network					
111 HV TOU Demand Network				0.574	9.7%
Network access per connection point	\$/day	17.000	19.000		
Maximum demand charge	c/KVA/day	17.800	19.100		
Capacity charge	c/KVA/day	17.800	19.100		
Energy at business times	cents/kWh	4.520	4.760		
Energy at evening times	cents/kWh	2.920	3.270		
Energy at off-peak times	cents/kWh	1.510	1.940		
112 HV TOU Demand Network – Customer HV					

Network access per connection point	\$/day	17.000	19.000
Maximum demand charge	c/KVA/day	16.800	18.200
Capacity charge	c/KVA/day	16.800	18.200
Energy at business times	cents/kWh	4.520	4.760
Energy at evening times	cents/kWh	2.920	3.270
Energy at off-peak times	cents/kWh	1.510	1.940

High voltage time of use demand network without ActewAGL low voltage network

121 HV TOU Demand Network – Customer LV

0.553 10.3%

Network access per connection point	\$/day	17.000	19.000
Maximum demand charge	c/KVA/day	17.800	19.100
Capacity charge	c/KVA/day	17.800	19.100
Energy at business times	cents/kWh	4.120	4.360
Energy at evening times	cents/kWh	2.570	2.920
Energy at off-peak times	cents/kWh	1.370	1.800

122 HV TOU Demand Network – Customer HV and LV

0.830 9.8%

Network access per connection point	\$/day	17.000	19.000
Maximum demand charge	c/KVA/day	16.800	18.200
Capacity charge	c/KVA/day	16.800	18.200
Energy at business times	cents/kWh	4.120	4.360
Energy at evening times	cents/kWh	2.570	2.920
Energy at off-peak times	cents/kWh	1.370	1.800

3 Charges for metering and ancillary services

3.1 Ancillary services

Table 3-1 shows ActewAGL Distribution's approved charges for ancillary services for 2014/15, excluding and including GST. In accordance with the AER's Placeholder Determination, the 2013/14 charges have been escalated by the CPI.

Table 3-1 Charges for ancillary services 2014/15

Code	Description	Unit	Proposed Prices excl GST 2014/15	Proposed Prices incl.GST 2014/15
Premise Re-energisation – Existing Network Connection				
501	Re-energise premise – Business Hours	per visit	\$56.14	\$61.75
502	Re-energise premise – After Hours	per visit	\$120.73	\$132.80
Premise De-energisation – Existing Network Connection				
503	De-energise premise – Business Hours	per visit	\$49.59	\$54.55
505	De-energise premise for debt non-payment	per test	\$93.55	\$102.91
Meter Reconfiguration				
507	Install Interval Meter	per meter	\$66.55	\$73.21
509	Install / Replace Meter – Micro Renewable Energy Installation	per meter	\$66.55	\$73.21
Meter Investigations				
504	Meter Test (Whole Current) – Business Hours	per test	\$69.23	\$76.15
510	Meter Test (CT/VT) – Business Hours	per test	\$350.00	\$385.00
Special / Additional Meter Reads				
506	Special Meter Read	per read	\$35.55	\$39.11
Temporary Network Connections				
520	Temporary Builders Supply – Overhead (Business Hours)	per installation	\$398.64	\$438.50
522	Temporary Builders Supply – Underground (Business Hours)	per installation	\$703.64	\$774.00
New Network Connections				
523	New Underground Service Connection – Greenfield	per installation	\$0.00	\$0.00
524	New Underground Service Connection – Greenfield Cable Only	per installation	\$446.00	\$490.60
525	New Underground Service Connection – Greenfield Metering Only	per installation	\$0.00	\$0.00
526	New Overhead Service Connection – Brownfield (Business Hours)	per installation	\$288.18	\$317.00
527	New Underground Service Connection – Brownfield from Front	per installation	\$691.82	\$761.00
528	New Underground Service Connection – Brownfield from Rear	per installation	\$691.82	\$761.00
Network Connection Alterations and Additions				
541	Overhead Service Relocation – Single Visit (Business Hours)	per installation	\$288.18	\$317.00
542	Overhead Service Relocation – Two Visits (Business Hours)	per installation	\$576.36	\$634.00
543	Overhead Service Upgrade – Service Cable Replacement Not Required	per installation	\$371.45	\$408.60
544	Overhead Service Upgrade – Service Cable Replacement Required	per installation	\$691.82	\$761.00
545	Underground Service Upgrade – Service Cable Replacement Not Required	per installation	\$371.45	\$408.60
546	Underground Service Upgrade – Service Cable Replacement	per installation	\$691.82	\$761.00

Required				
547	Underground Service Relocation – Single Visit (Business Hours)	per installation	\$691.82	\$761.00
548	Install surface mounted point of entry (POE) box	per installation	\$456.00	\$501.60
Temporary De-energisation				
560	Temporary de-energisation – LV (Business Hours)	per occurrence	\$462.27	\$508.50
561	Temporary de-energisation – HV (Business Hours)	per occurrence	\$462.27	\$508.50
Supply Abolishment / Removal				
562	Supply Abolishment / Removal – Overhead (Business Hours)	per site visit	\$288.18	\$317.00
563	Supply Abolishment / Removal - Underground (Business Hours)	per site visit	\$288.18	\$317.00
Miscellaneous Customer Initiated Services				
564	Install & Remove Tiger Tails – Per Installation (Business Hours)	per installation	\$1,085.00	\$1,193.50
565	Install & Remove Tiger Tails - Per Span (Business Hours)	per installation	\$560.00	\$616.00
566	Install & Remove Warning Flags – Per Installation (Business Hours)	per installation	\$745.00	\$819.50
567	Install & Remove Warning Flags - Per Span (Business Hours)	per installation	\$480.00	\$528.00
Embedded Generation - Operational & Maintenance Fees				
568	Small Embedded Generation OPEX Fees - Connection Assets, applied to the value of connection assets appreciated by CPI	per annum	2%	2%
569	Small Embedded Generation OPEX Fees - Shared Network Asset, applied to the value of shared assets allocated to the generator appreciated by CPI	per annum	2%	2%
Connection Enquiry Processing - PV Installations				
570	PV Connection Enquiry – LV Class 1 (<= 10kW Single Phase / 30kW Three Phase)		\$0.00	\$0.00
571	PV Connection Enquiry – LV Class 2 to 5 (> 30kW <= 1500kW Three Phase)	per installation	\$514.55	\$566.01
572	PV Connection Enquiry – HV	per installation	\$1,029.09	\$1,132.00
573	Provision of information for Network technical study for large scale installations		\$11,580.00	\$12,738.00
Network Design & Investigation / Analysis Services - PV Installations				
574	Design & Investigation - LV Connection Class 1 PV (<= 10kW Single Phase / 30kW Three Phase)			
575	Design & Investigation - LV Connection Class 2 PV (> 30kW and <= 60kW Three Phase)	per installation	\$3,705.45	\$4,076.00
576	Design & Investigation - LV Connection Class 3 PV (> 60 kW and <= 120kW Three Phase)	per installation	\$4,837.27	\$5,321.00
577	Design & Investigation - LV Connection Class 4 PV (> 120 kW and <= 200kW Three Phase)	per installation	\$7,925.45	\$8,718.00
578	Design & Investigation - LV Connection Class 5 PV (> 200kW and <= 1500kW Three Phase) – ActewAGL Network Study	per installation	\$10,732.73	\$11,806.00
579	Design & Investigation - HV Connection Class 5 PV (> 200kW and <= 1500kW Three Phase) – Customer Network Study	per installation	\$11,560.00	\$12,716.00
Residential Estate Subdivision Services (per block)				
580	Subdivision Electricity Distribution Network Reticulation - Multi-Unit Blocks	per block	\$0.00	\$0.00
581	Subdivision Electricity Distribution Network Reticulation - Blocks <= 650 m ²	per block	\$600.00	\$660.00
582	Subdivision Electricity Distribution Network Reticulation - Blocks 650 - 1100m ² with average linear frontage of 22-25 meters	per block	\$1,100.00	\$1,210.00
Upstream Augmentation (per KVA of capacity)				
585	HV Feeder	per kVA	\$34.20	\$37.62
586	Distribution substation	per kVA	\$19.82	\$21.80
Rescheduled Site Visits				
590	Rescheduled Site Visit – One Person	per site visit	\$125.00	\$137.50
591	Rescheduled Site Visit – Service Team	per site visit	\$375.00	\$412.50

3.2 Metering services charges for 2014/15

Prices for ActewAGL Distribution's metering services are regulated to rise by CPI in 2014/15. Table 3-2 shows the metering services charges in 2014/15, excluding and including GST.

Table 3-2 Metering charges

Code	Description	Unit	Proposed prices	
			2014/15	2014/15
MP1	Quarterly basic metering rate			Incl GST
	Accumulation and time-of-use meters read quarterly	cents per day per NMI	13.34	14.674
MP2	Monthly basic metering rate			
	Accumulation and time-of-use meters read monthly	cents per day per NMI	23.33	25.663
MP3	Time-of-use metering rate			
	Time-of-use meters read monthly	cents per day per NMI	23.33	25.663
MP4	Monthly manually-read interval metering rate			
	Interval meters recording at either 15- or 30-minute intervals, read manually and processed monthly	\$ per day per NMI	1.88	2.068
MP6	Quarterly manually-read interval metering rate			
	Interval meters recording at either 15- or 30-minute intervals, read manually and processed quarterly	cents per day per NMI	53.73	59.103

*National Meter Identifier.

4 Expected price trends

4.1 Expected distribution price trends

Table 4-1 presents ActewAGL Distribution's indicative distribution use of system charges for 2015/16 to 2018/19. These prices are based on ActewAGL Distribution's subsequent regulatory proposal for that period. The AER will be making a decision on that proposal in April 2015. These prices assume an X factor of -14.66 per cent in 2015/16 and -1.5 per cent in subsequent years. The CPI is assumed to be 2.53 per cent in each year.

Table 4-1 Indicative distribution use of system charges 2015/16 to 2018/19 (excluding GST)

Code	Description	Unit	2015/16	2016/17	2017/18	2018/19
10	Residential Basic Network					
	Network access charge	cents/day	27.15	28.38	29.62	30.90
	Energy consumption	cents/kWh	5.20	5.43	5.67	5.91
15	Residential TOU Network					
	Network access charge	cents/day	27.15	28.38	29.62	30.90
	Energy consumption at max times	cents/kWh	9.23	9.65	10.07	10.50
	Energy consumption at mid times	cents/kWh	5.68	5.93	6.19	6.46
	Energy consumption at economy times	cents/kWh	3.87	4.05	4.22	4.40
20	Residential 5000 Network					
	Network access charge	cents/day	52.00	54.37	56.74	59.18
	Energy consumption for the first 60 kWh per day	cents/kWh	3.49	3.65	3.80	3.97
	Energy consumption above 60 kWh per day	cents/kWh	5.20	5.43	5.67	5.91
30	Residential with Heat Pump Network					
	Network access charge	cents/day	102.05	106.70	111.35	116.15
	Energy consumption for the first 165 kWh per day	cents/kWh	1.91	2.00	2.09	2.18
	Energy consumption above 165 kWh per day	cents/kWh	5.20	5.43	5.67	5.91
40	General Network					
	Network access charge	cents/day	50.02	52.30	54.58	56.93
	Energy consumption for the first 330 kWh per day	cents/kWh	9.77	10.22	10.66	11.12
	Energy consumption above 330 kWh per day	cents/kWh	12.39	12.95	13.52	14.10
60	Off-Peak (1) Night Network					
	Energy consumption	cents/kWh	0.11	0.12	0.13	0.13
70	Off-Peak (3) Day & Night Network					
	Energy consumption	cents/kWh	0.27	0.29	0.30	0.31
80	Streetlighting Network					
	Network access charge	cents/day	50.40	52.70	55.00	57.37
	Energy consumption	cents/kWh	7.25	7.58	7.91	8.25
90	General TOU Network					

Network access charge	cents/day	50.02	52.30	54.58	56.93
Energy consumption at business times	cents/kWh	17.15	17.93	18.71	19.52
Energy consumption at evening times	cents/kWh	8.46	8.84	9.23	9.63
Energy consumption at off-peak times	cents/kWh	3.91	4.09	4.27	4.45
Low voltage time of use demand network					
101 LV TOU kVA Demand Network					
Network access charge per connection point	cents/day	58.61	61.28	63.95	66.70
Maximum demand charge	c/KVA/day	40.22	42.05	43.89	45.78
Energy consumption at business times	cents/kWh	3.21	3.36	3.50	3.65
Energy consumption at evening times	cents/kWh	2.44	2.56	2.67	2.78
Energy consumption at off-peak times	cents/kWh	1.20	1.25	1.31	1.37
103 LV TOU Capacity Network					
Network access charge per connection point	cents/day	58.61	61.28	63.95	66.70
Maximum demand charge	c/KVA/day	22.99	24.04	25.09	26.17
Capacity charge	c/KVA/day	22.99	24.04	25.09	26.17
Energy consumption at business times	cents/kWh	4.45	4.65	4.86	5.06
Energy consumption at evening times	cents/kWh	3.20	3.35	3.49	3.64
Energy consumption at off-peak times	cents/kWh	1.42	1.49	1.55	1.62
High voltage time of use demand network with ActewAGL low voltage network					
111 HV TOU Demand Network					
Network access charge per connection point	\$/day	\$22.27	\$23.29	\$24.30	\$25.35
Maximum demand charge	c/KVA/day	13.90	14.53	15.17	15.82
Capacity charge	c/KVA/day	13.90	14.53	15.17	15.82
Energy consumption at business times	cents/kWh	2.40	2.51	2.62	2.73
Energy consumption at evening times	cents/kWh	1.43	1.50	1.56	1.63
Energy consumption at off-peak times	cents/kWh	0.58	0.60	0.63	0.66
112 HV TOU Demand Network – Customer HV					
Network access charge per connection point	\$/day	\$22.27	\$23.29	\$24.30	\$25.35
Maximum demand charge	c/KVA/day	12.84	13.43	14.02	14.62
Capacity charge	c/KVA/day	12.84	13.43	14.02	14.62
Energy consumption at business times	cents/kWh	2.40	2.51	2.62	2.73
Energy consumption at evening times	cents/kWh	1.43	1.50	1.56	1.63
Energy consumption at off-peak times	cents/kWh	0.58	0.60	0.63	0.66
High voltage time of use demand network without ActewAGL low voltage network					
121 HV TOU Demand Network – Customer LV					
Network access charge per connection point	\$/day	\$22.27	\$23.29	\$24.30	\$25.35
Maximum demand charge	c/KVA/day	14.04	14.68	15.32	15.98
Capacity charge	c/KVA/day	14.04	14.68	15.32	15.98
Energy consumption at business times	cents/kWh	1.96	2.05	2.14	2.23
Energy consumption at evening times	cents/kWh	1.03	1.08	1.13	1.18
Energy consumption at off-peak times	cents/kWh	0.42	0.44	0.46	0.48
122 HV TOU Demand Network – Customer HV and LV					
Network access charge per connection point	\$/day	\$22.27	\$23.29	\$24.30	\$25.35
Maximum demand charge	c/KVA/day	17.16	17.94	18.72	19.53
Capacity charge	c/KVA/day	17.16	17.94	18.72	19.53

Energy consumption at business times	cents/kWh	2.80	2.93	3.06	3.19
Energy consumption at evening times	cents/kWh	1.68	1.76	1.84	1.92
Energy consumption at off-peak times	cents/kWh	0.82	0.86	0.89	0.93
135 Small Unmetered Loads Network					
Network access charge	cents/day	44.19	46.20	48.22	50.30
Energy consumption	cents/kWh	10.70	11.19	11.68	12.18

The main factors driving the price changes over the period are the costs associated with investing in and maintaining the network and the falling level of energy consumption. Details are provided in ActewAGL Distribution's subsequent regulatory proposal, submitted to the AER on 2 June 2014.

Distribution use of system charges account for 62.5 per cent of the network use of system charges in 2014/15. Transmission charges make up 25.9 per cent and charges for jurisdictional schemes make up the remaining 11.6 per cent.

4.2 Expected metering price trends

Indicative metering charges for 2015/16 to 2018/19 are shown in Table 4-2. Metering prices are expected to rise more than 30 per cent in 2015/16 and by around 8.5 per cent in subsequent years. The main driver of rising metering costs is the cost of new meters. ActewAGL Distribution is required to install interval meters for all new and replacement installations.¹¹ The new meters cost about twice the cost of the mechanical meters they replace and have a life of 10 to 15 years compared to about 40 years for the mechanical meters. Costs are expected to continue to rise because their shorter life means that meters will be replaced more frequently in future. Details of ActewAGL Distribution's proposed program for meter installation, replacement and maintenance are described in the subsequent regulatory proposal.

Table 4-2 Indicative metering charges 2015/16 to 2018/19 (excluding GST)

Code	Description	Unit	2015/16	2016/17	2017/18	2018/19
MP1	Quarterly basic metering rate					
	Accumulation and time-of-use meters read quarterly	cents per day per NMI *	17.8	19.3	21.0	22.8
MP2	Monthly basic metering rate					
	Accumulation and time-of-use meters read monthly	cents per day per NMI	31.1	33.8	36.8	40.0
MP3	Time-of-use metering rate					
	Time-of-use meters read monthly	cents per day per NMI	31.1	33.8	36.8	40.0
MP4	Monthly manually-read interval metering rate					

¹¹ ICRC 2005, *Final Decision, Review of Metrology Procedures*, Report 15, December, p 31

MP6	Interval meters recording at either 15- or 30-minute intervals, read manually and processed monthly	\$ per day per NMI	2.51	2.73	2.97	3.23
	Quarterly manually-read interval metering rate					
	Interval meters recording at either 15- or 30-minute intervals, read manually and processed quarterly	cents per day per NMI	71.7	77.9	84.7	92.0

4.3 Expected ancillary service price trends

Indicative charges for ancillary services for 2015/16 to 2018/19 are shown in Table 4-3. A number of charges are recovering below cost and these charges need to be raised over the period to recover the full cost of recovering the service. Charges that already fully recover costs at the start of the period are expected to rise with costs at about 4 per cent per annum, including inflation.

Table 4-3 Indicative ancillary service charges 2015/16 to 2018/19 (excluding GST)

Code	Service	2015/16	2016/17	2017/18	2018/19
Premise Re-energisation – Existing Network Connection					
501	Re-energise premise – Business Hours	\$63	\$71	\$74	\$77
502	Re-energise premise – After Hours	\$111	\$103	\$95	\$97
Premise De-energisation – Existing Network Connection					
503	De-energise premise – Business Hours	\$56	\$63	\$71	\$77
505	De-energise premise for debt non-payment	\$108	\$124	\$144	\$154
Meter Reconfiguration					
507	Install Interval Meter	\$85	\$109	\$140	\$154
509	Install / Replace Meter – Micro Renewable Energy Installation	\$102	\$157	\$242	\$307
Meter Investigations					
504	Meter Test (Whole Current) – Business Hours	\$106	\$164	\$252	\$307
510	Meter Test (CT/VT) – Business Hours	\$323	\$298	\$295	\$307
Special / Additional Meter Reads					
506	Special Meter Read	\$37	\$38	\$40	\$42
Temporary Network Connections					
520	Temporary Builders Supply – Overhead (Business Hours)	\$460	\$530	\$612	\$690
522	Temporary Builders Supply – Underground (Business Hours)	\$866	\$1,065	\$1,310	\$1,506
New Network Connections					
523	New Underground Service Connection – Greenfield	\$0	\$0	\$0	\$0
524	New Underground Service Connection – Greenfield Cable Only	\$503	\$567	\$640	\$690
525	New Underground Service Connection – Greenfield Metering Only	\$0	\$0	\$0	\$0
526	New Overhead Service Connection – Brownfield (Business Hours)	\$414	\$594	\$852	\$906
527	New Underground Service Connection – Brownfield from Front	\$851	\$1,047	\$1,288	\$1,506
528	New Underground Service Connection – Brownfield from Rear	\$851	\$1,047	\$1,288	\$1,506

Network Connection Alterations and Additions

541	Overhead Service Relocation – Single Visit (Business Hours)	\$384	\$512	\$682	\$865
542	Overhead Service Relocation – Two Visits (Business Hours)	\$768	\$1,024	\$1,365	\$1,731
543	Overhead Service Upgrade – Service Cable Replacement Not Required	\$476	\$610	\$782	\$865
544	Overhead Service Upgrade – Service Cable Replacement Required	\$780	\$837	\$871	\$906
545	Underground Service Upgrade – Service Cable Replacement Not Required	\$533	\$765	\$1,098	\$1,466
546	Underground Service Upgrade – Service Cable Replacement Required	\$922	\$1,229	\$1,447	\$1,506
547	Underground Service Relocation – Single Visit (Business Hours)	\$922	\$1,229	\$1,447	\$1,506
548	Install surface mounted point of entry (POE) box	\$514	\$580	\$654	\$695

Temporary De-energisation

560	Temporary de-energisation – LV (Business Hours)	\$427	\$426	\$443	\$461
561	Temporary de-energisation – HV (Business Hours)	\$427	\$426	\$443	\$461

Supply Abolishment / Removal

562	Supply Abolishment / Removal – Overhead (Business Hours)	\$355	\$436	\$537	\$649
563	Supply Abolishment / Removal - Underground (Business Hours)	\$414	\$594	\$852	\$1,173

Miscellaneous Customer Initiated Services

564	Install & Remove Tiger Tails - Per Installation (Business Hours)	\$1,224	\$1,380	\$1,461	\$1,520
565	Install & Remove Tiger Tails - Per Span (Business Hours)	\$632	\$697	\$726	\$755
566	Install & Remove Warning Flags – Per Installation (Business Hours)	\$859	\$991	\$1,143	\$1,298
567	Install & Remove Warning Flags - Per Span (Business Hours)	\$541	\$598	\$622	\$647

Embedded Generation - Operational & Maintenance Fees

568	Small Embedded Generation OPEX Fees - Connection Assets	\$0	\$0	\$0	\$0
569	Small Embedded Generation OPEX Fees - Shared Network Asset	\$0	\$0	\$0	\$0

Connection Enquiry Processing - PV Installations

570	PV Connection Enquiry – LV Class 1 (<= 10kW Single Phase / 30kW Three Phase)	\$0	\$0	\$0	\$0
571	PV Connection Enquiry – LV Class 2 to 5 (> 30kW <= 1500kW Three Phase)	\$535	\$557	\$580	\$603
572	PV Connection Enquiry – HV	\$1,071	\$1,114	\$1,160	\$1,207
573	Provision of information for Network technical study for large scale installations	\$12,050	\$12,540	\$13,050	\$13,580

Network Design & Investigation / Analysis Services - PV Installations

574	Design & Investigation - LV Connection Class 1 PV (<= 10kW Single Phase / 30kW Three Phase)	\$0	\$0	\$0	\$0
575	Design & Investigation - LV Connection Class 2 PV (> 30kW and <= 60kW Three Phase)	\$3,856	\$4,013	\$4,176	\$4,345
576	Design & Investigation - LV Connection Class 3 PV (> 60 kW and <= 120kW Three Phase)	\$5,034	\$5,238	\$5,451	\$5,673
577	Design & Investigation - LV Connection Class 4 PV (> 120 kW and <= 200kW Three Phase)	\$8,247	\$8,583	\$8,931	\$9,294
578	Design & Investigation - LV Connection Class 5 PV (> 200kW and <= 1500kW Three Phase) – ActewAGL Network Study	\$11,169	\$11,623	\$12,095	\$12,586

579	Design & Investigation - HV Connection Class 5 PV (> 200kW and <= 1500kW Three Phase) – Customer Network Study	\$12,030	\$12,518	\$13,027	\$13,556
Residential Estate Subdivision Services (per block)					
580	Subdivision Electricity Distribution Network Reticulation - Multi-Unit Blocks	\$0	\$0	\$0	\$0
581	Subdivision Electricity Distribution Network Reticulation - Blocks <= 650 m ²	\$624	\$650	\$676	\$704
582	Subdivision Electricity Distribution Network Reticulation - Blocks 650 - 1100m ² with average linear frontage of 22-25 meters	\$1,145	\$1,191	\$1,240	\$1,290
Upstream Augmentation (per KVA of capacity)					
585	HV Feeder	\$36	\$37	\$39	\$40
586	Distribution substation	\$21	\$21	\$22	\$23
Rescheduled Site Visits					
590	Rescheduled Site Visit – One Person	\$136	\$142	\$148	\$154
591	Rescheduled Site Visit – Service Team	\$433	\$499	\$575	\$649
Trenching charges					
592	Trenching - first 2 meters	\$515	\$535	\$557	\$580
593	Trenching - subsequent meters	\$120	\$125	\$130	\$135
Boring charges					
594	Under footpath	\$933	\$971	\$1,011	\$1,052
595	Under driveway	\$1,113	\$1,158	\$1,205	\$1,254