

Evoenergy 2018/19 Statement of tariff classes and tariffs

May 2018

Table of contents

Table of contents	1
List of tables	1
Overview	2
1. Introduction	3
1.1 Purpose and scope of the document	3
1.2 Background	3
1.3 Structure of the document	4
2 Network tariffs	5
2.1 Network tariff structure	5
2.2 Network charges for 2018/19	12
2.3 Changes in network charges in 2018/19	17
3 Charges for ancillary services	20
3.1 Ancillary services	20
4 Expected price trends	26

List of tables

Table 2.1	Network tariff structure: residential	7
Table 2.2	Network tariff structure: LV commercial	10
Table 2.3	Network tariff structure: HV commercial	11
Table 2.4	Network use of system charges 2018/19, excluding GST.	13
Table 2.5	Network and metering charges 2018/19	17
Table 3.1	Ancillary services charges 2018/19	20
Table 3.2	Application of metering charges	24
Table 3.3	Metering non-capital charges, 2018/19	25
Table 3.4	Metering capital charges, 2018/19	25
Table 4.1	Actual 2018/19 and indicative 2019/20 network charges	26
Table 4.2	Actual 2018/19 and indicative 2019/20 metering charges (excluding GST)	28
Table 4.3	Actual 2018/19 and indicative 2019/20 ancillary service charges	29

Overview

- Electricity bills are made up of distribution costs (covering the poles and wires), transmission costs, ACT jurisdictional schemes,¹ metering costs, and the retailer's costs and margins (covering wholesale energy costs) as well as GST. This report covers only the network components.
- Evoenergy offers customers a range of network tariff options across three tariff classes—residential, commercial low voltage and commercial high voltage.
- In 2017/18, the first Tariff Structure Statement was implemented². This included the introduction of new residential and LV commercial demand tariffs from 1 December 2017³, as approved by the Australian Energy Regulator (AER)⁴.
- The 2018/19 tariffs and charges shown in this document have been set as per the Enforceable Undertaking (“Undertaking”) given by Evoenergy and accepted by the Australian Energy Regulator (AER) on 20th April 2018⁵.
- The proposed network use of system (NUOS) charges (comprising DUOS, TUOS and charges for jurisdictional schemes) for 2018/19 are, on average 0.21 c/kWh, or 2.7 per cent in nominal terms, higher than the average NUOS charges for 2017/18.
- 2018/19 network and metering charges will increase the electricity network bill for a typical ACT residential customer, consuming 7000 kWh on the Residential Basic Network tariff, by about \$0.37 a week (including GST).
- 2018/19 network and metering charges will increase the electricity network bill for a typical ACT low voltage commercial customer, consuming 30 MWh on the General Network tariff, by about \$2.20 a week (including GST).
- Evoenergy's miscellaneous charges will rise by between 1.9 per cent and 3.2 per cent in nominal terms in 2018/19 compared to 2017/18.

¹ For example, the Energy Industry Levy, the Utilities Network Facilities Tax and the feed-in tariffs under the *Electricity Feed-in (Large-scale Renewable Energy Generation) Act 2011 (ACT)*.

² <http://www.aer.gov.au/networks-pipelines/determinations-access-arrangements/pricing-proposals-tariffs/actewagl-tariff-structure-statement-2017>

³ This follows the commencement of the Metering Rule changes as a result of the Australian Energy Market Commission's (AEMC's) *Power of Choice* reforms. See <http://www.aemc.gov.au/Rule-Changes/Expanding-competition-in-metering-and-related-serv>

⁴ <http://www.aer.gov.au/networks-pipelines/determinations-access-arrangements/pricing-proposals-tariffs/actewagl-tariff-structure-statement-2017/final-decision>

⁵ The Undertaking was supplied by Evoenergy because in February 2016 the Australian Competition Tribunal set aside the AER's 2015 distribution determination decision for Evoenergy.

1. Introduction

1.1 Purpose and scope of the document

Evoenergy has prepared this Statement of Tariff Classes and Tariffs in accordance with the requirements in chapter 6 of the National Electricity Rules (the Rules).⁶ Clause 6.18.9(a)(3) requires Evoenergy to maintain on its website: a statement of tariff classes⁷ and tariffs that are applicable to each class.

This document contains the required information. The statement covers the regulatory period (1 July 2015 to 30 June 2019). The prices for 1 July 2018 to 30 June 2019 were approved by the AER on 18 May 2018. The 2019/20 prices (presented in Section 4) are indicative prices based on the indicative pricing schedule in Evoenergy's regulatory proposal submitted to the AER in January 2018. The AER is expected to hand down a draft decision on this proposal in September 2018.

1.2 Background

The AER is responsible for the economic regulation of distribution services provided by Evoenergy.

Following the publication of the AER's Final Decision ActewAGL distribution determination 2015-16 to 2018-19 (2015 Determination) on 30 April 2015, Evoenergy applied to the Australian Competition Tribunal (Tribunal) for merits review and the Federal Court for judicial review of the 2015 Determination. In February 2016, the Tribunal decided to set aside the AER's 2015 Determination. In March 2016 the AER applied to the Full Federal Court for judicial review of the Tribunal's decision to set aside the 2015 Determination. In May 2017 the Full Federal Court published its decision upholding the Tribunal on several issues, requiring the AER to remake its Final Determination for the 2014 to 2019 period. The AER initiated the remaking of the Final Determination in August 2017 and has indicated that it expects to make its Final Determination before the end of December 2018⁸.

In the absence of a Final Determination, Evoenergy agreed to proffer an Enforceable Undertaking to the AER to determine network prices for 2016/17, without submitting a formal Pricing Proposal. Given the outcome of the Federal Court proceedings was still unknown at the time, Evoenergy again agreed to proffer an Enforceable Undertaking to the AER to determine network prices for 2017/18. These Undertakings were intended to ameliorate uncertainty for customers about the determination of network prices and the legal effect of the non-price provisions of the set aside 2015 Determination.

Given the remaking of the Final Determination is currently in progress and the AER has indicated that it will remake its decision by December 2018, Evoenergy has again agreed to proffer an Enforceable Undertaking to the AER to determine network pricing for 2018/19. Evoenergy has also prepared a Pricing Proposal which includes the details regarding the derivation of network prices for 2018/19.

⁶ Under rule 11.73.1(b), the new chapter 6 pricing rules do not apply to ActewAGL Distribution until 1 July 2017. All references to Chapter 6 refer to the old Chapter 6.

⁷ A *tariff class* is defined in Chapter 10 of the *Network Electricity Rules* as "a class of for one or more direct control services who are subject to a particular tariff or particular tariffs."

⁸ AER (Oct 2017) Issues Paper Remitted decisions for NSW/ACT 2014-19 electricity distribution determinations Operating Expenditure p 6.

On 20 April 2018, the AER formally accepted Evoenergy's Undertaking. The Undertaking will expire, at the latest, on 30 June 2019. This document should be read in conjunction with the following documents.

- the AER's Final Decision
- Evoenergy's Subsequent Regulatory Proposal
- Evoenergy's Revised Regulatory Proposal
- Evoenergy's Annual Pricing Proposal – March 2018
- Evoenergy's Enforceable Undertaking – May 2018

These documents are published on the AER's website, and set out in detail the basis of the costs that are reflected in Evoenergy's prices for 2018/19.

1.3 Structure of the document

Evoenergy's tariff structure and 2018/19 charges for network services are set out in chapter 2. The chapter includes details of the components and rationale for each tariff, as well as a discussion of the changes relative to 2017/18.

The structure and basis of Evoenergy's charges for ancillary network services and metering services, are presented and explained in chapter 3.

Indicative prices for 2019/20 are provided in chapter 4.

2 Network tariffs

The Rules (clause 6.18.9) require a description of the tariff classes⁹ and the tariffs that apply to each class in 2018/19, to be published on Evoenergy's website.

2.1 Network tariff structure

Evoenergy offers network tariffs in three tariff classes:

- Residential;
- Commercial low voltage (LV); and
- High voltage (HV).

The Rules stipulate that tariff classes must be constituted with regard to the need to group customers together on an economically efficient basis and the need to avoid unnecessary transactions costs (clause 6.18.3(d)). Evoenergy meets this requirement by grouping customers according to type of connection (residential or commercial), and connection voltage (LV or HV). Customers within each class have similar load and connection characteristics. The relevant costs for each class can then be identified and reflected in the tariffs for each class.

Within each of these three tariff classes, Evoenergy has developed a suite of network tariffs that effectively meet the diverse needs of its customer base, encourage efficient use of the network and signal the costs of future network expansion. Residential customers are offered a choice of network tariff options plus controlled load off-peak options and an embedded renewable generation tariff. Commercial LV customers are also offered a choice of tariff options. Some commercial customers also have access to the controlled load off-peak tariff options and the embedded renewable generation tariff on a similar basis to customers in the residential class. Commercial HV customers are offered three tariff options. Customers are able to choose the option which best suits their needs, subject to the eligibility criteria set out in Table 2.1, Table 2.2 and Table 2.3 below.

The network tariffs comprise different combinations of the following charging parameters:

- Network access charges—these apply per customer for residential customers and per connection point for commercial customers. They involve a fixed daily charge and do not vary with electricity consumption or capacity.
- Energy charges—these apply to each unit of electricity consumed. The cents per kilowatt hour (c/kWh) rate may vary with the level of consumption (with higher rates applying above certain thresholds) or with the time-of-use (with lower rates applying at off-peak periods).
- Maximum demand charges—these involve a charge per unit of maximum demand (in c/kVA/day or c/kW/day¹⁰). The maximum demand is the highest demand recorded over a 30 minute interval during the billing period.
- Capacity charges—these apply on the same basis as maximum demand charges, but are for the maximum demand recorded over a 30-minute interval during the previous 13 months.

⁹ A tariff class is defined in chapter 10 of the *National Electricity Rules* as “a class of customers for one or more direct control services who are subject to a particular tariff or particular tariffs”.

¹⁰ c/kVA/day refers to cents per kilo-volt ampere per day, and c/kW/day refers to cents per kilowatt per day

The tariffs and charging parameters for each tariff class are shown in Table 2.1, Table 2.2 and Table 2.3. The tables include an explanation of the purpose of each tariff and the customers to which each tariff may apply.

2.1.1 Network tariffs for residential customers

Residential consumers are currently offered a choice of two network tariff options, plus two controlled load off-peak options:

- Residential kW Demand;
- Residential time of use (TOU);
- Off-peak (1); and
- Off-peak (3).

On 1 December 2017, coinciding with the introduction of smart meters, Evoenergy introduced a **Residential kW demand** tariff that provides residential customers a more cost-reflective option than existing residential tariffs. This became Evoenergy's default residential tariff and enabled residential customers to more actively manage and control the size of the distribution component of their electricity bills by considering when and how they use electricity. The demand tariff includes a fixed component, an anytime energy consumption component, and a demand component. The demand component applies a demand charge to a customer's maximum half-hourly demand (measured in kilowatts) during the hours of 5 pm to 8 pm daily during a billing period. Half-hourly demand is calculated from each half hourly time interval (i.e. 5:30pm, 6:00pm, 6:30pm, 7:00pm and 7:30pm).

Customers have the option of opting out to the Residential Time-of-Use (TOU) tariff.

The introduction of the Residential kW Demand tariff was established to coincide with the introduction of Type 4 meters (smart meters) from 1 December 2017. Only customers who have a Type 4 meter installed from 1 December 2017 are assigned, by default, to the demand tariff.

Evoenergy also offers residential consumers the **Residential TOU** tariff. This tariff provides an opportunity and an incentive for consumers with the necessary metering capability to respond to network price signals at different times of the day¹¹ and manage their electricity bill in line with the costs they impose on the network. The Residential TOU tariff was the default tariff for all new residential connections from 1 July 2010 to 30 November 2017.

The **Off-peak tariffs** (codes 060 and 070) can be used in conjunction with the Residential kW Demand or Residential TOU tariffs. The Off-peak tariffs which apply to controlled loads will continue to be offered, as these supplementary tariffs encourage usage at off-peak times.

From 1 December 2017, the following tariffs were closed to new Evoenergy consumers because they were not sufficiently cost reflective.

- Residential Basic Network (code 010 and 011)
- Residential 5000 Network (code 020 and 021)
- Residential with Heat Pump Network (code 030 and 031)

Customers assigned to these tariffs may remain on them until they receive a Type 4 meter. Evoenergy's assignment policy means that because consumers with a Type 4 meter are

¹¹ This statement assumes the retailer preserves the network tariff structure in the final retail charge.

automatically assigned to the demand tariff (with a provision to opt out to TOU), the above three residential tariffs will eventually become obsolete.

Evoenergy's residential network tariff structure is shown in Table 2.1.

Table 2.1 Network tariff structure: residential

Tariff	Charging parameters	Explanation
Residential basic network	Network access charge (c/day/customer) Energy charge (c/kWh)	The residential basic network tariff is available to installations at private dwellings, excluding serviced apartments, but including: • living quarters for members and staff of religious orders; • living quarters on farms; • charitable homes; • retirement villages; • residential sections of nursing homes and hospitals; • churches, buildings or premises which are primarily used for public worship; and • approved caravan sites. The energy charge varies neither with the level of consumption nor the time of day. However, customers on this tariff are also eligible for the off-peak tariffs. This tariff was closed to new customers from 1 December 2017 and will become obsolete over time.
Residential time-of-use (TOU) network	Network access charge (c/day/customer) Energy at max times, i.e. 7 am to 9 am and 5 pm to 8 pm every day (c/kWh) Energy at mid times, i.e. 9 am to 5 pm and 8 pm to 10 pm every day (c/kWh) Energy at economy times, i.e. all other times (c/kWh)	This tariff is available to residential customers (as defined above) and to electric vehicle recharge facilities on residential premises with a meter able to be read as a TOU meter. The energy charges relate to the supply of network services at various times. Higher rates apply at max or peak times to encourage users to shift their load to off-peak periods. Customers on this tariff are also eligible for the controlled load off-peak tariffs. Residential customers with a meter with two registers capable of providing TOU consumption data from each register may have the TOU charges applied separately to each register.
Residential with heat pump	Network access charge (c/day/customer) Energy for the first 165 kWh/day (c/kWh) Energy above 165 kWh (c/kWh)	This tariff is only available to residential customers with a reverse cycle air conditioner. An inclining block structure applies (i.e. higher energy rates for the second block of energy). The lower energy rate is set to recover the incremental cost of energy load on the network as a demand management tool to lower winter peak loads and improve utilisation of the network in summer and so improve overall network utilisation. This tariff was closed to new customers from 1 December 2017 and will become obsolete over time.
Residential 5000 network	Network access charge (c/day/customer) Energy for the first 60 kWh/day (c/kWh) Energy above 60 kWh/day (c/kWh)	This tariff is designed for residential customers who have large continuous (rather than time controlled) loads, such as electric hot water systems, and consume over 5,000 kWh per annum. The energy charges relate to the supply of network services above and below certain volume thresholds. An inclining block structure applies (i.e. higher energy rates for the second block of energy). The lower energy rate is limited to consumption up to 60 kWh per day. This tariff was closed to new customers from 1 December 2017 and will become obsolete over time.

Tariff	Charging parameters	Explanation
Residential kW demand	Network access charge (c/kW/day) Energy charge (c/kWh) Maximum demand (in billing period) (c/kW/day)	This tariff is available to residential customers from 1 December 2017 who have a Type 4 (i.e. 'smart') meter installed. The energy charge varies neither with the level of consumption nor the time of day. Customers on this tariff are also eligible for the off-peak tariffs. The demand charge is based on a customer's maximum half hourly demand (measured in kilowatts) during the maximum demand window of 5 pm to 8 pm daily, during a calendar month billing period. Half-hourly demand is calculated from each half hourly time interval (i.e. 5:30pm, 6:00pm, 6:30pm, 7:00pm, 7:30pm and 8:00pm). This tariff became Evoenergy's default tariff for residential customers with a Type 4 meter from 1 December 2017.
Off-peak (1) night network	Energy at controlled times, i.e. between 10 pm and 7 am (c/kWh)	The Off-peak (1) night charge is available only to consumers utilising a controlled load element, and taking all other energy at residential basic network, residential TOU, residential demand, general network, general TOU or LV commercial kW demand tariff rates. The Off-peak (1) night charge is applicable to permanent heat (or cold) storage; electric vehicle recharge; and CNG vehicle gas compression installations. The design and rating must be acceptable to Evoenergy. The installation must use most energy during the controlled times but may be boosted at the principal charge, or charges, at other times. The Off-peak (1) night network energy charge relates to supply of network services at controlled times, for 6 to 8 hours per day between the hours of 10 pm and 7 am.
Off-peak (3) day and night network	Energy at controlled times, i.e. between 10 pm and 7 am and 9 am and 5 pm (c/kWh)	Available only to customers utilising a controlled load element, and taking all other energy at residential basic network, residential TOU, residential demand, general network, general TOU or LV commercial kW demand tariff rates. This charge is applicable to permanent heat (or cold) storage installations. The design and rating must be acceptable to Evoenergy. The Off-peak (3) day and night network energy rate applies to power supplied for up to 13 hours per day between 10 pm and 7 am and again between 9 am and 5 pm.
Renewable energy generation	Energy charges (c/kWh)	This tariff applies to customers with grid connected solar or wind energy generation systems. Different arrangements apply to customers participating in the ACT feed-in tariff scheme, in accordance with the <i>Electricity Feed-in (Renewable Energy Premium) Act 2008</i> (ACT). Net metering applies to new PV customers since July 2013.

All times for metering are Australian Eastern Standard Time.

For each of the tariffs shown in the table above (other than off-peak and renewable energy) two separate codes will apply – one which includes a meter capital charge and one which excludes the meter capital charge (XMC). The basis for the separate meter capital charges is explained in section 3.2 below.

2.1.2 Network tariffs for low voltage commercial customers

Evoenergy sets different tariffs for commercial low voltage (LV) and commercial high voltage (HV) customers recognising the different costs associated with supplying each group. Within the commercial LV tariff class, a range of tariff options has been developed to meet the diverse needs of commercial customers and to accommodate their differing load profiles and ability to respond to price signals.

LV commercial customers are currently offered four main tariff options:

- General TOU tariff;
- LV kW Demand tariff
- LV TOU kVA Demand tariff; and
- LV TOU Capacity tariff.

From 1 December 2017, LV commercial customers that move to new premises with a remotely read (Type 4) meter, or whose meter is replaced with a Type 4 meter, will be assigned to the **LV kW Demand** tariff by default. This was a change from Evoenergy's previous policy that assigned new connections to the General TOU tariff. Customers have the choice to opt out of the LV kW Demand tariff to the General TOU, kilovolt ampere (kVA) Demand or Capacity tariffs. The LV kW Demand tariff has the same structure as the Residential kW Demand tariff. That is, the LV kW Demand tariff includes a fixed component, an anytime energy consumption component, and a peak demand component. The demand component applies a demand charge to a customer's maximum half-hourly demand (measured in kilowatts) during the hours of 7 am and 5 pm on weekdays during a billing period. Half-hourly demand is calculated from each half hourly time interval within the maximum demand window (i.e. 7:30am, 8am, 8:30am, etc.).

This assignment policy means that the **General network** tariff will eventually become obsolete. This is because, over time, all LV commercial customers will have their meters replaced with a Type 4 meter which will mean they are assigned to the LV kW Demand tariff (with an opt-out provision to other cost-reflective tariffs).

The exception to the above assignment policy is for small unmetered loads (code 135) and streetlighting (code 080). These tariffs do not vary with usage, or load profile, and therefore there is no need for Evoenergy to transition these loads onto a demand tariff as consumers on these tariffs are unlikely to respond.

Three of the LV commercial options involve capacity and/or maximum demand charges, in conjunction with consumption charges. Customers able to improve their load factor¹² have an incentive to choose a tariff with a demand or capacity charge and thereby reduce their electricity bills. These tariffs are designed to lower consumers' network costs if they have a sufficiently large load (for the network cost savings to offset the higher cost of interval metering) and if their load factor is suitable (to ensure that the demand costs do not offset the lower energy charges).

Evoenergy's LV commercial network tariff structure is shown in Table 2.2.

¹² The load factor is the ratio of average load to maximum demand (peak load)

Table 2.2 Network tariff structure: LV commercial

Tariff	Charging parameters	Explanation
General network	Network access charge (c/day/customer) Energy for the first 330 kWh/day (c/kWh) Energy above 330 kWh/day (c/kWh)	The energy charge varies with the level of consumption, but not with the time of day. This tariff may be used in conjunction with the off-peak tariffs. This tariff was closed to new customers from 1 December 2017 and will become obsolete over time.
General TOU network	Network access charge (c/day/customer) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	The energy charges relate to supply of energy at different times, with lower rates in off-peak times reflecting the availability of capacity and encouraging consumers to shift their load from peak to off-peak times to utilise the available capacity.
LV TOU kVA demand network	Network access charge (c/day/connection point). Maximum demand (in billing period) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for customers with an average or stable commercial load. The maximum demand charge is designed to encourage consumers to manage their demand upon the network. The energy charges relate to supply of energy at different times, with lower rates in off-peak times reflecting the availability of capacity and encouraging consumers to shift their load from peak to off-peak times to utilise the available capacity. It is not available to customers with an embedded generation (other than micro generation) system.
LV TOU capacity network	Network access charge (c/day/connection point) Maximum demand (in billing period) (c/kVA/day) Capacity (max demand in last year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is open to all LV customers and is intended to reward those customers with seasonally stable loads. It is prescribed for LV customers with embedded generation. The tariff provides an incentive for customers with embedded generation to manage their output and their down times (e.g. for servicing) so as to minimise their demand on the network.
LV kW Demand network	Network access charge (c/day/connection point) Energy charge (c/kWh) Maximum demand (in billing period) (c/kW/day)	This tariff became the default for LV commercial customers from 1 December 2017 who have a Type 4 (i.e. 'smart') meter installed. The energy charge varies neither with the level of consumption nor the time of day. Customers on this tariff are also eligible for the off-peak tariffs. The demand charge is based on a customer's maximum half hourly demand (measured in kilowatts) during the maximum demand window of 7 am to 5 pm weekdays, during a calendar month billing period. Half-hourly demand is calculated from each half hourly time interval within the maximum demand window (i.e. 7:30am, 8:00am, 8:30am, etc.).

Tariff	Charging parameters	Explanation
Streetlighting	Network access charge (c/day/customer) Energy at any time (c/kWh)	This tariff applies to the night-time lighting of streets and public ways and places.
Small unmetered loads	Network access charge (c/day/customer) Energy at any time (c/kWh)	This tariff applies to eligible installations as determined by Evoenergy, including: • telephone boxes • telecommunication devices; and • other, as determined by the National Metrology Coordinator. Energy charges are calculated based on the assessed rating of the load and the charge period.

* Business times are between 7 am and 5 pm Australian Eastern Standard Time on weekdays. Evening times are between 5 pm and 10 pm Australian Eastern Standard Time on weekdays. Off-peak times are all other times.

All times for metering are Australian Eastern Standard Time.

For each of the tariffs shown in the table above (except small unmetered loads), two separate codes will apply – one which includes a meter capital charge and one which excludes the meter capital charge (XMC). The basis for the separate meter capital charges is explained in section 3.2 below.

2.1.3 Network tariffs for high voltage customers

To qualify for the high voltage demand network charges, consumers must take their energy at high voltage (nominal voltage not less than 11 kV) and make a capital contribution towards their connection assets. High voltage customers have the option of owning and operating their own high voltage assets. As set out in Evoenergy's first TSS, HV commercial customers will be offered three tariff options in 2018/19 (Table 2.3).

Table 2.3 Network tariff structure: HV commercial

Tariff	Charging parameters	Explanation
HV TOU Demand Network (111)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for customers with a low voltage network owned and maintained by Evoenergy. The network access charge relates to the connection services provided to the customer. The demand charge is applied to the maximum demand in the billing period while the capacity charge is applied to the maximum demand in the previous 13 months. The capacity charge encourages the consumer to monitor and manage their peak demand over the year, while the demand charge continues to encourage consumers to manage their capacity requirements each month. The energy charges relate to supply of network services at different times, with lower rates in off-peak times reflecting the relatively low costs of off-peak supply, and thereby providing incentives for customers to switch their utilisation of the network to off-peak periods.
HV TOU Demand Network – Customer LV (121)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day)	This tariff is appropriate for customers that own and are responsible for their own low voltage network; where Evoenergy operates and maintains the high voltage assets (including transformers and switch gear).

Tariff	Charging parameters	Explanation
	Capacity (max demand in past year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	The network access charge relates to the connection services provided to the customer. The demand charge is applied to the maximum demand in the billing period while the capacity charge is applied to the maximum demand in the previous 13 months. The capacity charge encourages the consumer to monitor and manage their peak demand over the year, while the demand charge continues to encourage consumers to manage their capacity requirements each month. The energy charges relate to supply of network services at different times, with lower rates in off-peak times reflecting the relatively low costs of off-peak supply, and thereby providing incentives for customers to switch their utilisation of the network to off-peak periods.
HV TOU Demand Network – Customer HV and LV (122)	Network access charge (c/day/connection point) Max demand (in billing period) (c/kVA/day) Capacity (max demand in past year) (c/kVA/day) Energy at business times* (c/kWh) Energy at evening times (c/kWh) Energy at off-peak times (c/kWh)	This tariff is appropriate for customers that own and are responsible for their own low voltage network, where the customer owns and is responsible for their high voltage assets (including transformers and switch gear). The network access charge relates to the connection services provided to the customer The demand charge is applied to the maximum demand in the billing period while the capacity charge is applied to the maximum demand in the previous 13 months. The capacity charge encourages the consumer to monitor and manage their peak demand over the year while the demand charge continues to encourage consumers to manage their capacity requirements each month. The energy charges relate to supply of network services at different times, with lower rates in off-peak times reflecting the relatively low costs of off-peak supply, and thereby providing incentives for customers to switch their utilisation of the network to off-peak periods.

* Business times are between 7 am and 5 pm Australian Eastern Standard Time on weekdays. Evening times are between 5 pm and 10 pm Australian Eastern Standard Time on weekdays. Off-peak times are all other times.

All times for metering are Australian Eastern Standard Time.

2.1.4 Ancillary network charges

In addition to the network tariffs set out above, Evoenergy offers a range of ancillary network services. The structure of each ancillary service charge depends on the type of service. For example, separate rates apply for temporary connections depending on whether they relate to an overhead or underground connection, as these will involve different costs. Some services are charged on a per visit basis, others per installation or per test. The charges for ancillary network services are set in accordance with the 2018/19 Undertaking and the AER's Final Decision. Ancillary network services and metering services charges are discussed in chapter 3.

2.2 Network charges for 2018/19

Evoenergy's network charges for 2018/19 are made up of distribution charges, transmission charges, jurisdictional scheme charges and metering capital charges. The distribution charges recover the cost of Evoenergy's electricity distribution service within the ACT. The transmission charges recover TransGrid's charges to Evoenergy for the delivery of energy to the ACT and most of Evoenergy's costs for sub-transmission services.

The AER regulates both Evoenergy's distribution charges and TransGrid's transmission charges. Also, the National Electricity Rules (NER) provide that Evoenergy is to recover the cost

of jurisdictional schemes including the ACT feed-in tariff, the Utilities Network Facilities Tax and the Energy Industry Levy in its network charges.

In accordance with the Metering Rule Change,¹³ smart meters became the standard electricity meter in the ACT for all new connections and for all meter replacements from 1 December 2017. This change effects the regulated metering charges applied to customers with smart meters installed from 1 December 2017. Specifically, a customer with a type 4 meter after 1 December 2017 no longer pays the non-capital component of the regulated annual metering charge (assuming they are not receiving ongoing meter operating and maintenance services from Evoenergy). However, a customer with a regulated type 5 or 6 meter installed before 1 July 2015 will continue to pay Evoenergy the capital component of the regulated annual metering charge (as per the AER's Final Decision, which states that these customers must continue to make a contribution to the recovery of the value of the existing meter asset base).

Table 2.4 shows the AER approved distribution, transmission, jurisdictional scheme, metering capital and network charges for 2018/19, excluding GST.

Table 2.4 Network use of system charges 2018/19, excluding GST.

		Distribution Charges	Transmission Charges	Jurisdictional Charges	Metering Capital	Network Charges
Unit		2018/19	2018/19	2018/19	2018/19	2018/19
RESIDENTIAL TARIFFS						
010 Residential Basic Network						
Network access charge	cents/day	26.6300	0.0000	0.0000	7.8900	34.5200
Energy consumption	cents/kWh	3.7560	1.5936	2.0204		7.3700
011 Residential Basic Network XMC*						
Network access charge	cents/day	26.6300	0.0000	0.0000		26.6300
Energy consumption	cents/kWh	3.7560	1.5936	2.0204		7.3700
015 Residential TOU Network						
Network access charge	cents/day	26.6300	0.0000	0.0000	7.8900	34.5200
Energy at max times	cents/kWh	8.3800	2.2625	2.5255		13.1680
Energy at mid times	cents/kWh	2.5490	1.4306	2.0204		6.0000
Energy at economy times	cents/kWh	0.3500	1.0772	1.5128		2.9400
016 Residential TOU Network XMC						
Network access charge	cents/day	26.6300	0.0000	0.0000		26.6300
Energy at max times	cents/kWh	8.3800	2.2625	2.5255		13.1680
Energy at mid times	cents/kWh	2.5490	1.4306	2.0204		6.0000
Energy at economy times	cents/kWh	0.3500	1.0772	1.5128		2.9400
020 Residential 5000 Network						
Network access charge	cents/day	48.1300	0.0000	0.0000	7.8900	56.0200
Energy for the first 60 kWh per day	cents/kWh	2.4560	1.5936	2.0204		6.0700
Energy above 60 kWh per day	cents/kWh	3.7560	1.5936	2.0204		7.3700
021 Residential 5000 Network XMC						
Network access charge	cents/day	48.1300	0.0000	0.0000		48.1300
Energy for the first 60 kWh per day	cents/kWh	2.4560	1.5936	2.0204		6.0700
Energy above 60 kWh per day	cents/kWh	3.7560	1.5936	2.0204		7.3700

¹³ AEMC, National Electricity Amendment (Expanding competition in metering and related services) Rule 2015, 26 November 2015.

		Distribution Charges	Transmission Charges	Jurisdictional Charges	Metering Capital	Network Charges
	Unit	2018/19	2018/19	2018/19	2018/19	2018/19
025 Residential Demand Network						
Network access charge	cents/day	26.6300	0.0000	0.0000	7.8900	34.5200
Energy consumption	cents/kWh	0.3120	0.5976	2.0204		2.9300
Peak period maximum demand	cents/kW/day	11.4100	2.7860	0.0000		14.1960
026 Residential Demand Network XMC						
Network access charge	cents/day	26.6300	0.0000	0.0000		26.6300
Energy consumption	cents/kWh	0.3120	0.5976	2.0204		2.9300
Peak period maximum demand	cents/kW/day	11.4100	2.7860	0.0000		14.1960
030 Residential with Heat Pump Network						
Network access charge	cents/day	91.4300	0.0000	0.0000	7.8900	99.3200
Energy for the first 165 kWh per day	cents/kWh	0.9960	1.5936	2.0204		4.6100
Energy above 165 kWh per day	cents/kWh	3.7560	1.5936	2.0204		7.3700
031 Residential with Heat Pump Network XMC						
Network access charge	cents/day	91.4300	0.0000	0.0000		91.4300
Energy for the first 165 kWh per day	cents/kWh	0.9960	1.5936	2.0204		4.6100
Energy above 165 kWh per day	cents/kWh	3.7560	1.5936	2.0204		7.3700
060 Off-Peak (1) Night Network						
Energy consumption	cents/kWh	0.2170	0.7541	1.0589		2.0300
070 Off-Peak (3) Day & Night Network						
Energy consumption	cents/kWh	0.3290	1.2782	1.5128		3.1200
Renewable Energy Generation						
Gross metered energy	cents/kWh	0.0000	0.0000	0.0000		0.0000
Net metered energy	cents/kWh	0.0000	0.0000	0.0000		0.0000
COMMERCIAL LOW VOLTAGE TARIFFS						
040 General Network						
Network access charge	cents/day	48.7000	0.0000	0.0000	13.8000	62.5000
Energy for the first 330 kWh per day	cents/kWh	7.0730	2.1466	2.0204		11.2400
Energy above 330 kWh per day	cents/kWh	10.4370	2.1426	2.0204		14.6000
041 General Network XMC						
Network access charge	cents/day	48.7000	0.0000	0.0000		48.7000
Energy for the first 330 kWh per day	cents/kWh	7.0730	2.1466	2.0204		11.2400
Energy above 330 kWh per day	cents/kWh	10.4370	2.1426	2.0204		14.6000
135 Small Unmetered Loads Network						
Network access charge	cents/day	39.6000	0.0000	0.0000		39.6000
Energy consumption	cents/kWh	7.8610	2.1207	1.4989		11.4806
080 Streetlighting Network						
Network access charge	cents/day	49.0000	0.0000	0.0000	13.8000	62.8000
Energy consumption	cents/kWh	4.4640	1.3454	2.0406		7.8500
081 Streetlighting Network XMC						
Network access charge	cents/day	49.0000	0.0000	0.0000		49.0000
Energy consumption	cents/kWh	4.4640	1.3454	2.0406		7.8500
090 General TOU Network						
Network access charge	cents/day	48.7000	0.0000	0.0000	13.8000	62.5000
Energy at business times	cents/kWh	11.8600	3.3439	2.5801		17.7840
Energy at evening times	cents/kWh	4.5680	1.4616	2.0204		8.0500
Energy at off-peak times	cents/kWh	1.7760	0.3248	1.5392		3.6400

		Distribution Charges	Transmission Charges	Jurisdictional Charges	Metering Capital	Network Charges
	Unit	2018/19	2018/19	2018/19	2018/19	2018/19
091 General TOU Network XMC						
Network access charge	cents/day	48.7000	0.0000	0.0000		48.7000
Energy at business times	cents/kWh	11.8600	3.3439	2.5801		17.7840
Energy at evening times	cents/kWh	4.5680	1.4616	2.0204		8.0500
Energy at off-peak times	cents/kWh	1.7760	0.3248	1.5392		3.6400
Low voltage time of use demand network						
101 LV TOU kVA Demand Network						
Network access per connection point	cents/day	54.7190	0.0000	0.0000	111.4100	166.1290
Maximum demand charge	c/KVA/day	35.8600	6.4440	0.0000		42.3040
Energy at business times	cents/kWh	1.9100	2.2299	2.5801		6.7200
Energy at evening times	cents/kWh	0.7150	0.9746	2.0204		3.7100
Energy at off-peak times	cents/kWh	0.2640	0.2168	1.5392		2.0200
103 LV TOU Capacity Network						
Network access per connection point	cents/day	54.7190	0.0000	0.0000	111.4100	166.1290
Maximum demand charge	c/KVA/day	16.7200	2.8920	0.0000		19.6120
Capacity charge	c/KVA/day	16.7200	2.8920	0.0000		19.6120
Energy at business times	cents/kWh	1.9100	2.2299	2.5801		6.7200
Energy at evening times	cents/kWh	0.7150	0.9746	2.0204		3.7100
Energy at off-peak times	cents/kWh	0.2640	0.2168	1.5392		2.0200
104 LV TOU kVA Demand Network XMC						
Network access per connection point	cents/day	54.7190	0.0000	0.0000		54.7190
Maximum demand charge	c/KVA/day	35.8600	6.4440	0.0000		42.3040
Energy at business times	cents/kWh	1.9100	2.2299	2.5801		6.7200
Energy at evening times	cents/kWh	0.7150	0.9746	2.0204		3.7100
Energy at off-peak times	cents/kWh	0.2640	0.2168	1.5392		2.0200
105 LV TOU Capacity Network XMC						
Network access per connection point	cents/day	54.7190	0.0000	0.0000		54.7190
Maximum demand charge	c/KVA/day	16.7200	2.8920	0.0000		19.6120
Capacity charge	c/KVA/day	16.7200	2.8920	0.0000		19.6120
Energy at business times	cents/kWh	1.9100	2.2299	2.5801		6.7200
Energy at evening times	cents/kWh	0.7150	0.9746	2.0204		3.7100
Energy at off-peak times	cents/kWh	0.2640	0.2168	1.5392		2.0200
106 LV Demand Network						
Network access charge	cents/day	48.7000	0.0000	0.0000	13.8000	62.5000
Energy consumption	cents/kWh	0.9300	1.4296	2.0204		4.3800
Peak period maximum demand	cents/kW/day	35.9700	6.0760	0.0000		42.0460
107 LV Demand Network XMC						
Network access charge	cents/day	48.7000	0.0000	0.0000		48.7000
Energy consumption	cents/kWh	0.9300	1.4296	2.0204		4.3800
Peak period maximum demand	cents/kW/day	35.9700	6.0760	0.0000		42.0460
HIGH VOLTAGE TARIFFS						
High voltage time of use demand network with Evoenergy low voltage network						
111 HV TOU Demand Network						
Network access per connection point	\$/day	20.0000	0.0000	0.0000		20.0000
Maximum demand charge	c/KVA/day	10.5900	3.9070	0.0000		14.4970
Capacity charge	c/KVA/day	10.5900	3.9070	0.0000		14.4970
Energy at business times	cents/kWh	1.5360	1.2855	2.5285		5.3500

		Distribution Charges	Transmission Charges	Jurisdictional Charges	Metering Capital	Network Charges
	Unit	2018/19	2018/19	2018/19	2018/19	2018/19
Energy at evening times	cents/kWh	0.4980	0.5620	1.9800		3.0400
Energy at off-peak times	cents/kWh	0.1370	0.1246	1.5084		1.7700
High voltage time of use demand network without Evoenergy low voltage network						
121 HV TOU Demand Network - Customer LV						
Network access per connection point	\$/day	20.0000	0.0000	0.0000		20.0000
Maximum demand charge	c/KVA/day	10.5900	3.9070	0.0000		14.4970
Capacity charge	c/KVA/day	10.5900	3.9070	0.0000		14.4970
Energy at business times	cents/kWh	0.9860	1.2855	2.5285		4.8000
Energy at evening times	cents/kWh	0.2980	0.5620	1.9800		2.8400
Energy at off-peak times	cents/kWh	0.0770	0.1246	1.5084		1.7100
122 HV TOU Demand Network – Customer HV and LV						
Network access per connection point	\$/day	20.0000	0.0000	0.0000		20.0000
Maximum demand charge	c/KVA/day	9.0900	3.9070	0.0000		12.9970
Capacity charge	c/KVA/day	9.0900	3.9070	0.0000		12.9970
Energy at business times	cents/kWh	0.9860	1.2855	2.5285		4.8000
Energy at evening times	cents/kWh	0.2980	0.5620	1.9800		2.8400
Energy at off-peak times	cents/kWh	0.0770	0.1246	1.5084		1.7100

* XMC tariffs exclude metering capital charges

2.3 Changes in network charges in 2018/19

Network charges (including DUOS, TUOS and Jurisdictional Schemes) are, on average, 2.7 per cent higher in 2018/19 compared to 2017/18.

Table 2.5 shows the AER approved network charges for 2017/18 and 2018/19, excluding GST. The non-capital meter charges have been included. The table also shows the average change in the level of prices and the average percentage change in prices.

In past versions of Tables 3.3 and 3.4 the metering charges have shown the correct prices, however Table 2.5 showing combined network and metering charges were presented incorrectly in this document for tariff codes 101 and 103 due to an administrative error. This has been corrected in this version of Table 2.5 for 2018/19. The correct charges for 2015/16 to 2017/18 were published in the network electricity Schedules of Charges and correctly charged to customers.

High voltage charges do not include metering capital charges as Evoenergy does not provide metering services to these customers.

Table 2.5 Network and metering charges 2018/19

	Unit	Network & metering charges 2017/18	Network & metering charges 2018/19	Average Change c/kWh	Average Change %
RESIDENTIAL TARIFFS					
010 Residential Basic Network				0.26	2.7%
Network access charge	cents/day	37.600	38.400		
Energy consumption	cents/kWh	7.160	7.370		
015 Residential TOU Network				0.27	2.9%
Network access charge	cents/day	37.600	38.400		
Energy at max times	cents/kWh	12.120	13.168		
Energy at mid times	cents/kWh	6.110	6.000		
Energy at economy times	cents/kWh	3.060	2.940		
020 Residential 5000 Network				0.25	2.9%
Network access charge	cents/day	59.100	59.900		
Energy for the first 60 kWh per day	cents/kWh	5.860	6.070		
Energy above 60 kWh per day	cents/kWh	7.160	7.370		
025 Residential Demand Network				-0.96	-9.3%
Network access charge	cents/day	33.790	34.520		
Energy consumption	cents/kWh	3.680	2.930		
Peak period maximum demand	cents/kW/day	15.100	14.196		
030 Residential with Heat Pump Network				0.23	3.2%
Network access charge	cents/day	102.400	103.200		
Energy for the first 165 kWh per day	cents/kWh	4.400	4.610		
Energy above 165 kWh per day	cents/kWh	7.160	7.370		
060 Off-Peak (1) Night Network				0.03	1.5%
Energy consumption	cents/kWh	2.000	2.030		
070 Off-Peak (3) Day & Night Network				0.12	4.0%
Energy consumption	cents/kWh	3.000	3.120		
Renewable Energy Generation				0.000	0.0%
Gross metered energy	cents/kWh	0.000	0.000		

		Network & metering charges	Network & metering charges	Average Change	Average Change
Unit		2017/18	2018/19	c/kWh	%
COMMERCIAL LOW VOLTAGE TARIFFS					
040 General Network				0.36	2.9%
Network access charge	cents/day	67.900	69.300		
Energy for the first 330 kWh per day	cents/kWh	10.910	11.240		
Energy above 330 kWh per day	cents/kWh	14.150	14.600		
135 Small Unmetered Loads Network				0.14	1.2%
Network access charge	cents/day	38.800	39.600		
Energy consumption	cents/kWh	11.342	11.481		
080 Streetlighting Network				0.04	0.5%
Network access charge	cents/day	61.530	62.800		
Energy consumption	cents/kWh	7.810	7.850		
090 General TOU Network				0.20	2.0%
Network access charge	cents/day	67.900	69.300		
Energy at business times	cents/kWh	16.420	17.784		
Energy at evening times	cents/kWh	8.300	8.050		
Energy at off-peak times	cents/kWh	4.290	3.640		
Low voltage time of use demand network					
101 LV TOU kVA Demand Network				0.25	3.2%
Network access per connection point	cents/day	162.728	221.129		
Maximum demand charge	c/KVA/day	42.300	42.304		
Energy at business times	cents/kWh	6.210	6.720		
Energy at evening times	cents/kWh	3.190	3.710		
Energy at off-peak times	cents/kWh	2.190	2.020		
103 LV TOU Capacity Network				0.16	2.5%
Network access per connection point	cents/day	162.728	221.129		
Maximum demand charge	c/KVA/day	19.800	19.612		
Capacity charge	c/KVA/day	19.800	19.612		
Energy at business times	cents/kWh	6.210	6.720		
Energy at evening times	cents/kWh	3.190	3.710		
Energy at off-peak times	cents/kWh	2.190	2.020		
106 LV Demand Network				0.46	5.0%
Network access charge	cents/day	61.230	62.500		
Energy consumption	cents/kWh	4.560	4.380		
Peak period maximum demand	cents/kW/day	36.700	42.046		
HIGH VOLTAGE TARIFFS					
High voltage time of use demand network with Evoenergy LV network					
111 HV TOU Demand Network				0.13	2.3%
Network access per connection point	\$/day	19.600	20.000		
Maximum demand charge	c/KVA/day	14.500	14.497		
Capacity charge	c/KVA/day	14.500	14.497		
Energy at business times	cents/kWh	5.140	5.350		
Energy at evening times	cents/kWh	2.550	3.040		
Energy at off-peak times	cents/kWh	1.820	1.770		

		Network& metering charges	Network& metering charges	Average Change	Average Change
Unit		2017/18	2018/19	c/kWh	%
High voltage time of use demand network without Evoenergy LV network					
121 HV TOU Demand Network – Customer LV				0.12	2.2%
Network access per connection point	\$/day	19.600	20.550		
Maximum demand charge	c/KVA/day	14.500	14.497		
Capacity charge	c/KVA/day	14.500	14.497		
Energy at business times	cents/kWh	4.630	4.800		
Energy at evening times	cents/kWh	2.350	2.840		
Energy at off-peak times	cents/kWh	1.750	1.710		
122 HV TOU Demand Network – Customer HV and LV				0.01	0.2%
Network access per connection point	\$/day	19.600	20.550		
Maximum demand charge	c/KVA/day	13.700	12.997		
Capacity charge	c/KVA/day	13.700	12.997		
Energy at business times	cents/kWh	4.630	4.800		
Energy at evening times	cents/kWh	2.350	2.840		
Energy at off-peak times	cents/kWh	1.750	1.710		

3 Charges for ancillary services

3.1 Ancillary services

Table 3.1 shows Evoenergy's approved charges for ancillary services and its connection service charges for 2018/19, excluding and including GST. The 2018/19 charges have been set as per the Undertaking, and consistent with the AER's Final Decision¹⁴.

As a result of the Power of Choice reforms, Evoenergy ceased receiving orders for the installation of Type 5 meters from 1 December 2017, and had until 31 March 2018 to complete any orders received before 1 December 2017. Service orders for new meters from 1 December 2017 were directed to metering coordinators. As a result, Evoenergy will continue to perform business functions associated with the existing installed Type 5 and Type 6 meters, and these functions will remain subject to price cap regulation. These services include: meter reading, meter testing, data validation and compliance activities. However the services previously offered as codes 507 -513 are no longer applicable due to the Power of Choice reforms and referenced "na" in Table 3.1 below.

Table 3.1 Ancillary services charges 2018/19

Code	Description	Unit	Proposed Prices excl GST 2018/19	Proposed Prices incl.GST 2018/19
Premise Re-energisation – Existing Network Connection -These charges also apply where Evoenergy responds to a customer initiated call out and determines that the premise is energised at the connection point.				
501	Re-energise premise – Business Hours	per visit	\$71.74	\$78.92
502	Re-energise premise – After Hours	per visit	\$90.94	\$100.04
Premise De-energisation – Existing Network Connection				
503	De-energise premise – Business Hours	per visit	\$71.74	\$78.92
505	De-energise premise for debt non-payment	per test	\$143.50	\$157.85
Meter installation				
507	Install single phase, single element manually read interval meter	per meter	na	na
508	Install subsequent single phase, single element meter - same location & visit	per meter	na	na
509	Install single phase, two element meter	per meter	na	na
511	Install subsequent single phase, two element meter - same location & visit	per meter	na	na
512	Install three phase meter	per meter	na	na
513	Install subsequent three phase meter - same location & visit	per meter	na	na
Meter Investigations				
504	Meter Test (Whole Current) – Business Hours	per test	\$287.00	\$315.69
510	Meter Test (CT/VT) – Business Hours	per test	\$332.38	\$365.61
Special metering services				
506	Special Meter Read	per read	\$33.18	\$36.50
Temporary Network Connections				
520	Temporary Builders Supply – Overhead (Business Hours) (excludes meter cost)	per installation	\$644.88	\$709.36

¹⁴ Australian Energy Regulator, *Final Decision ActewAGL Distribution Determination*, Attachment 16, 30 April 2015.

Code	Description	Unit	Proposed Prices excl GST 2018/19	Proposed Prices incl.GST 2018/19
522	Temporary Builders Supply – Underground (Business Hours) (excludes meter costs)	per installation	\$1,407.81	\$1,548.59
New Network Connections				
523	New Underground Service Connection – Greenfield	per installation	\$0.00	\$0.00
526	New Overhead Service Connection – Brownfield (Business Hours)	per installation	\$846.98	\$931.68
527	New Underground Service Connection – Brownfield from Front	per installation	\$1,407.81	\$1,548.59
528	New Underground Service Connection – Brownfield from Rear	per installation	\$1,407.81	\$1,548.59
Network Connection Alterations and Additions				
541	Overhead Service Relocation – Single Visit (Business Hours)	per installation	\$808.40	\$889.24
542	Overhead Service Relocation – Two Visits (Business Hours)	per installation	\$1,616.79	\$1,778.47
543	Overhead Service Upgrade – Service Cable Replacement Not Required	per installation	\$808.40	\$889.24
544	Overhead Service Upgrade – Service Cable Replacement Required	per installation	\$846.98	\$931.68
545	Underground Service Upgrade – Service Cable Replacement Not Required	per installation	\$1,369.24	\$1,506.17
546	Underground Service Upgrade – Service Cable Replacement Required	per installation	\$1,407.81	\$1,548.59
547	Underground Service Relocation – Single Visit (Business Hours)	per installation	\$1,407.81	\$1,548.59
548	Install surface mounted point of entry (POE) box	per installation	\$651.08	\$716.18
Temporary De-energisation				
560	Temporary de-energisation – LV (Business Hours)	per occurrence	\$430.49	\$473.54
561	Temporary de-energisation – HV (Business Hours)	per occurrence	\$430.49	\$473.54
Supply Abolishment / Removal				
562	Supply Abolishment / Removal – Overhead (Business Hours)	per site visit	\$606.31	\$666.94
563	Supply Abolishment / Removal - Underground (Business Hours)	per site visit	\$1,095.40	\$1,204.93
Miscellaneous Customer Initiated Services				
564	Install & Remove Tiger Tails – Per Installation (Business Hours)	per installation	\$1,423.78	\$1,566.16
565	Install & Remove Tiger Tails - Per Span (Business Hours)	per installation	\$716.75	\$788.42
566	Install & Remove Warning Flags – Per Installation (Business Hours)	per installation	\$1,212.59	\$1,333.85
567	Install & Remove Warning Flags - Per Span (Business Hours)	per installation	\$614.35	\$675.78
Embedded Generation - Operational & Maintenance Fees				
568	Small Embedded Generation OPEX Fees - Connection Assets	per annum	2%	2%
569	Small Embedded Generation OPEX Fees - Shared Network Asset	per annum	2%	2%
Connection Enquiry Processing - PV Installations				
570	PV Connection Enquiry – LV Class 1 (<= 10kW Single Phase / 30kW Three Phase)	per installation	\$0.00	\$0.00

Code	Description	Unit	Proposed Prices excl GST 2018/19	Proposed Prices incl.GST 2018/19
571	PV Connection Enquiry – LV Class 2 to 5 (> 30kW <= 1500kW Three Phase	per installation	\$589.44	\$648.38
572	PV Connection Enquiry – HV	per installation	\$1,178.88	\$1,296.77
573	Provision of information for Network technical study for large scale installations	per installation	\$11,788.83	\$12,967.71
Network Design & Investigation / Analysis Services - PV Installations				
574	Design & Investigation - LV Connection Class 1 PV (<= 10kW Single Phase / 30kW Three Phase)	per installation	\$0.00	\$0.00
575	Design & Investigation - LV Connection Class 2 PV (> 30kW and <= 60kW Three Phase)	per installation	\$3,929.61	\$4,322.57
576	Design & Investigation - LV Connection Class 3 PV (> 60 kW and <= 120kW Three Phase)	per installation	\$5,894.40	\$6,483.84
577	Design & Investigation - LV Connection Class 4 PV (> 120 kW and <= 200kW Three Phase)	per installation	\$7,859.22	\$8,645.14
578	Design & Investigation - LV Connection Class 5 PV (> 200kW and <= 1500kW Three Phase) – Evoenergy Network Study	per installation	\$11,788.83	\$12,967.71
579	Design & Investigation - HV Connection Class 5 PV (>200kW and <= 1500kW Three Phase) – Customer Network Study	per installation	\$14,736.03	\$16,209.63
Residential Estate Subdivision Services*				
580	URD Subdivision Electricity Distribution Network Reticulation - Multi-Unit Blocks	per block	\$0.00	\$0.00
581	URD Subdivision Electricity Distribution Network Reticulation - Blocks <= 650 m ²	per block	\$1,733.52	\$1,906.88
582	URD Subdivision Electricity Distribution Network Reticulation - Blocks 650 - 1100m ² with average linear frontage of 22-25 meters	per block	\$2,271.19	\$2,498.31
Upstream Augmentation*				
585	HV Feeder	per KVA	\$37.55	\$41.31
586	Distribution substation	per KVA	\$21.74	\$23.92
Rescheduled Site Visits				
590	Rescheduled Site Visit – One Person	per site visit	\$143.50	\$157.85
591	Rescheduled Site Visit – Service Team	per site visit	\$606.31	\$666.94
Trenching charges				
592	Trenching - first 2 meters	per visit	\$550.36	\$605.39
593	Trenching - subsequent meters	per meter	\$127.99	\$140.79
Boring charges				
594	Under footpath	per occurrence	\$998.33	\$1,098.16
595	Under driveway	per occurrence	\$1,190.32	\$1,309.35

* The above 2018/19 prices have been calculated by applying CPI of 1.95% and an X factor of -1.22 (as per Table 16.19 of AER Final Decision (April 2015)) to 2017/18 prices.

Codes 580-582 and 585-586 relate to standard control services, not alternative control services, and are therefore not included in the AER's table of charges for ancillary network services (classified as alternative control services) in the Final Decision (i.e. Table 16.17). In the 2015/16 pricing proposal, these charges were included in this list for completeness. For the 2015/16 pricing proposal, these charges were calculated in accordance with Evoenergy's Connection Policy 2015-19, approved by the AER in the Final Decision. For 2016/17 and 2017/18, these charges were increased by CPI only, and in 2018/19 these charges have again been increased by CPI only, as per the Enforceable Undertaking given by Evoenergy and accepted by the AER.

3.2 Metering services charges for 2018/19

In accordance with the Metering Rule Change,¹⁵ smart meters became the standard electricity meter in the ACT for all new connections and for all meter replacements from 1 December 2017. This change effects the regulated metering charges applied to customers with smart meters installed from 1 December 2017. Specifically, a customer with a type 4 meter after 1 December 2017 no longer pays the non-capital component of the regulated annual metering charge (assuming they are not receiving ongoing meter operating and maintenance services from Evoenergy). However, a customer with a regulated type 5 or 6 meter installed before 1 July 2015 will continue to pay Evoenergy the capital component of the regulated annual metering charge (as per the AER's Final Decision, which states that these customers must continue to make a contribution to the recovery of the value of the existing meter asset base).

There are two types of metering service charges (as per the AER's Final Decision).

- Upfront capital charge (for all new and upgraded meters installed by Evoenergy from 1 July 2015).
- Annual charge comprising of two components:
 - capital — metering asset base recovery; and
 - non-capital — operating expenditure and tax.

For existing regulated meters installed before 30 June 2015, Evoenergy has paid upfront for the capital costs of the meters which were then added to the asset base and recovered gradually, over the life of the meter, through annual charges. These customers (with a regulated type 5 or 6 meter), will continue to pay the following charges.

- Capital component of regulated annual metering charge
- Non-capital component of the regulated annual metering charge

To facilitate these metering arrangements, Evoenergy includes the metering capital charge in its (non-XMC¹⁶) network tariffs.

For regulated new meter connections installed between 1 July 2015 and 1 December 2017, the metering capital cost was paid upfront by the customer. Therefore, these customers pay only the non-capital component of the regulated annual metering charge. These customers are assigned to a network tariff that excludes metering capital charges (XMC tariffs). These XMC tariffs ensure that Evoenergy and Retailers are able to clearly identify, through the network billing system, which customers are not liable to pay any ongoing metering capital charge to Evoenergy.

The unmetered loads do not have an XMC tariff because Evoenergy has not connected meters to these loads. Also, the off-peak network tariffs do not have an equivalent XMC tariff because the metering costs are associated with the customer's substantive tariff, not the supplementary off-peak tariff. Furthermore, there are no high voltage XMC network tariffs, because high voltage network tariffs exclude metering charges as Evoenergy has not provided manually read meters to these customers since they are required to use remotely read (types 1- 4) meters. The application of the charges is summarised in Table 3.2.

¹⁵ AEMC, National Electricity Amendment (Expanding competition in metering and related services) Rule 2015, 26 November 2015.

¹⁶ XMC means the tariff excludes metering capital.

Table 3.2 Application of metering charges

TYPE OF CUSTOMER	Pays Evoenergy ongoing metering capital charge	Paid Evoenergy upfront metering capital charge	Eligible for XMC tariffs	Pays Evoenergy metering non-capital charges
- Meter installed before 1 July 2015 - Evoenergy continues to provide metering services	Yes	No	No	Yes
- Meter installed before 1 July 2015 - Customer requested new meter (e.g. for PV system) - Evoenergy installed new meter (before 1 December 2017) - Evoenergy continues to provide metering services	Yes	Yes	No	Yes
- Meter installed before 1 July 2015 - Customer requested new meter (e.g. for PV system) - Evoenergy installed new meter (before 1 December 2017) - Customer switches to another metering provider after 1 December 2017	Yes	Yes	No	No
- New meter (not a replacement) installed between 1 July 2015 and 1 December 2017 - Evoenergy continues to provide metering services	No	Yes	Yes	Yes
- Meter is replaced (in accordance with law) between 1 July 2015 and 1 December 2017 - Evoenergy continues to provide metering services	Yes	No	No	Yes
- New connection from 1 December 2017 - Evoenergy does not install the new meter - Evoenergy does not provide metering services	No	No	Yes	No
- Meter installed before 1 July 2015 - Meter is replaced (in accordance with law) after 1 December 2017 by Metering Coordinator - Evoenergy does not provide metering services after meter is replaced	Yes	No	No	No
- New meter (not replacement) installed between 1 July 2015 and 1 December 2017 - Meter is replaced (in accordance with the law) after 1 December 2017 by Metering Coordinator (not Evoenergy) - Evoenergy does not provide metering services after meter is replaced	No	Yes	Yes	No

3.3 Metering non-capital charges for 2018/19

Table 3.3 presents the metering non-capital charges for 2018/19. The annual metering non-capital charges apply to existing metering customers. The non-capital metering charges in 2018/19 are escalated by CPI, as per the Enforceable Undertaking.

Table 3.3 Metering non-capital charges, 2018/19

			Excluding GST	Including GST
Code	Description	Unit	2018/19	2018/19
MP1	Quarterly basic metering rate			
	Accumulation and time-of-use meters read quarterly	cents per day per NMI *	3.880	4.268
MP2	Monthly basic metering rate			
	Accumulation and time-of-use meters read monthly	cents per day per NMI	6.800	7.480
MP3	Time-of-use metering rate			
	Time-of-use meters read monthly	cents per day per NMI	6.800	7.480
MP4	Monthly manually-read interval metering rate			
	Interval meters recording at either 15- or 30-minute intervals, read manually and processed monthly	cents per day per NMI	55.000	60.500
MP6	Quarterly manually-read interval metering rate			
	Interval meters recording at either 15- or 30-minute intervals, read manually and processed quarterly	cents per day per NMI	15.670	17.237
*National Meter Identifier				

*National Meter Identifier

3.4 Metering capital charges for 2018/19

The metering capital charges for 2018/19 are shown below in Table 3.4 and were added to the network charges in Table 2.4. These amounts are derived by applying CPI of 1.95 per cent to the 2017/18 metering capital charges, as per the Undertaking.

Table 3.4 Metering capital charges, 2018/19

			Excluding GST	Including GST
Code	Description	Unit	2018/19	2018/19
MP7	Quarterly basic metering rate			
	Accumulation and time-of-use meters read quarterly	cents per day per NMI *	7.890	8.679
MP8	Monthly basic metering rate			
	Accumulation and time-of-use meters read monthly	cents per day per NMI	13.800	15.180
MP9	Time-of-use metering rate			
	Time-of-use meters read monthly	cents per day per NMI	13.800	15.180
MP10	Monthly manually-read interval metering rate			
	Interval meters recording at either 15- or 30-minute intervals, read manually and processed monthly	cents per day per NMI	111.410	122.551
MP11	Monthly manually-read interval metering rate			
	Interval meters recording at either 15- or 30-minute intervals, read manually and processed monthly	cents per day per NMI	31.788	34.967
*National Meter Identifier				

*National Meter Identifier

4 Expected price trends

In the following table (Table 4.1) the actual 2018/19 network prices (excluding metering) are presented, as well as the indicative prices for 2019/20. The indicative prices for 2019/20 are based on Evoenergy's second proposed Tariff Structure Statement submitted to the AER as an appendix to the regulatory proposal in January 2018. The AER is expected to release a draft decision on this proposal in September 2018.

4.1 Expected network price trends

Table 4.1 Actual 2018/19 and indicative 2019/20 network charges

			2018/19 Actual	2019/20 Indicative ¹⁷	Change 18/19 to 19/20
010	Residential Basic Network				
	Network access charge	cents/day	27	28	1
	Energy consumption	cents/kWh	7	9	2
015	Residential TOU Network				
	Network access charge	cents/day	27	28	1
	Energy consumption at max times	cents/kWh	13	9	-4
	Energy consumption at mid times	cents/kWh	6	28	22
	Energy consumption at economy times	cents/kWh	3	9	6
020	Residential 5000 Network				
	Network access charge	cents/day	48	49	1
	Energy consumption for the first 60 kWh per day	cents/kWh	6	7	1
	Energy consumption above 60 kWh per day	cents/kWh	7	9	2
025	Residential Demand Network				
	Network access charge	cents/day	27	28	1
	Energy consumption	cents/kWh	3	4	1
	Peak period maximum demand	cents/kW	14	16	2
030	Residential with Heat Pump Network				
	Network access charge	cents/day	91	93	2
	Energy consumption for the first 165 kWh per day	cents/kWh	5	6	1
	Energy consumption above 165 kWh per day	cents/kWh	7	9	2
040	General Network				
	Network access charge	cents/day	49	51	2
	Energy consumption for the first 330 kWh per day	cents/kWh	11	12	1
	Energy consumption above 330 kWh per day	cents/kWh	15	15	0
135	Small Unmetered Loads Network				
	Network access charge	cents/day	40	42	2
	Energy consumption	cents/kWh	11	11	0
060	Off-Peak (1) Night Network				
	Energy consumption	cents/kWh	2	2	0
070	Off-Peak (3) Day & Night Network				
	Energy consumption	cents/kWh	3	4	1
080	Streetlighting Network				
	Network access charge	cents/day	49	51	2
	Energy consumption	cents/kWh	8	9	1

¹⁷ Evoenergy Tariff Structure Statement, Indicative Pricing Schedule, January 2018.

			2018/19 Actual	2019/20 Indicative ¹⁷	Change 18/19 to 19/20
090	General TOU Network				
	Network access charge	cents/day	49	51	2
	Energy consumption at business times	cents/kWh	18	18	0
	Energy consumption at evening times	cents/kWh	8	9	1
	Energy consumption at off-peak times	cents/kWh	4	4	0
101	LV TOU kVA Demand Network				
	Network access charge per connection point	cents/day	55	59	4
	Maximum demand charge	c/KVA/day	42	44	2
	Energy consumption at business times	cents/kWh	7	9	2
	Energy consumption at evening times	cents/kWh	4	5	1
	Energy consumption at off-peak times	cents/kWh	2	3	1
103	LV TOU Capacity Network				
	Network access charge per connection point	cents/day	55	59	4
	Maximum demand charge	c/KVA/day	20	21	1
	Capacity charge	c/KVA/day	20	19	-1
	Energy consumption at business times	cents/kWh	7	9	2
	Energy consumption at evening times	cents/kWh	4	5	1
	Energy consumption at off-peak times	cents/kWh	2	3	1
106	LV Demand Network				
	Network access charge	cents/day	49	51	2
	Energy consumption	cents/kWh	4	6	2
	Peak period maximum demand	c/kW/day	42	32	-10
111	HV TOU Demand Network				
	Network access charge per connection point	\$/day	20	21	1
	Maximum demand charge	c/KVA/day	14	17	3
	Capacity charge	c/KVA/day	14	16	2
	Energy consumption at business times	cents/kWh	5	7	2
	Energy consumption at evening times	cents/kWh	3	4	1
	Energy consumption at off-peak times	cents/kWh	2	3	1
121	HV TOU Demand Network – Customer LV				
	Network access charge per connection point	\$/day	20	21	1
	Maximum demand charge	c/KVA/day	14	17	3
	Capacity charge	c/KVA/day	14	16	2
	Energy consumption at business times	cents/kWh	5	6	1
	Energy consumption at evening times	cents/kWh	3	4	1
	Energy consumption at off-peak times	cents/kWh	2	2	0
122	HV TOU Demand Network – Customer HV and LV				
	Network access charge per connection point	\$/day	20	21	1
	Maximum demand charge	c/KVA/day	13	13	0
	Capacity charge	c/KVA/day	13	13	0
	Energy consumption at business times	cents/kWh	5	6	1
	Energy consumption at evening times	cents/kWh	3	4	1
	Energy consumption at off-peak times	cents/kWh	2	2	0

Indicative 2019/20 charges are based on Evoenergy's Proposed Tariff Structure Statement, Indicative Pricing Schedule, January 2018.

4.2 Expected metering price trends

A comparison of actual 2018/19 and indicative 2019/20 metering charges is presented in Table 4.2. Indicative metering capital and non-capital charges for 2019/20 are based on Evoenergy's regulatory proposal sent to the AER in January 2018. The AER is expected to release a draft decision on this proposal in September 2018.

Table 4.2 Actual 2018/19 and indicative 2019/20 metering charges (excluding GST)

Code	Description		Unit	2018/19	2019/20	Change
MP1	Quarterly metering non-capital rate	This metering non-capital rate applies to all accumulation meters read quarterly.	c/day/NMI	3.88	4.18	0.30
MP2	Monthly non-interval metering non-capital rate	This metering non-capital rate applies to all accumulation meters read monthly.	c/day/NMI	6.80	7.32	0.52
MP3	Monthly interval metering non-capital rate	This metering non-capital rate applies to interval meters read monthly.	c/day/NMI	6.80	7.32	0.52
MP4	Monthly manually-read interval metering non-capital rate	This metering non-capital rate applies to LV/HV interval meters recording at either 15 or 30 minute periods, read manually and processed monthly.	c/day/NMI	55.00	59.26	4.26
MP6	Quarterly manually-read interval metering non-capital rate	This metering non-capital rate applies to interval meters recording at either 15 or 30 minute periods, read manually and processed quarterly.	c/day/NMI	15.67	16.87	1.20
MP7	Quarterly manually-read interval metering capital rate	This metering capital rate applies to all accumulation meters read quarterly.	c/day/NMI	7.89	8.50	0.61
MP8	Monthly non-interval metering capital rate	This metering capital rate applies to non-interval meters read monthly.	c/day/NMI	13.80	14.86	1.06
MP9	Monthly multi-register non-interval metering capital rate	This metering capital rate applies to interval meters read monthly.	c/day/NMI	13.80	14.86	1.06
MP10	Monthly manually-read interval metering capital rate	This metering capital rate applies to LV/HV interval meters recording at either 15 or 30 minute periods, read manually and processed monthly.	c/day/NMI	111.41	119.92	8.51

Indicative 2019/20 charges are based on Evoenergy's Proposed Tariff Structure Statement, Indicative Pricing Schedule, January 2018.

4.3 Expected ancillary and connection service price trends

Indicative charges for ancillary services in 2019/20 are shown in Table 4.3. These are based on Evoenergy's regulatory proposal sent to the AER in January 2018. In this submission Evoenergy proposed some new services, in addition to the services offered to customers in 2018/19. These proposed new services have not been included in Table 4.3 as they have not yet been approved by the AER. The AER is expected to release its draft decision on the regulatory proposal in September 2018.

Table 4.3 Actual 2018/19 and indicative 2019/20 ancillary service charges

Code	Description of service	Unit	2018/19 (excl. GST)	2019/20 (excl. GST)
Premise re-energisation – Existing network connection (applies also to call-outs where connection is energised)				
501	Re-energise premises – Business Hours	per visit	71.74	77.26
502	Re-energise premises – After Hours	per visit	90.94	97.55
Premise de-energisation – Existing network connection				
503	De-energise premises – Business Hours	per visit	71.74	77.26
505	De-energise premises for debt non-payment	per test	143.50	154.55
Meter installation				
507	Install single phase, single element manually read interval meter	per installation	na	na
508	Install subsequent single phase, single element meter - same location & visit	per installation	na	na
509	Install single phase, two element meter	per installation	na	na
511	Install subsequent single phase, two element meter - same location & visit	per installation	na	na
512	Install three phase meter	per installation	na	na
513	Install subsequent three phase meter - same location & visit	per installation	na	na
Meter investigations				
504	Meter Test (Whole Current) – Business Hours	per test	287.00	309.09
510	Meter Test (CT/VT) – Business Hours	per test	332.38	368.51
Special metering services				
506	Special meter read	per read	33.18	36.40
Temporary network connections				
520	Temporary builders supply – Overhead (Business Hours) (excludes meter cost)	per installation	644.88	568.75
522	Temporary builders supply – Underground (Business Hours) (excludes meter costs)	per installation	1,407.81	1,098.41
New network connections				
523	New underground service connection – Greenfield	per installation	0.00	734.68
526	New overhead service connection – Brownfield (Business Hours)	per installation	846.98	745.30
527	New underground service connection – Brownfield from front	per installation	1,407.81	1,363.25
528	New underground service connection – Brownfield from rear	per installation	1,407.81	1,363.25
Network connection alterations and additions				
541	Overhead service relocation – Single visit (Business Hours)	per installation	808.40	706.22
542	Overhead service relocation – Two visits (Business Hours)	per installation	1,616.79	1,412.45
543	Overhead service upgrade – Service cable replacement not required	per installation	808.40	706.22

Code	Description of service	Unit	2018/19 (excl. GST)	2019/20 (excl. GST)
544	Overhead service upgrade – Service cable replacement required	per installation	846.98	745.30
545	Underground service upgrade – Service cable replacement not required	per installation	1,369.24	529.67
546	Underground service upgrade – Service cable replacement required	per installation	1,407.81	1,363.25
547	Underground service relocation – Single visit (Business Hours)	per installation	1,407.81	1,363.25
548	Install surface mounted point of entry (POE) box	per installation	651.08	634.38
Temporary de-energisation				
560	Temporary de-energisation – LV (Business Hours)	per occurrence	430.49	504.70
561	Temporary de-energisation – HV (Business Hours)	per occurrence	430.49	504.70
Supply abolishment/removal				
562	Supply abolishment/removal – Overhead (Business Hours)	per site visit	606.31	529.67
563	Supply abolishment/removal – Underground (Business Hours)	per site visit	1,095.40	1,174.23
Network overhead wire safety services				
564	Install & remove tiger tails – Per installation (Business Hours)	per installation	1,423.78	1,292.69
565	Install & remove tiger tails – Per span (Business Hours)	per installation	716.75	1,004.00
566	Install & remove warning flags – Per installation (Business Hours)	per installation	1,212.59	1,256.81
567	Install & remove warning flags – Per span (Business Hours)	per installation	614.35	869.61
Operational & Maintenance Fees - Export Only Embedded Generation Installations up to 5MW				
568	Embedded Generation OPEX Fees - Connection Assets	per annum	2%	2%
569	Embedded Generation OPEX Fees - Shared Network Asset	per annum	2%	2%
Connection Enquiry Processing - Embedded Generation Installations				
570	PV Connection Enquiry – LV Class 1 (<= 10kW Single Phase / 30kW Three Phase)	per installation	0.00	473.13
571	PV Connection Enquiry – LV Class 2 to 5 (> 30kW <= 1500kW Three Phase)	per installation	589.44	na
572	PV Connection Enquiry – HV	per installation	1,178.88	na
573	Provision of information for Network technical study for large scale installations	per installation	11,788.83	na
Network design and investigation / analysis services – Embedded generation installations				
574	Design & Investigation - LV Connection Class 1 PV (<= 10kW Single Phase / 30kW Three Phase)	per installation	0.00	1,892.51
575	Design & Investigation - LV Connection Class 2 PV (> 30kW and <= 60kW Three Phase)	per installation	3,929.61	3,785.01
576	Design & Investigation - LV Connection Class 3 PV (> 60 kW and <= 120kW Three Phase)	per installation	5,894.40	6,422.05
577	Design & Investigation - LV Connection Class 4 PV (> 120 kW and <= 200kW Three Phase)	per installation	7,859.22	8,856.24
578	Design & Investigation - LV Connection Class 5 PV (> 200kW and <= 1500kW Three Phase) – Evoenergy Network Study	per installation	11,788.83	12,844.11
579	Design & Investigation - HV Connection Class 5 PV (>200kW and <= 1500kW Three Phase) – Customer Network Study	per installation	14,736.03	16,055.13
Residential Estate Subdivision Services (per block)				
580	Subdivision Electricity Distribution Network Reticulation - Multi Unit Blocks	per block	\$0.00	0.00

Code	Description of service	Unit	2018/19 (excl. GST)	2019/20 (excl. GST)
581	Subdivision Electricity Distribution Network Reticulation - Blocks <= 650 M2	per block	\$1,733.52	1,769.09
582	Subdivision Electricity Distribution Network Reticulation - Blocks 650 - 1100m2 with average linear frontage of 22-25 metres	per block	\$2,271.19	2,317.78
Upstream augmentation				
585	HV feeder	\$/kVa	\$37.55	38.32
586	Distribution substation	\$/kVa	\$21.74	22.19
Rescheduled site visits				
590	Rescheduled site visit – One person	per site visit	143.50	154.55
591	Rescheduled site visit – Service team	per site visit	606.31	650.35
Trenching charges				
592	Trenching – first 2 metres	per visit	550.36	557.46
593	Trenching – subsequent metres	per meter	127.99	129.64
Boring charges				
594	Under footpath	per occurrence	998.33	1,011.21
595	Under driveway	per occurrence	1,190.32	1,205.67

Indicative 2019/20 charges are based on Evoenergy's Proposed Tariff Structure Statement, Indicative Pricing Schedule, January 2018.