



**CitiPower Pty**

# **2011 General Service Charge Pricing Schedule**

|                |                                                            |
|----------------|------------------------------------------------------------|
| Version number | Version 1.3                                                |
| Status:        | Active                                                     |
| Author:        | CitiPower Network Pricing Manager                          |
| Date Published | 7 March 2011                                               |
| File Name      | CitiPower 2011 General Service Charge Pricing Schedule.doc |



**CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING  
SCHEDULE**

---

**Document Control**

| Version | Date     | Description                                                     | Amended by      |
|---------|----------|-----------------------------------------------------------------|-----------------|
| 1.0     | 2/2/2011 | First Draft                                                     | Matthew Serpell |
| 1.1     | 3/2/2011 | Final Active Document                                           | Matthew Serpell |
| 1.2     | 2/3/2011 | Remote Service prices added<br>Public Light Product Code Change | Matthew Serpell |
| 1.3     | 7/3/2011 | Introduction changed<br>Bring Forward Fee Changed               | Matthew Serpell |
|         |          |                                                                 |                 |
|         |          |                                                                 |                 |

**CITIPOWER PTY'S 2011 GENERAL SERVICE CHARGE PRICING  
SCHEDULE**

---

**Shortened forms**

| <b>Abbreviation</b>  | <b>Definition or description</b>                                                                                                                                                                                         |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AER                  | Australian Energy Regulator                                                                                                                                                                                              |
| AMI                  | Advanced Metering Infrastructure                                                                                                                                                                                         |
| AMI OIC              | Order in Council; Electricity Industry Act 2000, Order Under Section 15A and Section 46D                                                                                                                                 |
| Augmentation         | Investment in new network assets to meet increased demand                                                                                                                                                                |
| Capacity             | The amount of energy that a part of the network is able to carry                                                                                                                                                         |
| CitiPower            | CitiPower Pty                                                                                                                                                                                                            |
| Demand               | Energy consumption at a point in time                                                                                                                                                                                    |
| Distribution Network | The assets and service which links energy customers to the transmission network                                                                                                                                          |
| Distributor, DNSP    | Distribution Network Service Provider                                                                                                                                                                                    |
| Final Decision       | The Australian Energy Regulator's Final Decision on Victoria - distribution determination 2011 to 2015, October 2010                                                                                                     |
| High Voltage         | Equipment or supplies at voltages of 22 or 11kV                                                                                                                                                                          |
| kVA, MVA             | Kilo-volt amps and Mega-volt amps, units of instantaneous total electrical power demand. Usually the peak demand is referenced. See also PF for the relationship between power demand quantities                         |
| kVAr, MVar           | Kilo-volt amps (reactive) and Mega-volt amps (reactive) units of instantaneous reactive electrical power demand. Usually the peak demand is referenced. See also PF for the relationship between power demand quantities |
| kW, MW               | Kilo-watts and Mega-watts, units of instantaneous real electrical power demand. Usually the peak demand is referenced. See also PF for the relationship between power demand quantities                                  |
| kWh, MWh             | Kilo-watt hours and Mega-watt hours, units of electrical energy consumption                                                                                                                                              |
| Low Voltage          | Equipment or supply at a voltage of 220 V single phase or 415 V, three phase                                                                                                                                             |
| Pricing Proposal     | CitiPower's Initial Pricing Proposal, submitted in accordance with                                                                                                                                                       |

**CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING  
SCHEDULE**

---

| <b>Abbreviation</b> | <b>Definition or description</b>                                                                                                                                                          |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     | the Rules (this document)                                                                                                                                                                 |
| Retailer            | A financially responsible market participant supplying electricity to customers                                                                                                           |
| Subtransmission     | Equipment or supplies at voltage levels of 66kV                                                                                                                                           |
| Tariff              | A grouping of customers who are subject to the same network price components and conditions of supply                                                                                     |
| Unmetered supply    | A connection to the distribution system which is not equipped with a meter and has estimated consumption. Connections to public lights, phone boxes and the like are not normally metered |



**CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING  
SCHEDULE**

---

**Contents**

|                                                                                                                                                   |           |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>Document Control.....</b>                                                                                                                      | <b>i</b>  |
| <b>Shortened forms .....</b>                                                                                                                      | <b>ii</b> |
| <b>1 Introduction.....</b>                                                                                                                        | <b>3</b>  |
| <b>2 Alternative Control Service Charges .....</b>                                                                                                | <b>4</b>  |
| <b>D Alternative Control Service Charges.....</b>                                                                                                 | <b>4</b>  |
| <b>D.1 Fee Based Alternative Control Services .....</b>                                                                                           | <b>5</b>  |
| <b>D.1.1 Metering Services .....</b>                                                                                                              | <b>5</b>  |
| <b>D.1.1.1 Meter Investigation .....</b>                                                                                                          | <b>5</b>  |
| <b>D.1.1.2 Meter Testing.....</b>                                                                                                                 | <b>5</b>  |
| <b>D.1.1.3 De-energisation of existing connections.....</b>                                                                                       | <b>6</b>  |
| <b>D.1.1.4 Energisation of existing connections.....</b>                                                                                          | <b>6</b>  |
| <b>D.1.1.5 Special Meter Reading .....</b>                                                                                                        | <b>7</b>  |
| <b>D.1.2 Public Lighting Services .....</b>                                                                                                       | <b>7</b>  |
| <b>D.1.3 Other Fee Based Services .....</b>                                                                                                       | <b>8</b>  |
| <b>D.1.3.1 Service Truck Visit.....</b>                                                                                                           | <b>8</b>  |
| <b>D.1.3.2 Wasted Attendance .....</b>                                                                                                            | <b>8</b>  |
| <b>D.1.3.3 Reserve Feeder.....</b>                                                                                                                | <b>8</b>  |
| <b>D.1.3.4 PV Installation .....</b>                                                                                                              | <b>9</b>  |
| <b>D.1.3.5 Routine Connections – customers below 100 amps.....</b>                                                                                | <b>9</b>  |
| <b>D.2 QUOTED SERVICES.....</b>                                                                                                                   | <b>11</b> |
| <b>D.2.1 Rearrangement of network assets at customer request, excluding<br/>alteration and relocation of existing public lighting assets.....</b> | <b>11</b> |
| <b>D.2.2 Supply enhancement at customer request .....</b>                                                                                         | <b>11</b> |
| <b>D.2.3 Supply abolishment .....</b>                                                                                                             | <b>12</b> |
| <b>D.2.4 Emergency recoverable works .....</b>                                                                                                    | <b>12</b> |
| <b>D.2.5 Audit design and construction .....</b>                                                                                                  | <b>12</b> |
| <b>D.2.6 Specification and design enquiry .....</b>                                                                                               | <b>12</b> |
| <b>D.2.7 Elective underground where above ground service currently exists.....</b>                                                                | <b>13</b> |
| <b>D.2.8 Damage to overhead service cables caused by high load vehicles.....</b>                                                                  | <b>13</b> |
| <b>D.2.9 High load escorts – lifting overheads.....</b>                                                                                           | <b>13</b> |
| <b>D.2.10 Covering of Low Voltage Mains for safety reasons .....</b>                                                                              | <b>13</b> |
| <b>D.2.11 Routine connections – customer above 100 amps .....</b>                                                                                 | <b>13</b> |
| <b>D.2.12 After hours truck by appointment.....</b>                                                                                               | <b>13</b> |
| <b>D.3 Alternative Control Service Rates for 2011 .....</b>                                                                                       | <b>14</b> |

**CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING  
SCHEDULE**

---

|              |                                                                                           |           |
|--------------|-------------------------------------------------------------------------------------------|-----------|
| <b>D.3.1</b> | <b>Metering Services Fee Based .....</b>                                                  | <b>14</b> |
| <b>D.3.2</b> | <b>Public Lighting Services Fee Based .....</b>                                           | <b>15</b> |
| <b>D.3.3</b> | <b>Other Fee Based Services .....</b>                                                     | <b>16</b> |
| <b>D.3.4</b> | <b>Quoted Services Labour Rates.....</b>                                                  | <b>16</b> |
| <b>D.3.5</b> | <b>Quoted Services Product Code for Supply Abolishment.....</b>                           | <b>16</b> |
| <b>3</b>     | <b>Alternative Control Services - Remote Service Charges.....</b>                         | <b>17</b> |
| 3.1          | Remote Meter Re-configuration.....                                                        | 17        |
| 3.2          | Remote De-energisation .....                                                              | 17        |
| 3.3          | Remote Re-energisation .....                                                              | 17        |
| 3.4          | Remote Service Rates for 2011 .....                                                       | 17        |
| <b>4</b>     | <b>Unregulated Service Charges .....</b>                                                  | <b>18</b> |
| 4.1          | Provision of possum guards .....                                                          | 18        |
| 4.2          | Repair, installation and maintenance of watchman lights .....                             | 18        |
| 4.3          | Meter provision .....                                                                     | 18        |
| 4.3.1        | <i>Meter Provision &gt;160MWh .....</i>                                                   | <i>18</i> |
| 4.3.2        | <i>Meter Data Services &gt;160MWh.....</i>                                                | <i>18</i> |
| 4.3.3        | <i>Provision of a Non-Standard Meter .....</i>                                            | <i>19</i> |
| 4.4          | Emergency Electrical Inspection.....                                                      | 19        |
| 4.5          | Operating, Maintenance and Replacement for T5 (2x24W), CF32 & CF42<br>Public Lights ..... | 20        |
| <b>5</b>     | <b>Prescribed Metering Service Charges.....</b>                                           | <b>21</b> |
| 5.1          | Bring Forward Fee.....                                                                    | 21        |
| <b>6</b>     | <b>Negotiated Service Charges .....</b>                                                   | <b>22</b> |
| 6.1          | Alteration and relocation of DNSP public lighting assets.....                             | 22        |
| 6.2          | New public lighting assets.....                                                           | 22        |

## **CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING SCHEDULE**

---

### **1 Introduction**

The 2011 General Service Charge Pricing Schedule is a combination of regulated and non-regulated charges. This document summarises key charges to retailers and customers including a description of service, prices and product codes.

The document includes the following categories of General Charges;

- Alternative Control Services;
- Unregulated Services;
- Prescribed Metering Services; and
- Negotiated Services.

We endeavour to perform all Services within normal business hours, however if a circumstance arises where after hours activities are required this work can only be undertaken where resources are available. After hours work includes weekends and public holidays.

All prices are exclusive of GST.

Please note that product codes for public lighting change mid year each year therefore, a revised document will be published in approximately July 2011.

**CITIPOWER PTY'S 2011 GENERAL SERVICE CHARGE PRICING  
SCHEDULE**

---

## **2 Alternative Control Service Charges**

The following section is extracted from Appendix D of the CitiPower Pty 2011 Initial Pricing Proposal<sup>1</sup>. The only changes to this section are the inclusion of product codes. The charges in this section are effective from 1 January 2011.

### **D Alternative Control Service Charges**

Alternative Control Services are a set of activities provided by CitiPower that fall under a particular reimage of regulation due to their monopoly or semi-monopoly nature.

Alternative Control Services are divided into two subclasses:

1. Fixed Rate Services – Services are relatively fixed in nature. Charges are levied on a per activity basis; and
2. Quoted Services – Services are highly variable. Charges are levied on a time and materials basis.

We endeavour to perform all Alternative Control Services within normal business hours, however if a circumstance arises where after hours activities are required this work can only be undertaken where resources are available. After hours work includes weekends and public holidays.

All prices are exclusive of GST.

|                       |                                                                     |
|-----------------------|---------------------------------------------------------------------|
| <b>Business Hours</b> | 8am-5pm Monday to Friday (excluding public holidays) <sup>2</sup>   |
| <b>After Hours</b>    | All other times and only where resources are available <sup>3</sup> |

#### **Hours of Operation**

The following sections will set out to list and describe the various charges classified as Fixed Rate and Quoted Alternative Control Services which apply throughout the area served by CitiPower.

---

<sup>1</sup> [http://www.powercor.com.au/Electricity\\_Networks/CitiPower\\_Network/CitiPower\\_-\\_Network\\_Tariffs/](http://www.powercor.com.au/Electricity_Networks/CitiPower_Network/CitiPower_-_Network_Tariffs/)

<sup>2</sup> Times for disconnections (Section D1.1.3) and reconnections (Section D1.1.4) differ from these times

<sup>3</sup> Times for disconnections (Section D1.1.3) and reconnections (Section D1.1.4) differ from these times

## **D.1 Fee Based Alternative Control Services**

Appendix B of the AER's Final Decision<sup>4</sup>, Service Classification, classifies the following service groupings as Alternative Control Services - fee based;

- Metering Services
- Public Lighting Services
- Other Fee Based Services

In some circumstances traffic management will be required to comply with the Roads Management Act to provide the requested services. CitiPower can assist in arranging for traffic control and a pass through fee shall apply.

### **D.1.1 Metering Services**

The charges for each service apply where uninhibited site access is granted. If access to the site is restricted then a service truck may be required therefore attracting a service truck fee.

#### **D.1.1.1 Meter Investigation**

A Meter Investigation charge applies when a request is received to investigate the metering at a given supply point. A need to investigate can arise in a number of situations, such as:

- Interval data analysis
- Meter malfunction<sup>5</sup>
- Wiring transposition investigation
- Contestable metering investigation
- Meter tampering or bypass

#### **D.1.1.2 Meter Testing**

A Meter Testing charge applies when a request is made to test the accuracy of the metering at a given supply point. Different charges apply depending on the type of meter being tested, if it is the first or subsequent meters and whether the meter is single or multi phase and whether the service is provided during or after business hours.

Refer to the Meter Investigation charge for metering issues other than accuracy testing.

---

<sup>4</sup> <http://www.aer.gov.au/content/index.phtml/itemId/740791>

<sup>5</sup> A malfunction is defined as a meter that is operating and not presenting fault alarms but delivering inaccurate data. If the meter malfunction is identified to be a faulty distributor owned asset the fee will be waived.

## **CITIPOWER PTY'S 2011 GENERAL SERVICE CHARGE PRICING SCHEDULE**

---

### **D.1.1.3 De-energisation of existing connections**

A Disconnection (includes Disconnections for Non Payment (DNP)) charge applies when a request is received to disconnect at a supply point. The service requires that all supply assets remain at the customer's installation.

If at the time of disconnection it is discovered that the installation has been damaged or is defective and will be unsafe to energise if a future reconnection occurs, other charges to correct the defect may be applicable. These charges will be based on the nature of the works required.

In the instance where a disconnection is requested for a complex site, a normal disconnection fee may not be appropriate, as a truck may be required to attend due to complications. In this instance a Service Truck Visit (Section D.1.3.1) is required to complete the job and will be charged.

Some examples of complex sites where a truck may be required are;

- No access to distribution equipment - metering and main fuse
- No isolation point
- Multiple NMI's fused at a common isolation point
- CT metered site
- Isolation point in restricted area - substation

Where the request for disconnection is received by CitiPower before 3pm the disconnection will occur within 2 business days or the earliest permissible day thereafter.

### **D.1.1.4 Energisation of existing connections**

A Reconnection charge applies to customers moving into an existing premise where supply assets are installed and the site was previously de-energised.

Three options for energisation are available

1. Reconections (same day) business hours only
2. Reconections (incl. Customer Transfer) business hours
3. Reconections (incl. Customer Transfer) after hours

If the reconnection is required on the same day and CitiPower receive the request before 3pm, the '*Reconnections (same day) business hours*' charge will be applied and the reconnection will occur that day.

If the reconnection is required on the same day as requested and received by CitiPower between 3pm and 9pm the '*Reconnections (incl. Customer Transfer) after hours*' charge is applied.

If the reconnection is required for the next business day and CitiPower receive the request before 3pm on the previous business day the '*Reconnections (incl. Customer Transfer) business hours*' charge is applied.

In the instance that a customer does not provide reasonable access or where equipment is not in a reasonable state, the customer will be charged for the requested service however, supply will not be re-energised. Before the service can be provided,

## **CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING SCHEDULE**

---

the customer may need to undertake rectification works. When the issue(s) have been resolved another request will need to be raised and a new charge will apply.

In the instance where a reconnection is requested for a complex site, a normal reconnection fee may not be appropriate, as a truck may be required to attend due to complications. In this instance a Service Truck Visit (Section D.1.3.1) is required to complete the job and will be charged.

Some examples of complex sites where a truck may be required are:

- No access to distribution equipment - metering and main fuse
- No isolation point
- Multiple NMI's fused at a common isolation point
- CT metered site
- Isolation point in restricted area - substation

The charge will not be applied when:

- The customer changes retailer on a scheduled read; or
- The customer changes name; and
- A field visit is not necessary.

### **D.1.1.5 Special Meter Reading**

The Special Reading/Customer Transfer charge applies when a request for a Special Meter Read is to be performed by a Field Officer outside the scheduled meter reading cycle. Where customers have multiple metering installations, such as farms and units, a separate charge applies to each meter on the property.

In some cases interval data may be required that can be obtained from AMI records, in this situation a request for data re-send is more appropriate than a special read request. If unsatisfied with the resultant data then a meter test or meter investigation may be requested.

The Special Reading/Customer Transfer service is only available during business hours.

### **D.1.2 Public Lighting Services**

Charges apply for public lighting services provided to public lighting customers in accordance with the Public Lighting Code. The following services are included:

- Operation of public lighting assets; including handling enquiries and complaints about public lighting and dispatching crews to repair public lighting assets; and
- Maintenance, repair and replacement of public lighting assets.

## **CITIPOWER PTY'S 2011 GENERAL SERVICE CHARGE PRICING SCHEDULE**

---

### **D.1.3 Other Fee Based Services**

The services classified under the service grouping Fee Based Services have been outlined in the following sub sections and discuss the nature of the fee and how it should be applied.

#### **D.1.3.1 Service Truck Visit**

- Service truck visit charges apply when a service crew is requested for up to an hour. A service truck visit charge is applied in a number of circumstances including;
- Disconnection of complex site (refer section D.1.1.3)
- Reconnection of complex site (refer section D.1.1.4)
- Metering Additions or Alternations
- Shutdowns

In the situation that a service truck visit is required for larger scale after hours works a Quoted Services charge will apply (refer to section D.2.12 'After hours truck by appointment')

Customers are not charged when a service truck is sent to attend emergency and fault calls, unless the customer is clearly at fault, for example, not checking that main switch or safety switch is on.

In the instance where a service truck visit is requested and the truck arrives to find the site is not ready for work to be carried out then a Wasted Truck Visit charge will apply (refer to section D.1.3.2).

#### **D.1.3.2 Wasted Attendance**

Where CitiPower receives a request for a service truck and:

- the crew arrives to find the site is not ready for the scheduled work within 15 minutes of arriving;
- the truck attendance is no longer required once on site; or
- 24 hours notice is not provided for a cancellation;

Then a Wasted Truck Visit charge will apply.

Once the site is ready for the Service Truck Visit another appointment needs to be booked and the normal Service Truck Visit charge applies.

Business hours and after hours charges apply where appropriate.

#### **D.1.3.3 Reserve Feeder**

A Reserve Feeder service is negotiated with customers specifically requesting continuity of electricity supply should the feeder providing normal supply to their connection experience interruption.

The reserve feeder capacity is made available from an alternative feeder that has the available capacity to facilitate the requirements that the customer has nominated. The feeder facilitating reserve capacity may emanate from another Zone sub or an

## **CITIPOWER PTY'S 2011 GENERAL SERVICE CHARGE PRICING SCHEDULE**

---

alternative bus from the same Zone sub facilitating electricity supply to the substation on the customer site.

The fee covers the operation and maintenance of the service, it does not include the capital required to implement or replace the service as this is covered in the connection agreement.

### **D.1.3.4 PV Installation**

The PV Installation charge applies prior to connection of small scale embedded generation to CitiPower's network. This charge specifically covers the inspection of the customer's site to ensure safe connection to the network and includes anti-islanding test.

### **D.1.3.5 Routine Connections – customers below 100 amps**

These charges apply to customers moving into new premises or requesting a temporary supply, additional charges may apply where augmentation is required to meet the customer's supply requirements.

Charges apply where a request is made for a new supply connection at a specified address (including unmetered supply sites), except where the supply is for security lighting<sup>6</sup> (also known as watchman lighting). This charge also applies where a builder wishes to provide permanent or temporary supply to new properties under construction.

For new premises the price includes a check of the installation for compliance to Service and Installations Rules and other related Connection Standards. It does not include inspection of prescribed works for the purpose of issuing of a Certificate of Electrical Safety (CES); this should be organised by a Registered Electrical Contractor (REC)).<sup>7</sup> Separate charges will apply for additional truck or field officer visits to complete connection works.

In some circumstances traffic management will be required to comply with the Roads Management Act to provide the requested services. CitiPower can assist in arranging for traffic control and a pass through fee shall apply.

On occasions when a 'Builders Temporary Supply' is installed and subsequently replaced with a permanent supply each new-connection is considered a distinct site visit and separate new-connection charges are applied, the first to the builder for establishing a new-connection for which the builder uses supply for construction purposes and a second new-connection charge to the customer for connecting the supply. This charge includes the removal of the temporary supply pole where applicable.

---

<sup>6</sup> Watchman lighting is a contestable service.

<sup>7</sup> Customers requesting an additional inspection for a CES (Certificate of Electrical Safety) will incur a separate charge. Electrical inspection services are unregulated activities and carried out by Licensed Electrical Inspectors (LEI).

**CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING  
SCHEDULE**

---

An additional attendance charge in the form of a Wasted Truck Visit charge is applied in those situations where CitiPower has been to the site and returned to complete works that have been delayed due to the fault of the responsible party or their representative. Where an application for supply is made and the site is found to be defective, the Wasted Truck Visit charge will be applied.

Where the determined maximum demand of any separately metered portion of an electrical installation exceeds 80 Amperes per active conductor, then CT metering will be required.

## **D.2 QUOTED SERVICES**

Appendix B of the AER's Final Decision, Service Classification, classifies the following services as Alternative Control Services – quoted services;

- Rearrangement of network assets at customer request, excluding alteration and relocation of existing public lighting assets
- Supply enhancement at customer request
- Supply abolishment
- Emergency recoverable works
- Audit design and construction
- Specification and design enquiry
- Elective underground where above ground service currently exists
- Damage to overhead service cables caused by high load vehicles
- High load escorts – lifting overhead lines
- Covering of low voltage mains for safety reasons
- Routine connections – customers above 100 amps
- After hours truck by appointment

Labour rates on which quotes are based on include:

- General line worker (BH & AH)
- Design/Survey (BH & AH)
- Administration (BH only)

All Quoted Services are based on the actual hours worked multiplied by the approved labour rates plus materials used.

### **D.2.1 Rearrangement of network assets at customer request, excluding alteration and relocation of existing public lighting assets**

A Quoted Service charge is applied when a customer requests capital work for which the prime purpose is to satisfy a customer requirement other than new or increased supply. Examples include;

- Vic Roads and Council requested asset relocations to allow for new road works,
- Customer removal or relocation of service wire to allow work on private installation.

### **D.2.2 Supply enhancement at customer request**

A Quoted Service charge is applied to requests for supply enhancement to a customer site.

## **CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING SCHEDULE**

---

### **D.2.3 Supply abolishment**

A Quoted Service charge is applied to requests for supply abolishment's; this involves the permanent removal of CitiPower's supply assets.

### **D.2.4 Emergency recoverable works**

A Quoted Service charge is applied to recover the costs associated with works that are required to restore CitiPower's distribution network to its standard operating level following an incident caused by a 3rd party. This includes events where there is clear evidence of damage by a third party requiring the replacement of poles (including public lighting poles), transformers, services, cross-arms, switches, public lighting fixtures or contractors digging through cables.

### **D.2.5 Audit design and construction**

This charge may be applied where CitiPower's review, approval or acceptance of works undertaken by third parties is requested by the third party or is deemed necessary by CitiPower.

The charge may be applied in situations including, but not limited to:

- customer provided buildings, conduits or ducts used to house CitiPower's electrical assets
- customer provided connection facilities including switchboards used in the connection of an electricity supply to their installation
- any electrical distribution work completed by a CitiPower approved contractor that has been engaged by a customer under Option 2 provisions
- provision of system plans and system planning scopes, for Option 2 designers
- reviewing and/or approving plans submitted by Option 2 designers.

The charge may also be applied if CitiPower is requested to assess a contractor seeking VEDN or Option 2 contractor accreditation.

### **D.2.6 Specification and design enquiry**

This charge may be applied where CitiPower determines an element of detailed design is required to fairly assess the costs so that an Offer for Connection Services can be issued to a customer as required under the Electricity Distribution Licence.

The charge is considered appropriate if uncertainty exists with respect to matters including, but not limited to:

- the route of the network extension required to reach the customer's property,
- the location of other utility assets,
- environmental considerations including tree clearing,
- obtaining necessary permits from State and Local Government bodies

## **CITIPOWER PTY'S 2011 GENERAL SERVICE CHARGE PRICING SCHEDULE**

---

The charge may also be applied where a customer requests CitiPower to provide information to assist them to undertake feasibility studies or to provide budget estimates.

### **D.2.7 Elective underground where above ground service currently exists**

A Quoted Service charge applies where a customer with an existing overhead service requests an underground service.

### **D.2.8 Damage to overhead service cables caused by high load vehicles**

A Quoted Service charge is applied to a 3<sup>rd</sup> party when overhead service cables require repairing because they have been damaged by high load vehicles pulling down cables.

### **D.2.9 High load escorts – lifting overheads**

A Quoted Service charge applies when a 3<sup>rd</sup> party requires ensuring safe clearance of overhead lines to allow high load vehicles to pass along roads.

### **D.2.10 Covering of Low Voltage Mains for safety reasons**

A Quoted Service charge applies where customers request coverage of powerlines for safety reasons. The charge applied will depend on the time taken to perform the service. Differing charges can arise as a result of the type of line being covered; street mains (two wires or all wire) or service cables.

### **D.2.11 Routine connections – customer above 100 amps**

A Quoted Service charge is when customers above 100 amps request a routine connection, additional charges may apply where augmentation is required to meet the customer's supply requirements.

### **D.2.12 After hours truck by appointment**

A Quoted Service charge is applied to larger scale works requiring an after hours Service Truck appointment longer than 1 hour in duration. Examples of types of works include:

- Disconnection of complex site (refer section D.1.1.3)
- Reconnection of complex site (refer section D.1.1.4)
- Metering Additions or Alternations
- Shutdowns (includes preparation works).

**CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING  
SCHEDULE**

### **D.3 Alternative Control Service Rates for 2011**

#### **D.3.1 Metering Services Fee Based**

| <b>Section Reference</b> | <b>Alternative Control Service</b>                                                                                | <b>Product Code</b> | <b>Business Hours GST Exclusive</b> | <b>Product Code</b> | <b>After Hours GST Exclusive</b> |
|--------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------|-------------------------------------|---------------------|----------------------------------|
| D.1.1.1                  | Meter Investigation                                                                                               | MITBH               | \$244.53                            | MITAH               | \$267.20                         |
| D.1.1.2                  | Meter Accuracy Test - single phase                                                                                | MT1BH               | \$316.69                            | MT1AH               | \$347.13                         |
| D.1.1.2                  | Meter Accuracy Test - Single phase additional meter                                                               | MSABH               | \$141.40                            | n/a                 | n/a                              |
| D.1.1.2                  | Meter Accuracy Test - multi phase                                                                                 | MTMBH               | \$414.37                            | MTMAH               | \$455.35                         |
| D.1.1.2                  | Meter Accuracy Test - Multi phase additional meter                                                                | MMABH               | \$243.49                            | n/a                 | n/a                              |
| D.1.1.2                  | Meter Accuracy Test - CT                                                                                          | MTCBH               | \$404.80                            | MTCAH               | \$444.75                         |
| D.1.1.2                  | Re-test of type 5 & 6 metering installations for first tier customers with annual consumption greater than 160MWh | RTBH                | \$311.09                            | RTAH                | \$343.30                         |
| D.1.1.3                  | Disconnection                                                                                                     | DISBH               | \$13.07                             | n/a                 | n/a                              |
| D.1.1.3                  | Disconnection for non payment                                                                                     | DNPBH               | \$13.07                             | n/a                 | n/a                              |
| D.1.1.4                  | Reconnections (incl Customer Transfer)                                                                            | RCTBH               | \$12.90                             | RCTAH               | \$55.06                          |
| D.1.1.4                  | Reconnections (same day)                                                                                          | RSDBH               | \$16.17                             | n/a                 | n/a                              |
| D.1.1.5                  | Special reading                                                                                                   | SRBH                | \$10.00                             | n/a                 | n/a                              |

## CITIPOWER PTY'S 2011 GENERAL SERVICE CHARGE PRICING SCHEDULE

### D.3.2 Public Lighting Services Fee Based

| Section Reference | Public Lighting Type                               | Product Code |           |           |            |            |            |            |            | Annual \$ charge approved by the Commission GST Exclusive |
|-------------------|----------------------------------------------------|--------------|-----------|-----------|------------|------------|------------|------------|------------|-----------------------------------------------------------|
|                   |                                                    | 1/3 Share    | 1/2 Share | 2/3 Share | 4/10 Share | 6/10 Share | 3/10 Share | 7/10 Share | Full Share |                                                           |
| D.1.2             | Compact Fluorescent T5 (2 X 14W)                   | 510687       | 510691    | 510695    | 510878     | 510904     | 510987     | 511013     | 510683     | \$32.62                                                   |
| D.1.2             | Replacement luminaire - WDV recovery <sup>8</sup>  | -            | -         | -         | -          | -          | -          | -          | 511061     | \$148.54                                                  |
| D.1.2             | Replacement luminaire - avoided costs <sup>9</sup> | -            | -         | -         | -          | -          | -          | -          | 511062     | <b>-\$20.22</b>                                           |
| D.1.2             | Fluorescent 20 watt                                | 510227       | 510228    | 510229    | 510856     | 510882     | 510965     | 510991     | 510230     | \$125.62                                                  |
| D.1.2             | Fluorescent 40 watt                                | 510231       | 510232    | 510233    | 510857     | 510883     | 510966     | 510992     | 510234     | \$126.25                                                  |
| D.1.2             | Mercury vapour 50 watt                             | 510262       | 510263    | 510264    | 510858     | 510884     | 510967     | 510993     | 510265     | \$89.64                                                   |
| D.1.2             | Mercury vapour 80 watt                             | 510266       | 510267    | 510268    | 510859     | 510885     | 510968     | 510994     | 510269     | \$63.12                                                   |
| D.1.2             | Mercury vapour 125 watt                            | 510270       | 510271    | 510272    | 510860     | 510886     | 510969     | 510995     | 510273     | \$99.74                                                   |
| D.1.2             | Mercury vapour 250 watt                            | 510274       | 510275    | 510276    | 510861     | 510887     | 510970     | 510996     | 510277     | \$89.45                                                   |
| D.1.2             | Mercury vapour 400 watt                            | 510278       | 510279    | 510280    | 510862     | 510888     | 510971     | 510997     | 510281     | \$90.51                                                   |
| D.1.2             | Mercury vapour 700 watt                            | 510282       | 510283    | 510284    | 510863     | 510889     | 510972     | 510998     | 510285     | \$133.11                                                  |
| D.1.2             | Sodium low pressure 70 watt                        | 510235       | 510236    | 510237    | 510864     | 510890     | 510973     | 510999     | 510238     | \$133.82                                                  |
| D.1.2             | Sodium high pressure 100 watt                      | 510239       | 510240    | 510241    | 510865     | 510891     | 510974     | 511000     | 510242     | \$106.93                                                  |
| D.1.2             | Sodium high pressure 150 watt                      | 510243       | 510244    | 510245    | 510866     | 510892     | 510975     | 511001     | 510246     | \$104.83                                                  |
| D.1.2             | Sodium high pressure 220 watt                      | -            | -         | -         | 510867     | 510893     | 510976     | 511002     | 510247     | \$106.70                                                  |
| D.1.2             | Sodium high pressure 250 watt                      | 510248       | 510249    | 510250    | 510868     | 510894     | 510977     | 511003     | 510251     | \$106.49                                                  |
| D.1.2             | Sodium high pressure 360 watt                      | -            | 510252    | -         | 510869     | 510895     | 510978     | 511004     | 510253     | \$108.62                                                  |
| D.1.2             | Sodium high pressure 400 watt                      | 510254       | 510255    | 510256    | 510870     | 510896     | 510979     | 511005     | 510257     | \$117.14                                                  |
| D.1.2             | Sodium high pressure 1000 watt                     | 510258       | 510259    | 510260    | 510871     | 510897     | 510980     | 511006     | 510261     | \$210.84                                                  |
| D.1.2             | Metal halide 70 watt                               | 510286       | 510287    | 510288    | 510872     | 510898     | 510981     | 511007     | 510289     | \$206.41                                                  |
| D.1.2             | Metal halide 100 watt                              | -            | -         | -         | 510873     | 510899     | 510982     | 511008     | 510290     | \$164.59                                                  |
| D.1.2             | Metal halide 150 watt                              | 510291       | 510292    | 510293    | 510874     | 510900     | 510983     | 511009     | 510294     | \$165.63                                                  |
| D.1.2             | Metal halide 250 watt                              | 510299       | 510300    | 510301    | 510875     | 510901     | 510984     | 511010     | 510302     | \$127.78                                                  |
| D.1.2             | Metal halide 400 watt                              | 510303       | 510304    | 510305    | 510876     | 510902     | 510985     | 511011     | 510306     | \$127.78                                                  |
| D.1.2             | Metal halide 1000 watt                             | 510307       | 510308    | 510309    | 510877     | 510903     | 510986     | 511012     | 510310     | \$190.61                                                  |

<sup>8</sup> Written Down Value, this is a once off payment to settle the residual value where a compact florescent is used to replace an existing light. It does not include the program cost to roll out energy efficient lights, this is a negotiated fee.

<sup>9</sup> Avoided Cost , this is a once off payment to settle the residual value where a compact florescent is used to replace an existing light. It does not include the program cost to roll out energy efficient lights, this is a negotiated fee.

**CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING  
SCHEDULE**

**D.3.3 Other Fee Based Services**

| Section Reference | Alternative Control Service                      | Product Code | Business Hours GST Exclusive | Product Code | After Hours GST Exclusive |
|-------------------|--------------------------------------------------|--------------|------------------------------|--------------|---------------------------|
| D.1.3.1           | Service Truck Visit                              | STBH         | \$367.82                     | STAH         | \$404.37                  |
| D.1.3.2           | Wasted Truck Visit                               | WTVBH        | \$232.21                     | WTVAH        | \$255.86                  |
| D.1.3.3           | Reserve Feeder - Subtransmission - \$ per KVA pa | RFS          | \$1.47                       | n/a          | n/a                       |
| D.1.3.3           | Reserve Feeder - High Voltage - \$ per KVA pa    | RFHV         | \$3.03                       | n/a          | n/a                       |
| D.1.3.3           | Reserve Feeder - Low Voltage - \$ per KVA pa     | RFLV         | \$7.49                       | n/a          | n/a                       |
| D.1.3.4           | PV Installation                                  | PVBH         | \$223.55                     | PVAH         | \$239.46                  |
|                   | New Connections Responsible for metering         |              |                              |              |                           |
| D.1.3.5           | Single phase                                     | NCSBH        | \$367.63                     | NCSAH        | \$391.79                  |
| D.1.3.3           | Multi phase DC                                   | MDCBH        | \$453.98                     | MDCAH        | \$478.15                  |
| D.1.3.3           | Multi phase CT                                   | MCTBH        | \$1,986.02                   | MCTAH        | \$2,159.32                |
|                   | New Connections Not Responsible for metering     |              |                              |              |                           |
| D.1.3.3           | Single phase                                     | NSPBH        | \$308.37                     | NSPAH        | \$332.53                  |
| D.1.3.3           | Multi phase DC                                   | NMDBH        | \$394.73                     | NMDAH        | \$418.89                  |
| D.1.3.3           | Multi phase CT                                   | NMCBH        | \$1,926.77                   | NMCAH        | \$2,100.07                |

**D.3.4 Quoted Services Labour Rates**

| Section Reference | Alternative Control Service | Business Hours GST Exclusive | After Hours GST Exclusive |
|-------------------|-----------------------------|------------------------------|---------------------------|
| D.2               | General line worker         | \$119.60                     | \$132.50                  |
| D.2               | Design/survey               | \$113.77                     | \$133.99                  |
| D.2               | Administration              | \$49.18                      | n/a                       |

**D.3.5 Quoted Services Product Codes**

| Section Reference | Alternative Control Service                                                                                                 | Product Codes  |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------|
| D.2.1             | Rearrangement of network assets at customer request, excluding alteration and relocation of existing public lighting assets | 511021         |
| D.2.2             | Supply enhancement at customer request                                                                                      | 511022         |
| D.2.3             | Supply Abolishment                                                                                                          | SABOL & 511042 |
| D.2.4             | Emergency recoverable works                                                                                                 | 511023         |
| D.2.5             | Audit design and construction                                                                                               | 511024         |
| D.2.6             | Specification and design enquiry                                                                                            | 511025         |
| D.2.7             | Elective underground service where an existing overhead service exists                                                      | 511026         |
| D.2.8             | Damage to overhead service cables caused by high load vehicles                                                              | 511027         |
| D.2.9             | High load escorts – lifting overheads                                                                                       | 511028         |
| D.2.10            | Covering of low voltage mains for safety reasons                                                                            | 511029         |
| D.2.11            | Routine connections - customer above 100 amps                                                                               | 511041         |
| D.2.12            | After hours truck by appointment                                                                                            | 511043         |

### **3 Alternative Control Services - Remote Service Charges**

#### **3.1 Remote Meter Re-configuration**

The Remote Meter Configuration charge applies when a request is received to modify the metering arrangements in the case where smart metering and related infrastructure are in place.

A meter configuration is a change to the software in the meter that enables changes to parameters for a specific meter function. Examples of meter reconfigurations include:

- Changing the switching times for controlled loads
- Changes associated with the installation of embedded generation and / or the premium feed in tariff
- Implementation of supply capacity.

Meter configuration, will cover metrology and other modification to meter settings.

#### **3.2 Remote De-energisation**

The Remote De-energisation charge applies when a request is received to de-energise a customer that has smart metering and related infrastructure is in place.

Remote de-energisation is defined as the use of the AMI/smart metering infrastructure communications system to control a supply contactor inside the meter such that the customer is disconnected from the DNSP's network (also referred to as 'disconnection')

#### **3.3 Remote Re-energisation**

The Remote Re-energisation charge applies when a request is received to re-energise a customer that has smart metering and related infrastructure is in place.

Remote re-energisation is defined as the use of the AMI/smart metering infrastructure communications system to control a supply contactor inside the meter such that the customer is connected to the DNSP's network (also referred to as 'connection')

#### **3.4 Remote Service Rates for 2011**

| <b>Section Reference</b> | <b>Alternative Control Service</b> | <b>Product Code</b> | <b>Business Hours GST Exclusive</b> |
|--------------------------|------------------------------------|---------------------|-------------------------------------|
| 3.1                      | Remote Re-energisation             | RMC                 | \$5.42                              |
| 3.2                      | Remote De-energisation             | RMDIS               | \$5.42                              |
| 3.3                      | Remote Meter Reconfiguration       | RMR                 | \$28.73                             |

These prices were approved in the February 2011 Final Decision for AMI remote service charges and effective from this date.

## **CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING SCHEDULE**

---

### **4 Unregulated Service Charges**

The AER considers the following services as 'Unclassified Services' which are services that are not subject to economic regulation by the AER.<sup>10</sup>

#### **4.1 Provision of possum guards**

Possum guards are installed on CitiPower assets to prevent potential damage caused by possums to our assets. No charge is applied to the customer in this instance.

However, where a request is made by a customer to have possum guards installed, CitiPower will charge a quoted service charge.

Applicable labour rates are listed in section D.3.4.

This services is based on the actual hours worked plus materials used.

#### **4.2 Repair, installation and maintenance of watchman lights**

Where a customer requests the repair, installation and/or maintenance of a watchman light a quoted service charge will apply.

Applicable labour rates are listed in section D.3.4.

This services is based on the actual hours worked plus materials used.

#### **4.3 Meter provision**

##### **4.3.1 Meter Provision >160MWh**

This charge applies to customers with an annual consumption greater than 160MWh who do not have a metering installation that has the capability of a type 1, 2, 3 or 4 installations.

| <b>Meter Provision</b>         | <b>Product Codes</b> | <b>Business Hours GST Exclusive</b> |
|--------------------------------|----------------------|-------------------------------------|
| 2- or 3-Phase Direct Connected | 510703               | \$180.52                            |
| 3-Phase CT Connected           | 510704               | \$322.75                            |

##### **4.3.2 Meter Data Services >160MWh**

This charge applies for meter reading, data exchange, data aggregation, data estimation, data validation, data substitution and data forwarding for customers with

---

<sup>10</sup> Section 1.21 of the "Framework and Approach paper for the Victorian electricity distribution regulation", January 2011 notes that 'If the AER decides against classifying a distribution services, the service is not regulated under the NER.'

## CITIPOWER PTY'S 2011 GENERAL SERVICE CHARGE PRICING SCHEDULE

---

an annual consumption greater than 160MWh who do not have a metering installation that meets the requirements of a type 1, 2, 3 or 4 installations.

| Meter Data Service                 | Product Codes | \$ Per Annum GST Exclusive |
|------------------------------------|---------------|----------------------------|
| Monthly Read (per NMI per annum)   | N/A           | \$36.69                    |
| Quarterly read (per NMI per annum) | N/A           | \$13.09                    |

**Note:** Meter Data Services are charged based on the number of days elapsed since the last bill. This is used to calculate a charge as a proportion of the annual fee, thus there is no product code for these services. Rates shown are maximum values for this charge.

### ***4.3.3 Provision of a Non-Standard Meter***

This charge applies where CitiPower is the Responsible Person for meter reading and a customer or retailer (on a customer's behalf) requests a non-standard meter for an installation with an annual consumption less than 160MWh. A non-standard meter is a meter that the distributor does not ordinarily install and the retailer / customer makes a specific direct payment for all or part of the metering equipment.

Applicable labour rates are listed in section D.3.4.

This services is based on the actual hours worked plus materials used.

## **4.4 Emergency Electrical Inspection**

With the introduction of the Electricity Safety (Installations) Regulations 1999 on the 3 May 1999, the requirement for Distribution Companies to perform inspection has ceased. However, CitiPower continues to offer an inspection service in emergency or extenuating circumstances for prescribed work undertaken within its distribution area.

A quote service charge will be applied to all electrical inspection functions and will be based on the following hourly labour rates. Note that due to this service being emergency works a minimum two hour call out charge applies when requesting this service. Finally this service can only be provided where resources are available.

| Electrical Inspection Charges | Product Code | Business Hours GST Exclusive Per hour | Product Code | After Hours GST Exclusive Per hour |
|-------------------------------|--------------|---------------------------------------|--------------|------------------------------------|
| Electrical Inspector          | 511043       | \$113.77                              | 511043       | \$133.999                          |
| Administration                | 511043       | \$49.18                               | n/a          | n/a                                |

When a third party inspects prescribed work, a suitably completed copy of the Certification of Electrical Safety must be provided to CitiPower. Supply cannot be connected until CitiPower has received the Certificate.

**CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING  
SCHEDULE**

---

**4.5 Operating, Maintenance and Replacement for T5 (2x24W), CF32 & CF42 Public Lights**

Charges apply for public lighting services provided to public lighting customers with T5 (2x24W), CF32 or CF42 lights included the following services:

- Operation of public lighting assets; including handling enquiries and complaints about public lighting and dispatching crews to repair public lighting assets; and
- Maintenance, repair and replacement of public lighting assets.

| Public Lighting Type        | Product Code | Annual \$ charge<br>GST Exclusive |
|-----------------------------|--------------|-----------------------------------|
| Fluorescent T5 (2 X 24W)    | 510684       | \$32.71                           |
| Compact Fluorescent 32 watt | 511053       | \$32.15                           |
| Compact Fluorescent 42 watt | 511054       | \$32.15                           |

**CITIPower PTY'S 2011 GENERAL SERVICE CHARGE PRICING  
SCHEDULE**

---

## **5 Prescribed Metering Service Charges**

The 'Application for the determination of a customer requested service fee under the revised AMI Order in Council', Final Decision from the AER released 21 December 2010, has approved a Bring Forward Fee under the Prescribed Metering Service classification.

### **5.1 Bring Forward Fee**

The Bring Forward Fee applies when a customer requests a Smart meter to be installed earlier than the scheduled roll out. This includes the provisioning of metering to cater for feed-in tariffs when requested by the customer's retailer (other than new connections).

This charge also applies to requests from a retailer requesting a Smart meter in the same meter location and same meter box, when no other site works such as the following are taking place:

- Facia changes
- New Mains which includes OH to U/G
- New switchboard
- Relocate meters
- NMI Consolidations - 2 or more NMI's to a single NMI
- Changes to Connection Characteristics e.g. single phase to multiphase etc.
- Servicing works
- Non electrical requests such as removing a tree

A Standard Truck Fee is to be applied for the above and for normal truck appointments.

| <b>Prescribed Metering Service Charges</b> | <b>Product Code</b> | <b>Business Hours GST Exclusive</b> | <b>Product Code</b> | <b>After Hours GST Exclusive</b> |
|--------------------------------------------|---------------------|-------------------------------------|---------------------|----------------------------------|
| Bring Forward Fee                          | BFFBH               | \$63.12                             | BFFAH               | \$67.30                          |

## **6 Negotiated Service Charges**

Negotiated distribution services are subject to light handed regulation through the negotiated distribution services criteria and negotiating framework approved by the AER.<sup>11</sup>

The following services have been classified as Negotiated Services.

### **6.1 Alteration and relocation of DNSP public lighting assets**

The charges applicable to Alteration and relocation of DNSP public lighting assets will be quoted based on the CitiPower's Negotiating Framework.

### **6.2 New public lighting assets**

Charges applicable to New public lighting assets (that is, new lighting types not subject to a regulated charge and new public lighting at Greenfield sites) will be quoted based on the CitiPower's Negotiating Framework.

---

<sup>11</sup> [http://www.powercor.com.au/Electricity\\_Networks/CitiPower\\_Network/CitiPower\\_-\\_Network\\_Tariffs/](http://www.powercor.com.au/Electricity_Networks/CitiPower_Network/CitiPower_-_Network_Tariffs/)