




NETWORK PRICE LIST: NETWORK TARIFFS 2018-2019

Effective 1 July 2018

Version 4.0

Document Amendment History

Version No.	Publication Date	Comments																																				
1.0	18 May 2018	Final																																				
2.0	1 June 2018	Pricing corrections to all General Supply block tariffs in the Network Pricing Tables. <table><tr><td>General Supply Block 2 Price</td><td>From</td><td><u>GST excl</u> 8.8805</td><td><u>GST incl</u> 9.76855</td></tr><tr><td></td><td>To</td><td>9.8474</td><td>10.83214</td></tr></table> <table><tr><th>Page</th><th>Section</th><th>Table</th><th>Description</th></tr><tr><td>28</td><td>1.12.1</td><td>1</td><td>Standard Pricing</td></tr><tr><td>29</td><td>1.12.2</td><td>2</td><td>Small Non-market Generation Pricing</td></tr><tr><td>30</td><td>1.12.3</td><td>3a</td><td>Obsolete Solar Bonus Scheme Tariff (Gross Metered) Pricing</td></tr><tr><td>31</td><td>1.12.4</td><td>3b</td><td>Obsolete Solar Bonus Scheme Tariff (Net Metered) Pricing</td></tr><tr><td>32</td><td>1.12.5</td><td>3c</td><td>Obsolete Solar Bonus Scheme Tariff (Net Metered) Combo's</td></tr><tr><td>33</td><td>1.12.6</td><td>4</td><td>Combination Pricing</td></tr></table>	General Supply Block 2 Price	From	<u>GST excl</u> 8.8805	<u>GST incl</u> 9.76855		To	9.8474	10.83214	Page	Section	Table	Description	28	1.12.1	1	Standard Pricing	29	1.12.2	2	Small Non-market Generation Pricing	30	1.12.3	3a	Obsolete Solar Bonus Scheme Tariff (Gross Metered) Pricing	31	1.12.4	3b	Obsolete Solar Bonus Scheme Tariff (Net Metered) Pricing	32	1.12.5	3c	Obsolete Solar Bonus Scheme Tariff (Net Metered) Combo's	33	1.12.6	4	Combination Pricing
General Supply Block 2 Price	From	<u>GST excl</u> 8.8805	<u>GST incl</u> 9.76855																																			
	To	9.8474	10.83214																																			
Page	Section	Table	Description																																			
28	1.12.1	1	Standard Pricing																																			
29	1.12.2	2	Small Non-market Generation Pricing																																			
30	1.12.3	3a	Obsolete Solar Bonus Scheme Tariff (Gross Metered) Pricing																																			
31	1.12.4	3b	Obsolete Solar Bonus Scheme Tariff (Net Metered) Pricing																																			
32	1.12.5	3c	Obsolete Solar Bonus Scheme Tariff (Net Metered) Combo's																																			
33	1.12.6	4	Combination Pricing																																			
3.0	28 Aug 2018	Section 1.12.2 Table 2 – Small Non-Market Generation Pricing - Remove the word Solar from the description of the NESN tariff - Remove the word Solar from the description of the NESG tariff - Update notes [2], [3] and [4] to provide greater clarity about the allocation of tariff codes NESN, NESG and GENR.																																				
4.0	31 Jan 2019	Section 1.4.1.2 Controlled Load Update to conditions to be met to be entitled to a Controlled Load network price.																																				

Disclaimer

Endeavour Energy may change the information in this document without notice. All changes take effect on the date made by Endeavour Energy.

TABLE OF CONTENTS

1.1	Introduction	1
1.2	Network Price List – Network Tariffs	1
1.3	Enquiries	1
Network Tariffs		
1.4	Network Pricing Options	2
	1.4.1. Standard Pricing Options	2
	1.4.2. Small Non-Market Generation Pricing Options	8
	1.4.3. Solar Bonus Scheme Pricing Options	8
	1.4.4. Combination Pricing Options	9
	1.4.5. Unmetered Pricing Options	9
	1.4.6. Site Specific Pricing Option	10
1.5	Tariff Pricing Components	11
	1.5.1. Network Access Charge (NAC)	11
	1.5.2. Energy Consumption Charges	11
	1.5.3. Demand Charges	12
	1.5.4. Generated Energy Charges (credit)	12
1.6	Billing Calculations	12
	1.6.1. Network Access Charges	12
	1.6.2. Energy Consumption Charges	13
	1.6.3. Demand Charges	15
	1.6.4. Generated Energy Calculation	18
1.7	Network Pricing Definitions	18
	1.7.1. Time of Day	18
	1.7.2. Seasons	19
	1.7.3. Public Holidays	19
	1.7.4. GST	19
	1.7.5. Distribution Loss Factors	19
	1.7.6. NMI	19
	1.7.7. Voltages of Supply	19
	1.7.8. Daylight Saving Time	20
1.8	Treatment of import/export power flows	21
1.9	Embedded Generators	21

TABLE OF CONTENTS

1.10	Controlled Load Appliances, Terms and Conditions	21
	1.10.1. <i>Controlled Load 1</i>	21
	1.10.2. <i>Controlled Load 2</i>	23
1.11	Change of Pricing Option.....	24
	1.11.1. <i>Endeavour Energy initiated change of Pricing Option</i>	24
	1.11.2. <i>Retailer initiated change of Pricing Option</i>	24
	1.11.3. <i>Tariff Requests for Embedded Networks</i>	28
1.12	Network Price Tables	29
	1.12.1. <i>Table 1 - Standard Pricing</i>	29
	1.12.2. <i>Table 2 – Small Non-market Generation Pricing</i>	30
	1.12.3. <i>Table 3a – Solar Bonus Scheme (Gross Metered) Pricing</i>	31
	1.12.4. <i>Table 3b – Solar Bonus Scheme (Net Metered) Pricing</i>	32
	1.12.5. <i>Table 3c – Solar Bonus Scheme (Net Metered) Combination Pricing</i>	33
	1.12.6. <i>Table 4 – Combination Pricing</i>	34
	1.12.7. <i>Table 5 – Unmetered Supply Pricing</i>	35

NETWORK TARIFFS

GENERAL INFORMATION

1.1 Introduction

In this document “we”, “us”, “our” and “ours” refers to Endeavour Energy; “you”, “your” and “yours” refers to you, the *customer*.

Words in *italics* are explained in your *customer connection contract*. This contract is available for download from our website at:

www.endeavourenergy.com.au

Alternatively, you can obtain a copy by calling our Contact Centre on 133 718.

1.2 Network Price List – Network Tariffs

Endeavour Energy has compiled this Network Price List to provide you with details of:

- a) a description of charges payable under your *customer connection contract* for services provided or arranged by us;
- b) the pricing options and conditions applicable to various categories of *customers*;
- c) the basis on which we calculate charges for services provided under your *customer connection contract*;
- d) the tariffs and charges, including any off-peak and standby tariffs, payable by *customers*;
- e) the availability of any off-peak or standby tariffs and the extent to which *customers* can take advantage of them; and
- f) our minimum charge in a standard billing period.

1.3 Enquiries

If you have any questions in relation to this Network Price List please contact:

network.pricing@endeavourenergy.com.au

Network Pricing
Endeavour Energy
PO Box 811
Seven Hills NSW 1730

or contact our Contact Centre on 133 718.

For specific enquires related to the application of charges in this Network Price List, please refer to the Retail Operations Contact List (ROCL) or:

- Tariff Transfer Requests (basic meters):
MassMarketTariffChanges@endeavourenergy.com.au
- Tariff Transfer Requests (interval meters):
CommercialTariff.Transfers@endeavourenergy.com.au
- Annual Pricing Resets and Regulatory Determination:
network.pricing@endeavourenergy.com.au
- NMI classification requests (change of size based on consumption):
inspection@endeavourenergy.com.au

NETWORK TARIFFS

NETWORK TARIFFS

This Network Price List and the Network Pricing Options within have been prepared in accordance with the enforceable undertaking agreed between Endeavour Energy and the AER which sets out the 2018-19 network charges effective 1 July 2018.

1.4 Network Pricing Options

The different categories of Network Pricing Options available are:

- Standard;
- Small Non-Market Generation;
- Solar Bonus Scheme;
- Combination Pricing;
- Unmetered; and
- Site Specific

Endeavour Energy will assign a Network Pricing Option when supply commences under the *customer connection contract*.

The assigned Pricing Option will depend on the annual energy consumption measured at the *connection point*, the supply voltage at the *connection point*, the method of connection to Endeavour Energy's *distribution system* and the type of meter(s) installed.

1.4.1. Standard Pricing Options

The available Standard Pricing Options are:

- Residential;
- Controlled Load;
- Residential Time of Use;
- General Supply Non Time of Use;
- General Supply Time of Use; and
- Demand Time of Use.

Standard Network Pricing Options (as set out in Table 1 of the Network Price Tables) are applicable to *connection points* located in the Endeavour Energy *distribution system*, unless one of the Non-standard Pricing Options described in sections 1.4.2, 1.4.3, 1.4.4, 1.4.5, or 1.4.6 apply.

1.4.1.1. Residential

Residential Block Tariff – N70

The Residential Block Tariff (BT) applies to *customer connection services* supplied to the *connection point* where:

- Total electricity consumption, per financial year, is less than 160MWh; and
- Electricity is supplied at a voltage level defined as Low Voltage (LV) - nominally 230/400 V.

In addition, the Residential BT is predominantly used for one or more of the following purposes:

- Private dwellings;

NETWORK TARIFFS

- Boarding and lodging houses, being any house in which three or more persons, exclusive of the family of the proprietor thereof, are lodged for hire or reward from week to week or for more than a week;
- Retirement villages;
- Residential sections of nursing homes and hospitals;
- Residential sections of educational institutions;
- Approved baby health centres, day nurseries and kindergartens;
- Children's homes;
- Churches, mosques, temples etc., being buildings or properties which are used principally for public worship or partly for public worship and partly for educational purpose; and
- Approved caravan sites.

and where that connection point has a meter delivering accumulated metering data or interval metering data.

This tariff consists of the following pricing components:

- Network Access Charge (NAC); and
- Block tariff energy consumption charges.

This is the default tariff for low voltage residential *customers*.

1.4.1.2. Controlled Load

Controlled Load Tariffs – N50 and N54

A Controlled Load tariff applies to *customer connection services* supplied to the *connection point* where:

- Total electricity consumption, per financial year, is less than 160MWh;
- Electricity is supplied at a voltage level defined as Low Voltage (LV) - nominally 230/400 V; and
- A Residential or General Supply tariff also applies.

A Controlled Load tariff applies where electricity load is separately metered and controlled at a *connection point*:

- a) Controlled Load 1 (N50) applies where supply to approved specified appliances is controlled such that supply may not be available between 7:00am and 10:00pm, during both Eastern Standard Time (EST) and Daylight Saving Time (DST).; and
- b) Controlled Load 2 (N54) applies where supply to approved specified appliances is controlled such that electricity is available for restricted periods not exceeding a total of 17 hours in any period of 24 hours.

Switching times will be managed by Endeavour Energy to minimise network investment and meet *customer* needs for the load being controlled.

When a *customer* with Controlled Load chooses another Pricing Option, the Controlled Load meter and Controlled Load relay may be removed.

Customers with a Controlled Load appliance are entitled to a Controlled Load network price only if all of the following conditions are met:

- a) Controlled Load consumption is separately metered using the same type of meter as the uncontrolled portion of a customer's load;
- b) Controlled Load consumption and uncontrolled load consumption is always synchronously read, i.e. on the same day; and
- c) The Controlled Load is managed by Endeavour Energy.

NETWORK TARIFFS

- d) Endeavour Energy's equipment or a Metering Provider's equipment that has the approval of the General Manager – Asset Management controls the supply of electricity to the appliance. If a Meter Provider's equipment is used and the Meter Provider's approval has ended or is revoked, then the Controlled Load Tariff will no longer be allowed for premises with the Meter Provider's equipment still installed.

Additional Notes:

- If the customer wishes to take supply on a Controlled Load Tariff for an existing or new premise the Retailer must arrange for the controlled load service by engaging a Metering Provider who has a Load Control Agreement with Endeavour Energy to use their meter as a controlled load device. The Metering Provider must install their meter to provide controlled load services in accordance with this agreement.
- To continue the Controlled Load Tariff where an existing type 4 metering installation with an Endeavour Energy controlled load device has failed, the Retailer must engage a Metering Provider who has a Load Control Agreement with Endeavour Energy to use their meter as a controlled load device. The Metering Provider must install or reconfigure their meter to provide controlled load services in accordance with this agreement. The Retailer must arrange for the failed controlled load device to be replaced within 15 business days of being notified of the controlled load device failure.
- Existing type 5 and 6 metering installations can continue to be controlled by an Endeavour Energy controlled load device. However, to continue supply on the Controlled Load Tariff, Endeavour Energy's control load device must be removed when the Retailer arranges for a type 4 meter to be installed. The Retailer must engage a Metering Provider who has a Load Control Agreement with Endeavour Energy to use their meter as a controlled load device. The Metering Provider must install or reconfigure their meter to provide controlled load services in accordance with this agreement.
- For the latest listing of approved Metering Providers please contact Endeavour Energy's Metering Coordinator as per the Retail Operations Contacts List.

A Controlled Load tariff is applicable to approved appliances only. Approved appliances must be permanently wired without a plug and socket. Switches that enable the transfer of approved appliances or equipment to non-Controlled Load circuits are not permitted.

Endeavour Energy reserves the right to assign the *customer connection services* to a non-controlled load tariff if the conditions for the Controlled Load Tariff are not met.

This tariff consists of the following pricing components:

- Network Access Charge (NAC); and
- Single energy consumption charge.

1.4.1.3. Residential Time of Use

Residential Time of Use Tariff (Interval data) – N705

The Residential Time of Use (TOU) (Interval data) tariff applies to *customer connection services* supplied to the *connection point* where:

- Total electricity consumption, per financial year, is less than 160MWh;
- Electricity is supplied at a voltage level defined as Low Voltage (LV) - nominally 230/400 V;

NETWORK TARIFFS

- The meter delivers interval metering data.

This Residential TOU (Interval data) tariff applies to a *connection point* which is predominantly used for one or more of the purposes set out in the description for the Residential BT (N70) tariff. Residential *customers* with a meter delivering interval metering data may elect this tariff.

This tariff consists of the following pricing components:

- Network Access Charge (NAC); and
- Time of Use energy consumption charges.

Residential Time of Use Tariff (Basic data) – N706

The Residential Time of Use (TOU) (Basic data) tariff applies to *customer connection services* supplied to the *connection point* where:

- Total electricity consumption, per financial year, is less than 160MWh;
- Electricity is supplied at a voltage level defined as Low Voltage (LV) - nominally 230/400 V; and
- The meter delivers a single “peak”, “shoulder” and “off-peak” consumption value per *billing cycle*.

This Residential TOU (Basic data) tariff applies to a *connection point*, which is predominantly used for one or more of the purposes set out in the description for the Residential BT (N70) tariff. Residential *customers* with a meter delivering a single “peak”, “shoulder” and “off-peak” consumption value per *billing cycle* may elect this tariff. When the meter belongs to Endeavour Energy or Endeavour Energy's nominated contractor, then this tariff is only applicable for a meter delivering a single “peak”, “shoulder” and “off-peak” consumption value per *billing cycle*.

This tariff consists of the following pricing components:

- Network Access Charge (NAC); and
- Time of Use energy consumption charges.

1.4.1.4. General Supply Non Time of Use

General Supply Block Tariff – N90

The General Supply Block Tariff (BT) applies to *customer connection services* supplied to the *connection point* where:

- Total electricity consumption, per financial year, is less than 160MWh; and
- Electricity is supplied at a voltage level defined as Low Voltage (LV) - nominally 230/400 V.

The General Supply BT applies to low voltage electricity used for any purpose other than Residential, at a connection point with a meter delivering accumulated metering data or interval metering data.

This tariff consists of the following pricing components:

- Network Access Charge (NAC); and
- Block tariff energy consumption charges.

The General Supply BT (N90) is the default tariff for low voltage non-residential customers and will be applied in the following circumstances:

NETWORK TARIFFS

- Appropriate TOU / Demand metering metrology are not in place for TOU and/or Demand based tariffs; or
- An established energy consumption history is not available to allow the customer to be classified as consuming > 160MWh per annum, therefore requiring a demand based tariff.

Consequently, General Supply BT (N90) is the default tariff for all new (i.e. greenfield) sites and/or NMIs relating to low voltage non-residential *customers*, regardless of TOU / Demand metering metrology installed or expected future consumption *and* will be applied until such time as a change in Pricing Option is effected in accordance with clause 1.11 (as initiated by Endeavour Energy or the Retailer).

1.4.1.5. General Supply Time of Use

General Supply Time of Use (Interval data) – N845

The General Supply Time of Use (TOU) (Interval data) tariff applies to *customer connection services* supplied to the *connection point* where:

- Total electricity consumption, per financial year, is less than 160MWh;
- Electricity is supplied at a voltage level defined as Low Voltage (LV) - nominally 230/400 V; and
- The meter delivers interval metering data.

This General Supply TOU (Interval data) tariff applies to a *connection point*, which is predominantly used for any purpose other than Residential. Non-residential *customers* with a meter delivering interval metering data may elect this tariff.

Endeavour Energy reserves the right to assign this General Supply TOU pricing option to any new or existing *connection point* fitted with an interval meter.

This tariff consists of the following pricing components:

- Network Access Charge (NAC); and
- Time of Use energy consumption charges.

General Supply Time of Use (Basic data) – N84

The General Supply Time of Use (TOU) (Basic data) tariff applies to *customer connection services* supplied to the *connection point* where:

- Total electricity consumption, per financial year, is less than 160MWh;
- Electricity is supplied at a voltage level defined as Low Voltage (LV) - nominally 230/400 V; and
- The meter delivers a single “peak”, “shoulder” and “off-peak” consumption value per *billing cycle*.

This General Supply TOU (Basic data) tariff applies to a *connection point*, which is predominantly used for any purpose other than Residential. Non-residential *customers* with a meter delivering a single “peak”, “shoulder” and “off-peak” consumption value per *billing cycle* may elect this tariff. When the meter belongs to Endeavour Energy or Endeavour Energy's nominated contractor then this tariff is only applicable for a meter delivering a single “peak”, “shoulder” and “off-peak” consumption value per billing cycle.

This tariff consists of the following pricing components:

- Network Access Charge (NAC); and
- Time of Use energy consumption charges.

NETWORK TARIFFS

1.4.1.6. Demand Time of Use

Low Voltage Demand Time of Use – N19

The Low Voltage Demand Time of Use (TOU) tariff applies to *customer connection services* supplied to the *connection point* where:

- Total electricity consumption, per financial year, is greater than 160MWh;
- Electricity is supplied at a voltage level defined as Low Voltage (LV) - nominally 230/400 V; and
- The meter delivers both interval metering data and demand data.

This tariff consists of the following pricing components:

- Network Access Charge (NAC);
- Time of Use energy consumption charges; and
- Demand charges.

It should be noted that the General Supply BT (N90) is the default tariff for all new (i.e. greenfield) sites and/or NMIs relating to low voltage non-residential *customers*, regardless of TOU / Demand metering metrology installed or expected future consumption *and* will be applied until such time as a change in Pricing Option is effected in accordance with clause 1.11 (as initiated by Endeavour Energy or the Retailer). Consequently, the Low Voltage Demand Time of Use tariff (N19) will not be applied as the default tariff for new (i.e. greenfield) sites and/or NMIs relating to low voltage non-residential customers.

Transitional Time of Use – N89

The Transitional Time of Use (TOU) tariff applies to *customer connection services* supplied to the *connection point* where:

- Total electricity consumption, per financial year, greater than 160MWh but less than 40GWh or 10MVA maximum demand;
- Electricity is supplied at a voltage level defined as Low Voltage (LV) - nominally 230/400 V; and
- The meter delivers interval metering data.

The Transitional TOU tariff applies to those *customers* who satisfy the Low Voltage Demand TOU (N19) tariff criteria, but cannot be transferred to this tariff due to:

- a lack of metering capable of supporting the demand based tariff; or
- the expected financial impact of a direct transition to low voltage time of use demand is deemed excessive.

It is the intention of Endeavour Energy that these *customers* will transition off N89 and onto N19.

This transitional Time of Use tariff is not available by *customer* request.

This tariff consists of the following pricing components:

- Network Access Charge (NAC); and
- Time of Use energy consumption charges.

NETWORK TARIFFS

High Voltage Demand Time of Use – N29

The High Voltage Demand Time of Use (TOU) tariff applies to *customer connection services* supplied to the *connection point* where:

- Electricity is supplied at a voltage level defined as High Voltage (HV) - nominally 12.7 kV SWER, 11 or 22 kV; and
- The meter delivers both interval metering data and demand data.

This tariff consists of the following pricing components:

- Network Access Charge (NAC);
- Time of Use (TOU) consumption charges; and
- Demand charges.

Sub-transmission Time of Use Demand – N39

The Sub-transmission Demand Time of Use (TOU) tariff applies to *customer connection services* supplied to the *connection point* where:

- Electricity is supplied at a voltage level defined as Sub-transmission (ST) - 33, 66 or 132 kV; and
- The meter delivers both interval metering data and demand data.

This tariff consists of the following pricing components:

- Network Access Charge (NAC); and
- Time of Use energy consumption charges; and
- Demand charges.

1.4.2. Small Non-Market Generation Pricing Options

Endeavour Energy has developed Pricing Options for non-market micro-generation installations added to *connection points* within Endeavour Energy's *distribution system* (as set out in Table 2 of the Network Price Tables).

Small Non-Market Generation Pricing Options are formulated on the basis of the equivalent Standard Pricing Options, and include a Generated Energy (credit) pricing component.

1.4.3. Solar Bonus Scheme Pricing Options

The NSW Government's Solar Bonus Scheme (SBS) credited participating customers with a feed in tariff for all the electricity that their eligible solar photovoltaic (PV) system or wind turbine systems generated and provided to the network.

SBS Pricing Options (as set out in Tables 3a, 3b and 3c of the Network Price Tables) were formulated on the basis of the equivalent Standard Pricing Options, and included a Generated Energy (credit) pricing component.

The SBS finished on 31 December 2016 and from 1 January 2017 all Generated Energy Rates were set to zero. All SBS Pricing Options are now deemed obsolete and no new customers will be added to these tariffs.

NETWORK TARIFFS

1.4.4. Combination Pricing Options

Combination Pricing Options (as set out in Tables 3c and 4 of the Network Price Tables) are combinations of standard Pricing Options, which are applicable to *connection points* where an Endeavour Energy owned combination meter is installed¹. A combination meter is one which can meter both a controlled load and normal Residential (or General Supply) consumption as two distinct energy flows.

Combination Pricing Options are formulated on the basis of the equivalent Standard Pricing Options, which would ordinarily be applicable to each component of the Combination Pricing Option.

For example, NC01 (Residential/Controlled Load 1) Pricing Option consists of Residential and Controlled Load 1 charges.

1.4.5. Unmetered Pricing Options

Unmetered Supply Pricing Options (as set out in Table 5 of the Network Price Tables) are applicable to *connection points* that are not metered.

Other Unmetered Supplies – N99

The Unmetered Supply tariff applies to unmetered supplies not eligible for supply under unmetered tariff ENSL or ENTL.

This tariff consists of a Block Tariff (BT) consumption charge only.

Streetlighting – ENSL

The unmetered Streetlighting supply tariff applies to streetlighting *connection points* that are not metered.

This tariff consists of a Single energy consumption charge only.

Traffic Control Signal Lights – ENTL

The unmetered Traffic Control Signal Light supply tariff applies to traffic control signal light *connection points* that are not metered.

This tariff consists of a Single energy consumption charge only.

Nightwatch – ENNW

The unmetered Nightwatch supply tariff applies to night watch *connection points* that are not metered.

This tariff consists of a Single energy consumption charge only.

Energy consumption for ENSL, ENTL and ENNW sites are calculated using the appropriate algorithm in the applicable Metrology Procedure.

¹ Where the combination meter is not owned by Endeavour Energy, the combination pricing option will not apply.

NETWORK TARIFFS

1.4.6. Site Specific Pricing Option

Site Specific (individually calculated) High Voltage or Sub-transmission Demand Time of Use (TOU) tariffs apply to *customer connection services* supplied to the *connection point* where:

- Electricity consumption has been equal to or greater than 100GWh in total for the 36 months preceding the application; or
- Electricity consumption has been equal to or greater than 40GWh per annum in each of the two financial years preceding the application; or
- Monthly peak demand has been equal to or greater than 10MVA for 24 of the 36 months preceding the application.

Endeavour Energy may assign, or maintain, a Site Specific High Voltage or Sub-transmission Demand TOU tariff to any *connection point* in circumstances such as, but not limited to:

- The need to recover investment associated with stranded or dedicated assets, or other costs incurred by Endeavour Energy at that connection point, which may otherwise not be recovered under the Standard Demand TOU tariffs; and
- Endeavour Energy agreeing to assign a Site Specific Demand TOU tariff following an application from the *retailer*.

Inter-distributor transfer network use of system tariffs are calculated on a Site Specific basis and are specifically applied to electricity transferred through the Endeavour Energy network on behalf of Ausgrid and Essential Energy.

Applications requesting a new Site Specific Pricing Option, or a change to an existing Site Specific tariff, must be submitted by 30 September. Pricing for approved applications will take effect on 1 July the following year.

Endeavour Energy reserves the right to reassign a Standard Pricing Option to a *connection point*, effective from the beginning of the next *billing cycle*, if it is discovered that the *connection point* no longer satisfies any of the aforementioned criteria.

Site Specific Demand TOU tariffs consist of the following pricing components:

- Network Access Charge (NAC);
- Time of Use energy consumption charges; and
- Demand charges.

NETWORK TARIFFS

1.5 Tariff Pricing Components

1.5.1. Network Access Charge (NAC)

A Network Access Charge (NAC) is a fixed daily charge for each *connection point* connected to the Endeavour Energy *distribution system*, i.e. per National Metering Identifier (NMI). More than one NAC may apply per NMI if there is more than one Pricing Option applicable to that NMI.

1.5.2. Energy Consumption Charges

1.5.2.1. Single Energy Consumption Charge

A tariff with a single energy consumption charge consists of a single energy rate expressed on a ¢/kWh basis, to be applied to all electricity consumption (kWh).

1.5.2.2. Block Tariff Energy Consumption Charges

Block Tariff (BT) energy consumption charges comprise two or more variable energy components as set out below:

Residential BT supply tariffs

- a First Block Rate, expressed on a ¢/kWh basis, to be applied to electricity consumption (kWh) up to and including 1,000 kWh per quarter;
- a Second Block Rate, expressed on a ¢/kWh basis, to be applied to electricity consumption (kWh) greater than 1,000 kWh per quarter and up to and including 1,750 kWh per quarter; and
- a Third Block Rate, expressed on a ¢/kWh basis, to be applied to all electricity consumption (kWh) in excess of Block 2.

General Supply and unmetered BT supply tariffs

- a First Block Rate, expressed on a ¢/kWh basis, to be applied to electricity consumption (kWh) up to and including 30,000 kWh per quarter; and
- a Second Block Rate, expressed on a ¢/kWh basis, to be applied to all electricity consumption (kWh) in excess of Block 1.

1.5.2.3. Time of Use Energy Consumption Charges

Time of Use energy consumption charges comprise of three variable energy components as set out below:

- 1) a Peak Energy rate, expressed on a ¢/kWh basis, to be applied to the consumption of electricity during the Peak period;
- 2) a Shoulder Energy rate, expressed on a ¢/kWh basis, to be applied to the consumption of electricity during the Shoulder period; and
- 3) an Off-peak Energy rate, expressed on a ¢/kWh basis, to be applied to the consumption of electricity during the Off-peak period.

NETWORK TARIFFS

1.5.3. Demand Charges

Demand charges comprise two variable demand components as set out below of:

- 1) a High-Season Peak Demand rate, expressed on a \$/maximum kVA/month basis, applied to the consumption of electricity during the High-Season Peak period; and
- 2) a Low-Season Peak Demand rate, expressed on a \$/maximum kVA/month basis, applied to the consumption of electricity during the Low-Season Peak period.

1.5.4. Generated Energy Charges (credit)

The Generated Energy Charge (credit) consists of a single Generated Energy rate expressed on a ¢/kWh basis, to be applied to the applicable generated energy (kWh) billing quantity.

1.6 Billing Calculations

1.6.1. Network Access Charges

A Network Access Charge (NAC) is applicable to all *customers* (with the exception of Unmetered Pricing Option *customers*) and is payable for each day of the term of your *customer connection contract* with Endeavour Energy. The amount that your *retailer* must pay Endeavour Energy, is calculated by multiplying the appropriate GST-inclusive "per day" NAC by the relevant number of days.

The NAC is applied as a fixed daily charge for each *connection point* connected to the Endeavour Energy *distribution system*, i.e. per National Metering Identifier (NMI). More than one NAC may apply per NMI if there is more than one Pricing Option applicable to that NMI.

Where Endeavour Energy is allowed by the AER to vary certain charges and rates, those variations may become effective part way through a *billing cycle*. The NAC amount which each *customer* must pay under the old rates, and under the new rates, is calculated on a pro-rata basis.

The pro-rated NAC, in respect of the applicable NAC rate for each part of the *billing cycle* (after the increase becomes effective) is calculated as follows:

$$N_c = n \times t$$

Where:

N_c = pro-rated NAC

n = NAC (\$/day)

t = number of days with the relevant NAC to be invoiced

For example, assume the *customer* has a quarterly *billing cycle*, and the NAC price increase is effective on the 31st day of a 92 day *billing cycle*. Assuming the relevant Pricing Option's NAC is 0.30 \$/day before and 0.35 \$/day after the increase:

For the first 30 days, the *customer* would be charged as follows:

$$0.30 \text{ \$/day} \times 30 = \$9.00$$

For the last 62 days, the *customer* would be charged as follows:

$$0.35 \text{ \$/day} \times 62 = \$21.70$$

NETWORK TARIFFS

1.6.2. Energy Consumption Charges

An energy consumption charge is applicable to all *customers* where energy consumption occurs.

The amount that your *retailer* must pay Endeavour Energy, is calculated by multiplying the appropriate GST-inclusive "per kWh" price by the amount of electricity consumed (based on Endeavour Energy's measurement or, in certain limited circumstances, Endeavour Energy's estimate, of your consumption) at each separately metered *connection point*.

Where Endeavour Energy is allowed by the AER to vary certain charges and rates, those variations may become effective part way through a *billing cycle*. The amount which each *customer* must pay for consumption under the old rates and for consumption under new rates is calculated on a pro-rata basis.

1.6.2.1. Single Energy and TOU Energy Consumption Charges

The pro-rated energy consumption charge, in respect of the applicable energy rate for each part of the *billing cycle* (after the increase becomes effective) is calculated as follows:

$$E_{CS} = E_M \times e \times (t/T)$$

Where:

E_{CS} = pro-rated energy consumption charge

E_M = total consumption (kWh) recorded for the billing cycle

e = energy rate (¢/kWh)

t = number of days with the relevant Energy Rate to be invoiced

T = number of days in the billing cycle

For example, assume the *customer* has a quarterly *billing cycle*, and an increase in the energy rate is effective on the 31st day of a 92 day *billing cycle*. The *customer's* energy consumption for the entire *billing cycle* was 920 kWh. Assuming the relevant energy rate is 10.00 ¢/kWh before and 9.00 ¢/kWh after the price change:

For the first 30 days, the *customer* would be charged as follows:

$$920 \text{ kWh} \times 10.00 \text{ ¢/kWh} \times (30/92) = \$30.00$$

For the last 62 days, the *customer* would be charged as follows:

$$920 \text{ kWh} \times 9.00 \text{ ¢/kWh} \times (62/92) = \$55.80$$

1.6.2.2. BT Energy Consumption Charges

To determine the quantity of electricity consumption (kWh) to be applied against each of the first block rate, second block rate and the third block rate, the Average Daily Consumption is compared against the Daily Threshold(s).

The portion of the Average Daily Consumption less than or equal to the Daily Threshold Level for the First Block is billed the First Block Rate, the portion of the Average Daily Consumption greater than the Daily Threshold Level for the First Block and less than or equal to the Daily Threshold Level for the Second Block is billed the Second Block Rate with the remainder of the Average Daily Consumption to be billed the Third Block Rate.

The Average Daily Consumption is calculated as follows:

$$E_A = E_M / T$$

Where:

E_A = Average Daily Consumption (kWh)

E_M = total consumption (kWh) recorded for the *billing cycle*

T = number of days in the *billing cycle*

NETWORK TARIFFS

If during the *billing cycle* there is a change in pricing or with the threshold level(s) due either to a change in threshold levels or the number of days in the financial year, then a Daily Threshold Level for each part of the *billing cycle* is required. The Daily Threshold Level is calculated as follows:

$$L_1 = L_{Q1} \times 4 / D$$
$$L_2 = L_{Q2} \times 4 / D$$

Where:

L_1 = Daily Threshold Level for the First Block (kWh)
 L_2 = Daily Threshold Level for the Second Block (kWh)
 L_{Q1} = Quarterly Threshold Level for the First Block (kWh)
 L_{Q2} = Quarterly Threshold Level for the Second Block (kWh)
 D = number of days in the pricing year

The pro-rated energy consumption charge, in respect of the applicable energy rate(s) for each part of the *billing cycle* (after the increase becomes effective) is calculated as follows:

If the Average Daily Consumption is less than or equal to the Daily Threshold Level for the First Block:

$$E_C = E_A \times P_1 \times t$$

If the Average Daily Consumption is greater than the Daily Threshold Level for the First Block and less than or equal to the Daily Threshold Level for the Second Block:

$$E_C = (L_1 \times P_1 \times t) + ((E_A - L_1) \times P_2 \times t)$$

If the Average Daily Consumption is greater than the Daily Threshold Level for the Second Block:

$$E_C = (L_1 \times P_1 \times t) + ((L_2 - L_1) \times P_2 \times t) + ((E_A - L_2) \times P_3 \times t)$$

Where:

E_C = pro-rated BT energy consumption charge
 E_A = Average Daily Consumption (kWh)
 L_1 = Daily Threshold Level for the First Block (kWh)
 L_2 = Daily Threshold Level for the Second Block (kWh)
 P_1 = energy rate for the First Block (¢/kWh)
 P_2 = energy rate for the Second Block (¢/kWh)
 P_3 = energy rate for the Third Block (¢/kWh)
 t = number of days with the relevant energy rate to be invoiced

For example, assume a Residential BT *customer* has a quarterly *billing cycle*, and an change in energy rate(s) is effective on the 31st day of a 90 day *billing cycle* and the energy consumption for the *billing cycle* was 1,800 kWh.

Assume also that the change in energy rates is accompanied by a change in threshold levels with the introduction of a new quarterly threshold at 1,000 (kWh), to go with the existing quarterly threshold level of 1,750 (kWh). In addition, the pricing year containing the new prices is a leap year with 366 days, rather than the standard year of 365 days.

Assume the energy rate is 10.0 ¢/kWh for Block 1 and 12.0 ¢/kWh for Block 2 before the increase and 9.0 ¢/kWh for Block 1, 8.0 ¢/kWh for Block 2 and 7.0 ¢/kWh for Block 3 after the price change.

NETWORK TARIFFS

Table 1: BT Energy Consumption Charges

Pricing Period	Quarterly Threshold 1 (kWh)	Quarterly Threshold 2 (kWh)	Days in Pricing Year	No Days	Consumption (kWh)	Block 1 (¢/kWh)	Block 2 (¢/kWh)	Block 3 (¢/kWh)
(1) Old	1,750	9,999,999 ^(*)	365	30	600	10.0	12.0	
(2) New	1,000	1,750	366	60	1,200	9.0	8.0	7.0
Billing cycle				90	1,800			

(*) Where the block tariff only has 1 threshold, it is assumed that any second or higher thresholds are set at a level that will never be reached by consumption levels.

$$\begin{aligned}\text{Average Daily Consumption} &= 1,800 / 90 \\ &= 20 \text{ kWh / day}\end{aligned}$$

Daily Threshold Level

$$\begin{aligned}\text{Pricing Period (1) Threshold 1} &= 1,750 * 4 / 365 \\ &= 19.1781 \text{ kWh / day}\end{aligned}$$

$$\begin{aligned}\text{Pricing Period (2) Threshold 1} &= 1,000 * 4 / 366 \\ &= 10.9289 \text{ kWh / day}\end{aligned}$$

$$\begin{aligned}\text{Pricing Period (2) Threshold 2} &= 1,750 * 4 / 366 \\ &= 19.1256 \text{ kWh / day}\end{aligned}$$

For both pricing periods, the Average Daily Consumption is greater than the Daily Threshold Levels calculated above, so the BT Energy Consumption Charge is calculated as follows:

$$\begin{aligned}\text{Pricing Period (1)} &= \text{Block 1 charge} + \text{Block 2 charge} \\ &= 19.1781 \text{ kWh} \times 10.0 \text{ ¢/kWh} \times 30 \\ &\quad + (20.0 - 19.1781) \text{ kWh} \times 12.00 \text{ ¢/kWh} \times 30 \\ &= \$60.49\end{aligned}$$

$$\begin{aligned}\text{Pricing Period (2)} &= \text{Block 1 charge} + \text{Block 2 charge} + \text{Block 3 charge} \\ &= 10.9289 \text{ kWh} \times 9.0 \text{ ¢/kWh} \times 60 \\ &\quad + (19.1256 - 10.9289) \text{ kWh} \times 8.00 \text{ ¢/kWh} \times 60 \\ &\quad + (20.0 - 19.1256) \text{ kWh} \times 7.00 \text{ ¢/kWh} \times 60 \\ &= \$102.03\end{aligned}$$

$$\begin{aligned}\text{Energy Charge} &= 60.49 + \$102.03 \\ &= \$162.52\end{aligned}$$

1.6.3. Demand Charges

A demand charge is applicable to all customers on a Demand TOU Pricing Option in respect of the demand for electricity their connection points place on the distribution system.

The amount that the retailer must pay Endeavour Energy is calculated by multiplying the appropriate GST-inclusive “per kVA” price by the amount of electricity consumed (based on Endeavour Energy’s measurement or, in certain limited circumstances, Endeavour Energy’s estimate, of your demand) at each separately metered connection point.

NETWORK TARIFFS

All *connection points* on a Demand TOU Pricing Option have a calendar month *billing cycle*. A monthly demand charge is payable, based on the highest demand (kVA), which occurred within any half hour interval of that month falling into a time period defined as 'Peak'.

The demand charge is calculated as follows:

$$D_c = D_M \times d$$

Where:

D_c = demand charge for the month

D_M = chargeable demand (kVA) recorded in respect of the *connection point*.

d = demand rate (\$/kVA/month) according to the season.

Where Endeavour Energy is allowed by the AER to vary certain charges and rates, those variations may become effective part way through a *billing cycle*. The amount which each *customer* must pay for demand under the old rates and for demand under the new rates is calculated on a pro-rata basis.

1.6.3.1. Demand Pro-ration Rules

If a *customer* changes their *retailer* part way through a month, the demand charge will be calculated (based on the chargeable demand) for the entire month for the *connection point* and then the charge pro-rated to each *retailer* accordingly.

The pro-rated demand charge for each *retailer* for each month is calculated as follows:

$$D_P = D_M \times d \times (t/T)$$

Where:

D_P = pro-rated demand charge to the *retailer* for the month

D_M = chargeable demand (kVA) recorded in respect of the *connection point*.

d = demand rate (\$/kVA/month)

t = number of days with the relevant *retailer* to be charged

T = number of days in the entire month

For example, assume a *customer* transfers from *retailer 1* (R1) to *retailer 2* (R2) effective from the 2nd day of January. The chargeable demand for the entire month of January is 310 kVA, and the applicable Pricing Option's demand rate is \$10.00/kVA/month.

R1 would be calculated as follows:

$$310 \text{ kVA} \times 10.00 \text{ \$/kVA} \times (1/31) = \$100.00$$

R2 would be calculated as follows:

$$310 \text{ kVA} \times 10.00 \text{ \$/kVA} \times (30/31) = \$3,000.00$$

Similar pro-rating calculations would occur for each part of the *billing cycle* with a mid-*billing cycle* rate change.

1.6.3.2. Demand Metering

Demand is treated as a component of the Data Stream of Interval Metering Data, in accordance with Section 7 of AEMO's MSATS Procedures National Metering Identifier. For the purpose of this Price List, the following definitions are considered equivalent:

NETWORK TARIFFS

Table 2: Demand Metering Definitions

AEMO			Endeavour Energy	
Energy Flow Definition	NMI Master Channel Suffix	Quadrants covered	Energy (or Power) Flow Definition	Corresponding Load or Phase Angle ϕ in degrees
Import kWh	B	2, 3	Effective, generated	180°
Export kWh	E	1, 4	Effective, consumed	0°
Import kVARh	K	3, 4	Reactive, generated	Leading (Capacitive)
Export kVARh	Q	1, 2	Reactive, consumed	Lagging (Inductive)

For a particular NMI, the Demand Charge for a month is based on the demand (kVA) calculated for every metering interval during that month.

Let NEEEXXXXXX be a NMI with i feeders.
 Let $E_1, \dots, E_i$ be the kWh channels for each feeder.
 Let $K_1, \dots, K_i$ be the leading kVARh channels for each feeder.
 Let $Q_1, \dots, Q_i$ be the lagging kVARh channels for each feeder.

The kVA for each interval (usually half an hour) is calculated as follows:

$$kVA = m \times \sqrt{(\sum E_n)^2 + (\sum (Q_n - K_n))^2}$$

Where m is the number of metering intervals in an hour (usually $m = 2$ within the NEM)

For *connection points* fitted with an 'EMAIL Q3' meter, the measurement of reactive energy is predefined in the configuration of that particular meter as the addition of lagging and leading components. Common practice is to identify this measurement as Q , in these instances the kVA for each half-hour interval is calculated as.

$$kVA = m \times \sqrt{(\sum E_n)^2 + (\sum Q_n)^2}$$

The resultant kVA for sites metered with an 'EMAIL Q3' meter is in real terms equivalent to:

$$kVA = m \times \sqrt{(\sum E_n)^2 + (\sum (Q_n + K_n))^2}$$

For *connection points* covered by the *connection contract*, the difference in the above computations is not significant, as either Q or K (usually K) is nil.

NETWORK TARIFFS

1.6.4. Generated Energy Calculation

Where the Generated Energy rates change, the variation may become effective part way through a *billing cycle*. The amount of the generated energy charge (credit) under the old rates and the new rates is calculated on a pro-rata basis.

The pro-rated amount, in respect of the applicable Generated Energy rate for each part of the *billing cycle* (after the change becomes effective) is calculated as follows:

$$E_G = E_M \times e \times (t/T)$$

Where:

E_G = pro-rated Generated Energy charge (credit)

E_M = generated energy billing quantity (measured in kWh)

e = generated energy credit (¢/kWh)

t = number of days with the relevant generated energy rate to be invoiced

T = number of days in the *billing cycle*

For example, assume the *customer* has a quarterly *billing cycle*, and the change in the generated energy rate is effective on the 31st of a 92 day *billing cycle*. The *customer's* generated energy for billing purposes for the entire *billing cycle* was 460 kWh. Assuming the relevant generated energy rate is 12.30 ¢/kWh before and 0.00 ¢/kWh after the change:

For the first 30 days, the generated energy credit is calculated as follows:

$$460 \text{ kWh} \times 12.30 \text{ ¢/kWh} \times (30/92) = \$18.45$$

For the last 62 days, the generated energy credit is calculated as follows:

$$460 \text{ kWh} \times 0.00 \text{ ¢/kWh} \times (62/92) = \$0.00$$

1.7 Network Pricing Definitions

1.7.1. Time of Day

1.7.1.1. Residential TOU

For Residential TOU Pricing Options 'Peak', 'Shoulder' and 'Off-Peak' periods are based on the following time periods and apply during both Eastern Standard Time (EST) and Daylight Saving Time (DST):

Business Days

Peak:	13:00 – 20:00
Shoulder:	07:00 – 13:00 & 20:00 – 22:00
Off-Peak:	All other times.

Non-business Days

Off-Peak:	All other times.
-----------	------------------

1.7.1.2. General Supply TOU and Demand TOU

For General Supply TOU, Demand TOU and all other TOU Pricing Options, 'Peak', 'Shoulder' and 'Off-peak' periods are based on the following time periods and apply during both Eastern Standard Time (EST), and Daylight Saving Time (DST):

NETWORK TARIFFS

Business Days

Peak:	13:00 – 20:00
Shoulder:	07:00 – 13:00 & 20:00 – 22:00
Off-Peak:	All other times.

Non-business Days

Off-Peak:	All other times.
-----------	------------------

1.7.2. Seasons

The following seasons apply to all Demand TOU Pricing Options:

High Season Demand Period:

Summer	Nov to Mar
Winter	Jun to Aug

Low Season Demand Period:

Other Months	Sep to Oct
Other Months	Apr to May

1.7.3. Public Holidays

The following public holidays are deemed to be *non-business days*: New Year's Day, Australia Day, Good Friday, Easter Monday, Anzac Day, Queen's Birthday, Labour Day, Christmas Day, Boxing Day, and other gazetted public holidays in NSW.

All other non-gazetted holidays, such as bank holidays and other local holidays, are deemed to be *business days*.

Endeavour Energy reserves the right to declare (or decline) additional holidays for the purpose of charging for network use of system services.

1.7.4. GST

Both GST inclusive and GST exclusive Network Rates are shown in the pricing tables. At the time of this publication the applicable GST was 10%.

1.7.5. Distribution Loss Factors

Distribution Loss Factor (DLF) codes and values are published by the Australian Energy Market Operator (AEMO). The DLF factor is used by a *retailer* to increase the *customer's* metered energy amount to account for electrical losses in the *distribution system*.

1.7.6. NMI

Endeavour Energy issues a National Metering Identifier (NMI) for each *connection point* in accordance with the relevant AEMO procedure. Endeavour Energy then invoices for *customer connection services* and network use of system services provided at each of those *connection points* using the applicable pricing option.

1.7.7. Voltages of Supply

Endeavour Energy reserves the right to determine the voltage of supply for a particular *customer* based on the size and nature of the load to be connected. Voltage levels referred to in the prices are:

NETWORK TARIFFS

- Low Voltage (LV) - nominally 230 / 400 V;
- High Voltage (HV) - nominally 12.7 kV SWER, 11 or 22 kV; and
- Sub-transmission (ST) - 33, 66 or 132 kV.

1.7.8. Daylight Saving Time

In order to maintain the same time limits during both Eastern Standard Time (EST) and Daylight Saving Time (DST), billing data is adjusted by shifting the data forward an hour to accommodate for the time shift during DST.

This means that at the start of DST (2am on Sunday) there will be an hour of null data when the time is shifted forwards an hour from EST to DST. Also, data for the period 23:00 to 24:00 in EST will be recorded the following day for the period 00:00 to 01:00 DST.

When DST ends, the time will move back an hour and there will be two sets of hourly data for the period from 02:00 until 03:00, one set generated in DST and the second set generated after the time shift in EST. This data is aggregated for the purposes of billing the "per kWh" charge, but not for Demand Charge calculations.

The table below represents how the data is shifted for DST. The value in each cell (1 to 24) is the period of the day in EST.

Table 3: Daylight Saving Data Shift

	00:00 to 01:00	01:00 to 02:00	02:00 to 03:00	03:00 to 04:00	(etc)	20:00 to 21:00	21:00 to 22:00	22:00 to 23:00	23:00 to 24:00
EST	1	2	3	4	(etc)	21	22	23	24
DST day 1	1	2	NULL	3	(etc)	20	21	22	23
DST	24	1	2	3	(etc)	20	21	22	23
EST day 1	24	1	2 3	4	(etc)	21	22	23	24

The first row represents a normal EST day.

The second row represents day one of DST. Note that the first two hours of the day are the same as EST. At 2am, when DST begins, the data is shifted forward one hour, resulting in a null value for the period between 02:00 and 03:00. Following that, all data is shifted forward one hour as compared to EST.

The third row represents a normal DST day. The data from the last hour of the previous day in EST is used as the data for the first hour of the following day in DST.

The final row of the table represents the day when DST switches back to EST. The first three hours are as per normal DST days, then at 3am EST begins, which means there is a time shift back one hour. Therefore data is recorded for the period 02:00 to 03:00 for both DST and EST. This data is aggregated for the purpose of billing the energy (per kWh) component of the network charge, but not for the Demand Charge component. After 3am, data is recorded and billed as per normal for EST.

Note that while there is less total consumption during the first day of the DST period, this is made up for when the switch back to EST occurs.

NETWORK TARIFFS

1.8 Treatment of import/export power flows

In the situation where an end-use *customer* generates into (Import Energy), as well as consumes energy from (Export Energy), Endeavour Energy's *distribution system*, network use of system services charges apply to the energy consumed by the *customer*. The energy generated back into Endeavour Energy's *distribution system* (Import Energy) is not recognised for network use of system services purposes, unless it is covered under a specific agreement.

Network use of system charges are based on Export Energy only. Import Energy will not be subtracted from the Export Energy.

This policy also extends to Demand Charges with Import Demand not subtracted from Export Demand when calculating network use of system services charges.

Furthermore, metering shall be configured so that reactive energy is measured only when associated with energy consumed by the *customer* (Export Energy).

1.9 Embedded Generators

Any *connection point* that connects a generator to the Endeavour Energy *distribution system* must have an active network use of system services account, as Endeavour Energy will invoice a Network Access Charge for such a *connection point*, irrespective of whether or not an Import of energy, occurs at the *connection point* during the *billing cycle*.

In cases where a High Voltage or Sub-transmission *connection point* exists primarily to connect a generator to the Endeavour Energy *distribution system*, and if energy consumed at that same *connection point* is less than five per cent of the energy generated during any *billing cycle*, then Endeavour Energy may apply a General Supply Time Of Use Network Pricing Option, to that *connection point*.

However, if the *connection point* in question exceeds the level given above, for more than two months during any period of twelve months, Endeavour Energy reserves the right to assign a Standard High Voltage or Sub-transmission Demand Time of Use Network Pricing Option to it, effective from the beginning of the next *billing cycle*.

1.10 Controlled Load Appliances, Terms and Conditions

Important Note: Any plugs and/or sockets are not permitted in any Controlled Load circuit under any circumstances.

1.10.1. Controlled Load 1

The Controlled Load 1 Pricing Option applies where specified appliances are controlled by Endeavour Energy's equipment or a Meter Provider's equipment that has the approval of the General Manager – Asset Management, so that supply may not be available between 7:00am and 10:00pm during Eastern Standard Time (EST) and Daylight Saving Time (DST). Supply will be made available for selected periods between 10:00pm and 7:00am (EST and DST).

1.10.1.1. Storage Water Heaters

In relation to a heating unit in a storage water heater, the following additional conditions must all be met:

- a) the rated hot water delivery of the storage water heater is not less than 100 litres, unless otherwise approved by the General Manager - Asset Management;

NETWORK TARIFFS

- b) Endeavour Energy's equipment or a Meter Provider's equipment that has the approval of the General Manager – Asset Management controls the supply of electricity to the heating unit in the storage heaters;
- c) the operation of any booster heating unit is controlled in such a way that simultaneous operation with the main heating units is not possible; and
- d) unless otherwise approved by the General Manager - Asset Management, heating units must be arranged as multiples of 4.8 kW in accordance with the following table:

Table 4: Storage Water Heater Conditions

Rated Hot Water Delivery (in Litres)	Number and Rating of Heating Elements
Up to and including 400	1 x 4.8 kW
Above 400 and not exceeding 630	2 x 4.8 kW
Above 630	As necessary to provide the full amount of heat in approximately 8 hours, but in any case not more than 20 watts / litre rated hot water delivery.

Note: The above requirements may be varied where a Controlled Load element is provided as a booster for a solar water heater. Controlled Load elements are available to Residential and General Supply small retail customers.

1.10.1.2. Other Appliances

In relation to swimming pool pumps, pool heating equipment, dishwashers, clothes dryers, washing machines, thermal storage, space heaters (heat banks), under floor heating, ice storage systems, electric vehicle chargers and other appliances, the following additional conditions must all be met:

- a) each appliance is permanently connected to the fixed wiring;
- b) all Controlled Load circuits originate at the meter board and are controlled by Endeavour Energy's equipment or a Meter Provider's equipment that has the approval of the General Manager – Asset Management so that supply is available during specified Controlled Load hours; and
- c) for pool heating, the equipment rating shall not exceed 520 watts per square metre of the water surface, unless approved by the General Manager - Asset Management.

1.10.1.3. Noise Control

Local councils may impose conditions relating to the use or operation of equipment causing offensive noise. Air conditioners, swimming pool pumps and heat pump motors may be subject to such conditions and customers should consult the local council before arranging for such equipment to operate at night on Controlled Load.

1.10.1.4. Transfer Between Pricing Options

A switch that transfers equipment normally supplied as a Controlled Load to another Pricing Option is not permissible.

1.10.1.5. Existing Installations

Storage water heaters and thermal storage space heaters previously approved for connection as a Controlled Load will continue to be eligible for supply under the Controlled Load 1 Pricing Option.

NETWORK TARIFFS

1.10.1.6. Application of Controlled Load 1 Pricing Option

The Controlled Load 1 Pricing Option is only available to a *connection point* utilising a Residential or General Supply Pricing Option.

1.10.1.7. Single Person and Dual Occupant Aged Person Accommodation

Notwithstanding the rated hot water delivery requirements of the Controlled Load 1 Pricing Option, in the case of single and dual occupant aged person accommodation owned and controlled by the NSW Department of Housing, or some institution/charity as defined by the General Manager - Asset Management, the minimum rated hot water delivery may be reduced in accordance with the following table:

Table 5: Minimum Hot Water Delivery Rating – Controlled Load 1

Number of Occupants in Property	Minimum Hot Water Delivery Rating	Minimum Kilowatt Rating
1	80 litres	3.6 kW
2	125 litres	3.6 kW

1.10.2. Controlled Load 2

The Controlled Load 2 Pricing Option applies where specified appliances are controlled by Endeavour Energy's equipment or a Meter Provider's equipment that has the approval of the General Manager – Asset Management, so that electricity is available for restricted periods not exceeding 17 hours in any period of 24 hours.

The same terms, conditions and restrictions as listed for Controlled Load 1 are applicable for Controlled Load 2, with the following exceptions:

- The Controlled Load 2 Pricing Option can be applied to an electric heat pump with a minimum tank size of 250 litres, but that pump cannot be consequently transferred to the Controlled Load 1 Pricing Option; and
- Special conditions applicable to single person and dual occupant aged person accommodation set out in the following table replace the conditions applicable to Controlled Load 1:

Table 6 : Minimum Hot Water Delivery Rating – Controlled Load 2

Number of Occupants in Property	Minimum Hot Water Delivery Rating	Minimum Kilowatt Rating
1 or 2	80 litres	3.6 kW

1.10.2.1. Application of Controlled Load 2 Pricing Option

The Controlled Load 2 Pricing Option is only available to a *connection point* utilising a Residential or General Supply Pricing Option.

NETWORK TARIFFS

1.11 Change of Pricing Option

1.11.1. Endeavour Energy initiated change of Pricing Option

Endeavour Energy may initiate a change to a *customer's* Pricing Option if a *customer's* consumption characteristics are inconsistent with the requirements of the tariff under which they are taking supply.

An Endeavour Energy initiated change to a *customer's* Pricing Option will require Endeavour Energy to write to the impacted *customer's retailer* informing them of the proposed tariff reassignment prior to the transfer occurring. The notification letter will provide the *retailer* with:

- The reasons for the reassignment;
- The criteria by which the customer was identified for transfer;
- The opportunity to object to the reassignment prior to its actioning; and
- Notification that an alternate dispute resolution process is available should the *retailer* be dissatisfied with Endeavour Energy's proposal.

1.11.2. Retailer initiated change of Pricing Option

Retailers can apply for a change in Pricing Option in accordance with this clause. Endeavour Energy maintains it is the responsibility of the *retailer* to be aware of the needs of a customer at any time, and apply for a change in network price to Endeavour Energy as the Distribution Network Service Provider (DNSP), in an appropriate, compliant and timely manner.

The following table illustrates standard² Pricing Options and those Pricing Options available to *customers* who match specified criteria.

Table 7: Available Retailer initiated changes to Pricing Options

Customer Criteria			Available Pricing Options ³	
Customer Type	Annualised Consumption	Supply Voltage	Standard	Alternate (on application)
Residential	< 160 MWh	LV	N70, NC01 or NC02	N706 or N705
Non-Residential	< 160 MWh	LV	N90, NC03 or NC04	N84 or N845
Non-Residential	> 160 MWh	LV	N19	n/a
Non-Residential	N/A	HV	N29	Site Specific
Non-Residential	N/A	ST	N39	Site Specific

² The standard Pricing Option does not constitute the default pricing option applied by Endeavour Energy upon connection. Refer to section 1.11.2.2 for further details.

³ Metrology capable of supporting the selected Pricing Option must be in place before the change of Pricing Option can be approved.

NETWORK TARIFFS

In order to change a Pricing Option a *retailer* must comply with table 8 or 9 below:

Table 8: Process for retailer to change Pricing Option for a site with basic meter

Customer Type	Basic Meter with the following service (note: a connection point may have more than one service)		
	Non Controlled Load service (eg general supply, generation)	Controlled Load service where Endeavour Energy's equipment controls the supply of electricity to the appliance	Controlled Load service where the Meter Provider's equipment, that has the approval of the General Manager – Asset Management, controls the supply of electricity to the appliance
Residential	Email MassMarketTariffChanges@endeavourenergy.com.au nominating the proposed network tariff	Submit a Metering Service Works Meter Reconfiguration B2B Service Order populating the proposed controlled load network tariff	Not applicable
LV Non-Residential	Email MassMarketTariffChanges@endeavourenergy.com.au nominating the proposed network tariff	Submit a Metering Service Works Meter Reconfiguration B2B Service Order with the proposed controlled load network tariff	Not applicable
HV & ST Non-Residential	Not applicable	Not applicable	Not applicable

NETWORK TARIFFS

Table 9: Process for retailer to change Pricing Option for a site with interval meter

Customer Type	Interval meter with the following service (note: a connection point may have more than one service)		
	Non Controlled Load service (eg general supply, generation)	Controlled Load service where Endeavour Energy's equipment controls the supply of electricity to the appliance	Controlled Load service where the Meter Provider's equipment, that has the approval of the General Manager – Asset Management, controls the supply of electricity to the appliance
Residential	Type 4 meter: Request the Meter Provider to update MSATS with the new network tariff Type 5 meter: Submit a completed FBS 3000 Form nominating the proposed network tariff	Submit a Metering Service Works Meter Reconfiguration B2B Service Order with the proposed controlled load network tariff	Request the Meter Provider to reconfigure their meter and update MSATS with the new controlled load network tariff
LV Non-Residential	Type 4 & 5 meter: Submit a completed FBS 3000 Form nominating the proposed network tariff	Submit a Metering Service Works Meter Reconfiguration B2B Service Order with the proposed controlled load network tariff	Request the Meter Provider to reconfigure their meter and update MSATS with the new controlled load network tariff
HV & ST Non-Residential	Submit a completed FBS 3000 Form nominating the proposed network tariff	Not applicable	Not applicable

The FBS 3000 form must be completed electronically and emailed to:

CommercialTariff.Transfers@endeavourenergy.com.au

Form FBS 3000 is available upon request, from this email address.

Endeavour Energy reserves the right to not process any application if form FBS 3000:

- is not sent to the specified email address; or
- has missing or incomplete data; or
- is not in MS Excel format.

NETWORK TARIFFS

Please note that:

- For published tariffs, Endeavour Energy requires a minimum of 30 days' notice, prior to the end of the *billing cycle* to which the new Network Pricing Option is intended to apply, in order to process the application.
- Applications requesting a new Site Specific Pricing Option, or a change to an existing Site Specific tariff, must be submitted by 30 September. Pricing for approved applications will take effect on 1 July the following year.
- All changes to a Pricing Option for a site with an interval meter can only take effect from the 1st day of the next month.
- It is the retailer's responsibility, via their metering provider, to ensure that MSATS is populated with the correct network tariff code.
- Fees apply for each completed request to change to a different Controlled Load Pricing Option where Endeavour Energy's equipment is installed. Information regarding fees relating to this service can be found in our Ancillary Network Services Price List.
- Endeavour Energy will not accept any application not filed by a *retailer*, for example applications from consultants or directly from *customers*.
- Endeavour Energy reserves the right to not process any application which includes any NMI where the *retailer* filing that application is not the current *retailer*, or for which no corresponding transfer of *retailer* request is found in MSATS, at the time the application is received by Endeavour Energy.
- Endeavour Energy reserves the right to not process any application which includes any NMI where a change to the Metering Installation (refer Australian Energy Market Operator Metrology Procedures) has been made, but the Metering Provider / Accredited Service Provider carrying out that change has yet to lodge a Notification of Service Works with Endeavour Energy.
- The required metering metrology must be in place before the application for a change of Pricing Option can be approved.
- Demand TOU Pricing Options at any voltage of supply require an interval meter to be installed at the *customer's* premises by a Metering Provider.
- The selected pricing option for each NMI must match explicitly with the *customer* criteria as indicated in the preceding table. The transitional tariff N89 is not available on application.
- A *customer* can only move away from the Low Voltage Demand TOU tariff (N19) if a history of consistently low consumption (less than 160MWh pa) over the twelve months preceding the date of the application can be established in a manner satisfactory to Endeavour Energy. In this event the choice of Pricing Option is limited to the General Supply TOU (N84) tariff.
- Controlled Load conversions are not part of the FBS 3000 form process.

1.11.2.1. Backdating of Tariff Requests

Endeavour Energy does not backdate any change in network pricing in cases where a *retailer* (or the Metering Provider, or the Accredited Service Provider (ASP), acting on behalf of the *retailer*) fails to adhere to the process outlined in clause 1.11.2.

1.11.2.2. Default Pricing Option for Low Voltage Non-Residential Customers

The General Supply BT (N90) is the default tariff for all NMIs relating to low voltage non-residential *customers* including new (i.e. greenfield) sites and will be applied regardless of TOU / Demand metering metrology installed or expected future consumption.

NETWORK TARIFFS

Tariff N90 will be applied until such time as a change in Pricing Option is effected in accordance with clause 1.11 (as initiated by Endeavour Energy or the *retailer*).

If, however for new (i.e. greenfield) sites, Endeavour Energy receives an application from the *retailer* at least 30 days before the NMI is energised, then consideration will be given to placing the NMI directly onto the requested tariff providing the following conditions are met:

- Appropriate TOU / Demand metering metrology are in place for TOU and/or Demand based tariffs; and
- The expected energy consumption falls within the consumption band required by the requested tariff.

If provisional approval is granted, the application can only be finalised when Endeavour Energy receive the first metering data after energisation confirming that the required metrology is in place.

It is the responsibility of the *customer* to arrange for the installation of a suitable interval meter.

1.11.3. Tariff Requests for Embedded Networks

Registered embedded networks involve onselling energy to electricity customers connected to a private network which is in turn connected to Endeavour Energy's network. The registered embedded network typically has a single revenue metering location established on the incoming supply. This single revenue metering location is often referred to as the parent or gate metering point. Registered embedded networks can be shopping centres, retirement villages or office buildings.

A typical brownfield registered embedded network is established when:

- An existing multi-occupancy site elects to establish a registered embedded network for the purpose of on selling energy where one or more of the occupants seek retailer of choice instead of purchasing electricity from the embedded network operator. Prior to establishing the registered embedded network, the end use consumers are considered to be connected directly to the Endeavour Energy's distribution network so that all consumers have NMIs registered in MSATS.
- the brownfield registered embedded network is established, and a parent metering point has been registered, the NMIs of consumers originally considered to be connected to the Endeavour Energy distribution network are no longer "energised" and are made extinct in MSATS. Any consumer seeking retailer of choice can be registered with a Child NMI by contacting their retailer of choice.

For parent NMIs, created for the purpose of registering an embedded network, the retailer may apply for a specific network tariff to be assigned from the commencement date. Prior to the commencement date of the registered embedded network, the retailer must complete electronic form FBS 4000 and email the completed form to:

CommercialTariff.Transfers@endeavourenergy.com.au

Form FBS 4000 is available upon request, from this email address.

Endeavour Energy will notify the retailer if their application has been successful.

Endeavour Energy maintains it is the responsibility of the retailer to be aware of the needs of a customer at any time, and apply for a tariff request for embedded networks, to Endeavour Energy as the Distribution Network Service Provider (DNSP), in an appropriate, compliant and timely manner.

If form FBS 4000 is not received before the commencement date of the embedded network, Endeavour Energy's default tariff for low voltage non-residential *customers*, General Supply BT (N90), will be applied.

NETWORK TARIFFS

1.12 Network Price Tables

1.12.1. Table 1 - Standard Pricing

Prices effective 1 July 2018

Endeavour Energy 2018/19 Standard Network Prices	Network Tariff Code	Service Rate	Network Access Charge		Energy Rate												High Season Demand Rate (Summer & Winter)		Low Season Demand Rate (Other Months)	
			\$ / day		Non-Time Of Use Block 1 ¢ / kWh		Non-Time Of Use Block 2 ¢ / kWh		Non-Time Of Use Block 3 ¢ / kWh		Time Of Use Peak ¢ / kWh		Time Of Use Shoulder ¢ / kWh		Time Of Use Off-Peak ¢ / kWh		Time Of Use Peak-only \$/ kVA / month		Time Of Use Peak-only \$/ kVA / month	
Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	
Residential (BT)	N70	EN70	0.3516	0.38676	8.9245	9.81695	8.9245	9.81695	8.9245	9.81695										
Controlled Load 1 (Off-Peak 1)	N50	EN50	0.0283	0.03113	0.5499	0.60489														
Controlled Load 2 (Off-Peak 2)	N54	EN54	0.0283	0.03113	2.6712	2.93832														
Residential TOU (Interval data)	N705	N705	0.3960	0.43560							10.1494	11.16434	8.8422	9.72642	7.5349	8.28839				
Residential TOU (Basic data)	N706	N706	0.3960	0.43560							10.1494	11.16434	8.8422	9.72642	7.5349	8.28839				
General Supply Non-TOU (BT)	N90	EN90	0.5031	0.55341	8.8805	9.76855	9.8474	10.83214												
General Supply TOU (Basic data)	N84	EN84	0.5670	0.62370							11.2993	12.42923	8.5361	9.38971	6.6940	7.36340				
General Supply TOU, (Interval data)	N845	N845	0.5670	0.62370							11.2993	12.42923	8.5361	9.38971	6.6940	7.36340				
Transitional General Supply TOU*	N89	EN89	18.7290	20.60190							10.7935	11.87285	9.4525	10.39775	8.1115	8.92265				
LV Demand TOU	N19	EN19	18.7290	20.60190							2.2687	2.49557	2.1500	2.36500	2.0312	2.23432	9.8225	10.80475	9.3815	10.31965
HV Demand TOU	N29	EN29	32.1758	35.39338							1.6377	1.80147	1.5713	1.72843	1.5049	1.65539	8.5465	9.40115	8.1768	8.99448
ST Demand TOU	N39	EN39	50.5832	55.64152							1.4177	1.55947	1.3602	1.49622	1.3027	1.43297	6.8236	7.50596	6.5295	7.18245

IMPORTANT NOTES:

* = This is a Transitional Network Tariff applicable to selected customers with annual consumption > 160 MWh. It is not available on application.

Network Tariff codes prefixed 'N' may appear on an invoice with a prefix 'EN'.

For Residential Block Tariffs, Block 1 applies to the first 1,000 kWh per quarter. Block 2 applies to consumption greater than 1,000 kWh and less than 1,750 kWh per quarter. Block 3 applies to all consumption in excess of Block 2.

For General Supply Block Tariffs, Block 1 applies to the first 30,000 kWh per quarter. Block 2 applies to all consumption in excess of Block 1.

The network prices in this table are inclusive of transmission passthrough charges and recovery of the NSW Climate Change Fund contribution.

NETWORK TARIFFS

1.12.2. Table 2 – Small Non-market Generation Pricing

Prices effective 1 July 2018

Endeavour Energy 2018/19 Network Prices for Small Non-Market Generation	Network Tariff Code	Service Rate	Network Access Charge		Energy Rate												High Season Demand Rate (Summer & Winter)		Low Season Demand Rate (Other Months)		Generated Energy Rate (Credit)	
					Non-Time Of Use Block 1		Non-Time Of Use Block 2		Non-Time Of Use Block 3		Time Of Use Peak		Time Of Use Shoulder		Time Of Use Off-Peak		Time Of Use Peak-only		Time Of Use Peak-only		Non-Time of Use	
			\$ / day		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh		\$ / kVA / month		\$ / kVA / month		¢ / kWh	
			Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST
Residential (BT) Solar (Net)	NS70	GN70	0.3516	0.38676	8.9245	9.81695	8.9245	9.81695	8.9245	9.81695											0.00	0.00
Residential (BT) Solar (Gross)	NG70	NGZ7	0.3516	0.38676	8.9245	9.81695	8.9245	9.81695	8.9245	9.81695											0.00	0.00
Residential TOU (Interval data), Solar (Net)	NS75	GN75	0.3960	0.43560							10.1494	11.16434	8.8422	9.72642	7.5349	8.28839					0.00	0.00
Residential TOU (Interval data), Solar (Gross)	NG75	GG75	0.3960	0.43560							10.1494	11.16434	8.8422	9.72642	7.5349	8.28839					0.00	0.00
Residential TOU (Basic data), Solar (Net)	NS76	GN76	0.3960	0.43560							10.1494	11.16434	8.8422	9.72642	7.5349	8.28839					0.00	0.00
Residential TOU, (Basic data), Solar (Gross)	NG76	GG76	0.3960	0.43560							10.1494	11.16434	8.8422	9.72642	7.5349	8.28839					0.00	0.00
General Supply Non-TOU (BT) Solar (Net)	NS90	GN90	0.5031	0.55341	8.8805	9.76855	9.8474	10.83214													0.00	0.00
General Supply Non-TOU (BT) Solar (Gross)	NG90	NGZ9	0.5031	0.55341	8.8805	9.76855	9.8474	10.83214													0.00	0.00
General Supply TOU (Basic data), Solar (Net)	NS84	GN84	0.5670	0.62370							11.2993	12.42923	8.5361	9.38971	6.6940	7.36340					0.00	0.00
General Supply TOU (Basic data), Solar (Gross)	NG84	GG84	0.5670	0.62370							11.2993	12.42923	8.5361	9.38971	6.6940	7.36340					0.00	0.00
General Supply TOU (Interval data), Solar (Net)	NS85	GN85	0.5670	0.62370							11.2993	12.42923	8.5361	9.38971	6.6940	7.36340					0.00	0.00
General Supply TOU (Interval data), Solar (Gross)	NG85	GG85	0.5670	0.62370							11.2993	12.42923	8.5361	9.38971	6.6940	7.36340					0.00	0.00
Transitional General Supply TOU Solar (Net) [1]	NS89	GN89	18.7290	20.60190							10.7935	11.87285	9.4525	10.39775	8.1115	8.92265					0.00	0.00
LV Demand TOU Solar (Net)	NS19	GN19	18.7290	20.60190							2.2687	2.49557	2.1500	2.36500	2.0312	2.23432	9.8225	10.80475	9.3815	10.31965	0.00	0.00
HV Demand TOU (Net)	NS29	GN29	32.1758	35.39338							1.6377	1.80147	1.5713	1.72843	1.5049	1.65539	8.5465	9.40115	8.1768	8.99448	0.00	0.00
ST Demand TOU (Net)	NS39	GN39	50.5832	55.64152							1.4177	1.55947	1.3602	1.49622	1.3027	1.43297	6.8236	7.50596	6.5295	7.18245	0.00	0.00
Net Generation [2]	NESN	NNZO																			0.00	0.00
Gross Generation [3]	NESG	NGZO																			0.00	0.00
Generator [4]	GENR	GENR																			0.00	0.00

IMPORTANT NOTES:

Network Tariff codes prefixed 'NS' or 'NG' may appear on an invoice with the prefix 'GN' or 'GG', respectively.

For Residential Block Tariffs, Block 1 applies to the first 1,000 kWh per quarter. Block 2 applies to consumption greater than 1,000 kWh and less than 1,750 kWh per quarter. Block 3 applies to all consumption in excess of Block 2.
For General Supply Block Tariffs, Block 1 applies to the first 30,000 kWh per quarter. Block 2 applies to all consumption in excess of Block 1.

[1] This is a Transitional Network Tariff applicable to selected customers with annual consumption > 160 MWh. It is not available on application.

[2] NESN can be applied to a net metered generation installation.

[3] NESG can be applied to a gross metered generation installation.

[4] GENR is only to be used if the appropriate assignment to NESN[2] or NESG[3] cannot be identified.

The network prices in this table (with the exception of Generated Energy) are inclusive of transmission passthrough charges and recovery of the NSW Climate Change Fund contribution.

NETWORK TARIFFS

1.12.3. Table 3a – Obsolete Solar Bonus Scheme Tariff (Gross Metered) Pricing

Prices effective 1 July 2018

Endeavour Energy 2018/19 Network Prices for Obsolete NSW Solar Bonus Scheme Tariffs - Gross Metered	Network Tariff Code	Service Rate	Network Access Charge		Energy Rate												Generated Energy Rate (Credit)	
					Non-Time Of Use Block 1		Non-Time Of Use Block 2		Non-Time Of Use Block 3		Time Of Use Peak		Time Of Use Shoulder		Time Of Use Off-Peak		Non-Time of Use	
			\$ / day		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh	
			Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST *
Feed-In Credit (eligible customer), Gross meter [1], 'Detented'	NFIT	ENFI															0.00	0.00
Feed-In Credit (eligible customer), Gross meter [2], 'Detented'	NFT2	ENF2															0.00	0.00
Feed-In Credit (eligible customer), Gross DR meter [3], General Supply TOU	NFTL	ENFL	0.5670	0.62370							11.2993	12.42923	8.5361	9.38971	6.6940	7.36340	0.00	0.00
Feed-In Credit (eligible customer), Gross DR meter [4], General Supply TOU	NFTM	ENFM	0.5670	0.62370							11.2993	12.42923	8.5361	9.38971	6.6940	7.36340	0.00	0.00
Feed-In Credit (eligible customer), Gross DR meter [5], Residential TOU	NFTP	ENFP	0.3960	0.43560							10.1494	11.16434	8.8422	9.72642	7.5349	8.28839	0.00	0.00
Feed-In Credit (eligible customer), Gross DR meter [6], Residential TOU	NFTQ	ENFQ	0.3960	0.43560							10.1494	11.16434	8.8422	9.72642	7.5349	8.28839	0.00	0.00
Feed-In Credit (eligible customer), Gross DR meter [7], Residential BT	NFTG	ENFG	0.3516	0.38676	8.9245	9.81695	8.9245	9.81695	8.9245	9.81695							0.00	0.00
Feed-In Credit (eligible customer), Gross DR meter [8], Residential BT	NFTH	ENFH	0.3516	0.38676	8.9245	9.81695	8.9245	9.81695	8.9245	9.81695							0.00	0.00
Feed-In Credit (eligible customer), Gross DR meter [9], General Supply BT	NFTJ	ENFJ	0.5031	0.55341	8.8805	9.76855	9.8474	10.83214									0.00	0.00
Feed-In Credit (eligible customer), Gross DR meter [10], General Supply BT	NFTK	ENFK	0.5031	0.55341	8.8805	9.76855	9.8474	10.83214									0.00	0.00

IMPORTANT NOTES:

Network Tariff codes may appear on an invoice with a prefix 'ENF' instead of 'NFI' or 'NFT', e.g. NFT2 appears as ENF2

For Residential Block Tariffs, Block 1 applies to the first 1,000 kWh per quarter. Block 2 applies to consumption greater than 1,000 kWh and less than 1,750 kWh per quarter. Block 3 applies to all consumption in excess of Block 2.

For General Supply Block Tariffs, Block 1 applies to the first 30,000 kWh per quarter. Block 2 applies to all consumption in excess of Block 1.

The tariffs in this table are obsolete and no new customers will be added to them. They are not available on application.

- [1] This Network Tariff applies to customers with gross metering.
- [2] This Network Tariff applies to customers with gross metering.
- [3] This Network Tariff applies to customers with gross metering originally on General Supply TOU (N84).
- [4] This Network Tariff applies to customers with gross metering originally on General Supply TOU (N84).
- [5] This Network Tariff applies to customers with gross metering originally on Residential TOU (N705).
- [6] This Network Tariff applies to customers with gross metering originally on Residential TOU (N705).
- [7] This Network Tariff applies to customers with gross metering originally on Residential BT (N70).
- [8] This Network Tariff applies to customers with gross metering originally on Residential BT (N70).
- [9] This Network Tariff applies to customers with gross metering originally on General Supply BT (N90).
- [10] This Network Tariff applies to customers with gross metering originally on General Supply BT (N90).

The network prices in this table (with the exception of Generated Energy) are inclusive of transmission passthrough charges and recovery of the NSW Climate Change Fund contribution.

NETWORK TARIFFS

1.12.4. Table 3b – Obsolete Solar Bonus Scheme Tariff (Net Metered) Pricing

Prices effective 1 July 2018

Endeavour Energy 2018/19 Network Prices for Obsolete NSW Solar Bonus Scheme Tariffs - Net Metered	Network Tariff Code	Service Rate	Network Access Charge		Energy Rate												Generated Energy Rate (Credit)	
					Non-Time Of Use Block 1		Non-Time Of Use Block 2		Non-Time Of Use Block 3		Time Of Use Peak		Time Of Use Shoulder		Time Of Use Off-Peak		Non-Time of Use	
			\$ / day		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh	
			Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST *
Feed-In Credit (eligible customer), Net meter [1], 'Detented'	NFT3	ENF3															0.00	0.00
Feed-In Credit (eligible customer), Net meter [2], 'Detented'	NFT4	ENF4															0.00	0.00
Feed-In Credit (eligible customer), Net meter [3], General Supply TOU	NFT5	ENF5	0.5670	0.62370							11.2993	12.42923	8.5361	9.38971	6.6940	7.36340	0.00	0.00
Feed-In Credit (eligible customer), Net meter [4], General Supply TOU	NFT6	ENF6	0.5670	0.62370							11.2993	12.42923	8.5361	9.38971	6.6940	7.36340	0.00	0.00
Feed-In Credit (eligible customer), Net meter [5], Residential TOU	NFT7	ENF7	0.3960	0.43560							10.1494	11.16434	8.8422	9.72642	7.5349	8.28839	0.00	0.00
Feed-In Credit (eligible customer), Net meter [6], Residential TOU	NFT8	ENF8	0.3960	0.43560							10.1494	11.16434	8.8422	9.72642	7.5349	8.28839	0.00	0.00
Feed-In Credit (eligible customer), Net meter [7], Residential BT	NFT9	ENF9	0.3516	0.38676	8.9245	9.81695	8.9245	9.81695	8.9245	9.81695							0.00	0.00
Feed-In Credit (eligible customer), Net meter [8], Residential BT	NFT0	ENF0	0.3516	0.38676	8.9245	9.81695	8.9245	9.81695	8.9245	9.81695							0.00	0.00
Feed-In Credit (eligible customer), Net meter [9], General Supply BT	NFTA	ENFA	0.5031	0.55341	8.8805	9.76855	9.8474	10.83214									0.00	0.00
Feed-In Credit (eligible customer), Net meter [10], General Supply BT	NFTB	ENFB	0.5031	0.55341	8.8805	9.76855	9.8474	10.83214									0.00	0.00

IMPORTANT NOTES:

Network Tariff codes may appear on an invoice with a prefix 'ENF' instead of 'NFT', e.g. NFT3 appears as ENF3

For Residential Block Tariffs, Block 1 applies to the first 1,000 kWh per quarter. Block 2 applies to consumption greater than 1,000 kWh and less than 1,750 kWh per quarter. Block 3 applies to all consumption in excess of Block 2.

For General Supply Block Tariffs, Block 1 applies to the first 30,000 kWh per quarter. Block 2 applies to all consumption in excess of Block 1.

The tariffs in this table are obsolete and no new customers will be added to them. They are not available on application.

[1] This Network Tariff applies to customers with net metering ('Detented' meter) originally on Residential BT (N70), Residential TOU Type 6 (N706) or General Supply BT (N90).

[2] This Network Tariff applies to customers with net metering ('Detented' meter) originally on Residential BT (N70), Residential TOU Type 6 (N706) or General Supply BT (N90).

[3] This Network Tariff applies to customers with net metering originally on General Supply TOU (N84).

[4] This Network Tariff applies to customers with net metering originally on General Supply TOU (N84).

[5] This Network Tariff applies to customers with net metering originally on Residential TOU (N705).

[6] This Network Tariff applies to customers with net metering originally on Residential TOU (N705).

[7] This Network Tariff applies to customers with net metering originally on Residential BT (N70).

[8] This Network Tariff applies to customers with net metering originally on Residential BT (N70).

[9] This Network Tariff applies to customers with net metering originally on General Supply BT (N90).

[10] This Network Tariff applies to customers with net metering originally on General Supply BT (N90).

The network prices in this table (with the exception of Generated Energy) are inclusive of transmission passthrough charges and recovery of the NSW Climate Change Fund contribution.

NETWORK TARIFFS

1.12.5. Table 3c – Obsolete Solar Bonus Scheme Tariff (Net Metered) Combination Pricing

Prices effective 1 July 2018

Endeavour Energy 2018/19 Network Prices for Obsolete NSW Solar Bonus Scheme Tariffs - Net Metered (Continued)	Network Tariff Code	Service Rate	Network Access Charge		Energy Rate								Generated Energy Rate (Credit)	
			\$ / day		Non-Time Of Use Block 1 ¢ / kWh		Non-Time Of Use Block 2 ¢ / kWh		Non-Time Of Use Block 3 ¢ / kWh		Controlled Load Non-Time Of Use ¢ / kWh		Non-Time of Use ¢ / kWh	
					Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST *
Feed-In Credit (eligible customer), Net Combo meter [1], Residential + C.L.1	NFTC	ENFC	0.3799	0.41789	8.9245	9.81695	8.9245	9.81695	8.9245	9.81695	0.5499	0.60489	0.00	0.00
Feed-In Credit (eligible customer), Net Combo meter [2], Residential + C.L.2	NFTD	ENFD	0.3799	0.41789	8.9245	9.81695	8.9245	9.81695	8.9245	9.81695	2.6712	2.93832	0.00	0.00
Feed-In Credit (eligible customer), Net Combo meter [3], General Supply + C.L.1	NFTE	ENFE	0.5314	0.58454	8.8805	9.76855	9.8474	10.83214			0.5499	0.60489	0.00	0.00
Feed-In Credit (eligible customer), Net Combo meter [4], General Supply + C.L.2	NFTF	ENFF	0.5314	0.58454	8.8805	9.76855	9.8474	10.83214			2.6712	2.93832	0.00	0.00

IMPORTANT NOTES:

Network Tariff codes may appear on an invoice with a prefix 'ENF' instead of 'NFT', e.g. NFTC appears as ENFC

For Residential Block Tariffs, Block 1 applies to the first 1,000 kWh per quarter. Block 2 applies to consumption greater than 1,000 kWh and less than 1,750 kWh per quarter. Block 3 applies to all consumption in excess of Block 2.

For General Supply Block Tariffs, Block 1 applies to the first 30,000 kWh per quarter. Block 2 applies to all consumption in excess of Block 1.

The tariffs in this table are obsolete and no new customers will be added to them. They are not available on application.

[1] This Network Tariff applies to customers with net metering originally on Residential BT with Controlled Load 1 combination (NC01).

[2] This Network Tariff applies to customers with net metering originally on Residential BT with Controlled Load 2 combination (NC02).

[3] This Network Tariff applies to customers with net metering originally on General Supply BT with Controlled Load 1 combination (NC03).

[4] This Network Tariff applies to customers with net metering originally on General Supply BT with Controlled Load 2 combination (NC04).

The prices in this table (with the exception of Generated Energy) are inclusive of transmission passthrough charges and recovery of the NSW Climate Change Fund contribution.

NETWORK TARIFFS

1.12.6. Table 4 – Combination Pricing

Prices effective 1 July 2018

Endeavour Energy 2018/19 Combination Network Prices	Network Tariff Code	Service Rate	Network Access Charge		Energy Rate							
					Uncontrolled Non-Time Of Use Block 1		Uncontrolled Non-Time Of Use Block 2		Uncontrolled Non-Time Of Use Block 3		Controlled Load Non-Time Of Use	
			\$ / day		¢ / kWh		¢ / kWh		¢ / kWh		¢ / kWh	
			Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST
Residential (BT) + Controlled Load 1	NC01	NC01	0.3799	0.41789	8.9245	9.81695	8.9245	9.81695	8.9245	9.81695	0.5499	0.60489
Residential (BT) + Controlled Load 2	NC02	NC02	0.3799	0.41789	8.9245	9.81695	8.9245	9.81695	8.9245	9.81695	2.6712	2.93832
General Supply BT + Controlled Load 1	NC03	NC03	0.5314	0.58454	8.8805	9.76855	9.8474	10.83214			0.5499	0.60489
General Supply BT + Controlled Load 2	NC04	NC04	0.5314	0.58454	8.8805	9.76855	9.8474	10.83214			2.6712	2.93832
IMPORTANT NOTES: For Residential Block Tariffs, Block 1 applies to the first 1,000 kWh per quarter. Block 2 applies to consumption greater than 1,000 kWh and less than 1,750 kWh per quarter. Block 3 applies to all consumption in excess of Block 2. For General Supply Block Tariffs, Block 1 applies to the first 30,000 kWh per quarter. Block 2 applies to all consumption in excess of Block 1. The network prices in this table are inclusive of transmission passthrough charges and recovery of the NSW Climate Change Fund contribution.												

NETWORK TARIFFS

1.12.7. Table 5 – Unmetered Supply Pricing

Prices effective 1 July 2018

Endeavour Energy 2018/19 Network Prices for Unmetered Supply	Network Tariff Code	Service Rate	Network Access Charge		Energy Rate					
					Non-Time Of Use Block 1		Non-Time Of Use Block 2		Non-Time Of Use Block 3	
			\$ / day		¢ / kWh		¢ / kWh		¢ / kWh	
			Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST	Excl. GST	Incl. GST
Other Unmetered Supplies	N99		0.0000	0.00000	8.8805	9.76855	8.8805	9.76855		
Traffic Control Signal Lights	ENTL		0.0000	0.00000	8.8805	9.76855				
Street Lighting	ENSL		0.0000	0.00000	8.0170	8.81870				
Nightwatch	ENNW		0.0000	0.00000	6.4000	7.04000				
IMPORTANT NOTES: For the Other Unmetered Supplies tariff, Block 1 applies to the first 30,000 kWh per quarter. Block 2 applies to all consumption in excess of Block 1. The network prices in this table are inclusive of transmission passthrough charges and recovery of the NSW Climate Change Fund contribution.										