

Electricity network charges

from 1 July 2006

	GST exclusive rate	GST inclusive rate		GST exclusive rate	GST inclusive rate
010 Residential Standard Network			090 General TOU Network		
The Residential Standard Network charge shall be:			The General TOU Network charge shall be:		
▪ a network access charge per day	12.50¢	13.75¢	▪ a network access charge per day	25.00¢	27.50¢
▪ all consumption	3.90¢/kWh	4.29¢/kWh	▪ for energy at business times (as defined)	10.00¢/kWh	11.00¢/kWh
020 Residential 5000 Network			▪ for energy at evening times (as defined)	5.45¢/kWh	5.995¢/kWh
The Residential 5,000 Network charge shall be:			▪ for energy at off-peak times (as defined)	2.30¢/kWh	2.53¢/kWh
▪ a network access charge per day	32.50¢	35.75¢			
▪ consumption for the first 60 kWh per day (pro-rata over billing period)	2.30¢/kWh	2.53¢/kWh			
▪ consumption above 60 kWh per day	3.90¢/kWh	4.29¢/kWh			
030 Residential with Heat Pump Network			Low voltage time of use demand network		
The Residential with Heat Pump Network charge shall be:			101 LV TOU kVA Demand Network		
▪ a network access charge per day	75.50¢	83.05¢	▪ a network access charge per connection point per day	25.00¢	27.50¢
▪ consumption for the first 165 kWh per day (pro-rata over billing period)	0.80¢/kWh	0.88¢/kWh	▪ for maximum demand in a billing period, a charge per day of	30.00¢/kVA	33.00¢/kVA
▪ consumption above 165 kWh per day	3.90¢/kWh	4.29¢/kWh	▪ for energy at business times (as defined)	2.50¢/kWh	2.75¢/kWh
040 General Network			▪ for energy at evening times (as defined)	2.25¢/kWh	2.475¢/kWh
The General Network charge shall be:			▪ for energy at off-peak times (as defined)	1.05¢/kWh	1.155¢/kWh
▪ a network access charge per day	24.10¢	26.51¢			
▪ consumption for the first 330 kWh per day (pro-rata over billing period)	6.37¢/kWh	7.007¢/kWh	102 LV TOU kW Demand Network		
▪ consumption above 330 kWh per day	8.27¢/kWh	9.097¢/kWh	(available to customers under 750MWh pa)		
060 Off-Peak (1/ 2) Night Network (obsolete)			▪ a network access charge per connection point per day	25.00¢	27.50¢
The Off-Peak 1 / 2 Night Network charge shall be:			▪ for maximum demand in a billing period, a charge per day of	50.00¢/kW	55.00¢/kW
▪ all consumption	0.20¢/kWh	0.22¢/kWh	▪ for energy at business times (as defined)	2.50¢/kWh	2.75¢/kWh
070 Off-Peak (3) Day & Night Network			▪ for energy at evening times (as defined)	2.25¢/kWh	2.475¢/kWh
The Off-Peak(3) Day & Night Network charge shall be:			▪ for energy at off-peak times (as defined)	1.05¢/kWh	1.155¢/kWh
▪ all consumption	0.80¢/kWh	0.88¢/kWh			
080 Streetlighting Network					
The Streetlighting Network charge shall be:					
▪ a network access charge per day per account	24.10¢	26.51¢			
▪ all consumption	3.70¢/kWh	4.07¢/kWh			

Electricity network charges (continued)

	GST exclusive rate	GST inclusive rate
High voltage time of use demand network with ActewAGL low voltage network		
111 HV TOU Demand Network		
The HV TOU Demand Network charge for a customer with a low voltage network owned and maintained by ActewAGL shall be:		
▪ a network access charge per connection point per day	\$12.00	\$13.20
▪ for maximum demand in a billing period, a charge per day of	12.00¢/kVA	13.20¢/kVA
▪ for the maximum demand over the previous 12-month period, a capacity charge per day of	12.00¢/kVA	13.20¢/kVA
▪ for energy at business times (as defined)	2.45¢/kWh	2.695¢/kWh
▪ for energy at evening times (as defined)	2.15¢/kWh	2.365¢/kWh
▪ for energy at off-peak times (as defined)	1.00¢/kWh	1.10¢/kWh
112 HV TOU Demand Network – Customer HV		
The HV TOU Demand Network charge for a customer with a low voltage network owned and maintained by ActewAGL, where the customer owns and is responsible for their high voltage assets (including transformers and switch gear), shall be:		
▪ a network access charge per connection point per day	\$12.00	\$13.20
▪ for maximum demand in a billing period, a charge per day of	11.00¢/kVA	12.10¢/kVA
▪ for the maximum demand over the previous 12-month period, a capacity charge per day of	11.00¢/kVA	12.10¢/kVA
▪ for energy at business times (as defined)	2.45¢/kWh	2.695¢/kWh
▪ for energy at evening times (as defined)	2.15¢/kWh	2.365¢/kWh
▪ for energy at off-peak times (as defined)	1.00¢/kWh	1.10¢/kWh

	GST exclusive rate	GST inclusive rate
High voltage time of use demand network without ActewAGL low voltage network		
121 HV TOU Demand Network – Customer LV		
The HV TOU Demand Network charge for a customer that owns and is responsible for their own low voltage network shall be:		
▪ a network access charge per connection point per day	\$12.00	\$13.20
▪ for maximum demand in a billing period, a charge per day of	12.00¢/kVA	13.20¢/kVA
▪ for the maximum demand over the previous 12-month period, a capacity charge per day of	12.00¢/kVA	13.20¢/kVA
▪ for energy at business times (as defined)	2.20¢/kWh	2.42¢/kWh
▪ for energy at evening times (as defined)	1.93¢/kWh	2.123¢/kWh
▪ for energy at off-peak times (as defined)	0.90¢/kWh	0.99¢/kWh
122 HV TOU Demand Network – Customer HV and LV		
The HV TOU Demand Network charge for a customer that owns and is responsible for their own low voltage network, where the customer owns and is responsible for their high voltage assets (including transformers and switch gear), shall be:		
▪ a network access charge per connection point per day	\$12.00	\$13.20
▪ for maximum demand in a billing period, a charge per day of	11.00¢/kVA	12.10¢/kVA
▪ for the maximum demand over the previous 12-month period, a capacity charge per day of	11.00¢/kVA	12.10¢/kVA
▪ for energy at business times (as defined)	2.20¢/kWh	2.42¢/kWh
▪ for energy at evening times (as defined)	1.93¢/kWh	2.123¢/kWh
▪ for energy at off-peak times (as defined)	0.90¢/kWh	0.99¢/kWh

Electricity network charges (continued)

		GST exclusive rate	GST inclusive rate
Small Unmetered Loads Network			
Unmetered loads with assessed ratings of:			
131	50W or less	13.00¢/day	14.30¢/day
132	more than 50W but not greater than 150W	26.00¢/day	28.60¢/day
133	more than 150W but not greater than 300W	52.00¢/day	57.20¢/day
134	more than 300W but not greater than 1kW	0.17¢/W per day	0.187¢/W per day
141 Internal Network			
The Internal Network charge shall be:			
	▪ a network access charge per day per account	4.00¢	4.40¢
	▪ all consumption	0.50¢/kWh	0.55¢/kWh
Loss factors			
AL00	1.0506	for supply at low voltage	
AH00	1.0302	for supply at high voltage	

Metering charges

MP1 Quarterly basic metering rate

The quarterly basic metering rate applies to the Residential Standard Network, Residential 5000 Network and Residential with Heat Pump Network charges for which accumulation meters are read quarterly

▪ a metering charge per day per National Metering Identifier (NMI)	9.50¢	10.45¢
--	-------	--------

MP2 Monthly basic metering rate

The monthly basic metering rate applies to the General Network and Streetlight Network charges for which accumulation meters are read monthly

▪ a metering charge per day per NMI	16.90¢	18.59¢
-------------------------------------	--------	--------

MP3 Time of use metering rate

The time of use metering rate applies to the General TOU Network charge for which time of use meters are read manually monthly

▪ a metering charge per day per NMI	75.00¢	82.50¢
-------------------------------------	--------	--------

MP4 Manually read interval metering rate (MRIM)

The manually read interval metering rate applies to all time of use network charges for which consumption is recorded at either 15- or 30-minute intervals and meters are read manually and processed monthly

▪ a metering charge per day per meter	\$1.75	\$1.925
---------------------------------------	--------	---------

MP5 Internal metering rate

The internal metering rate applies to the sites entitled to the Internal Network charge

▪ a metering charge per day per NMI	5.00¢	5.50¢
-------------------------------------	-------	-------

Electricity network charges (continued)

		GST exclusive rate	GST inclusive rate
Miscellaneous charges			
The following charges are payable to ActewAGL for or in connection with the use of the electricity system. These charges apply to work on standard residential and similar installations carried out in normal business hours, unless otherwise stated. Charges for work of greater complexity or outside these hours will be determined individually.			
Normal business hours: 0800 hours (8:00am) to 1600 hours (4:00pm) on working weekdays.			
After hours: all other times.			
For visit to re-energise or de-energise a site			
501	Business hours – re-energise a site	\$42.73	\$47.00
502	After hours – re-energise a site	\$90.91	\$100.00
503	Business hours – de-energise a site	\$38.18	\$42.00
504	Meter test during business hours (deposit)	\$52.73	\$58.00
505	De-energise a site for non-payment	\$70.91	\$78.00
506	Special meter reading e.g. check read (second in a billing period)	\$27.27	\$30.00
Temporary connections			
520	Overhead	\$305.45	\$336.00
521	Standard underground	\$439.09	\$483.00
522	Free-standing underground	\$534.55	\$588.00

		GST exclusive rate	GST inclusive rate
Services			
530	Overhead: remove, reposition or disconnect service, per site visit	\$220.00	\$242.00
531	Underground: remove, reposition or disconnect service, per site visit	\$522.73	\$575.00
Upgrade service from single to three phase at customer's request where load does not justify three phase (S&I Rules clause 3.10)			
532	Overhead	\$281.82	\$310.00
533	Underground–service cable replacement not required	\$281.82	\$310.00
534	Underground–service cable replacement required	\$522.73	\$575.00
540	Installation defect (applied where a revisit to a site is necessitated by obstructed access or non-compliance with the Service and Installation Rules)	\$143.64	\$158.00
550	Issue of copies of electrical drawings (per sheet or electronic equivalent)	\$11.36	\$12.50
560	De-energising wires (to allow safe approach, for example, for tree pruning, plant operation, oversize loads, construction activities)	\$359.09	\$395.00

July 2006

Electricity network charges – Application of rates

Use of network charge

The local distributor charges for the use of the transmission and distribution networks. Because both networks are natural monopolies, the local distributor operates in a completely open and transparent way with respect to these charges.

The use of network charges are published from time to time and all retailers pay identical rates.

The **transmission use of system** component is paid to the operator of the transmission system. It covers the use of the network from the generator to the distributor's bulk supply point. As a local distributor ActewAGL pays this amount to Transgrid.

The **distribution use of system** component covers the use of the distributor's network from the bulk supply point to the customer's point of connection.

These charges are subject to independent regulation. They are determined as far as possible to be cost reflective. ActewAGL has established a number of different network rates.

Separate charges for the provision of metering equipment, meter reading and data forwarding will apply.

Application of rates

The network charge applicable to each installation shall be in accordance with the following classification of premises, places and purposes:

The **Residential Standard Network** charge shall be applicable to installations at private dwellings, excluding serviced apartments, but including:

- living quarters for members and staff of religious orders
- living quarters on farms
- charitable homes
- retirement villages
- residential sections of nursing homes and hospitals
- residential sections of boarding schools and educational institutions
- churches, buildings or premises which are used principally for public worship
- approved caravan sites.

Serviced apartments are premises which from time to time are available for hire for accommodation for periods that may be less than one month and where service available to the apartments includes provision and laundering of bed linen.

In respect of multiple dwellings of three or more dwelling units, the Residential Standard Network charge will be applicable only where each dwelling unit is separately metered and the account is in the name of the occupant.

When a portion of a premises is used principally for domestic purposes, loads not exceeding five kilowatts, which are used for other than domestic purposes may be supplied at the Residential Standard Network charge. For this purpose, the loading of equipment shall be taken to be:

- for permanently connected equipment, the actual rating of the equipment;
- for light fittings, 60 watts per light fitting;
- for plug sockets:
 - sockets rated 10 amperes or 10 amperes per phase: 500 watts or 500 watts per phase
 - sockets rated other than 10 amperes: the wattage rating shall be taken as 50 times the current rating of the socket.

The **Residential 5000 Network** charge is available only to customers eligible for the Residential Standard Network charge. Customers are ineligible to apply for this charge if they have been on this charge in the previous 12 months and have since been supplied energy at the Residential Standard Network charge or the Residential with Heat Pump Network charge to that premises.

The **Residential with Heat Pump Network** charge is available only to customers eligible for the Residential Standard Network charge and who have installed a fixed operational electric appliance which incorporates a mechanical refrigeration unit and a fan or fans, arranged so that the evaporator and the condenser can be switched to heat or cool air blown through the appliance (heat pump). Customers are ineligible to apply for this charge if they have been on this charge in the previous 12 months and have since been supplied energy at the Residential Standard Network charge or Residential 5,000 Network charge to that premises.

The **General Network** charge is available to customers where no other defined charge, except for an off-peak network charge, is utilised, and shall include:

- installations on farms which are not living quarters and have loads exceeding five kilowatts (as defined above)
- nursing homes and hospitals, excluding residential sections
- boarding schools and educational institutions, excluding residential sections
- motels, hotels, serviced apartments and any form of accommodation used to house temporary residents for periods of less than one month at caravan parks or other temporary accommodation sites
- shops, offices, warehouses, factories, professional rooms
- social or sporting club facilities not used for domestic accommodation.

Electricity network charges (continued)

Off-peak charges are available only to customers taking all other energy at Residential Standard Network or General Network rates. They are applicable to permanent heat (or cold) storage installations of a design and rating acceptable to ActewAGL, which absorb their major energy during restricted times, but which may be boosted at the principal charge at other times.

The **Off-Peak (1 / 2) Night Network** charge is obsolete. It shall be available only to existing installations receiving this service. It shall provide operation for a minimum of six hours and a maximum of eight hours within any one day, between 2200 hours (10.00pm) and 0700 hours (7.00am).

The **Off-Peak (3) Day & Night Network** charge shall provide operation for a total of 13 hours in any one day. The said 13 hours shall be comprised of eight hours between 2200 hours (10.00pm) and 0700 hours (7.00am) and five hours between 0900 hours (9.00am) and 1700 hours (5.00pm).

ActewAGL will nominate the actual settings on the time switch.

The Off Peak (3) Day & Night Network charge is applicable to:

- water heating storage units for which a test certificate has been issued indicating compliance with Australian Standard 1056 and having lower or upper and lower elements but with any upper element connected to the principal charge (rated delivery shall be not less than 160 litres)
- water heating storage units where electricity is used to supplement other forms of energy (for example, solar)
- storage space heating or cooling including under-floor, concrete-slab heating systems
- swimming or spa pool heating, and associated auxiliaries, but not to spa baths.

The **Streetlighting Network** charge shall be applicable to the night-time lighting of streets and public ways and places.

Time of use and time of use demand network charges. The customer must make available all necessary equipment together with adequate accommodation for the installation and proper maintenance of the installation, all to the satisfaction of ActewAGL.

The **high voltage time of use demand** charges may be available to customers connected at a nominal voltage not less than 11,000 volts.

Small Unmetered Loads Network charges shall be applicable to eligible installations less than 1000 Watts, as determined by ActewAGL, including:

- traffic lights
- telephone boxes
- telecommunications devices
- other, as determined by the ACT Metrology Coordinator.

Streetlighting is excluded; please refer to the Streetlighting Network charge above.

Internal Network charges are available only to ActewAGL sites.

Time periods

- **Business times** are defined as from 0700 hours (7.00am) to 1700 hours (5.00pm) on working weekdays.
- **Evening times** are defined as from 1700 hours (5.00pm) to 2200 hours (10.00pm) on working weekdays.
- **Off-Peak times** are defined as all other times.

Working weekdays are Monday to Friday excluding declared public holidays in the Australian Capital Territory.

Standard time zone

No change is made for Daylight Savings Time. All times referred to are in Australian Eastern Standard Time.

Network access charges

Network access charges shall be applied per connection point (unless otherwise specified) and applied daily. The network access charge excludes metering charges.

Maximum demand charges

Maximum demand charges shall be applied per connection point (unless otherwise specified) and calculated on the basis of a daily rate for the maximum demand in a billing period. The maximum demand is the highest demand calculated over a 30-minute clocked interval during the billing period.

Capacity charges

Capacity charges shall be applied on the same basis as maximum demand charges and calculated on the basis of a daily rate for the maximum demand recorded over the previous 12-month period. The maximum demand is the highest demand calculated over a 30-minute clocked interval over the relevant period.

Metering charges

Separate charges for the provision of metering equipment, meter reading and data forwarding will apply. ActewAGL will provide ACT metering services for customers using manually-read interval meters (MRIM or Type 5), accumulation and time-of-use meters (BASIC or Type 6) and un-metered connections (UMCP or Type 7). Charges for those services are listed below.

July 2006