

Electricity Network

Schedule of charges from 1 July 2014

ActewAGL

The following charges will apply from 1 July 2014. Accounts issued on or after this date will be charged on a pro-rata basis.

The charges contained in this schedule will be payable to ActewAGL Distribution:

- for, or in connection with, the use of the electricity network;
- for the provision of metering equipment, meter reading and data forwarding; and
- for miscellaneous services.

Also included in this schedule are the arrangements for the reimbursement to retailers under the ACT Government's *Electricity Feed-in (Renewable Energy Premium) Act 2008* as well as the treatment of energy from small photovoltaic systems that are not covered by the ACT Government's scheme.

Prices include Goods and Services Tax of 10 per cent where stated.

Code	Description	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
010	Residential Basic Network		
	The Residential Basic Network charge shall be:		
	• a network access charge per day	23.16c	25.476c
	• all energy consumption	7.64c per kWh	8.404c per kWh
015	Residential TOU Network		
	The Residential TOU Network charge shall be:		
	• a network access charge per day	23.16c	25.476c
	• for energy consumption at max times (as defined)	10.34c per kWh	11.374c per kWh
	• for energy consumption at mid times (as defined)	6.80c per kWh	7.480c per kWh
	• for energy consumption at economy times (as defined)	4.78c per kWh	5.258c per kWh
020	Residential 5000 Network		
	The Residential 5000 Network charge shall be:		
	• a network access charge per day	44.36c	48.796c
	• energy consumption for the first 60 kWh per day (pro-rata over billing period)	6.12c per kWh	6.732c per kWh
	• energy consumption above 60 kWh per day	7.64c per kWh	8.404c per kWh

Code	Description	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
030	Residential with Heat Pump Network		
	The Residential with Heat Pump Network charge shall be:		
	• a network access charge per day	87.06c	95.766c
	• energy consumption for the first 165 kWh per day (pro-rata over billing period)	4.67c per kWh	5.137c per kWh
	• energy consumption above 165 kWh per day	7.64c per kWh	8.404c per kWh
040	General Network		
	The General Network charge shall be:		
	• a network access charge per day	42.67c	46.937c
	• energy consumption for the first 330 kWh per day (pro-rata over billing period)	11.81c per kWh	12.991c per kWh
	• energy consumption above 330 kWh per day	14.99c per kWh	16.489c per kWh
060	Off-Peak (1) Night Network		
	The Off-Peak 1 Night Network charge shall be:		
	• energy consumption	2.19c per kWh	2.409c per kWh
070	Off-Peak (3) Day & Night Network		
	The Off-Peak (3) Day & Night Network charge shall be:		
	• energy consumption	2.90c per kWh	3.190c per kWh
080	Streetlighting Network		
	The Streetlighting Network charge shall be:		
	• a network access charge per day per account	43.00c	47.300c
	• all energy consumption	8.17c per kWh	8.987c per kWh
090	General TOU Network		
	The General TOU Network charge shall be:		
	• a network access charge per day	42.67c	46.937c
	• for energy consumption at business times (as defined)	18.02c per kWh	19.822c per kWh
	• for energy consumption at evening times (as defined)	9.33c per kWh	10.263c per kWh
	• for energy consumption at off-peak times (as defined)	4.34c per kWh	4.774c per kWh

Code	Description	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
101	LVTOU kVA Demand Network		
	• a network access charge per connection point per day	50.00c	55.000c
	• for maximum demand in a billing period, a charge per day of	48.60c per kVA	53.460c per kVA
	• for energy consumption at business times (as defined)	6.01c per kWh	6.611c per kWh
	• for energy consumption at evening times (as defined)	4.24c per kWh	4.664c per kWh
	• for energy consumption at off-peak times (as defined)	2.14c per kWh	2.354c per kWh
103	LVTOU Capacity Network (for low voltage customers with embedded generator)		
	• a network access charge per connection point per day	50.00c	55.000c
	• for maximum demand in a billing period, a charge per day of	22.70c per kVA	24.970c per kVA
	• a capacity charge per day of (for the maximum demand over the previous 12-month period),	22.70c per kVA	24.970c per kVA
	• for energy consumption at business times (as defined)	6.01c per kWh	6.611c per kWh
	• for energy consumption at evening times (as defined)	4.24c per kWh	4.664c per kWh
	• for energy consumption at off-peak times (as defined)	2.14c per kWh	2.354c per kWh
111	HVTOU Demand Network		
	The HVTOU Demand Network charge for a customer with a low voltage network owned and maintained by ActewAGL shall be:		
	• a network access charge per connection point per day	\$19.00	\$20.900
	• for maximum demand in a billing period, a charge per day of	19.10c per kVA	21.010c per kVA
	• a capacity charge per day of (for the maximum demand over the previous 12-month period)	19.10c per kVA	21.010c per kVA
	• for energy consumption at business times (as defined)	4.76c per kWh	5.236c per kWh
	• for energy consumption at evening times (as defined)	3.27c per kWh	3.597c per kWh
	• for energy consumption at off-peak times (as defined)	1.94c per kWh	2.134c per kWh
112	HVTOU Demand Network – Customer HV		
	The HVTOU Demand Network charge for a customer with a low voltage network owned and maintained by ActewAGL, where the customer owns and is responsible for their high voltage assets (including transformers and switch gear), shall be:		
	• a network access charge per connection point per day	\$19.00	\$20.900
	• for maximum demand in a billing period, a charge per day of	18.20c per kVA	20.020c per kVA
	• a capacity charge per day of (for the maximum demand over the previous 12-month period)	18.20c per kVA	20.020c per kVA
	• for energy consumption at business times (as defined)	4.76c per kWh	5.236c per kWh
	• for energy consumption at evening times (as defined)	3.27c per kWh	3.597c per kWh
	• for energy consumption at off-peak times (as defined)	1.94c per kWh	2.134c per kWh

Code	Description	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
121	HVTOU Demand Network – Customer LV		
	The HVTOU Demand Network charge for a customer that owns and is responsible for their own low voltage network shall be:		
	• a network access charge per connection point per day	\$19.00	\$20.900
	• for maximum demand in a billing period, a charge per day of	19.10c per kVA	21.010c per kVA
	• a capacity charge per day of (for the maximum demand over the previous 12-month period)	19.10c per kVA	21.010c per kVA
	• for energy consumption at business times (as defined)	4.36c per kWh	4.796c per kWh
	• for energy consumption at evening times (as defined)	2.92c per kWh	3.212c per kWh
	• for energy consumption at off-peak times (as defined)	1.80c per kWh	1.980c per kWh
122	HVTOU Demand Network – Customer HV and LV		
	The HVTOU Demand Network charge for a customer that owns and is responsible for their own low voltage network, where the customer owns and is responsible for their high voltage assets (including transformers and switch gear), shall be:		
	• a network access charge per connection point per day	\$19.00	\$20.900
	• for maximum demand in a billing period, a charge per day of	18.20c per kVA	20.020c per kVA
	• a capacity charge per day of (for the maximum demand over the previous 12-month period)	18.20c per kVA	20.020c per kVA
	• for energy consumption at business times (as defined)	4.36c per kWh	4.796c per kWh
	• for energy consumption at evening times (as defined)	2.92c per kWh	3.212c per kWh
	• for energy consumption at off-peak times (as defined)	1.80c per kWh	1.980c per kWh
135	Small Unmetered Loads Network		
	The Small Unmetered Loads Network charge shall be:		
	• a network access charge per NMI per day	37.70c	41.470c
	• all energy consumption	12.128c per kWh	13.3408c per kWh

Use of network charge

The local distributor charges for the use of the transmission and distribution networks. Because both networks are natural monopolies, the local distributor must operate in a completely open and transparent way with respect to these charges.

The use of network charges are published from time to time and all retailers pay identical rates.

The network charges above include both transmission and distribution use of system components.

The **transmission use of system** component is paid to the operator of the transmission system. It covers the use of the network from the generator to the distributor's bulk supply point. As a local distributor ActewAGL pays this amount to Transgrid.

The **distribution use of system** component covers the use of the distributor's network from the bulk supply point to the customer's point of connection.

These charges are subject to independent regulation. They are determined, as far as possible, to be cost reflective. ActewAGL has established a number of different network rates.

Separate charges for the provision of metering equipment, meter reading and data forwarding will apply.

Application of rates

The network charge applicable to each installation shall be in accordance with the following classification of premises, places and purposes:

The **Residential Basic Network** charge shall be applicable to installations at private dwellings, excluding serviced apartments, but including:

- living quarters for members and staff of religious orders
- living quarters on farms
- charitable homes
- retirement villages
- residential sections of nursing homes and hospitals
- residential sections of boarding schools and educational institutions
- churches, buildings or premises which are used principally for public worship
- approved caravan sites.

Serviced apartments are premises which from time to time are available for hire for accommodation for periods that may be less than one month and where services available to the apartments include the provision and laundering of bed linen.

In respect of multiple dwellings of three or more dwelling units, the Residential Basic Network charge will be applicable only where each dwelling unit is separately metered and the account is in the name of the occupant.

When a portion of premises is used principally for domestic purposes, loads not exceeding five kilowatts, which are used for other than domestic purposes may be supplied at the Residential Basic Network charge. For this purpose, the loading of equipment shall be taken to be:

- for permanently connected equipment, the actual rating of the equipment;
- for light fittings, 60 watts per light fitting;
- for plug sockets:
 - sockets rated 10 amperes or 10 amperes per phase: 500 watts or 500 watts per phase
 - sockets rated other than 10 amperes: the wattage rating shall be taken as 50 times the current rating of the socket.

The **Residential TOU Network charge** is available only to customers eligible for the Residential Basic Network charge with a meter able to be read as a time-of-use meter and to recharge facilities for electric vehicles on residential premises. Consumers on this tariff with a meter with two elements providing separate time-of-use consumption data from each element may have the time-of-use charges applied separately to each register.

The **Residential 5000 Network charge** is available only to customers eligible for the Residential Basic Network charge. Customers are ineligible to apply for this charge if they have been on this charge in the previous 12 months and have since been supplied energy at the

Residential Basic Network charge, the Residential TOU Network charge or the Residential with Heat Pump Network charge to that premises.

The **Residential with Heat Pump Network charge** is available only to customers eligible for the Residential Basic Network charge and who have installed a fixed operational electric appliance which incorporates a mechanical refrigeration unit and a fan or fans, arranged so that the evaporator and the condenser can be switched to heat or cool air blown through the appliance (heat pump). Customers are ineligible to apply for this charge if they have been on this charge in the previous 12 months and have since been supplied energy at the Residential Basic Network charge, the Residential TOU Network charge or Residential 5000 Network charge to that premises.

The **General Network charge** is available to customers where no other defined charge, except for an off-peak network charge, is utilised, and shall include:

- installations on farms which are not living quarters and have loads exceeding five kilowatts (as defined above)
- nursing homes and hospitals, excluding residential sections
- boarding schools and educational institutions, excluding residential sections
- motels, hotels, serviced apartments and any form of accommodation used to house temporary residents for periods of less than one month at caravan parks or other temporary accommodation sites
- shops, offices, warehouses, factories, professional rooms
- social or sporting club facilities not used for domestic accommodation.

Off-peak charges are available only to customers utilising a controlled load element, taking all other energy at Residential Basic Network, Residential TOU Network or General Network rates. These charges are not available where the customer's meter is read as an interval meter.

The **Off-Peak (1) Night Network** charge shall provide operation for a minimum of six hours and a maximum of eight hours within any one day, between 2200 hours (10.00pm) and 0700 hours (7.00am).

This off-peak charge is applicable to

- recharging electric vehicles,
- compressing natural gas for CNG vehicles,
- water heating storage units where electricity is used to supplement other forms of energy (for example, solar hot water), and
- permanent heat (or cold) storage installations of a design and rating acceptable to ActewAGL, which absorb their major energy during restricted times, but which may be boosted at the principal charge at other times.

The **Off-Peak (3) Day & Night Network** charge shall provide operation for a total of 13 hours in any one day. The said 13 hours shall be comprised of eight hours between 2200 hours (10.00pm) and 0700 hours (7.00am) and five hours between 0900 hours (9.00am) and 1700 hours (5.00pm). The off-peak charges are applicable to permanent heat (or cold) storage installations of a design and rating acceptable to ActewAGL, which absorb their major energy during restricted times, but which may be boosted at the principal charge at other times.

The Off Peak (3) Day & Night Network charge is applicable to:

- water heating storage units for which a test certificate has been issued indicating compliance with Australian Standard 1056 and having lower or upper and lower elements but with any upper element connected to the principal charge (rated delivery shall be not less than 160 litres)

- water heating storage units where electricity is used to supplement other forms of energy (for example, solar hot water)
- storage space heating or cooling including under-floor, concrete-slab heating systems
- swimming or spa pool heating, and associated auxiliaries, but not to spa baths.

ActewAGL will nominate the time settings for Off Peak 1 & 3 charges.

The **Streetlighting Network** charge shall be applicable to the night-time lighting of streets and public ways and places.

Time of use, time of use demand network and time of use capacity charges. The customer must make available all necessary equipment together with adequate accommodation for the installation and proper maintenance of the installation, all to the satisfaction of ActewAGL.

The **low voltage time of use capacity** charge is to be applied to all non-residential customers with a generator, other than a stand-by generator, connected on the customer's side of the meter. This charge is available to all low voltage customers.

The **high voltage time of use demand** charges may be available to customers connected at a nominal voltage not less than 11,000 volts.

The **Small Unmetered Loads Network charge** shall be applicable to eligible installations less than 1,000 Watts, as determined by ActewAGL, including:

- telephone boxes
- telecommunication devices
- other as determined by the National Metrology Coordinator.

Consumption charges are calculated based on the assessed rating of the load and the charge period.

Streetlighting is excluded. Please refer to the Streetlighting Network charge above.

Internal Network charges are available only to ActewAGL Distribution sites.

Time periods

- **Business times** are defined as from 0700 hours (7.00am) to 1700 hours (5.00pm) on weekdays.
- **Evening times** are defined as from 1700 hours (5.00pm) to 2200 hours (10.00pm) on weekdays.
- **Off-Peak times** are defined as all other times.

Weekdays are Monday to Friday.

- **Max times** are defined as from 0700 hours (7.00am) to 0900 hours (9.00am) and from 1700 hours (5.00pm) to 2000 hours (8.00pm) every day.
- **Mid times** are defined as from 0900 hours (9.00am) to 1700 hours (5.00pm) and from 2000 hours (8.00pm) to 2200 hours (10.00pm) every day.
- **Economy times** are defined as all other times.

Standard time zone

No change is made for Daylight Savings Time. All times referred to are in Australian Eastern Standard Time.

Network access charges

Network access charges shall be applied per connection point (unless otherwise specified) and applied daily. The network access charge excludes metering charges.

Maximum demand charges

Maximum demand charges shall be applied per connection point (unless otherwise specified) and calculated on the basis of a daily rate for the maximum demand in a billing period. The maximum demand is the highest demand calculated coincident over a 30-minute clocked interval during the billing period.

Capacity charges

Capacity charges shall be applied on the same basis as maximum demand charges and calculated on the basis of a daily rate for the maximum demand recorded over the previous 12-month period. The maximum demand is the highest demand calculated coincident over a 30-minute clocked interval over the relevant period.

Loss factors

AL00 1.0438 for supply at low voltage

AH00 1.0190 for supply at high voltage

Renewable Energy Generation

If a customer has a grid-connected renewable energy generator with a net metering facility and the customer is not receiving the ACT feed-in tariff, the following arrangements shall apply to PV installations:

- The customer shall pay the published network charge for energy imported from ActewAGL Distribution's network (based upon the customer's meter reading).
- ActewAGL Distribution will pay to the customer's retailer an amount equal to ActewAGL Distribution's estimated avoided cost of TUOS charges on energy exported into the electricity network (based upon the customer's meter reading).
- The customer shall continue to pay the network access charge.

This arrangement is available only to customers with less than 30 kilowatts installed capacity of renewable generation with a net metering facility able to record energy imported and exported into the electricity network.

The estimated avoided cost of TUOS charges on energy exported into the electricity network is 0.5 cents per kWh.

Customers with a grid-connected renewable energy generator which was connected on or before 30 June 2013 may continue with the existing arrangements applicable to that customer.

In all other circumstances where a customer has a grid-connected renewable energy generator with an installed capacity of less than 30 kilowatts, including where the customer is receiving the ACT feed-in tariff, the following arrangements shall apply:

- The customer shall pay the published network charge for the gross amount of energy imported from ActewAGL Distribution's network.
- ActewAGL Distribution shall not charge the customer for the use of the network for the energy exported.
- The customer shall continue to pay the network access charge.

"Energy exported" means energy generated by a photovoltaic system that results in energy flowing from the customer's premises into the electricity network.

The following are the payments (negative charges) under the ActewAGL Distribution's Renewable Energy Generation arrangements together with the tariff codes applied to those payments.

These payments are made to your retailer.

Code	Description	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
GENR	Gross connected renewable energy generation (See explanation above)	As per applicable tariff	
1999	Net connected renewable energy generation (see explanation above)	-0.5 c per kWh	-0.55 c per kWh (when applicable)

Metering charges

Separate charges for the provision of metering equipment, meter reading and data forwarding will apply. ActewAGL will provide ACT metering services for customers using manually-read interval meters (MRIM or Type 5), accumulation and time-of-use meters (BASIC or Type 6) and un-metered connections (UMCP or Type 7). Charges for those services are listed below.

Code	Description	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
MP1	Quarterly basic metering rate		
	The quarterly basic metering rate applies to accumulation and time-of-use meters read quarterly		
	• a metering charge per day per National Metering Identifier (NMI)	13.34c	14.674c
MP2	Monthly basic metering rate		
	The monthly basic metering rate applies to accumulation and time-of-use meters read monthly		
	• a metering charge per day per NMI	23.33c	25.663c
MP3	Time-of-use metering rate		
	The time-of-use metering rate applies to the General TOU Network charge for which time-of-use meters are read manually monthly		
	• a metering charge per day per NMI	23.33c	25.663c
MP4	Monthly manually-read interval metering rate		
	This manually-read interval metering rate applies to all interval meters recording at either 15- or 30-minute intervals, read manually and processed monthly		
	• a metering charge per day per meter	\$1.88	\$2.068
MP6	Quarterly manually-read interval metering rate		
	This manually-read interval metering rate applies to all interval meters recording at either 15- or 30-minute intervals, read manually and processed quarterly.		
	• a metering charge per day per meter	53.73c	59.103c

Miscellaneous charges

The following charges are payable to ActewAGL for or in connection with the use of the electricity system. These charges apply to work on standard residential and similar installations carried out in normal business hours, unless otherwise stated. Charges for work of greater complexity or outside these hours will be determined individually.

After hours charges, where applicable, apply to services performed outside normal business hours. This applies to all services requested after 1400 hours (2:00pm) on working weekdays where the services are to be performed prior to normal business hours on the next working weekday.

Normal business hours: 0800 hours (8:00 am) to 1600 hours (4:00 pm) on working weekdays.

After hours: All other times.

Code	Service	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
Premise Re-energisation – Existing Network Connection			
501	Re-energise premise – Business Hours	\$56.14	\$61.75
502	Re-energise premise – After Hours	\$120.73	\$132.80
Premise De-energisation – Existing Network Connection			
503	De-energise premise – Business Hours	\$49.59	\$54.55
505	De-energise premise for debt non-payment	\$93.55	\$102.91
Meter Reconfiguration			
507	Install Interval Meter	\$66.55	\$73.21
509	Install / Replace Meter – Micro Renewable Energy Installation	\$66.55	\$73.21
Meter Investigations			
504	Meter Test (Whole Current) – Business Hours	\$69.23	\$76.15
510	Meter Test (CT/VT) – Business Hours	\$350.00	\$385.00
Special / Additional Meter Reads			
506	Special Meter Read	\$35.55	\$39.11
Temporary Network Connections			
520	Temporary Builders Supply – Overhead (Business Hours)	\$398.64	\$438.50
522	Temporary Builders Supply – Underground (Business Hours)	\$703.64	\$774.00
New Network Connections			
523	New Underground Service Connection – Greenfield	\$0.00	\$0.00
524	New Underground Service Connection – Greenfield Cable Only	\$446.00	\$490.60
525	New Underground Service Connection – Greenfield Metering Only	\$0.00	\$0.00
526	New Overhead Service Connection – Brownfield (Business Hours)	\$288.18	\$317.00
527	New Underground Service Connection – Brownfield from Front	\$691.82	\$761.00
528	New Underground Service Connection – Brownfield from Rear	\$691.82	\$761.00

Code	Service	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
Network Connection Alterations and Additions			
541	Overhead Service Relocation – Single Visit (Business Hours)	\$288.18	\$317.00
542	Overhead Service Relocation – Two Visits (Business Hours)	\$576.36	\$634.00
543	Overhead Service Upgrade – Service Cable Replacement Not Required	\$371.45	\$408.60
544	Overhead Service Upgrade – Service Cable Replacement Required	\$691.82	\$761.00
545	Underground Service Upgrade – Service Cable Replacement Not Required	\$371.45	\$408.60
546	Underground Service Upgrade – Service Cable Replacement Required	\$691.82	\$761.00
547	Underground Service Relocation – Single Visit (Business Hours)	\$691.82	\$761.00
548	Install surface mounted point of entry (POE) box	\$456.00	\$501.60
Temporary De-energisation			
560	Temporary de-energisation – LV (Business Hours)	\$462.27	\$508.50
561	Temporary de-energisation – HV (Business Hours)	\$462.27	\$508.50
Supply Abolishment / Removal			
562	Supply Abolishment / Removal – Overhead (Business Hours)	\$288.18	\$317.00
563	Supply Abolishment / Removal - Underground (Business Hours)	\$288.18	\$317.00
Miscellaneous Customer Initiated Services			
564	Install & Remove Tiger Tails – Per Installation (Business Hours)	\$1,085.00	\$1,193.50
565	Install & Remove Tiger Tails - Per Span (Business Hours)	\$560.00	\$616.00
566	Install & Remove Warning Flags – Per Installation (Business Hours)	\$745.00	\$819.50
567	Install & Remove Warning Flags - Per Span (Business Hours)	\$480.00	\$528.00
Embedded Generation - Operational & Maintenance Fees			
568	Small Embedded Generation OPEX Fees - Connection Assets	2%	2%
569	Small Embedded Generation OPEX Fees - Shared Network Asset	2%	2%
Connection Enquiry Processing - PV* Installations			
570	PV Connection Enquiry – LV Class 1 (<= 10kW Single Phase / 30kW Three Phase)	\$0.00	\$0.00
571	PV Connection Enquiry – LV Class 2 to 5 (> 30kW <= 1500kW Three Phase)	\$514.55	\$566.01
572	PV Connection Enquiry – HV	\$1,029.09	\$1,132.00
573	Provision of information for Network Technical Study for large scale installations**	\$11,580.00	\$12,738.00

Code	Service	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
Network Design & Investigation / Analysis Services - PV* Installations**			
574	Design & Investigation - LV Connection Class 1 PV* (<= 10kW Single Phase / 30kW Three Phase)**	\$0.00	\$0.00
575	Design & Investigation - LV Connection Class 2 PV (> 30kW and <= 60kW Three Phase)**	\$3,705.45	\$4,076.00
576	Design & Investigation - LV Connection Class 3 PV (> 60 kW and <= 120kW Three Phase)**	\$4,837.27	\$5,321.00
577	Design & Investigation - LV Connection Class 4 PV (> 120 kW and <= 200kW Three Phase)**	\$7,925.45	\$8,718.00
578	Design & Investigation - LV Connection Class 5 PV (> 200kW and <= 1500kW Three Phase) – ActewAGL Network Study**	\$10,732.73	\$11,806.00
579	Design & Investigation - HV Connection Class 5 PV (> 200kW and <= 1500kW Three Phase) – Customer Network Study**	\$11,560.00	\$12,716.00
Residential Estate Subdivision Services (per block)			
580	Subdivision Electricity Distribution Network Reticulation - Multi-Unit Blocks	\$0.00	\$0.00
581	Subdivision Electricity Distribution Network Reticulation - Blocks <= 650 m2	\$600.00	\$660.00
582	Subdivision Electricity Distribution Network Reticulation - Blocks 650 - 1100m2 with average linear frontage of 22-25 meters	\$1,100.00	\$1,210.00
Upstream Augmentation (per KVA of capacity)			
585	HV Feeder	\$34.20	\$37.62
586	Distribution substation	\$19.82	\$21.80
Rescheduled Site Visits			
590	Rescheduled Site Visit – One Person	\$125.00	\$137.50
591	Rescheduled Site Visit – Service Team	\$375.00	\$412.50

*Includes embedded generation installations

**Network Design and Investigation / Analysis Service is limited to the provision of information for the network technical Study (NTS). No designs and investigation reports will be provided.

ACT Government's Electricity Feed-in Renewable Energy Generation scheme

The following are the payments (negative charges) under the ACT Government Electricity Feed-in (Renewable Energy) Act 2008 together with the tariff codes applied to those payments.

These payments are made to your retailer.

Code	Description	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
201	Feed-in scheme 10 2009-2029 (obsolete)		
	The Feed-in scheme network rate for renewable energy generators up to 10kW to start 1 March 2009 and end 2029 will be:		
	• all renewable energy generated	-42.55c per kWh	-46.805c per kWh
301	Feed-in scheme 30 2009-2029 (obsolete)		
	The Feed-in scheme network rate from 10kW up to 30kW to start 1 March 2009 and end 2029 will be:		
	• all renewable energy generated	-32.54c per kWh	-35.794c per kWh
302	Feed-in scheme 30 2010-2030		
	The Feed-in scheme network rate for renewable energy generators up to 30kW to start 1 July 2010 and end 2030 will be:		
	• all renewable energy generated	-38.20c per kWh	-42.020c per kWh
303	Feed-in scheme 30 2011-2031		
	The Feed-in scheme network rate for renewable energy generators greater than 30kW but at 75% to start 1 July 2011 and end 2031 will be:		
	• all renewable energy generated	-26.775c per kWh	-29.4525c per kWh
304	Feed-in scheme 30 2011-2031		
	The Feed-in scheme network rate for renewable energy generators greater than 30kW but at 75% (starting 1 July 2011 and end 2013) will be:		
	• all renewable energy generated	-22.66c per kWh	-24.926 per kWh
401	General Network with Feed-in tariff code 201 (obsolete)		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the General Network charge with Feed-in scheme network rate for renewable energy generators up to 10kW will be:		
	• a network access charge per day	42.67c	46.937c
	• energy consumption for the first 330kWh per day (pro-rata over billing period)	11.81c per kWh	12.991c per kWh
	• energy consumption above 330kWh per day	14.99c per kWh	16.489c per kWh
	• all renewable energy generated	-42.55c per kWh	-46.805c per kWh

Code	Description	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
402	General Network with Feed-in tariff code 302		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the General Network charge with Feed-in scheme network rate for renewable energy generators up to 30kW will be:		
	• a network access charge per day	42.67c	46.937c
	• energy consumption for the first 330kWh per day (pro-rata over billing period)	11.81c per kWh	12.991c per kWh
	• energy consumption above 330kWh per day	14.99c per kWh	16.489c per kWh
	• all renewable energy generated	-38.20c per kWh	-42.020c per kWh
403	General Network with Feed-in tariff code 303		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the General Network charge with Feed-in scheme network rate for renewable energy generators up to 30kW will be:		
	• a network access charge per day	42.67c	46.937c
	• energy consumption for the first 330kWh per day (pro-rata over billing period)	11.81c per kWh	12.991c per kWh
	• energy consumption above 330kWh per day	14.99c per kWh	16.489c per kWh
	• all renewable energy generated	-28.275c per kWh	-31.1025c per kWh
601	Residential Network with Feed-in tariff code 201 (obsolete)		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the Residential Network charge with Feed-in scheme network rate for renewable energy generators up to 30kW will be:		
	• a network access charge per day	23.16c	25.476c
	• all energy consumption	7.64c per kWh	8.404c per kWh
	• all renewable energy generated	-38.20c per kWh	-42.020c per kWh
602	Residential Network with Feed-in tariff code 302		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the Residential Network charge with Feed-in scheme network rate for renewable energy generators up to 30kW will be:		
	• a network access charge per day	23.16c	25.476c
	• all energy consumption	7.64c per kWh	8.404c per kWh
	• all renewable energy generated	-38.20c per kWh	-42.020c per kWh

Code	Description	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
702	Residential TOU Network with Feed-in tariff code 302		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the Residential Network charge with Feed-in scheme network rate for renewable energy generators up to 30kW will be:		
	• a network access charge per day	23.16c	25.476c
	• for energy consumption at max times (as defined)	10.34c per kWh	11.374c per kWh
	• for energy consumption at mid times (as defined)	6.80c per kWh	7.480c per kWh
	• for energy consumption at economy times (as defined)	4.78c per kWh	5.258c per kWh
	• all renewable energy generated	-38.20c per kWh	-42.020c per kWh
901	General TOU Network with Feed-in tariff code 201 (obsolete)		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the General TOU Network charge with Feed-in scheme network rate for renewable energy generators up to 10kW will be:		
	• a network access charge per day	42.67c	46.937c
	• for energy consumption at business times (as defined)	18.02c per kWh	19.822c per kWh
	• for energy consumption at evening times (as defined)	9.33c per kWh	10.263c per kWh
	• for energy consumption at off-peak times (as defined)	4.34c per kWh	4.774c per kWh
	• all renewable energy generated	-42.55c per kWh	-46.805c per kWh
902	General TOU Network with Feed-in tariff code 302		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the General TOU Network charge with Feed-in scheme network rate for renewable energy generators up to 30kW will be:		
	• a network access charge per day	42.67c	46.937c
	• for energy consumption at business times (as defined)	18.02c per kWh	19.822c per kWh
	• for energy consumption at evening times (as defined)	9.33c per kWh	10.263c per kWh
	• for energy consumption at off-peak times (as defined)	4.34c per kWh	4.774c per kWh
	• all renewable energy generated	-38.20c per kWh	-42.020c per kWh
903	General TOU Network with Feed-in tariff code 304		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the General TOU Network charge with Feed-in scheme network rate for renewable energy generators greater than 30kW will be:		
	• a network access charge per day	42.67c	46.937c
	• for energy consumption at business times (as defined)	18.02c per kWh	19.822c per kWh
	• for energy consumption at evening times (as defined)	9.33c per kWh	10.263c per kWh
	• for energy consumption at off-peak times (as defined)	4.34c per kWh	4.774c per kWh
	• all renewable energy generated	-22.66c per kWh	-24.926c per kWh

Code	Description	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
1001	LVTou kVA Demand Network with Feed-in tariff code 201 (obsolete)		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the LVTou Demand Network charge with Feed-in scheme network rate for renewable energy generators up to 10kW will be:		
	• a network access charge per connection point per day	50.00c	55.000c
	• for maximum demand in a billing period, a charge per day of	48.60c per kVA	53.460c per kVA
	• for energy consumption at business times (as defined)	6.01c per kWh	6.611c per kWh
	• for energy consumption at evening times (as defined)	4.24c per kWh	4.664c per kWh
	• for energy consumption at off-peak times (as defined)	2.14c per kWh	2.354c per kWh
	• all renewable energy generated	-42.55c per kWh	-46.805c per kWh
1002	LVTou kVA Demand Network with Feed-in tariff code 301 (obsolete)		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the LVTou Demand Network charge with Feed-in scheme network rate for renewable energy generators from 10kW up to 30kW will be:		
	• a network access charge per connection point per day	50.00c	55.000c
	• for maximum demand in a billing period, a charge per day of	48.60c per kVA	53.460c per kVA
	• for energy consumption at business times (as defined)	6.01c per kWh	6.611c per kWh
	• for energy consumption at evening times (as defined)	4.24c per kWh	4.664c per kWh
	• for energy consumption at off-peak times (as defined)	2.14c per kWh	2.354c per kWh
	• all renewable energy generated	-32.54c per kWh	-35.794c per kWh
1004	LVTou kVA Demand Network with Feed-in tariff code 303		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the LVTou Demand Network charge with Feed-in scheme network rate for renewable energy generators greater than 30kW but at 75% will be up to 30kW will be:		
	• a network access charge per connection point per day	50.00c	55.00c
	• for maximum demand in a billing period, a charge per day of	48.60c per kVA	53.460c per kVA
	• for energy consumption at business times (as defined)	6.01c per kWh	6.611c per kWh
	• for energy consumption at evening times (as defined)	4.24c per kWh	4.664c per kWh
	• for energy consumption at off-peak times (as defined)	2.14c per kWh	2.354c per kWh
	• all renewable energy generated	-26.775c per kWh	-29.4525c per kWh

Code	Description	2014-15 GST-exclusive rate	2014-15 GST-inclusive rate
1005	LVTou kVA Demand Network with Feed-in tariff code 304		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the LVTou Demand Network charge with Feed-in scheme network rate for renewable energy generators greater than 30kW but at 75% (starting 1 July 2011 and end 2013) will be:		
	• a network access charge per connection point per day	50.00c	55.00c
	• for maximum demand in a billing period, a charge per day of	48.60c per kVA	53.460c per kVA
	• for energy consumption at business times (as defined)	6.01c per kWh	6.611c per kWh
	• for energy consumption at evening times (as defined)	4.24c per kWh	4.664c per kWh
	• for energy consumption at off-peak times (as defined)	2.14c per kWh	2.354c per kWh
	• all renewable energy generated	-22.66c per kWh	-24.926c per kWh
1006	LVTou kVA Demand Network with Feed-in tariff code 302		
	(for customers with interval gross metering, refer to application of rates calculation methodology) the LVTou Demand Network charge with Feed-in scheme network rate for renewable energy generators up to 30kW will be:		
	• a network access charge per connection point per day	50.00c	55.000c
	• for maximum demand in a billing period, a charge per day of	48.60c per kVA	53.460c per kVA
	• for energy consumption at business times (as defined)	6.01c per kWh	6.611c per kWh
	• for energy consumption at evening times (as defined)	4.24c per kWh	4.664c per kWh
	• for energy consumption at off-peak times (as defined)	2.14c per kWh	2.354c per kWh
	• all renewable energy generated	-38.20c per kWh	-42.020c per kWh

Application of rates

ACT Government's Electricity Feed-in Renewable Energy Generation scheme (FiT scheme)

Where a retailer has paid an occupier of a premises in accordance with subsection 6(3) of the *Electricity Feed-in (Renewable Energy Premium) Act 2008*, ActewAGL Distribution will reimburse the retailer in accordance with subsection 6(2) of that Act. ActewAGL Distribution's NUOS invoices for retailers will show the reimbursement as a negative amount in the charges.

Retailers are to apply to ActewAGL Distribution for a network tariff code if a relevant network tariff code is not listed above.

Calculation methodology for Feed-in tariffs with interval meters

The tariff codes above starting with 2 or 3 will be applied with the normal tariff for that NMI, e.g. if existing NMI network tariff code is 010, then this site will now have 010 + 201 etc.

For other tariff codes starting with 4 or 6 to 10, the feed-in tariff code above starting with 2 or 3 that is to be applied along with the calculation methodology for that tariff code with interval metering data.

The network charge applicable to each installation with interval meters shall be in accordance with the following:

- for customers with interval gross metering;
 - calculation shall be as per existing standard for kVA demand charges, that is 30 minute clocked interval calculated coincident (where applicable)
 - data stream for energy from the grid, calculation shall be E streams only applied to energy times for kWh rates
 - data stream for energy to the grid, calculation for Feed-in shall be B stream only.

e.g. NMI Network Tariff Code 401, E streams total accumulation = 3000kWh, B stream = 1000kWh

3000 x 11.81c per kWh = \$354.30

1000 x -42.55c per kWh = -\$425.50.