

AGL Electricity Distribution Tariffs For The 2007 Calendar Year (Exclusive of GST)

Customer Code	Tariff Name	Units	Rate
<u>Residential</u>			
Only available to residential customers			
A100	General Purpose		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer p	\$17.600
	- Unit rate	¢/kWh	5.383
A10I	Time of Use Interval Meter		
Available to customers with an interval meter			
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer p	\$17.600
	- Peak Unit rate	¢/kWh	\$8.818
	- Off Peak Unit rate	¢/kWh	\$1.245
A140	Time of Use (closed to new entrants)		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer p	\$30.500
	- Peak Unit rate	¢/kWh	6.510
	- Off Peak Unit rate	¢/kWh	1.071
A180	Off Peak Heating Only		
	<i>11.00 PM to 7.00 AM all days</i>		
	- Standing charge	\$/customer p	\$0.000
	- Off Peak Unit rate	¢/kWh	1.071

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer p	\$46.800
- Unit rate	¢/kWh	5.993

A210 Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$67.800
- Peak Unit rate	¢/kWh	7.131
- Off Peak Unit rate	¢/kWh	1.142

A230 Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$48.700
- Peak Unit rate	¢/kWh	3.737
- Off Peak Unit rate	¢/kWh	1.146
- Demand rate	\$/kW pa	\$39.439
Minimum Chargeable Demand	60 kW	

A250 Time of Use Extended

Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer p	\$67.800
- Peak Unit rate	¢/kWh	6.250
- Off Peak Unit rate	¢/kWh	1.247

A270 Time of Use Extended - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer p	\$48.700
- Peak Unit rate	¢/kWh	3.015
- Off Peak Unit rate	¢/kWh	1.270
- Demand rate	\$/kW pa	\$39.439
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Peak Unit rate	¢/kWh	6.957
- Off Peak Unit rate	¢/kWh	1.128

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 LV 0.4 - 0.8 GWh

Only available to customers with annual consumption ≤ 0.8 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$1,153.000
- Peak Unit rate	¢/kWh	1.251
- Off Peak Unit rate	¢/kWh	0.441
- Demand rate	\$/kW pa	\$69.288
Minimum Chargeable Demand	120 kW	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers with annual consumption ≤ 0.8 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	1.389
- Off Peak Unit rate	¢/kWh	0.494
- Demand rate	\$/kW pa	\$76.217
Minimum Chargeable Demand	120 kW	

A320 LV 0.8⁺ - 2.2 GWh

Only available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$1,891.000
- Peak Unit rate	¢/kWh	0.801
- Off Peak Unit rate	¢/kWh	0.424
- Demand rate	\$/kW pa	\$63.227
Minimum Chargeable Demand	250 kW	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	0.872
- Off Peak Unit rate	¢/kWh	0.424
- Demand rate	\$/kW pa	\$67.653
Minimum Chargeable Demand	250 kW	

A340 LV 2.2⁺ - 6.0 GWh

Only available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$2,896.000
- Peak Unit rate	¢/kWh	0.734
- Off Peak Unit rate	¢/kWh	0.310
- Demand rate	\$/kW pa	\$61.992
Minimum Chargeable Demand	250 kW	

A34E LV_{EN} 2.2⁺ - 6.0 GWh

Only available to embedded network customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	0.771
- Off Peak Unit rate	¢/kWh	0.322
- Demand rate	\$/kW pa	\$65.712
Minimum Chargeable Demand	250 kW	

A34M LV_{MS} 2.2⁺ - 6.0 GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$1,448.000
- Peak Unit rate	¢/kWh	0.734
- Off Peak Unit rate	¢/kWh	0.310
- Demand rate	\$/kW pa	\$43.396
Minimum Chargeable Demand	250 kW	

A370 LV 6.0⁺ GWh

Only available to customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$3,771.000
- Peak Unit rate	¢/kWh	0.713
- Off Peak Unit rate	¢/kWh	0.270
- Demand rate	\$/kW pa	\$59.612
Minimum Chargeable Demand	450 kW	

A37E LV_{EN} 6.0⁺ GWh

Only available to embedded network customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	0.742
- Off Peak Unit rate	¢/kWh	0.281
- Demand rate	\$/kW pa	\$62.593
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0⁺ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$1,885.500
- Peak Unit rate	¢/kWh	0.713
- Off Peak Unit rate	¢/kWh	0.270
- Demand rate	\$/kW pa	\$41.729
Minimum Chargeable Demand	450 kW	

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer p	\$2,009.000
- Peak Unit rate	¢/kWh	0.572
- Off Peak Unit rate	¢/kWh	0.133
- Demand rate	\$/kW pa	\$49.514
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers with annual consumption ≤ 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	0.595
- Off Peak Unit rate	¢/kWh	0.138
- Demand rate	\$/kW pa	\$51.495
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer p	\$2,009.000
- Peak Unit rate	¢/kWh	0.572
- Off Peak Unit rate	¢/kWh	0.133
- Demand rate	\$/kW pa	\$35.669
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers with annual consumption > 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	0.589
- Off Peak Unit rate	¢/kWh	0.137
- Demand rate	\$/kW pa	\$50.999
Minimum Chargeable Demand	2,000 kW	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers with annual consumption ≥ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$2,001.000
- Peak Unit rate	¢/kWh	0.552
- Off Peak Unit rate	¢/kWh	0.095
- Demand rate	\$/kW pa	\$46.007
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)**A500 Subtransmission**

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$15,537.000
- Peak Unit rate	¢/kWh	0.087
- Off Peak Unit rate	¢/kWh	0.017
- Demand rate	\$/kW pa	\$13.476
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$15,537.000
- Peak Unit rate	¢/kWh	0.087
- Off Peak Unit rate	¢/kWh	0.017
- Demand rate	\$/kW pa	\$13.476
Minimum Chargeable Demand		15,000 kW

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$15,537.000
- Peak Unit rate	¢/kWh	0.086
- Off Peak Unit rate	¢/kWh	0.016
- Demand rate	\$/kW pa	\$2.876
Minimum Chargeable Demand		15,000 kW

* Other terms and conditions apply

. Electricity Transmission Tariffs For The 2007 Calendar Year (Exclusive of C

Customer Class Code	Tariff Name	Units	Rate
<u>Residential</u>			
Only available to residential customers			
A100	General Purpose		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer p	\$3.500
	- Unit rate	¢/kWh	0.617
A101	Time of Use Interval Meter		
	Available to customers with an interval meter		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer p	\$3.500
	- Peak Unit rate	¢/kWh	\$0.691
	- Off Peak Unit rate	¢/kWh	\$0.528
A140	Time of Use (closed to new entrants)		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer p	\$5.400
	- Peak Unit rate	¢/kWh	0.985
	- Off Peak Unit rate	¢/kWh	0.528
A180	Off Peak Heating Only		
	<i>11.00 PM to 7.00 AM all days</i>		
	- Standing charge	\$/customer p	\$0.000
	- Off Peak Unit rate	¢/kWh	0.371

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer p	\$6.400
- Unit rate	¢/kWh	0.859

A210 Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$27.000
- Peak Unit rate	¢/kWh	1.108
- Off Peak Unit rate	¢/kWh	0.528

A230 Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$185.300
- Peak Unit rate	¢/kWh	0.976
- Off Peak Unit rate	¢/kWh	0.528
- Demand rate	\$/kW pa	\$3.579
Minimum Chargeable Demand	60 kW	

A250 Time of Use Extended

Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer p	\$27.000
- Peak Unit rate	¢/kWh	0.983
- Off Peak Unit rate	¢/kWh	0.528

A270 Time of Use Extended - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer p	\$185.300
- Peak Unit rate	¢/kWh	0.838
- Off Peak Unit rate	¢/kWh	0.528
- Demand rate	\$/kW pa	\$3.579
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Peak Unit rate	¢/kWh	0.440
- Off Peak Unit rate	¢/kWh	0.528

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300	LV 0.4 - 0.8 GWh		
Only available to customers with annual consumption ≤ 0.8 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer p		\$345.000
- Peak Unit rate	¢/kWh		1.327
- Off Peak Unit rate	¢/kWh		0.431
- Demand rate	\$/kW pa		\$2.937
Minimum Chargeable Demand	120 kW		

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers with annual consumption ≤ 0.8 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	1.284
- Off Peak Unit rate	¢/kWh	0.431
- Demand rate	\$/kW pa	\$2.937
Minimum Chargeable Demand	120 kW	

A320 LV 0.8⁺ - 2.2 GWh

Only available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$950.000
- Peak Unit rate	¢/kWh	1.357
- Off Peak Unit rate	¢/kWh	0.431
- Demand rate	\$/kW pa	\$3.324
Minimum Chargeable Demand	250 kW	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	1.294
- Off Peak Unit rate	¢/kWh	0.431
- Demand rate	\$/kW pa	\$3.324
Minimum Chargeable Demand	250 kW	

A340 LV 2.2⁺ - 6.0 GWh

Only available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$2,010.000
- Peak Unit rate	¢/kWh	1.416
- Off Peak Unit rate	¢/kWh	0.431
- Demand rate	\$/kW pa	\$4.148
Minimum Chargeable Demand	250 kW	

A34E LV_{EN} 2.2⁺ - 6.0 GWh

Only available to embedded network customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	1.334
- Off Peak Unit rate	¢/kWh	0.431
- Demand rate	\$/kW pa	\$4.148
Minimum Chargeable Demand	250 kW	

A34M LV_{MS} 2.2⁺ - 6.0 GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$2,010.000
- Peak Unit rate	¢/kWh	1.423
- Off Peak Unit rate	¢/kWh	0.431
- Demand rate	\$/kW pa	\$4.147
Minimum Chargeable Demand	250 kW	

A370 LV 6.0⁺ GWh

Only available to customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$3,479.000
- Peak Unit rate	¢/kWh	1.240
- Off Peak Unit rate	¢/kWh	0.429
- Demand rate	\$/kW pa	\$3.529
Minimum Chargeable Demand	450 kW	

A37E LV_{EN} 6.0⁺ GWh

Only available to embedded network customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	1.335
- Off Peak Unit rate	¢/kWh	0.431
- Demand rate	\$/kW pa	\$3.891
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0⁺ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh*

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$3,479.000
- Peak Unit rate	¢/kWh	1.243
- Off Peak Unit rate	¢/kWh	0.429
- Demand rate	\$/kW pa	\$3.529
Minimum Chargeable Demand	450 kW	

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer p	\$7,515.000
- Peak Unit rate	¢/kWh	1.357
- Off Peak Unit rate	¢/kWh	0.355
- Demand rate	\$/kW pa	\$4.240
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers with annual consumption ≤ 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	1.361
- Off Peak Unit rate	¢/kWh	0.355
- Demand rate	\$/kW pa	\$4.240
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer p	\$7,515.000
- Peak Unit rate	¢/kWh	1.357
- Off Peak Unit rate	¢/kWh	0.355
- Demand rate	\$/kW pa	\$4.045
Minimum Chargeable Demand	1,000 kW	

A42E	HV_{EN} 10⁺ GWh
-------------	---

Only available to embedded network customers with annual consumption > 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$0.000
- Peak Unit rate	¢/kWh	1.252
- Off Peak Unit rate	¢/kWh	0.329
- Demand rate	\$/kW pa	\$4.112
Minimum Chargeable Demand	2,000 kW	

A480	HV - Annual Consumption ≥ 55 GWh
-------------	---

Only available to customers with annual consumption ≥ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$7,500.000
- Peak Unit rate	¢/kWh	1.343
- Off Peak Unit rate	¢/kWh	0.352
- Demand rate	\$/kW pa	\$3.076
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission
-------------	------------------------

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer p	\$17,080.000
- Peak Unit rate	¢/kWh	1.155
- Off Peak Unit rate	¢/kWh	0.232
- Demand rate	\$/kW pa	\$2.619
Minimum Chargeable Demand	15,000 kW	

A50A	Subtransmission MA
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>	
- Standing charge	\$/customer p \$17,080.000
- Peak Unit rate	¢/kWh 1.155
- Off Peak Unit rate	¢/kWh 0.232
- Demand rate	\$/kW pa \$2.619
Minimum Chargeable Demand	15,000 kW

A50E	Subtransmission EG
Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.	
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>	
- Standing charge	\$/customer p \$6,356.000
- Peak Unit rate	¢/kWh 1.155
- Off Peak Unit rate	¢/kWh 0.232
- Demand rate	\$/kW pa \$2.683
Minimum Chargeable Demand	15,000 kW

* Other terms and conditions apply

**AGL Electricity Prescribed Metering Service Tariffs For The 2007
Calendar Year (Exclusive of GST)**

	<u>Units</u>	<u>Rate</u>
<u>Metering Data Services</u>		
- Monthly Read Meter	\$/NMI pa	\$45.180
- Quarterly Read Meter	\$/NMI pa	\$15.060
- Unmetered Supplies	\$/light pa	\$0.120
<u>Meter Provision</u>		
- Single Phase Non Off Peak Meter	\$/meter pa	\$2.490
- Single Phase Off Peak Meter*	\$/meter pa	\$25.710
- Three Phase Direct Connected Meter	\$/meter pa	\$42.770
- Three Phase Current Transformer Connected Meter	\$/meter pa	\$0.860

* A single phase off peak accumulation meter has one logical meter for charging but two physical single phase meters.