

**Jemena Electricity Networks (Vic) Ltd - Network Tariffs For The 2008
Calendar Year (Exclusive of GST)**



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100	General Purpose		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$19.800
	- Unit rate	¢/kWh	5.972
A101	Time of Use Interval Meter		
	Available to customers with an interval meter		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$19.800
	- Peak Unit rate	¢/kWh	9.467
	- Off Peak Unit rate	¢/kWh	1.762
A140	Time of Use (closed to new entrants)		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$33.960
	- Peak Unit rate	¢/kWh	7.460
	- Off Peak Unit rate	¢/kWh	1.589
A180	Off Peak Heating Only		
	<i>11.00 PM to 7.00 AM all days</i>		
	- Standing charge	\$/customer pa	\$0.000
	- Off Peak Unit rate	¢/kWh	1.430

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200	General Purpose		
	Only available to customers with a single rate accumulation meter		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$50.640
	- Unit rate	¢/kWh	6.822
A210	Time of Use Weekdays		
	Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$88.320
	- Peak Unit rate	¢/kWh	8.192
	- Off Peak Unit rate	¢/kWh	1.661

**Jemena Electricity Networks (Vic) Ltd - Network Tariffs For The 2008
Calendar Year (Exclusive of GST)**



Customer Class Code	Tariff Name	Units	Rate
A230	Time of Use Weekdays - Demand		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$229.680
	- Peak Unit rate	¢/kWh	4.677
	- Off Peak Unit rate	¢/kWh	1.665
	- Demand rate	\$/kW pa	\$42.732
	Minimum Chargeable Demand	60 kW	
A250	Time of Use Extended		
	Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW		
	<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$88.320
	- Peak Unit rate	¢/kWh	7.200
	- Off Peak Unit rate	¢/kWh	1.766
A270	Time of Use Extended - Demand		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$229.680
	- Peak Unit rate	¢/kWh	3.825
	- Off Peak Unit rate	¢/kWh	1.788
	- Demand rate	\$/kW pa	\$42.732
	Minimum Chargeable Demand	60 kW	
A290	Unmetered Supply		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Peak Unit rate	¢/kWh	7.323
	- Off Peak Unit rate	¢/kWh	1.648

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300	LV 0.4 - 0.8 GWh		
	Only available to customers with annual consumption ≤ 0.8 GWh		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$1,500.000
	- Peak Unit rate	¢/kWh	2.508
	- Off Peak Unit rate	¢/kWh	0.911
	- Demand rate	\$/kW pa	\$71.688
	Minimum Chargeable Demand	120 kW	

**Jemena Electricity Networks (Vic) Ltd - Network Tariffs For The 2008
Calendar Year (Exclusive of GST)**



Customer Class Code	Tariff Name	Units	Rate
A30E	LV_{EN} Annual Consumption ≤ 0.8 GWh		
Only available to embedded network customers with annual consumption ≤ 0.8 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$1,500.000
- Peak Unit rate	¢/kWh		2.427
- Off Peak Unit rate	¢/kWh		0.911
- Demand rate	\$/kW pa		\$75.396
Minimum Chargeable Demand	120 kW		
A320	LV 0.8⁺ - 2.2 GWh		
Only available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,844.000
- Peak Unit rate	¢/kWh		2.095
- Off Peak Unit rate	¢/kWh		0.893
- Demand rate	\$/kW pa		\$66.036
Minimum Chargeable Demand	250 kW		
A32E	LV_{EN} 0.8⁺ - 2.2 GWh		
Only available to embedded network customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,844.000
- Peak Unit rate	¢/kWh		1.930
- Off Peak Unit rate	¢/kWh		0.893
- Demand rate	\$/kW pa		\$67.596
Minimum Chargeable Demand	250 kW		
A340	LV 2.2⁺ - 6.0 GWh		
Only available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$4,872.000
- Peak Unit rate	¢/kWh		2.088
- Off Peak Unit rate	¢/kWh		0.783
- Demand rate	\$/kW pa		\$65.592
Minimum Chargeable Demand	250 kW		
A34E	LV_{EN} 2.2⁺ - 6.0 GWh		
Only available to embedded network customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$4,872.000
- Peak Unit rate	¢/kWh		1.768
- Off Peak Unit rate	¢/kWh		0.783
- Demand rate	\$/kW pa		\$66.864
Minimum Chargeable Demand	250 kW		

**Jemena Electricity Networks (Vic) Ltd - Network Tariffs For The 2008
Calendar Year (Exclusive of GST)**



Customer Class Code	Tariff Name	Units	Rate
A34M	LV_{MS} 2.2⁺ - 6.0 GWh		
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh*			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$3,450.000
- Peak Unit rate	¢/kWh		2.108
- Off Peak Unit rate	¢/kWh		0.783
- Demand rate	\$/kW pa		\$47.100
Minimum Chargeable Demand	250 kW		
A370	LV 6.0⁺ GWh		
Only available to customers with annual consumption > 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$7,356.000
- Peak Unit rate	¢/kWh		1.881
- Off Peak Unit rate	¢/kWh		0.743
- Demand rate	\$/kW pa		\$62.640
Minimum Chargeable Demand	450 kW		
A37E	LV_{EN} 6.0⁺ GWh		
Only available to embedded network customers with annual consumption > 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$7,356.000
- Peak Unit rate	¢/kWh		1.923
- Off Peak Unit rate	¢/kWh		0.743
- Demand rate	\$/kW pa		\$63.912
Minimum Chargeable Demand	450 kW		
A37M	LV_{MS} 6.0⁺ GWh		
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh*			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$5,502.000
- Peak Unit rate	¢/kWh		1.890
- Off Peak Unit rate	¢/kWh		0.743
- Demand rate	\$/kW pa		\$44.856
Minimum Chargeable Demand	450 kW		

**Jemena Electricity Networks (Vic) Ltd - Network Tariffs For The 2008
Calendar Year (Exclusive of GST)**



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$8,952.000
- Peak Unit rate	¢/kWh	1.880
- Off Peak Unit rate	¢/kWh	0.523
- Demand rate	\$/kW pa	\$53.304
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers with annual consumption ≤ 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,952.000
- Peak Unit rate	¢/kWh	1.708
- Off Peak Unit rate	¢/kWh	0.523
- Demand rate	\$/kW pa	\$53.964
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$8,952.000
- Peak Unit rate	¢/kWh	1.880
- Off Peak Unit rate	¢/kWh	0.523
- Demand rate	\$/kW pa	\$39.004
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers with annual consumption > 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,952.000
- Peak Unit rate	¢/kWh	1.706
- Off Peak Unit rate	¢/kWh	0.523
- Demand rate	\$/kW pa	\$53.916
Minimum Chargeable Demand	2,000 kW	

**Jemena Electricity Networks (Vic) Ltd - Network Tariffs For The 2008
Calendar Year (Exclusive of GST)**



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A480 HV - Annual Consumption $\geq$ 55 GWh

Only available to customers with annual consumption $\geq$ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$9,588.000
- Peak Unit rate	c/kWh	1.830
- Off Peak Unit rate	c/kWh	0.488
- Demand rate	\$/kW pa	\$48.684
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$32,952.000
- Peak Unit rate	c/kWh	1.194
- Off Peak Unit rate	c/kWh	0.271
- Demand rate	\$/kW pa	\$16.476
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$32,952.000
- Peak Unit rate	c/kWh	1.194
- Off Peak Unit rate	c/kWh	0.271
- Demand rate	\$/kW pa	\$16.476
Minimum Chargeable Demand	15,000 kW	

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$21,528.000
- Peak Unit rate	c/kWh	1.191
- Off Peak Unit rate	c/kWh	0.270
- Demand rate	\$/kW pa	\$5.472
Minimum Chargeable Demand	15,000 kW	

* Other terms and conditions apply

The Deemed Distribution Contract and JEN's Policy for Resetting Contract Demand form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN>