

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100 General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$18.960
- Unit rate	¢/kWh	6.133

A10I Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$18.960
- Peak Unit rate	¢/kWh	9.736
- Off Peak Unit rate	¢/kWh	1.793

A140 Time of Use (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$32.760
- Peak Unit rate	¢/kWh	7.691
- Off Peak Unit rate	¢/kWh	1.616

A180 Off Peak Heating Only

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation*

11.00 PM to 7.00 AM all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	1.460

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$48.240
- Unit rate	¢/kWh	7.003

A210 Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$85.200
- Peak Unit rate	¢/kWh	8.384
- Off Peak Unit rate	¢/kWh	1.687

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A230	Time of Use Weekdays - Demand		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$239.040
	- Peak Unit rate	¢/kWh	4.787
	- Off Peak Unit rate	¢/kWh	1.691
	- Demand rate	\$/kW pa	\$43.716
	Minimum Chargeable Demand	60 kW	
A250	Time of Use Extended		
	Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW		
	<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$85.200
	- Peak Unit rate	¢/kWh	7.370
	- Off Peak Unit rate	¢/kWh	1.795
A270	Time of Use Extended - Demand		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$239.040
	- Peak Unit rate	¢/kWh	3.915
	- Off Peak Unit rate	¢/kWh	1.817
	- Demand rate	\$/kW pa	\$43.716
	Minimum Chargeable Demand	60 kW	
A290	Unmetered Supply		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Peak Unit rate	¢/kWh	7.493
	- Off Peak Unit rate	¢/kWh	1.674

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300	LV 0.4 - 0.8 GWh		
	Only available to customers with annual consumption ≤ 0.8 GWh		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$1,524.000
	- Peak Unit rate	¢/kWh	2.543
	- Off Peak Unit rate	¢/kWh	0.927
	- Demand rate	\$/kW pa	\$73.140
	Minimum Chargeable Demand	120 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A30E	LV_{EN} Annual Consumption ≤ 0.8 GWh		
Only available to embedded network customers with annual consumption ≤ 0.8 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$1,524.000
- Peak Unit rate		¢/kWh	2.467
- Off Peak Unit rate		¢/kWh	0.927
- Demand rate		\$/kW pa	\$76.932
Minimum Chargeable Demand		120 kW	
A320	LV 0.8⁺ - 2.2 GWh		
Only available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$2,880.000
- Peak Unit rate		¢/kWh	2.122
- Off Peak Unit rate		¢/kWh	0.909
- Demand rate		\$/kW pa	\$67.368
Minimum Chargeable Demand		250 kW	
A32E	LV_{EN} 0.8⁺ - 2.2 GWh		
Only available to embedded network customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$2,880.000
- Peak Unit rate		¢/kWh	1.960
- Off Peak Unit rate		¢/kWh	0.909
- Demand rate		\$/kW pa	\$68.964
Minimum Chargeable Demand		250 kW	
A340	LV 2.2⁺ - 6.0 GWh		
Only available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$4,920.000
- Peak Unit rate		¢/kWh	2.116
- Off Peak Unit rate		¢/kWh	0.795
- Demand rate		\$/kW pa	\$66.900
Minimum Chargeable Demand		250 kW	
A34E	LV_{EN} 2.2⁺ - 6.0 GWh		
Only available to embedded network customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$4,920.000
- Peak Unit rate		¢/kWh	1.795
- Off Peak Unit rate		¢/kWh	0.795
- Demand rate		\$/kW pa	\$68.196
Minimum Chargeable Demand		250 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A34M **LV_{MS} 2.2⁺ - 6.0 GWh**

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh**

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,474.000
- Peak Unit rate	¢/kWh	2.142
- Off Peak Unit rate	¢/kWh	0.795
- Demand rate	\$/kW pa	\$47.988
Minimum Chargeable Demand	250 kW	

A370 **LV 6.0⁺ GWh**

Only available to customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$7,500.000
- Peak Unit rate	¢/kWh	1.901
- Off Peak Unit rate	¢/kWh	0.755
- Demand rate	\$/kW pa	\$63.876
Minimum Chargeable Demand	450 kW	

A37E **LV_{EN} 6.0⁺ GWh**

Only available to embedded network customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$7,500.000
- Peak Unit rate	¢/kWh	1.943
- Off Peak Unit rate	¢/kWh	0.755
- Demand rate	\$/kW pa	\$65.184
Minimum Chargeable Demand	450 kW	

A37M **LV_{MS} 6.0⁺ GWh**

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh**

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,616.000
- Peak Unit rate	¢/kWh	1.914
- Off Peak Unit rate	¢/kWh	0.755
- Demand rate	\$/kW pa	\$45.696
Minimum Chargeable Demand	450 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$8,616.000
- Peak Unit rate	¢/kWh	1.909
- Off Peak Unit rate	¢/kWh	0.540
- Demand rate	\$/kW pa	\$54.312
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers with annual consumption ≤ 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,616.000
- Peak Unit rate	¢/kWh	1.730
- Off Peak Unit rate	¢/kWh	0.540
- Demand rate	\$/kW pa	\$55.020
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$8,616.000
- Peak Unit rate	¢/kWh	1.909
- Off Peak Unit rate	¢/kWh	0.540
- Demand rate	\$/kW pa	\$39.302
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers with annual consumption > 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,616.000
- Peak Unit rate	¢/kWh	1.726
- Off Peak Unit rate	¢/kWh	0.540
- Demand rate	\$/kW pa	\$54.960
Minimum Chargeable Demand	2,000 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers with annual consumption ≥ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$9,624.000
- Peak Unit rate	¢/kWh	1.842
- Off Peak Unit rate	¢/kWh	0.502
- Demand rate	\$/kW pa	\$49.692
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$33,204.000
- Peak Unit rate	¢/kWh	1.197
- Off Peak Unit rate	¢/kWh	0.285
- Demand rate	\$/kW pa	\$16.992
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$33,204.000
- Peak Unit rate	¢/kWh	1.197
- Off Peak Unit rate	¢/kWh	0.285
- Demand rate	\$/kW pa	\$16.992
Minimum Chargeable Demand	15,000 kW	

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$21,780.000
- Peak Unit rate	¢/kWh	1.192
- Off Peak Unit rate	¢/kWh	0.283
- Demand rate	\$/kW pa	\$5.484
Minimum Chargeable Demand	15,000 kW	

* The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

** Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100	General Purpose		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$15.600
	- Unit rate	¢/kWh	5.511
A101	Time of Use Interval Meter		
	Available to customers with an interval meter		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$15.600
	- Peak Unit rate	¢/kWh	9.038
	- Off Peak Unit rate	¢/kWh	1.263
A140	Time of Use (closed to new entrants)		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$27.600
	- Peak Unit rate	¢/kWh	6.700
	- Off Peak Unit rate	¢/kWh	1.086
A180	Off Peak Heating Only		
	Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.		
	This tariff is not available to new or existing customers that install embedded generation*		
	<i>11.00 PM to 7.00 AM all days</i>		
	- Standing charge	\$/customer pa	\$0.000
	- Off Peak Unit rate	¢/kWh	1.086

Small Business

Only available to customers:

- with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- where supply is not taken from an on-site OR dedicated substation

A200	General Purpose		
	Only available to customers with a single rate accumulation meter		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$42.000
	- Unit rate	¢/kWh	6.137
A210	Time of Use Weekdays		
	Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$58.800
	- Peak Unit rate	¢/kWh	7.266
	- Off Peak Unit rate	¢/kWh	1.157

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A230	Time of Use Weekdays - Demand		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$49.200
	- Peak Unit rate	¢/kWh	3.807
	- Off Peak Unit rate	¢/kWh	1.161
	- Demand rate	\$/kW pa	\$40.140
	Minimum Chargeable Demand	60 kW	
A250	Time of Use Extended		
	Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW		
	<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$58.800
	- Peak Unit rate	¢/kWh	6.376
	- Off Peak Unit rate	¢/kWh	1.265
A270	Time of Use Extended - Demand		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$49.200
	- Peak Unit rate	¢/kWh	3.072
	- Off Peak Unit rate	¢/kWh	1.287
	- Demand rate	\$/kW pa	\$40.140
	Minimum Chargeable Demand	60 kW	
A290	Unmetered Supply		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Peak Unit rate	¢/kWh	7.053
	- Off Peak Unit rate	¢/kWh	1.144

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300	LV 0.4 - 0.8 GWh		
	Only available to customers with annual consumption ≤ 0.8 GWh		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$1,152.000
	- Peak Unit rate	¢/kWh	1.248
	- Off Peak Unit rate	¢/kWh	0.441
	- Demand rate	\$/kW pa	\$70.440
	Minimum Chargeable Demand	120 kW	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A30E	LV_{EN} Annual Consumption ≤ 0.8 GWh		
Only available to embedded network customers with annual consumption ≤ 0.8 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$1,152.000
- Peak Unit rate		¢/kWh	1.301
- Off Peak Unit rate		¢/kWh	0.441
- Demand rate		\$/kW pa	\$74.232
Minimum Chargeable Demand		120 kW	
A320	LV 0.8⁺ - 2.2 GWh		
Only available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$1,896.000
- Peak Unit rate		¢/kWh	0.800
- Off Peak Unit rate		¢/kWh	0.423
- Demand rate		\$/kW pa	\$64.296
Minimum Chargeable Demand		250 kW	
A32E	LV_{EN} 0.8⁺ - 2.2 GWh		
Only available to embedded network customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$1,896.000
- Peak Unit rate		¢/kWh	0.809
- Off Peak Unit rate		¢/kWh	0.423
- Demand rate		\$/kW pa	\$65.892
Minimum Chargeable Demand		250 kW	
A340	LV 2.2⁺ - 6.0 GWh		
Only available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$2,892.000
- Peak Unit rate		¢/kWh	0.734
- Off Peak Unit rate		¢/kWh	0.309
- Demand rate		\$/kW pa	\$63.036
Minimum Chargeable Demand		250 kW	
A34E	LV_{EN} 2.2⁺ - 6.0 GWh		
Only available to embedded network customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge		\$/customer pa	\$2,892.000
- Peak Unit rate		¢/kWh	0.741
- Off Peak Unit rate		¢/kWh	0.309
- Demand rate		\$/kW pa	\$64.332
Minimum Chargeable Demand		250 kW	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A34M **LV_{MS} 2.2⁺ - 6.0 GWh**

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh**

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,446.000
- Peak Unit rate	¢/kWh	0.734
- Off Peak Unit rate	¢/kWh	0.309
- Demand rate	\$/kW pa	\$44.124
Minimum Chargeable Demand	250 kW	

A370 **LV 6.0⁺ GWh**

Only available to customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,768.000
- Peak Unit rate	¢/kWh	0.713
- Off Peak Unit rate	¢/kWh	0.269
- Demand rate	\$/kW pa	\$60.612
Minimum Chargeable Demand	450 kW	

A37E **LV_{EN} 6.0⁺ GWh**

Only available to embedded network customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,768.000
- Peak Unit rate	¢/kWh	0.725
- Off Peak Unit rate	¢/kWh	0.269
- Demand rate	\$/kW pa	\$61.920
Minimum Chargeable Demand	450 kW	

A37M **LV_{MS} 6.0⁺ GWh**

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh**

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,884.000
- Peak Unit rate	¢/kWh	0.713
- Off Peak Unit rate	¢/kWh	0.269
- Demand rate	\$/kW pa	\$42.432
Minimum Chargeable Demand	450 kW	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$2,004.000
- Peak Unit rate	¢/kWh	0.568
- Off Peak Unit rate	¢/kWh	0.133
- Demand rate	\$/kW pa	\$50.388
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers with annual consumption ≤ 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,004.000
- Peak Unit rate	¢/kWh	0.587
- Off Peak Unit rate	¢/kWh	0.133
- Demand rate	\$/kW pa	\$51.612
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$2,004.000
- Peak Unit rate	¢/kWh	0.568
- Off Peak Unit rate	¢/kWh	0.133
- Demand rate	\$/kW pa	\$36.360
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers with annual consumption > 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,004.000
- Peak Unit rate	¢/kWh	0.591
- Off Peak Unit rate	¢/kWh	0.133
- Demand rate	\$/kW pa	\$51.276
Minimum Chargeable Demand	2,000 kW	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers with annual consumption ≥ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,992.000
- Peak Unit rate	¢/kWh	0.552
- Off Peak Unit rate	¢/kWh	0.095
- Demand rate	\$/kW pa	\$46.836
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$15,672.000
- Peak Unit rate	¢/kWh	0.093
- Off Peak Unit rate	¢/kWh	0.018
- Demand rate	\$/kW pa	\$14.556
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$15,672.000
- Peak Unit rate	¢/kWh	0.093
- Off Peak Unit rate	¢/kWh	0.018
- Demand rate	\$/kW pa	\$14.556
Minimum Chargeable Demand	15,000 kW	

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$15,672.000
- Peak Unit rate	¢/kWh	0.088
- Off Peak Unit rate	¢/kWh	0.016
- Demand rate	\$/kW pa	\$2.916
Minimum Chargeable Demand	15,000 kW	

* The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

** Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>

Jemena Electricity Networks (VIC) Ltd - Transmission Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100 General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$3.360
- Unit rate	¢/kWh	0.622

A10I Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3.360
- Peak Unit rate	¢/kWh	0.698
- Off Peak Unit rate	¢/kWh	0.530

A140 Time of Use (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5.160
- Peak Unit rate	¢/kWh	0.991
- Off Peak Unit rate	¢/kWh	0.530

A180 Off Peak Heating Only

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation*

11.00 PM to 7.00 AM all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	0.374

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$6.240
- Unit rate	¢/kWh	0.866

A210 Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$26.400
- Peak Unit rate	¢/kWh	1.118
- Off Peak Unit rate	¢/kWh	0.530

Jemena Electricity Networks (VIC) Ltd - Transmission Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A230	Time of Use Weekdays - Demand		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$189.840
	- Peak Unit rate	¢/kWh	0.980
	- Off Peak Unit rate	¢/kWh	0.530
	- Demand rate	\$/kW pa	\$3.576
	Minimum Chargeable Demand	60 kW	
A250	Time of Use Extended		
	Only available to customers with a two rate accumulation meter OR to customers with annual consumption < 160 MWh and having a maximum demand < 60 kW		
	<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$26.400
	- Peak Unit rate	¢/kWh	0.994
	- Off Peak Unit rate	¢/kWh	0.530
A270	Time of Use Extended - Demand		
	Only available to customers with a meter capable of measuring demand		
	<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$189.840
	- Peak Unit rate	¢/kWh	0.843
	- Off Peak Unit rate	¢/kWh	0.530
	- Demand rate	\$/kW pa	\$3.576
	Minimum Chargeable Demand	60 kW	
A290	Unmetered Supply		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Peak Unit rate	¢/kWh	0.440
	- Off Peak Unit rate	¢/kWh	0.530

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300	LV 0.4 - 0.8 GWh		
	Only available to customers with annual consumption ≤ 0.8 GWh		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$372.000
	- Peak Unit rate	¢/kWh	1.295
	- Off Peak Unit rate	¢/kWh	0.486
	- Demand rate	\$/kW pa	\$2.700
	Minimum Chargeable Demand	120 kW	

Jemena Electricity Networks (VIC) Ltd - Transmission Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A30E	LV_{EN} Annual Consumption ≤ 0.8 GWh		
Only available to embedded network customers with annual consumption ≤ 0.8 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$372.000
	- Peak Unit rate	¢/kWh	1.166
	- Off Peak Unit rate	¢/kWh	0.486
	- Demand rate	\$/kW pa	\$2.700
	Minimum Chargeable Demand	120 kW	
A320	LV 0.8⁺ - 2.2 GWh		
Only available to customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$984.000
	- Peak Unit rate	¢/kWh	1.322
	- Off Peak Unit rate	¢/kWh	0.486
	- Demand rate	\$/kW pa	\$3.072
	Minimum Chargeable Demand	250 kW	
A32E	LV_{EN} 0.8⁺ - 2.2 GWh		
Only available to embedded network customers with annual consumption > 0.8 GWh BUT ≤ 2.2 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$984.000
	- Peak Unit rate	¢/kWh	1.151
	- Off Peak Unit rate	¢/kWh	0.486
	- Demand rate	\$/kW pa	\$3.072
	Minimum Chargeable Demand	250 kW	
A340	LV 2.2⁺ - 6.0 GWh		
Only available to customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$2,028.000
	- Peak Unit rate	¢/kWh	1.382
	- Off Peak Unit rate	¢/kWh	0.486
	- Demand rate	\$/kW pa	\$3.864
	Minimum Chargeable Demand	250 kW	
A34E	LV_{EN} 2.2⁺ - 6.0 GWh		
Only available to embedded network customers with annual consumption > 2.2 GWh BUT ≤ 6.0 GWh			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$2,028.000
	- Peak Unit rate	¢/kWh	1.054
	- Off Peak Unit rate	¢/kWh	0.486
	- Demand rate	\$/kW pa	\$3.864
	Minimum Chargeable Demand	250 kW	

Jemena Electricity Networks (VIC) Ltd - Transmission Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A34M **LV_{MS} 2.2⁺ - 6.0 GWh**

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh**

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,028.000
- Peak Unit rate	¢/kWh	1.408
- Off Peak Unit rate	¢/kWh	0.486
- Demand rate	\$/kW pa	\$3.864
Minimum Chargeable Demand	250 kW	

A370 **LV 6.0⁺ GWh**

Only available to customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,732.000
- Peak Unit rate	¢/kWh	1.188
- Off Peak Unit rate	¢/kWh	0.486
- Demand rate	\$/kW pa	\$3.264
Minimum Chargeable Demand	450 kW	

A37E **LV_{EN} 6.0⁺ GWh**

Only available to embedded network customers with annual consumption > 6.0 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,732.000
- Peak Unit rate	¢/kWh	1.218
- Off Peak Unit rate	¢/kWh	0.486
- Demand rate	\$/kW pa	\$3.264
Minimum Chargeable Demand	450 kW	

A37M **LV_{MS} 6.0⁺ GWh**

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh**

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,732.000
- Peak Unit rate	¢/kWh	1.201
- Off Peak Unit rate	¢/kWh	0.486
- Demand rate	\$/kW pa	\$3.264
Minimum Chargeable Demand	450 kW	

Jemena Electricity Networks (VIC) Ltd - Transmission Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND $\leq 22,000$ Volts)

A400 HV

Only available to customers with annual consumption < 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$6,612.000
- Peak Unit rate	¢/kWh	1.341
- Off Peak Unit rate	¢/kWh	0.407
- Demand rate	\$/kW pa	\$3.924
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers with annual consumption ≤ 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,612.000
- Peak Unit rate	¢/kWh	1.143
- Off Peak Unit rate	¢/kWh	0.407
- Demand rate	\$/kW pa	\$3.408
Minimum Chargeable Demand	1,000 kW	

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$6,612.000
- Peak Unit rate	¢/kWh	1.341
- Off Peak Unit rate	¢/kWh	0.407
- Demand rate	\$/kW pa	\$2.942
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers with annual consumption > 10 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,612.000
- Peak Unit rate	¢/kWh	1.135
- Off Peak Unit rate	¢/kWh	0.407
- Demand rate	\$/kW pa	\$3.684
Minimum Chargeable Demand	2,000 kW	

Jemena Electricity Networks (VIC) Ltd - Transmission Tariffs For The 2009 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers with annual consumption ≥ 55 GWh

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$7,632.000
- Peak Unit rate	¢/kWh	1.290
- Off Peak Unit rate	¢/kWh	0.407
- Demand rate	\$/kW pa	\$2.856
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$17,532.000
- Peak Unit rate	¢/kWh	1.104
- Off Peak Unit rate	¢/kWh	0.267
- Demand rate	\$/kW pa	\$2.436
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$17,532.000
- Peak Unit rate	¢/kWh	1.104
- Off Peak Unit rate	¢/kWh	0.267
- Demand rate	\$/kW pa	\$2.436
Minimum Chargeable Demand	15,000 kW	

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,108.000
- Peak Unit rate	¢/kWh	1.104
- Off Peak Unit rate	¢/kWh	0.267
- Demand rate	\$/kW pa	\$2.568
Minimum Chargeable Demand	15,000 kW	

* The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

** Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>