

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100	General Purpose		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$19.800
	- Unit rate	¢/kWh	6.449

A10I / F10I*	Time of Use Interval Meter		
	Available to customers with an interval meter		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$19.800
	- Peak Unit rate	¢/kWh	10.179
	- Off Peak Unit rate	¢/kWh	1.957

A140	Time of Use (closed to new entrants)		
	This tariff is not available to existing customers that install an interval meter		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$34.440
	- Peak Unit rate	¢/kWh	8.131
	- Off Peak Unit rate	¢/kWh	1.867

A180	Off Peak Heating Only		
	Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.		
	This tariff is not available to new or existing customers that install embedded generation**		
	<i>11.00 PM to 7.00 AM all days</i>		
	- Standing charge	\$/customer pa	\$0.000
	- Off Peak Unit rate	¢/kWh	1.641

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200	General Purpose		
	Only available to customers with a single rate accumulation meter		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$50.160
	- Unit rate	¢/kWh	7.349

A210 / F210*	Time of Use Weekdays		
	Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$90.120
	- Peak Unit rate	¢/kWh	8.874
	- Off Peak Unit rate	¢/kWh	1.945

A230 / F230* Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$251.880
- Peak Unit rate	¢/kWh	5.251
- Off Peak Unit rate	¢/kWh	1.908
- Demand rate	\$/kW pa	\$45.828
Minimum Chargeable Demand	60 kW	

A250 / F250* Time of Use Extended

Only available to customers with a two rate accumulation meter OR to customers

consuming < 160 MWh pa and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$90.120
- Peak Unit rate	¢/kWh	7.832
- Off Peak Unit rate	¢/kWh	2.060

A270 / F270* Time of Use Extended - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$251.880
- Peak Unit rate	¢/kWh	4.310
- Off Peak Unit rate	¢/kWh	2.019
- Demand rate	\$/kW pa	\$45.828
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Peak Unit rate	¢/kWh	7.732
- Off Peak Unit rate	¢/kWh	1.895

Large Business**Low Voltage Tariffs (nominal voltage < 1000 Volts)**

Only available to customers:

- a) with annual consumption ³ 0.4 GWh OR maximum demand ³ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300* LV 0.4 - 0.8 GWh

Only available to customers consuming £ 0.8 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,584.000
- Peak Unit rate	¢/kWh	3.026
- Off Peak Unit rate	¢/kWh	1.109
- Demand rate	\$/kW pa	\$75.072
Minimum Chargeable Demand	120 kW	

A30E LVEN Annual Consumption 0.8 GWh

Only available to embedded network customers consuming £ 0.8 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,584.000
- Peak Unit rate	¢/kWh	2.944
- Off Peak Unit rate	¢/kWh	1.109
- Demand rate	\$/kW pa	\$78.924
Minimum Chargeable Demand	120 kW	

A320 LV 0.8+ - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT £ 2.2 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,012.000
- Peak Unit rate	¢/kWh	2.613
- Off Peak Unit rate	¢/kWh	1.084
- Demand rate	\$/kW pa	\$69.336
Minimum Chargeable Demand	250 kW	

A32E LVEN 0.8+ - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT £ 2.2 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,012.000
- Peak Unit rate	¢/kWh	2.424
- Off Peak Unit rate	¢/kWh	1.084
- Demand rate	\$/kW pa	\$70.956
Minimum Chargeable Demand	250 kW	

A340 LV 2.2+ - 6.0 GWh

Only available to customers consuming > 2.2 GWh pa BUT £ 6.0 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,148.000
- Peak Unit rate	¢/kWh	2.617
- Off Peak Unit rate	¢/kWh	0.978
- Demand rate	\$/kW pa	\$69.108
Minimum Chargeable Demand	250 kW	

A34E LVEN 2.2+ - 6.0 GWh

Only available to customers consuming > 2.2 GWh pa BUT £ 6.0 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,148.000
- Peak Unit rate	¢/kWh	2.213
- Off Peak Unit rate	¢/kWh	0.978
- Demand rate	\$/kW pa	\$70.428
Minimum Chargeable Demand	250 kW	

A34M LVMS 2.2+ - 6.0 GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT £ 6.0 GWh***

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,654.000
- Peak Unit rate	¢/kWh	2.678
- Off Peak Unit rate	¢/kWh	0.978
- Demand rate	\$/kW pa	\$49.920
Minimum Chargeable Demand	250 kW	

A370 LV 6.0+ GWh

Only available to customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$7,836.000
- Peak Unit rate	¢/kWh	2.338
- Off Peak Unit rate	¢/kWh	0.939
- Demand rate	\$/kW pa	\$65.844
Minimum Chargeable Demand	450 kW	

A37E LVEN 6.0+ GWh

Only available to embedded network customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$7,836.000
- Peak Unit rate	¢/kWh	2.389
- Off Peak Unit rate	¢/kWh	0.939
- Demand rate	\$/kW pa	\$67.176
Minimum Chargeable Demand	450 kW	

A37M LVMS 6.0+ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh***

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,892.000
- Peak Unit rate	¢/kWh	2.396
- Off Peak Unit rate	¢/kWh	0.939
- Demand rate	\$/kW pa	\$47.400
Minimum Chargeable Demand	450 kW	

High Voltage Tariffs (nominal voltage ³ 1000 Volts AND £ 22,000 Volts)

A400	HV
Only available to customers consuming < 55 GWh pa	
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>	
- Standing charge	\$/customer pa \$9,000.000
- Peak Unit rate	¢/kWh 2.369
- Off Peak Unit rate	¢/kWh 0.710
- Demand rate	\$/kW pa \$56.268
Minimum Chargeable Demand	1,000 kW

A40E	HVEN Annual Consumption 10 GWh
Only available to embedded network customers consuming 10 GWh pa	
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>	
- Standing charge	\$/customer pa \$9,000.000
- Peak Unit rate	¢/kWh 2.142
- Off Peak Unit rate	¢/kWh 0.710
- Demand rate	\$/kW pa \$56.880
Minimum Chargeable Demand	1,000 kW

A40R	HVRF (closed to new entrants)
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>	
- Standing charge	\$/customer pa \$9,000.000
- Peak Unit rate	¢/kWh 2.369
- Off Peak Unit rate	¢/kWh 0.710
- Demand rate	\$/kW pa \$41.068
Minimum Chargeable Demand	1,000 kW

A42E	HVEN 10+ GWh
Only available to embedded network customers consuming > 10 GWh pa	
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>	
- Standing charge	\$/customer pa \$9,000.000
- Peak Unit rate	¢/kWh 2.130
- Off Peak Unit rate	¢/kWh 0.710
- Demand rate	\$/kW pa \$56.940
Minimum Chargeable Demand	2,000 kW

A480	HV - Annual Consumption ³ 55 GWh
Only available to customers consuming ³ 55 GWh pa	
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>	
- Standing charge	\$/customer pa \$10,008.000
- Peak Unit rate	¢/kWh 2.276
- Off Peak Unit rate	¢/kWh 0.672
- Demand rate	\$/kW pa \$51.324
Minimum Chargeable Demand	10,000 kW

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>	
- Standing charge	\$/customer pa \$34,428.000
- Peak Unit rate	¢/kWh 1.567
- Off Peak Unit rate	¢/kWh 0.408
- Demand rate	\$/kW pa \$18.000
Minimum Chargeable Demand	15,000 kW

A50A	Subtransmission MA	
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>	
	- Standing charge	\$/customer pa \$34,428.000
	- Peak Unit rate	¢/kWh 1.567
	- Off Peak Unit rate	¢/kWh 0.408
	- Demand rate	\$/kW pa \$18.000
	Minimum Chargeable Demand	15,000 kW

A50E	Subtransmission EG	
	Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.	
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>	
	- Standing charge	\$/customer pa \$23,364.000
	- Peak Unit rate	¢/kWh 1.563
	- Off Peak Unit rate	¢/kWh 0.406
	- Demand rate	\$/kW pa \$6.396
	Minimum Chargeable Demand	15,000 kW

* A tariff code starting with the letter "F" indicates that the tariff attracts the feed in tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

** The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

*** Other terms and conditions apply

The Deemed Distribution Contract and Jemena Electricity Networks' Policy for Resetting Contract Demand form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>