

Jemena Electricity Networks (VIC) Ltd - Proposed Network Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100 General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$19.800
- Unit rate	¢/kWh	6.449

A101 / F101* Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$19.800
- Peak Unit rate	¢/kWh	10.179
- Off Peak Unit rate	¢/kWh	1.957

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$34.440
- Peak Unit rate	¢/kWh	8.131
- Off Peak Unit rate	¢/kWh	1.867

A180 Off Peak Heating Only

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation **

11.00 PM to 7.00 AM all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	1.641

Small Business

Only available to customers:

- with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- where supply is not taken from an on-site OR dedicated substation

A200 General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$50.160
- Unit rate	¢/kWh	7.349

Jemena Electricity Networks (VIC) Ltd - Proposed Network Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A210 / F210* Time of Use Weekdays			
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$90.120
	- Peak Unit rate	¢/kWh	8.874
	- Off Peak Unit rate	¢/kWh	1.945
A230 / F230* Time of Use Weekdays - Demand			
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$251.880
	- Peak Unit rate	¢/kWh	5.251
	- Off Peak Unit rate	¢/kWh	1.908
	- Demand rate	\$/kW pa	\$45.828
	Minimum Chargeable Demand	60 kW	
A250 / F250* Time of Use Extended			
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$90.120
	- Peak Unit rate	¢/kWh	7.832
	- Off Peak Unit rate	¢/kWh	2.060
A270 / F270* Time of Use Extended - Demand			
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$251.880
	- Peak Unit rate	¢/kWh	4.310
	- Off Peak Unit rate	¢/kWh	2.019
	- Demand rate	\$/kW pa	\$45.828
	Minimum Chargeable Demand	60 kW	
A290 Unmetered Supply			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Peak Unit rate	¢/kWh	7.732
	- Off Peak Unit rate	¢/kWh	1.895

Jemena Electricity Networks (VIC) Ltd - Proposed Network Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300⁺ LV 0.4 - 0.8 GWh

Only available to customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$1,584.000
- Peak Unit rate	¢/kWh	3.026
- Off Peak Unit rate	¢/kWh	1.109
- Demand rate	\$/kW pa	\$75.072
Minimum Chargeable Demand	120 kW	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$1,584.000
- Peak Unit rate	¢/kWh	2.944
- Off Peak Unit rate	¢/kWh	1.109
- Demand rate	\$/kW pa	\$78.924
Minimum Chargeable Demand	120 kW	

A320 LV 0.8⁺ - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$3,012.000
- Peak Unit rate	¢/kWh	2.613
- Off Peak Unit rate	¢/kWh	1.084
- Demand rate	\$/kW pa	\$69.336
Minimum Chargeable Demand	250 kW	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$3,012.000
- Peak Unit rate	¢/kWh	2.424
- Off Peak Unit rate	¢/kWh	1.084
- Demand rate	\$/kW pa	\$70.956
Minimum Chargeable Demand	250 kW	

Jemena Electricity Networks (VIC) Ltd - Proposed Network Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A340	LV 2.2⁺ - 6.0 GWh		
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa <i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$5,148.000
- Peak Unit rate	¢/kWh		2.617
- Off Peak Unit rate	¢/kWh		0.978
- Demand rate	\$/kW pa		\$69.108
Minimum Chargeable Demand	250 kW		
A34E	LV_{EN} 2.2⁺ - 6.0 GWh		
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa <i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$5,148.000
- Peak Unit rate	¢/kWh		2.213
- Off Peak Unit rate	¢/kWh		0.978
- Demand rate	\$/kW pa		\$70.428
Minimum Chargeable Demand	250 kW		
A34M	LV_{MS} 2.2⁺ - 6.0 GWh		
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh*** <i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$3,654.000
- Peak Unit rate	¢/kWh		2.678
- Off Peak Unit rate	¢/kWh		0.978
- Demand rate	\$/kW pa		\$49.920
Minimum Chargeable Demand	250 kW		
A370	LV 6.0⁺ GWh		
Only available to customers consuming > 6.0 GWh pa <i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$7,836.000
- Peak Unit rate	¢/kWh		2.338
- Off Peak Unit rate	¢/kWh		0.939
- Demand rate	\$/kW pa		\$65.844
Minimum Chargeable Demand	450 kW		

Jemena Electricity Networks (VIC) Ltd - Proposed Network Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A37E LV_{EN} 6.0⁺ GWh

Only available to embedded network customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$7,836.000
- Peak Unit rate	¢/kWh	2.389
- Off Peak Unit rate	¢/kWh	0.939
- Demand rate	\$/kW pa	\$67.176
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0⁺ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh***

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,892.000
- Peak Unit rate	¢/kWh	2.396
- Off Peak Unit rate	¢/kWh	0.939
- Demand rate	\$/kW pa	\$47.400
Minimum Chargeable Demand	450 kW	

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 HV

Only available to customers consuming < 55 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$9,000.000
- Peak Unit rate	¢/kWh	2.369
- Off Peak Unit rate	¢/kWh	0.710
- Demand rate	\$/kW pa	\$56.268
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers consuming ≤ 10 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$9,000.000
- Peak Unit rate	¢/kWh	2.142
- Off Peak Unit rate	¢/kWh	0.710
- Demand rate	\$/kW pa	\$56.880
Minimum Chargeable Demand	1,000 kW	

Jemena Electricity Networks (VIC) Ltd - Proposed Network Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$9,000.000
- Peak Unit rate	¢/kWh	2.369
- Off Peak Unit rate	¢/kWh	0.710
- Demand rate	\$/kW pa	\$41.068
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers consuming > 10 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$9,000.000
- Peak Unit rate	¢/kWh	2.130
- Off Peak Unit rate	¢/kWh	0.710
- Demand rate	\$/kW pa	\$56.940
Minimum Chargeable Demand	2,000 kW	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers consuming ≥ 55 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$10,008.000
- Peak Unit rate	¢/kWh	2.276
- Off Peak Unit rate	¢/kWh	0.672
- Demand rate	\$/kW pa	\$51.324
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$34,428.000
- Peak Unit rate	¢/kWh	1.567
- Off Peak Unit rate	¢/kWh	0.408
- Demand rate	\$/kW pa	\$18.000
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$34,428.000
- Peak Unit rate	¢/kWh	1.567
- Off Peak Unit rate	¢/kWh	0.408
- Demand rate	\$/kW pa	\$18.000
Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - Proposed Network Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$23,364.000
- Peak Unit rate	¢/kWh	1.563
- Off Peak Unit rate	¢/kWh	0.406
- Demand rate	\$/kW pa	\$6.396
Minimum Chargeable Demand	15,000 kW	

* A tariff code starting with the letter "F" indicates that the tariff attracts the feed in tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

** The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

*** Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>

Jemena Electricity Networks (VIC) Ltd - Proposed Distribution Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100	General Purpose		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$16.080
	- Unit rate	¢/kWh	5.585

A10I / F10I*	Time of Use Interval Meter		
	<i>Available to customers with an interval meter</i>		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$16.080
	- Peak Unit rate	¢/kWh	8.964
	- Off Peak Unit rate	¢/kWh	1.516

A140	Time of Use (closed to new entrants)		
	<i>This tariff is not available to existing customers that install an interval meter</i>		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$28.800
	- Peak Unit rate	¢/kWh	6.745
	- Off Peak Unit rate	¢/kWh	1.156

A180	Off Peak Heating Only		
	<i>Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.</i>		
	<i>This tariff is not available to new or existing customers that install embedded generation**</i>		
	<i>11.00 PM to 7.00 AM all days</i>		
	- Standing charge	\$/customer pa	\$0.000
	- Off Peak Unit rate	¢/kWh	1.123

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200	General Purpose		
	<i>Only available to customers with a single rate accumulation meter</i>		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$43.200
	- Unit rate	¢/kWh	6.166

Jemena Electricity Networks (VIC) Ltd - Proposed Distribution Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A210 / F210* Time of Use Weekdays			
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$61.200
	- Peak Unit rate	¢/kWh	7.348
	- Off Peak Unit rate	¢/kWh	1.232
A230 / F230* Time of Use Weekdays - Demand			
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$50.400
	- Peak Unit rate	¢/kWh	3.900
	- Off Peak Unit rate	¢/kWh	1.195
	- Demand rate	\$/kW pa	\$40.896
	Minimum Chargeable Demand	60 kW	
A250 / F250* Time of Use Extended			
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun"; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$61.200
	- Peak Unit rate	¢/kWh	6.468
	- Off Peak Unit rate	¢/kWh	1.347
A270 / F270* Time of Use Extended - Demand			
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun"; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$50.400
	- Peak Unit rate	¢/kWh	3.156
	- Off Peak Unit rate	¢/kWh	1.306
	- Demand rate	\$/kW pa	\$40.896
	Minimum Chargeable Demand	60 kW	
A290 Unmetered Supply			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>			
	- Peak Unit rate	¢/kWh	7.052
	- Off Peak Unit rate	¢/kWh	1.218

Jemena Electricity Networks (VIC) Ltd - Proposed Distribution Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300* LV 0.4 - 0.8 GWh

Only available to customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,188.000
- Peak Unit rate	¢/kWh	1.266
- Off Peak Unit rate	¢/kWh	0.430
- Demand rate	\$/kW pa	\$71.460
Minimum Chargeable Demand	120 kW	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,188.000
- Peak Unit rate	¢/kWh	1.320
- Off Peak Unit rate	¢/kWh	0.430
- Demand rate	\$/kW pa	\$75.312
Minimum Chargeable Demand	120 kW	

A320 LV 0.8* - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,956.000
- Peak Unit rate	¢/kWh	0.820
- Off Peak Unit rate	¢/kWh	0.404
- Demand rate	\$/kW pa	\$65.232
Minimum Chargeable Demand	250 kW	

A32E LV_{EN} 0.8* - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,956.000
- Peak Unit rate	¢/kWh	0.829
- Off Peak Unit rate	¢/kWh	0.404
- Demand rate	\$/kW pa	\$66.852
Minimum Chargeable Demand	250 kW	

Jemena Electricity Networks (VIC) Ltd - Proposed Distribution Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A340	LV 2.2⁺ - 6.0 GWh		
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,988.000
- Peak Unit rate	¢/kWh		0.752
- Off Peak Unit rate	¢/kWh		0.298
- Demand rate	\$/kW pa		\$63.948
Minimum Chargeable Demand	250 kW		
A34E	LV_{EN} 2.2⁺ - 6.0 GWh		
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,988.000
- Peak Unit rate	¢/kWh		0.752
- Off Peak Unit rate	¢/kWh		0.298
- Demand rate	\$/kW pa		\$65.268
Minimum Chargeable Demand	250 kW		
A34M	LV_{MS} 2.2⁺ - 6.0 GWh		
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh***			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$1,494.000
- Peak Unit rate	¢/kWh		0.745
- Off Peak Unit rate	¢/kWh		0.298
- Demand rate	\$/kW pa		\$44.760
Minimum Chargeable Demand	250 kW		
A370	LV 6.0⁺ GWh		
Only available to customers consuming > 6.0 GWh pa			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$3,888.000
- Peak Unit rate	¢/kWh		0.730
- Off Peak Unit rate	¢/kWh		0.259
- Demand rate	\$/kW pa		\$61.488
Minimum Chargeable Demand	450 kW		

Jemena Electricity Networks (VIC) Ltd - Proposed Distribution Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A37E LV_{EN} 6.0⁺ GWh

Only available to embedded network customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$3,888.000
- Peak Unit rate	¢/kWh	0.743
- Off Peak Unit rate	¢/kWh	0.259
- Demand rate	\$/kW pa	\$62.820
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0⁺ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh***

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$1,944.000
- Peak Unit rate	¢/kWh	0.730
- Off Peak Unit rate	¢/kWh	0.259
- Demand rate	\$/kW pa	\$43.044
Minimum Chargeable Demand	450 kW	

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 HV

Only available to customers consuming < 55 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times.

- Standing charge	\$/customer pa	\$2,064.000
- Peak Unit rate	¢/kWh	0.570
- Off Peak Unit rate	¢/kWh	0.137
- Demand rate	\$/kW pa	\$51.120
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers consuming ≤ 10 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$2,064.000
- Peak Unit rate	¢/kWh	0.590
- Off Peak Unit rate	¢/kWh	0.137
- Demand rate	\$/kW pa	\$52.356
Minimum Chargeable Demand	1,000 kW	

Jemena Electricity Networks (VIC) Ltd - Proposed Distribution Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A40R	HV_{RF} (closed to new entrants)		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.</i>		
	- Standing charge	\$/customer pa	\$2,064.000
	- Peak Unit rate	¢/kWh	0.570
	- Off Peak Unit rate	¢/kWh	0.137
	- Demand rate	\$/kW pa	\$37.140
	Minimum Chargeable Demand	1,000 kW	
A42E	HV_{EN} 10⁺ GWh		
	<i>Only available to embedded network customers consuming > 10 GWh pa</i>		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$2,064.000
	- Peak Unit rate	¢/kWh	0.594
	- Off Peak Unit rate	¢/kWh	0.137
	- Demand rate	\$/kW pa	\$52.020
	Minimum Chargeable Demand	2,000 kW	
A480	HV - Annual Consumption ≥ 55 GWh		
	<i>Only available to customers consuming ≥ 55 GWh pa</i>		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$2,052.000
	- Peak Unit rate	¢/kWh	0.553
	- Off Peak Unit rate	¢/kWh	0.099
	- Demand rate	\$/kW pa	\$47.520
	Minimum Chargeable Demand	10,000 kW	
Subtransmission Tariffs (nominal voltage > 22,000 Volts)			
A500	Subtransmission		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$16,140.000
	- Peak Unit rate	¢/kWh	0.090
	- Off Peak Unit rate	¢/kWh	0.019
	- Demand rate	\$/kW pa	\$14.772
	Minimum Chargeable Demand	15,000 kW	
A50A	Subtransmission MA		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$16,140.000
	- Peak Unit rate	¢/kWh	0.090
	- Off Peak Unit rate	¢/kWh	0.019
	- Demand rate	\$/kW pa	\$14.772
	Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - Proposed Distribution Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$16,140.000
- Peak Unit rate	¢/kWh	0.086
- Off Peak Unit rate	¢/kWh	0.017
- Demand rate	\$/kW pa	\$2.952
Minimum Chargeable Demand	15,000 kW	

* A tariff code starting with the letter "F" indicates that the tariff attracts the feed in tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

** The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

*** Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>

Jemena Electricity Networks (VIC) Ltd - Proposed Transmission Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Residential

Only available to residential customers

A100	General Purpose		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$3.720
	- Unit rate	¢/kWh	0.864

A101 / F101*	Time of Use Interval Meter		
	Available to customers with an interval meter		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$3.720
	- Peak Unit rate	¢/kWh	1.215
	- Off Peak Unit rate	¢/kWh	0.441

A140	Time of Use (closed to new entrants)		
	This tariff is not available to existing customers that install an interval meter		
	<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>		
	- Standing charge	\$/customer pa	\$5.640
	- Peak Unit rate	¢/kWh	1.386
	- Off Peak Unit rate	¢/kWh	0.711

A180	Off Peak Heating Only		
	Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.		
	This tariff is not available to new or existing customers that install embedded generation**		
	<i>11.00 PM to 7.00 AM all days</i>		
	- Standing charge	\$/customer pa	\$0.000
	- Off Peak Unit rate	¢/kWh	0.518

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200	General Purpose		
	Only available to customers with a single rate accumulation meter		
	<i>Single rate all times</i>		
	- Standing charge	\$/customer pa	\$6.960
	- Unit rate	¢/kWh	1.183

Jemena Electricity Networks (VIC) Ltd - Proposed Transmission Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A210 / F210* Time of Use Weekdays			
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$28.920
	- Peak Unit rate	¢/kWh	1.526
	- Off Peak Unit rate	¢/kWh	0.713
A230 / F230* Time of Use Weekdays - Demand			
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$201.480
	- Peak Unit rate	¢/kWh	1.351
	- Off Peak Unit rate	¢/kWh	0.713
	- Demand rate	\$/kW pa	\$4.932
	Minimum Chargeable Demand	60 kW	
A250 / F250* Time of Use Extended			
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$28.920
	- Peak Unit rate	¢/kWh	1.364
	- Off Peak Unit rate	¢/kWh	0.713
A270 / F270* Time of Use Extended - Demand			
Only available to customers with a meter capable of measuring demand			
<i>Peak: 7.00 AM to 11 PM "Mon - Sun" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$201.480
	- Peak Unit rate	¢/kWh	1.154
	- Off Peak Unit rate	¢/kWh	0.713
	- Demand rate	\$/kW pa	\$4.932
	Minimum Chargeable Demand	60 kW	
A290 Unmetered Supply			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Peak Unit rate	¢/kWh	0.680
	- Off Peak Unit rate	¢/kWh	0.677

Jemena Electricity Networks (VIC) Ltd - Proposed Transmission Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

Large Business

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300* LV 0.4 - 0.8 GWh

Only available to customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$396.000
- Peak Unit rate	¢/kWh	1.760
- Off Peak Unit rate	¢/kWh	0.679
- Demand rate	\$/kW pa	\$3.612
Minimum Chargeable Demand	120 kW	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$396.000
- Peak Unit rate	¢/kWh	1.624
- Off Peak Unit rate	¢/kWh	0.679
- Demand rate	\$/kW pa	\$3.612
Minimum Chargeable Demand	120 kW	

A320 LV 0.8⁺ - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$1,056.000
- Peak Unit rate	¢/kWh	1.793
- Off Peak Unit rate	¢/kWh	0.680
- Demand rate	\$/kW pa	\$4.104
Minimum Chargeable Demand	250 kW	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$1,056.000
- Peak Unit rate	¢/kWh	1.595
- Off Peak Unit rate	¢/kWh	0.680
- Demand rate	\$/kW pa	\$4.104
Minimum Chargeable Demand	250 kW	

Jemena Electricity Networks (VIC) Ltd - Proposed Transmission Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A340	LV 2.2⁺ - 6.0 GWh		
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,160.000
- Peak Unit rate	¢/kWh		1.865
- Off Peak Unit rate	¢/kWh		0.680
- Demand rate	\$/kW pa		\$5.160
Minimum Chargeable Demand	250 kW		
A34E	LV_{EN} 2.2⁺ - 6.0 GWh		
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,160.000
- Peak Unit rate	¢/kWh		1.461
- Off Peak Unit rate	¢/kWh		0.680
- Demand rate	\$/kW pa		\$5.160
Minimum Chargeable Demand	250 kW		
A34M	LV_{MS} 2.2⁺ - 6.0 GWh		
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh***			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$2,160.000
- Peak Unit rate	¢/kWh		1.933
- Off Peak Unit rate	¢/kWh		0.680
- Demand rate	\$/kW pa		\$5.160
Minimum Chargeable Demand	250 kW		
A370	LV 6.0⁺ GWh		
Only available to customers consuming > 6.0 GWh pa			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times</i>			
- Standing charge	\$/customer pa		\$3,948.000
- Peak Unit rate	¢/kWh		1.608
- Off Peak Unit rate	¢/kWh		0.680
- Demand rate	\$/kW pa		\$4.356
Minimum Chargeable Demand	450 kW		

Jemena Electricity Networks (VIC) Ltd - Proposed Transmission Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A37E LV_{EN} 6.0⁺ GWh

Only available to embedded network customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,948.000
- Peak Unit rate	¢/kWh	1.646
- Off Peak Unit rate	¢/kWh	0.680
- Demand rate	\$/kW pa	\$4.356
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0⁺ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh***

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,948.000
- Peak Unit rate	¢/kWh	1.666
- Off Peak Unit rate	¢/kWh	0.680
- Demand rate	\$/kW pa	\$4.356
Minimum Chargeable Demand	450 kW	

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 HV

Only available to customers consuming < 55 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times.

- Standing charge	\$/customer pa	\$6,936.000
- Peak Unit rate	¢/kWh	1.799
- Off Peak Unit rate	¢/kWh	0.573
- Demand rate	\$/kW pa	\$5.148
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers consuming ≤ 10 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,936.000
- Peak Unit rate	¢/kWh	1.552
- Off Peak Unit rate	¢/kWh	0.573
- Demand rate	\$/kW pa	\$4.524
Minimum Chargeable Demand	1,000 kW	

Jemena Electricity Networks (VIC) Ltd - Proposed Transmission Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
---------------------	-------------	-------	------

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times.

- Standing charge	\$/customer pa	\$6,936.000
- Peak Unit rate	¢/kWh	1.799
- Off Peak Unit rate	¢/kWh	0.573
- Demand rate	\$/kW pa	\$3.928
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers consuming > 10 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$6,936.000
- Peak Unit rate	¢/kWh	1.536
- Off Peak Unit rate	¢/kWh	0.573
- Demand rate	\$/kW pa	\$4.920
Minimum Chargeable Demand	2,000 kW	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers consuming ≥ 55 GWh pa

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$7,956.000
- Peak Unit rate	¢/kWh	1.723
- Off Peak Unit rate	¢/kWh	0.573
- Demand rate	\$/kW pa	\$3.804
Minimum Chargeable Demand	10,000 kW	

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$18,288.000
- Peak Unit rate	¢/kWh	1.477
- Off Peak Unit rate	¢/kWh	0.389
- Demand rate	\$/kW pa	\$3.228
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$18,288.000
- Peak Unit rate	¢/kWh	1.477
- Off Peak Unit rate	¢/kWh	0.389
- Demand rate	\$/kW pa	\$3.228
Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - Proposed Transmission Tariffs For The 2010 Calendar Year (Exclusive of GST)



Customer Class Code	Tariff Name	Units	Rate
A50E	Subtransmission EG		
Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.			
<i>Peak: 7.00 AM to 11 PM "Mon - Fri" ; Off peak all other times</i>			
	- Standing charge	\$/customer pa	\$7,224.000
	- Peak Unit rate	¢/kWh	1.477
	- Off Peak Unit rate	¢/kWh	0.389
	- Demand rate	\$/kW pa	\$3.444
	Minimum Chargeable Demand	15,000 kW	

* A tariff code starting with the letter "F" indicates that the tariff attracts the feed in tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

** The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

*** Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>