

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100* General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$20.470
- Unit rate	¢/kWh	6.856

A10I / F10I* Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$20.470
- Peak Unit rate	¢/kWh	10.856
- Off Peak Unit rate	¢/kWh	1.952

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$35.810
- Peak Unit rate	¢/kWh	8.612
- Off Peak Unit rate	¢/kWh	1.968

A180 Off Peak Heating Only

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation **

11.00 PM to 7.00 AM AEST all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	1.756

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 / F200* General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$53.370
- Unit rate	¢/kWh	7.935

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
A210 / F210* Time of Use Weekdays				
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$93.220
- Peak Unit rate			¢/kWh	9.560
- Off Peak Unit rate			¢/kWh	1.994
A230 / F230* Time of Use Weekdays - Demand				
Only available to customers with a meter capable of measuring demand				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$206.630
- Peak Unit rate			¢/kWh	5.644
- Off Peak Unit rate			¢/kWh	1.995
- Demand rate			\$/kW pa	\$51.301
Minimum Chargeable Demand			60 kW	
A250 / F250* Time of Use Extended				
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$93.220
- Peak Unit rate			¢/kWh	8.431
- Off Peak Unit rate			¢/kWh	2.130
A270 / F270* Time of Use Extended - Demand				
Only available to customers with a meter capable of measuring demand				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$206.630
- Peak Unit rate			¢/kWh	4.616
- Off Peak Unit rate			¢/kWh	2.136
- Demand rate			\$/kW pa	\$51.301
Minimum Chargeable Demand			60 kW	
A290 Unmetered Supply				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Peak Unit rate			¢/kWh	8.518
- Off Peak Unit rate			¢/kWh	1.987

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300* LV 0.4 - 0.8 GWh

Only available to customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,594.920
- Peak Unit rate	¢/kWh	3.110
- Off Peak Unit rate	¢/kWh	1.130
- Demand rate	\$/kW pa	\$81.914
Minimum Chargeable Demand	120 kW	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,594.920
- Peak Unit rate	¢/kWh	3.038
- Off Peak Unit rate	¢/kWh	1.130
- Demand rate	\$/kW pa	\$86.162
Minimum Chargeable Demand	120 kW	

A320 LV 0.8* - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,895.770
- Peak Unit rate	¢/kWh	2.672
- Off Peak Unit rate	¢/kWh	1.084
- Demand rate	\$/kW pa	\$76.354
Minimum Chargeable Demand	250 kW	

A32E LV_{EN} 0.8* - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,895.770
- Peak Unit rate	¢/kWh	2.486
- Off Peak Unit rate	¢/kWh	1.084
- Demand rate	\$/kW pa	\$78.163
Minimum Chargeable Demand	250 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
A340 LV 2.2⁺ - 6.0 GWh				
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
	- Standing charge		\$/customer pa	\$5,030.280
	- Peak Unit rate		¢/kWh	2.650
	- Off Peak Unit rate		¢/kWh	0.988
	- Demand rate		\$/kW pa	\$76.275
	Minimum Chargeable Demand		250 kW	
A34E LV_{EN} 2.2⁺ - 6.0 GWh				
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
	- Standing charge		\$/customer pa	\$5,030.280
	- Peak Unit rate		¢/kWh	2.256
	- Off Peak Unit rate		¢/kWh	0.988
	- Demand rate		\$/kW pa	\$78.509
	Minimum Chargeable Demand		250 kW	
A34M LV_{MS} 2.2⁺ - 6.0 GWh				
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh***				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
	- Standing charge		\$/customer pa	\$3,417.530
	- Peak Unit rate		¢/kWh	2.708
	- Off Peak Unit rate		¢/kWh	0.988
	- Demand rate		\$/kW pa	\$54.091
	Minimum Chargeable Demand		250 kW	
A370 LV 6.0⁺ GWh				
Only available to customers consuming > 6.0 GWh pa				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
	- Standing charge		\$/customer pa	\$7,862.310
	- Peak Unit rate		¢/kWh	2.374
	- Off Peak Unit rate		¢/kWh	0.944
	- Demand rate		\$/kW pa	\$73.081
	Minimum Chargeable Demand		450 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A37E LV_{EN} 6.0⁺ GWh

Only available to embedded network customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$7,862.310
- Peak Unit rate	¢/kWh	2.429
- Off Peak Unit rate	¢/kWh	0.944
- Demand rate	\$/kW pa	\$73.315
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0⁺ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh***

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,763.800
- Peak Unit rate	¢/kWh	2.431
- Off Peak Unit rate	¢/kWh	0.944
- Demand rate	\$/kW pa	\$52.863
Minimum Chargeable Demand	450 kW	

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 HV

Only available to customers consuming < 55 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,989.330
- Peak Unit rate	¢/kWh	2.375
- Off Peak Unit rate	¢/kWh	0.702
- Demand rate	\$/kW pa	\$60.402
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers consuming ≤ 10 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,989.330
- Peak Unit rate	¢/kWh	2.168
- Off Peak Unit rate	¢/kWh	0.702
- Demand rate	\$/kW pa	\$61.126
Minimum Chargeable Demand	1,000 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,989.330
- Peak Unit rate	¢/kWh	2.375
- Off Peak Unit rate	¢/kWh	0.702
- Demand rate	\$/kW pa	\$55.962
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers consuming > 10 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,989.330
- Peak Unit rate	¢/kWh	2.107
- Off Peak Unit rate	¢/kWh	0.702
- Demand rate	\$/kW pa	\$60.905
Minimum Chargeable Demand	2,000 kW	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers consuming ≥ 55 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$9,896.810
- Peak Unit rate	¢/kWh	2.250
- Off Peak Unit rate	¢/kWh	0.651
- Demand rate	\$/kW pa	\$55.147
Minimum Chargeable Demand	10,000 kW	

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$36,243.670
- Peak Unit rate	¢/kWh	1.569
- Off Peak Unit rate	¢/kWh	0.401
- Demand rate	\$/kW pa	\$19.498
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$36,243.670
- Peak Unit rate	¢/kWh	1.569
- Off Peak Unit rate	¢/kWh	0.401
- Demand rate	\$/kW pa	\$19.498
Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
	A50E	Subtransmission EG		
		Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
		<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
		- Standing charge	\$/customer pa	\$24,988.840
		- Peak Unit rate	¢/kWh	1.565
		- Off Peak Unit rate	¢/kWh	0.399
		- Demand rate	\$/kW pa	\$6.632
		Minimum Chargeable Demand	15,000 kW	

* A tariff code starting with the letter "F" indicates that the tariff attracts the feed in tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

** The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

*** Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100* General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$17.360
- Unit rate	¢/kWh	6.102

A10I / F10I* Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$17.360
- Peak Unit rate	¢/kWh	9.793
- Off Peak Unit rate	¢/kWh	1.629

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$31.090
- Peak Unit rate	¢/kWh	7.335
- Off Peak Unit rate	¢/kWh	1.292

A180 Off Peak Heating Only

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation **

11.00 PM to 7.00 AM AEST all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	1.268

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 / F200* General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$48.840
- Unit rate	¢/kWh	6.964

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
A210 / F210* Time of Use Weekdays				
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$69.190
- Peak Unit rate			¢/kWh	8.257
- Off Peak Unit rate			¢/kWh	1.379
A230 / F230* Time of Use Weekdays - Demand				
Only available to customers with a meter capable of measuring demand				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$56.980
- Peak Unit rate			¢/kWh	4.522
- Off Peak Unit rate			¢/kWh	1.386
- Demand rate			\$/kW pa	\$47.418
Minimum Chargeable Demand			60 kW	
A250 / F250* Time of Use Extended				
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$69.190
- Peak Unit rate			¢/kWh	7.268
- Off Peak Unit rate			¢/kWh	1.508
A270 / F270* Time of Use Extended - Demand				
Only available to customers with a meter capable of measuring demand				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$56.980
- Peak Unit rate			¢/kWh	3.659
- Off Peak Unit rate			¢/kWh	1.514
- Demand rate			\$/kW pa	\$47.418
Minimum Chargeable Demand			60 kW	
A290 Unmetered Supply				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Peak Unit rate			¢/kWh	7.895
- Off Peak Unit rate			¢/kWh	1.364

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300* LV 0.4 - 0.8 GWh

Only available to customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,282.420
- Peak Unit rate	¢/kWh	1.405
- Off Peak Unit rate	¢/kWh	0.477
- Demand rate	\$/kW pa	\$78.812
Minimum Chargeable Demand	120 kW	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,282.420
- Peak Unit rate	¢/kWh	1.465
- Off Peak Unit rate	¢/kWh	0.477
- Demand rate	\$/kW pa	\$83.060
Minimum Chargeable Demand	120 kW	

A320 LV 0.8* - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,111.460
- Peak Unit rate	¢/kWh	0.910
- Off Peak Unit rate	¢/kWh	0.448
- Demand rate	\$/kW pa	\$72.830
Minimum Chargeable Demand	250 kW	

A32E LV_{EN} 0.8* - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,111.460
- Peak Unit rate	¢/kWh	0.920
- Off Peak Unit rate	¢/kWh	0.448
- Demand rate	\$/kW pa	\$74.639
Minimum Chargeable Demand	250 kW	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
A340 LV 2.2⁺ - 6.0 GWh				
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$3,225.490
- Peak Unit rate			¢/kWh	0.842
- Off Peak Unit rate			¢/kWh	0.334
- Demand rate			\$/kW pa	\$71.844
Minimum Chargeable Demand			250 kW	
A34E LV_{EN} 2.2⁺ - 6.0 GWh				
Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$3,225.490
- Peak Unit rate			¢/kWh	0.842
- Off Peak Unit rate			¢/kWh	0.334
- Demand rate			\$/kW pa	\$73.719
Minimum Chargeable Demand			250 kW	
A34M LV_{MS} 2.2⁺ - 6.0 GWh				
Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh***				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$1,612.740
- Peak Unit rate			¢/kWh	0.834
- Off Peak Unit rate			¢/kWh	0.334
- Demand rate			\$/kW pa	\$49.660
Minimum Chargeable Demand			250 kW	
A370 LV 6.0⁺ GWh				
Only available to customers consuming > 6.0 GWh pa				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
- Standing charge			\$/customer pa	\$4,197.020
- Peak Unit rate			¢/kWh	0.817
- Off Peak Unit rate			¢/kWh	0.290
- Demand rate			\$/kW pa	\$68.835
Minimum Chargeable Demand			450 kW	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A37E LV_{EN} 6.0⁺ GWh

Only available to embedded network customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$4,197.020
- Peak Unit rate	¢/kWh	0.835
- Off Peak Unit rate	¢/kWh	0.290
- Demand rate	\$/kW pa	\$69.069
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0⁺ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh***

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,098.510
- Peak Unit rate	¢/kWh	0.817
- Off Peak Unit rate	¢/kWh	0.290
- Demand rate	\$/kW pa	\$48.617
Minimum Chargeable Demand	450 kW	

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 HV

Only available to customers consuming < 55 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,228.050
- Peak Unit rate	¢/kWh	0.615
- Off Peak Unit rate	¢/kWh	0.148
- Demand rate	\$/kW pa	\$55.336
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers consuming ≤ 10 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,228.050
- Peak Unit rate	¢/kWh	0.637
- Off Peak Unit rate	¢/kWh	0.148
- Demand rate	\$/kW pa	\$56.674
Minimum Chargeable Demand	1,000 kW	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,228.050
- Peak Unit rate	¢/kWh	0.615
- Off Peak Unit rate	¢/kWh	0.148
- Demand rate	\$/kW pa	\$50.896
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers consuming > 10 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,228.050
- Peak Unit rate	¢/kWh	0.641
- Off Peak Unit rate	¢/kWh	0.148
- Demand rate	\$/kW pa	\$56.155
Minimum Chargeable Demand	2,000 kW	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers consuming ≥ 55 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,215.090
- Peak Unit rate	¢/kWh	0.597
- Off Peak Unit rate	¢/kWh	0.107
- Demand rate	\$/kW pa	\$51.439
Minimum Chargeable Demand	10,000 kW	

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$17,907.020
- Peak Unit rate	¢/kWh	0.099
- Off Peak Unit rate	¢/kWh	0.021
- Demand rate	\$/kW pa	\$16.261
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$17,907.020
- Peak Unit rate	¢/kWh	0.099
- Off Peak Unit rate	¢/kWh	0.021
- Demand rate	\$/kW pa	\$16.261
Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
	A50E	Subtransmission EG		
		Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
		<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
		- Standing charge	\$/customer pa	\$17,745.620
		- Peak Unit rate	¢/kWh	0.095
		- Off Peak Unit rate	¢/kWh	0.019
		- Demand rate	\$/kW pa	\$3.243
		Minimum Chargeable Demand	15,000 kW	

* A tariff code starting with the letter "F" indicates that the tariff attracts the feed in tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

** The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

*** Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>

Jemena Electricity Networks (VIC) Ltd - Pass Through Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100* General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$3.110
- Unit rate	¢/kWh	0.754

A10I / F10I* Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3.110
- Peak Unit rate	¢/kWh	1.063
- Off Peak Unit rate	¢/kWh	0.323

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$4.720
- Peak Unit rate	¢/kWh	1.277
- Off Peak Unit rate	¢/kWh	0.676

A180 Off Peak Heating Only

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation **

11.00 PM to 7.00 AM AEST all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	0.488

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 / F200* General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$4.530
- Unit rate	¢/kWh	0.971

Jemena Electricity Networks (VIC) Ltd - Pass Through Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
A210 / F210* Time of Use Weekdays				
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
	- Standing charge		\$/customer pa	\$24.030
	- Peak Unit rate		¢/kWh	1.303
	- Off Peak Unit rate		¢/kWh	0.615
A230 / F230* Time of Use Weekdays - Demand				
Only available to customers with a meter capable of measuring demand				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
	- Standing charge		\$/customer pa	\$149.650
	- Peak Unit rate		¢/kWh	1.122
	- Off Peak Unit rate		¢/kWh	0.609
	- Demand rate		\$/kW pa	\$3.883
	Minimum Chargeable Demand		60 kW	
A250 / F250* Time of Use Extended				
Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>				
	- Standing charge		\$/customer pa	\$24.030
	- Peak Unit rate		¢/kWh	1.163
	- Off Peak Unit rate		¢/kWh	0.622
A270 / F270* Time of Use Extended - Demand				
Only available to customers with a meter capable of measuring demand				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times</i>				
	- Standing charge		\$/customer pa	\$149.650
	- Peak Unit rate		¢/kWh	0.957
	- Off Peak Unit rate		¢/kWh	0.622
	- Demand rate		\$/kW pa	\$3.883
	Minimum Chargeable Demand		60 kW	
A290 Unmetered Supply				
<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>				
	- Peak Unit rate		¢/kWh	0.623
	- Off Peak Unit rate		¢/kWh	0.623

Jemena Electricity Networks (VIC) Ltd - Pass Through Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300* LV 0.4 - 0.8 GWh

Only available to customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$312.500
- Peak Unit rate	¢/kWh	1.705
- Off Peak Unit rate	¢/kWh	0.653
- Demand rate	\$/kW pa	\$3.102
Minimum Chargeable Demand	120 kW	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$312.500
- Peak Unit rate	¢/kWh	1.573
- Off Peak Unit rate	¢/kWh	0.653
- Demand rate	\$/kW pa	\$3.102
Minimum Chargeable Demand	120 kW	

A320 LV 0.8* - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$784.310
- Peak Unit rate	¢/kWh	1.762
- Off Peak Unit rate	¢/kWh	0.636
- Demand rate	\$/kW pa	\$3.524
Minimum Chargeable Demand	250 kW	

A32E LV_{EN} 0.8* - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$784.310
- Peak Unit rate	¢/kWh	1.566
- Off Peak Unit rate	¢/kWh	0.636
- Demand rate	\$/kW pa	\$3.524
Minimum Chargeable Demand	250 kW	

Jemena Electricity Networks (VIC) Ltd - Pass Through Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A340 LV 2.2⁺ - 6.0 GWh

Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,804.790
- Peak Unit rate	¢/kWh	1.808
- Off Peak Unit rate	¢/kWh	0.654
- Demand rate	\$/kW pa	\$4.431
Minimum Chargeable Demand	250 kW	

A34E LV_{EN} 2.2⁺ - 6.0 GWh

Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,804.790
- Peak Unit rate	¢/kWh	1.414
- Off Peak Unit rate	¢/kWh	0.654
- Demand rate	\$/kW pa	\$4.790
Minimum Chargeable Demand	250 kW	

A34M LV_{MS} 2.2⁺ - 6.0 GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh***

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,804.790
- Peak Unit rate	¢/kWh	1.874
- Off Peak Unit rate	¢/kWh	0.654
- Demand rate	\$/kW pa	\$4.431
Minimum Chargeable Demand	250 kW	

A370 LV 6.0⁺ GWh

Only available to customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,665.290
- Peak Unit rate	¢/kWh	1.557
- Off Peak Unit rate	¢/kWh	0.654
- Demand rate	\$/kW pa	\$4.246
Minimum Chargeable Demand	450 kW	

Jemena Electricity Networks (VIC) Ltd - Pass Through Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A37E LV_{EN} 6.0⁺ GWh

Only available to embedded network customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,665.290
- Peak Unit rate	¢/kWh	1.594
- Off Peak Unit rate	¢/kWh	0.654
- Demand rate	\$/kW pa	\$4.246
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0⁺ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh***

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,665.290
- Peak Unit rate	¢/kWh	1.614
- Off Peak Unit rate	¢/kWh	0.654
- Demand rate	\$/kW pa	\$4.246
Minimum Chargeable Demand	450 kW	

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 HV

Only available to customers consuming < 55 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,761.280
- Peak Unit rate	¢/kWh	1.760
- Off Peak Unit rate	¢/kWh	0.554
- Demand rate	\$/kW pa	\$5.066
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers consuming ≤ 10 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,761.280
- Peak Unit rate	¢/kWh	1.531
- Off Peak Unit rate	¢/kWh	0.554
- Demand rate	\$/kW pa	\$4.452
Minimum Chargeable Demand	1,000 kW	

Jemena Electricity Networks (VIC) Ltd - Pass Through Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,761.280
- Peak Unit rate	¢/kWh	1.760
- Off Peak Unit rate	¢/kWh	0.554
- Demand rate	\$/kW pa	\$5.066
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers consuming > 10 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$6,761.280
- Peak Unit rate	¢/kWh	1.466
- Off Peak Unit rate	¢/kWh	0.554
- Demand rate	\$/kW pa	\$4.750
Minimum Chargeable Demand	2,000 kW	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers consuming ≥ 55 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$7,681.720
- Peak Unit rate	¢/kWh	1.653
- Off Peak Unit rate	¢/kWh	0.544
- Demand rate	\$/kW pa	\$3.708
Minimum Chargeable Demand	10,000 kW	

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$18,336.650
- Peak Unit rate	¢/kWh	1.470
- Off Peak Unit rate	¢/kWh	0.380
- Demand rate	\$/kW pa	\$3.237
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$18,336.650
- Peak Unit rate	¢/kWh	1.470
- Off Peak Unit rate	¢/kWh	0.380
- Demand rate	\$/kW pa	\$3.237
Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - Pass Through Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
	A50E	Subtransmission EG		
		Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
		<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
		- Standing charge	\$/customer pa	\$7,243.220
		- Peak Unit rate	¢/kWh	1.470
		- Off Peak Unit rate	¢/kWh	0.380
		- Demand rate	\$/kW pa	\$3.389
		Minimum Chargeable Demand	15,000 kW	

* A tariff code starting with the letter "F" indicates that the tariff attracts the feed in tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

** The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

*** Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>

Jemena Electricity Networks (Vic) Ltd (JEN)
Commonly Requested Distribution Services
Schedule of charges for 2011 (effective from 1 January 2011)

Distribution services	Business Hours		After Hours	
Routine new connections where JEN is the responsible for metering customers < 100 amps	Price excluding GST	Price including GST	Price excluding GST	Price including GST
Connection – single phase service	\$408.19	\$449.01	\$467.79	\$514.57
Connection – three phase service with direct connected metering	\$500.93	\$551.02	\$560.47	\$616.52
Connection – three phase service greater than 100 amps requiring current transformer (CT) metering		Quoted		Quoted
Routine new connections where JEN is not the responsible for metering customers < 100 amps				
Connection – single phase service	\$408.19	\$449.01	\$467.79	\$514.57
Connection – three phase service with direct connected metering	\$500.93	\$551.02	\$560.47	\$616.52
Connection – three phase service greater than 100 amps requiring current transformer (CT) metering.		Quoted		Quoted
Temporary Supply				
Temporary supply – overhead supply with coincident abolishment	\$431.83	\$475.01	\$479.49	\$527.44
Field Officer Visits				
Manual energisation of new premises (fuse insert)	\$12.07	\$13.27	\$36.40	\$40.04
Manual re-energisation of existing premises (fuse insert)	\$12.07	\$13.27	\$36.40	\$40.04
Manual de-energisation of existing premises (fuse removal)	\$20.62	\$22.68	\$41.70	\$45.86
Temporary disconnect – reconnect for non-payment	\$29.57	\$32.53	\$41.66	\$45.83
Manual special meter read	\$8.91	\$9.80		
Adjust time switch	\$11.13	\$12.24		
Service vehicle visits				
Service vehicle visit	\$314.66	\$346.13	\$346.66	\$381.33
Wasted service vehicle visit (not JEN's fault)	\$314.17	\$345.58	\$355.83	\$391.41
Fault response (not JEN's fault)	\$265.33	\$291.86	\$297.00	\$326.70
After hours service truck by appointment				Quoted
Meter installation test				
Retest of types 5 and 6 metering installations for first tier customers < 160 MWh	\$239.74	\$263.72	\$302.63	\$332.89
Retest of types 5 and 6 metering installations for first tier customers > 160 MWh	\$239.74	\$263.72	\$302.63	\$332.89
Miscellaneous distribution services				
Temporary covering of low voltage mains and service lines		Quoted		Quoted

Distribution services	Business Hours		After Hours	
Elective undergrounding where an existing overhead service exists		Quoted		Quoted
High load escorts—lifting of overhead lines		Quoted		Quoted
Restoration of overhead service cables pulled down by transport vehicles transporting high loads		Quoted		Quoted
Supply abolishment		Quoted		Quoted
Rearrangement of network assets at customer request, excluding alteration and relocation of existing public lighting services		Quoted		Quoted
Reserve feeder				
Reserve feeder - \$/kW per annum	\$4.44	\$4.88		
Meter data services				
Unmetered supplies - \$/light per annum	\$0.132	\$0.145		

Jemena Electricity Networks (Vic) Ltd (JEN)
Public Lighting OMR (operation, maintenance & repair) charges per annum
(effective from 1 January 2011)

Light Type	OMR charge excluding GST	OMR charge including GST
Mercury vapour 80 watt	\$38.15	\$41.96
Sodium high pressure 150 watt	\$73.70	\$81.07
Sodium high pressure 250 watt	\$75.55	\$83.10
T5 2x14 watt	\$24.79	\$27.27
Fluorescent 20 watt	\$47.68	\$52.45
Fluorescent 40 watt	\$47.68	\$52.45
Fluorescent 80 watt	\$47.68	\$52.45
Mercury vapour 50 watt	\$47.68	\$52.45
Mercury vapour 125 watt	\$56.08	\$61.68
Mercury vapour 250 watt	\$72.53	\$79.78
Mercury vapour 400 watt	\$81.59	\$89.75
Sodium low pressure 90 watt	\$78.12	\$85.94
Sodium high pressure 50 watt	\$92.13	\$101.34
Sodium high pressure 100 watt	\$100.97	\$111.07
Sodium high pressure 400 watt	\$100.48	\$110.53
Sodium high pressure 250 watt (24 hours)	\$117.86	\$129.64
Metal halide 70 watt	\$98.04	\$107.84
Metal halide 100 watt	\$163.62	\$179.98
Metal halide 150 watt	\$163.62	\$179.98
Metal halide 250 watt	\$162.43	\$178.67
Incandescent 55 watt	\$47.68	\$52.45
Incandescent 100 watt	\$59.51	\$65.46
Incandescent 150 watt	\$74.39	\$81.83