

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

Residential

Only available to residential customers

A100 / F100* General Purpose

Single rate all times

- Standing charge	\$/customer pa	\$20.470
- Unit rate	¢/kWh	6.856

A10I / F10I* Time of Use Interval Meter

Available to customers with an interval meter

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$20.470
- Peak Unit rate	¢/kWh	10.856
- Off Peak Unit rate	¢/kWh	1.952

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$35.810
- Peak Unit rate	¢/kWh	8.612
- Off Peak Unit rate	¢/kWh	1.968

A180 Off Peak Heating Only

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation **

11.00 PM to 7.00 AM AEST all days

- Standing charge	\$/customer pa	\$0.000
- Off Peak Unit rate	¢/kWh	1.756

Small Business

Only available to customers:

- a) with annual consumption < 0.4 GWh AND maximum demand < 150 kVA (120 kW); and
- b) where supply is not taken from an on-site OR dedicated substation

A200 / F200* General Purpose

Only available to customers with a single rate accumulation meter

Single rate all times

- Standing charge	\$/customer pa	\$53.370
- Unit rate	¢/kWh	7.935

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A210 / F210* Time of Use Weekdays

Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$93.220
- Peak Unit rate	¢/kWh	9.560
- Off Peak Unit rate	¢/kWh	1.994

A230 / F230* Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$206.630
- Peak Unit rate	¢/kWh	5.644
- Off Peak Unit rate	¢/kWh	1.995
- Demand rate	\$/kW pa	\$51.301
Minimum Chargeable Demand	60 kW	

A250 / F250* Time of Use Extended

Only available to customers with a two rate accumulation meter OR to customers consuming < 160 MWh pa and having a maximum demand < 60 kW

Peak: 7.00 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$93.220
- Peak Unit rate	¢/kWh	8.431
- Off Peak Unit rate	¢/kWh	2.130

A270 / F270* Time of Use Extended - Demand

Only available to customers with a meter capable of measuring demand

Peak: 7.00 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$206.630
- Peak Unit rate	¢/kWh	4.616
- Off Peak Unit rate	¢/kWh	2.136
- Demand rate	\$/kW pa	\$51.301
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Peak Unit rate	¢/kWh	8.518
- Off Peak Unit rate	¢/kWh	1.987

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to customers:

- a) with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 150 kVA (120 kW); or
- b) taking supply from an on-site OR dedicated substation

A300 / F300* LV 0.4 - 0.8 GWh

Only available to customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,594.920
- Peak Unit rate	¢/kWh	3.110
- Off Peak Unit rate	¢/kWh	1.130
- Demand rate	\$/kW pa	\$81.914
Minimum Chargeable Demand	120 kW	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$1,594.920
- Peak Unit rate	¢/kWh	3.038
- Off Peak Unit rate	¢/kWh	1.130
- Demand rate	\$/kW pa	\$86.162
Minimum Chargeable Demand	120 kW	

A320 LV 0.8* - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,895.770
- Peak Unit rate	¢/kWh	2.672
- Off Peak Unit rate	¢/kWh	1.084
- Demand rate	\$/kW pa	\$76.354
Minimum Chargeable Demand	250 kW	

A32E LV_{EN} 0.8* - 2.2 GWh

Only available to customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$2,895.770
- Peak Unit rate	¢/kWh	2.486
- Off Peak Unit rate	¢/kWh	1.084
- Demand rate	\$/kW pa	\$78.163
Minimum Chargeable Demand	250 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A340 LV 2.2⁺ - 6.0 GWh

Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,030.280
- Peak Unit rate	¢/kWh	2.650
- Off Peak Unit rate	¢/kWh	0.988
- Demand rate	\$/kW pa	\$76.275
Minimum Chargeable Demand	250 kW	

A34E LV_{EN} 2.2⁺ - 6.0 GWh

Only available to customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,030.280
- Peak Unit rate	¢/kWh	2.256
- Off Peak Unit rate	¢/kWh	0.988
- Demand rate	\$/kW pa	\$78.509
Minimum Chargeable Demand	250 kW	

A34M LV_{MS} 2.2⁺ - 6.0 GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 2.2 GWh BUT ≤ 6.0 GWh***

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$3,417.530
- Peak Unit rate	¢/kWh	2.708
- Off Peak Unit rate	¢/kWh	0.988
- Demand rate	\$/kW pa	\$54.091
Minimum Chargeable Demand	250 kW	

A370 LV 6.0⁺ GWh

Only available to customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$7,862.310
- Peak Unit rate	¢/kWh	2.374
- Off Peak Unit rate	¢/kWh	0.944
- Demand rate	\$/kW pa	\$73.081
Minimum Chargeable Demand	450 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A37E LV_{EN} 6.0⁺ GWh

Only available to embedded network customers consuming > 6.0 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$7,862.310
- Peak Unit rate	¢/kWh	2.429
- Off Peak Unit rate	¢/kWh	0.944
- Demand rate	\$/kW pa	\$73.315
Minimum Chargeable Demand	450 kW	

A37M LV_{MS} 6.0⁺ GWh

Only available to a customer, other than an embedded network customer, taking supply from multiple supply points on a single site AND the aggregated annual consumption from those supply points is > 6.0 GWh***

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$5,763.800
- Peak Unit rate	¢/kWh	2.431
- Off Peak Unit rate	¢/kWh	0.944
- Demand rate	\$/kW pa	\$52.863
Minimum Chargeable Demand	450 kW	

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400 HV

Only available to customers consuming < 55 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,989.330
- Peak Unit rate	¢/kWh	2.375
- Off Peak Unit rate	¢/kWh	0.702
- Demand rate	\$/kW pa	\$60.402
Minimum Chargeable Demand	1,000 kW	

A40E HV_{EN} Annual Consumption ≤ 10 GWh

Only available to embedded network customers consuming ≤ 10 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,989.330
- Peak Unit rate	¢/kWh	2.168
- Off Peak Unit rate	¢/kWh	0.702
- Demand rate	\$/kW pa	\$61.126
Minimum Chargeable Demand	1,000 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
--------------	------	-------------	-------	------

A40R HV_{RF} (closed to new entrants)

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,989.330
- Peak Unit rate	¢/kWh	2.375
- Off Peak Unit rate	¢/kWh	0.702
- Demand rate	\$/kW pa	\$55.962
Minimum Chargeable Demand	1,000 kW	

A42E HV_{EN} 10⁺ GWh

Only available to embedded network customers consuming > 10 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$8,989.330
- Peak Unit rate	¢/kWh	2.107
- Off Peak Unit rate	¢/kWh	0.702
- Demand rate	\$/kW pa	\$60.905
Minimum Chargeable Demand	2,000 kW	

A480 HV - Annual Consumption ≥ 55 GWh

Only available to customers consuming ≥ 55 GWh pa

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$9,896.810
- Peak Unit rate	¢/kWh	2.250
- Off Peak Unit rate	¢/kWh	0.651
- Demand rate	\$/kW pa	\$55.147
Minimum Chargeable Demand	10,000 kW	

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500 Subtransmission

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$36,243.670
- Peak Unit rate	¢/kWh	1.569
- Off Peak Unit rate	¢/kWh	0.401
- Demand rate	\$/kW pa	\$19.498
Minimum Chargeable Demand	15,000 kW	

A50A Subtransmission MA

Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times

- Standing charge	\$/customer pa	\$36,243.670
- Peak Unit rate	¢/kWh	1.569
- Off Peak Unit rate	¢/kWh	0.401
- Demand rate	\$/kW pa	\$19.498
Minimum Chargeable Demand	15,000 kW	

Jemena Electricity Networks (VIC) Ltd - Network Tariffs For The 2011 Calendar Year (Exclusive of GST)



Tariff Class	Code	Tariff Name	Units	Rate
	A50E	Subtransmission EG		
		Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.		
		<i>Peak: 7.00 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times</i>		
		- Standing charge	\$/customer pa	\$24,988.840
		- Peak Unit rate	¢/kWh	1.565
		- Off Peak Unit rate	¢/kWh	0.399
		- Demand rate	\$/kW pa	\$6.632
		Minimum Chargeable Demand	15,000 kW	

* A tariff code starting with the letter "F" indicates that the tariff attracts the feed in tariff rebate. Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

** The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

*** Other terms and conditions apply

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<http://www.jemena.com.au/operations/distribution/JEN/default.aspx>