



2003 Network Tariff Report

1 March 2003

Powercor Australia
40 Market Street
Melbourne 3000

Contents

1.	INTRODUCTION	3
2.	NETWORK TARIFFS	3
2.1	NETWORK TARIFF COMPONENTS	3
2.1.1	<i>Distribution tariffs</i>	3
2.1.2	<i>Transmission tariffs</i>	3
2.2	CUSTOMER TYPES	4
3.	POLICY FRAMEWORK	4
3.1	PRICING OBJECTIVES	4
3.2	FIXED CHARGE TARIFFS	4
3.3	BLOCK TARIFFS	5
3.4	TIME OF USE TARIFFS	5
3.4	LOCATION BASED TARIFFS	5
3.5	TARIFF EQUALISATION	6
3.6	TRANSMISSION USE OF SYSTEM CHARGE ALLOCATION	6
4.	2003 TARIFFS	7
4.1	DOMESTIC CUSTOMERS	7
4.1.1	<i>D1 – Small single rate</i>	7
4.1.2	<i>D2 – Small two rate</i>	7
4.1.3	<i>DD1 – Dedicated circuit</i>	8
4.1.4	<i>D1.CS - Climate saver</i>	8
4.1.5	<i>D2.DK – Small two rate - Docklands region</i>	8
4.2	MEDIUM CUSTOMERS	8
4.2.1	<i>ND1 – Medium single rate</i>	9
4.2.2	<i>ND2 – Medium two rate, 5 day</i>	9
4.2.3	<i>ND3 – Medium two rate, 7 day</i>	9
4.2.4	<i>ND1.R – Bridge heating</i>	9
4.2.5	<i>ND2.BS – Business Sunraysia</i>	9
4.3	LARGE CUSTOMERS	10
4.3.1	<i>Low voltage demand tariffs</i>	10
4.3.2	<i>High voltage demand tariffs</i>	11
4.3	AVERAGE BILL BY CUSTOMER CLASS	11
4.4.1	<i>Domestic customers</i>	11
4.4.2	<i>Medium customers</i>	12
4.4.3	<i>Large low voltage customers</i>	12
4.4.4	<i>High voltage customers</i>	13
4.4.5	<i>Subtransmission customers</i>	13
5.	CONCLUSION	14
	APPENDIX A	15

1. INTRODUCTION

This document outlines the principles and policies adopted by Powercor Australia during the setting of network tariffs for the 2003 calendar year. Network tariffs are a charge for the services associated with using the network to transport electricity from the generator gate to the end-use customer.

2. NETWORK TARIFFS

2.1 Network tariff components

Network tariffs consist of two primary components, a transmission tariff and a distribution tariff. Both transmission and distribution tariffs have a fixed and variable component. A variable component can vary by day or time in addition to varying depending on the level of consumption.

2.1.1 Distribution tariffs

Powercor Australia has designed its distribution tariffs to be reflective of the costs that each customer segment imposes on the distribution system. The principle cost drivers in the distribution system are the voltage at which customers receive supply, the location of the customer and the connection characteristics of the customer.

Distribution tariffs are regulated by the Essential Services Commission (“ESC”) and are required to satisfy the constraints set out in the *Electricity Distribution Price Determination 2001-05 Volume II Price Controls (“Determination”)*. For 2003, the Commission’s Determination requires Powercor Australia to deliver an average real decrease in distribution tariffs of 1 per cent. Individual distribution tariffs are also constrained such that they can not increase by more than 2 per cent in real terms.

2.1.2 Transmission tariffs

Transmission use of system charges are levied on Powercor Australia by Vencorp and SPI Powernet.

The design of Powercor Australia’s transmission charges reflect the demand and energy usage of each customer segment. As with distribution charges, transmission charges passed through to Powercor Australia and in turn to customers, are regulated. The quantum of transmission charges is regulated by the Australian Competition and Consumer Commission and subject to review every five years. How the charges are passed through to customers is regulated by ESC.

Transmission costs are subsidised through a mechanism known as the Grid Equalisation Scheme. The Grid Equalisation Scheme transfers transmission charges from rural and remote customers to urban customers thus reducing the transmission tariffs paid by rural and remote customers. For the period 1994-2000 the Grid Equalisation Scheme transferred \$19 million per annum to Powercor Australia customers to offset transmission tariffs. For the period 2001-06 the amount transferred to Powercor Australia’s customers is \$15 million per annum.

2.2 Customer types

Network tariffs are priced based on five distinct customer segments, determined by the voltage at which they receive supply, their level of consumption and their maximum demand. The chart below defines Powercor Australia's customer groups.

Table 1: Network Tariffs Grouped by Customer Type

CUSTOMER	CONSUMPTION (MWh pa)	DEMAND (kW)	VOLTAGE	SEGMENT
Domestic	Less than 70		Below 1 kV	Residential
Business	Less than 400		Below 1 kV	Commercial / Small Industrial
Large low voltage	Greater than 400	Greater than 120 kW	Below 6.6 kV	Small to Medium Industrial/ Large Commercial
High voltage	Greater than 400	Greater than 1 MW	6.6 kV or above	Industrial
Subtransmission	Greater than 400	Greater than 10 MW	> 66 kV	Industrial

3. POLICY FRAMEWORK

3.1 Pricing objectives

Preparation of network tariffs requires a robust set of objectives that can be used to evaluate the suitability of network tariffs. The objectives employed by Powercor Australia in setting both distribution and transmission tariffs can be summarised as follows:

- **Economic signals:** Ensure there is appropriate signaling to customers of their impact on the distribution and transmission system;
- **Stability:** Distribution and transmission tariffs should be stable and predictable through time;
- **Simplicity:** Distribution and transmission tariffs should be readily understood by customers and easy to apply;
- **Equity:** Distribution and transmission tariffs should avoid undue discrimination between customers; and
- **Regulatory compliance:** Distribution and transmission tariffs should comply with the requirements set out in *Electricity Distribution Price Determination 2001-05 Volume II Price Controls*.

Distribution and transmission tariffs can be designed to include a number of tariff components. Typically a distribution or transmission tariff will consist of 3 or more components. How tariff components are included will have a significant impact on the economic signals provided by the tariff to the customer and how a customer is impacted by a tariff.

3.2 Fixed charge tariffs

Approximately two thirds of a distribution businesses costs are fixed. A consequence of a predominantly fixed cost business is that a customer's consumption pattern will only impact on costs when the distribution assets servicing that customer fall due for renewal.

Levying a customer a variable charge where costs are fixed will result in large energy users subsidising small energy users. Hence where suitable metering is available Powercor Australia has sought to closely align the recovery of fixed costs through fixed charges ie. through minimum demand charges. At present the minimum demand thresholds are 10,000 kW, 1,000 kW, 250 kW and 120 kW.

For domestic and small customers a standing charge is applied as a proxy for the recovery of fixed costs. In the interests of not disadvantaging small customers, Powercor Australia has placed a relatively low reliance on standing charges.

3.3 Block Tariffs

In 2001, Powercor introduced a block tariff structure designed for pricing small and medium tariff customers. The block tariff works as a demand management tool by increasing price as consumption increases. The tariffs progressively rise at the commencement of each block providing a graduated incentive to reduce consumption.

The number of blocks have been chosen to reflect discrete steps in a customer's consumption. 4,000 kWh represents the average consumption of a domestic customer. 20,000 kWh represents the point where a customer shifts from domestic to more general use. Finally 70,000 kWh represents the point where a customer becomes a medium usage customer. Off peak tariffs will remain uniform.

3.4 Time of use tariffs

The purpose of a time of use tariff is to provide pricing signals to customers to encourage usage during periods of low demand on the network and discourage use during times when the network is heavily utilised. Correctly specified, time of use tariffs create an incentive for customers to use the network in an optimal manner. Optimal usage of the network benefits customers through reduced expenditure on capital and operating expenditure whilst also providing valuable environmental signals.

Most Powercor Australia distribution tariffs contain variable time of use charges, typically based on a peak/off peak split where the definition off peak depends on the tariff. The major restriction on the introduction of time of use tariffs has been the lack of adequate metering technology, particularly for domestic and small business customers. The gradual introduction of meters with a capacity for multiple registers and half-hourly readings will enable the further introduction of time of use tariffs.

3.4 Location based tariffs

Many of the costs incurred in operating a distribution network are location based. The majority of cost drivers such as customer density, line length from zone sub station, vegetation control, storm activity, corrosion, bush fire, and alike are all dependent on a customer's location.

Powercor Australia has reviewed closely the introduction of location based tariffs. Indeed, many of Powercor Australia's present large customer tariffs have a location basis. Introducing customers in the domestic and medium segments to location based pricing would

impact significantly on rural customers resulting in many cases, major increases in these customer's bills. Introduction of location based pricing to medium and domestic customers would also prove administratively difficult to manage and would result in a significant increase in complexity, confusing customers and creating a potential for dispute.

Powercor Australia will continue to provide location based signals to large customers to ensure development occurs where it is most appropriate, and that Powercor Australia's network remains competitive with other available alternatives. No introduction of location based tariffs is proposed for medium or domestic customer tariffs at this time.

3.5 Tariff equalisation

Domestic and small business customers do not see network tariffs as bundled retail electricity prices have remained broadly equalised throughout Victoria. However, with the introduction of full retail competition, domestic customers will be exposed to network tariffs as some retailers disaggregate network and energy components.

As Powercor Australia's network tariffs are generally higher than other businesses' network tariffs (due to the inherent higher cost structure of Powercor Australia's network), Powercor Australia customers will for the first time begin to see relatively higher electricity bills. In other words, Powercor Australia's domestic customers will pay more than their equivalent urban neighbours in other business territories. Many of Powercor Australia's customers and their representatives have indicated that they would prefer uniform prices across the State and that urban-rural price differentials should be kept to a minimum.

The current network tariffs already have a declining cross subsidy from users outside Powercor's network. From 2001, the annual grid subsidy received by Powercor Australia declined from \$19m to \$15m per annum. The grid subsidy represents a commitment from the previous Victorian Government to transition rural and remote customers to cost reflective prices. Powercor Australia notes the Victorian Government has introduced the Special Power Payment to maintain broad urban/rural parity. The Special Power Payment is however only a one year scheme.

Given these issues, Powercor Australia supports an extension of the existing grid equalisation scheme to deliver a uniform postage stamp network tariffs across Victoria. The extension of the established Victorian-wide equalisation scheme is however an issue outside the control of Powercor Australia. Powercor Australia unsuccessfully advocated through the Electricity Distribution Price Review with both the former Office of the Regulator-General and the Victorian Government for an extension to the existing equalisation scheme. Powercor Australia continues to seek the Victorian Government and the Essential Services Commission's co-operation in developing an equalisation scheme that ensures rural customers are not penalised through the reform process.

3.6 Transmission use of system charge allocation

Powercor Australia is required, through the *Victorian Electricity Industry Tariff Order*, to collect transmission use of system fees on behalf of Vencorp and a connection charge for SPI Powernet. The transmission charges applied to Powercor Australia are as follows:

- A peak summer charge based on the average of the ten highest peaks during weekdays (between 7am and 11pm) for each of Powercor Australia's 11 terminal stations during the

extended summer period from November to March. The charge is capped at \$22,000 per kW per annum;

- A summer energy price to recover the balance of the location based network costs (where the cap on the demand based price means that the fully allocated cost is not recovered). This price is based on the total energy supplied to each terminal station during the 80 weekdays of highest energy supplied to that point during the summer weekdays;
- An excess reactive demand charge to recover reactive demand in excess of allowable power factor limits;
- A common service charge that includes costs for planning and operating the network and the costs related to reactive plant; and
- A fixed connection charge levied by SPI Powernet.

In addition to these charges, Powercor Australia also receives several rebates to be returned to customers. These rebates include settlement residue accruing from intra regional losses and the grid equalisation payment. Both these rebates are provided to Powercor Australia as fixed quantities.

Powercor Australia's transmission tariffs reflect the incurrence of fixed and variable charges except in the case of domestic and medium customers, where adequate metering is not available. Details of Powercor Australia's transmission charges are contained in Section 4.

4. 2003 TARIFFS

The following chapter outlines, in detail, the tariffs developed by Powercor Australia for the calendar year 2003.

4.1 Domestic customers

Domestic customers include all residential customers plus multiple occupancy dwellings such as boarding houses and special accommodation houses.

Standing charges have been reduced significantly in the domestic sector. This will offer domestic customers the opportunity to minimise their electricity bill through management of their consumption.

Following is a description of the network tariffs available to domestic customers:

4.1.1 D1 – Small single rate

This is the basic network tariff for general domestic usage such as lights and power. This is the network tariff under which most domestic customers are supplied. This tariff has a fixed standing charge and an energy charge that applies 24 hours per day, 7 days per week. There is no off-peak charge associated with this tariff.

4.1.2 D2 – Small two rate

This network tariff applies to domestic customers who have a meter capable of measuring peak and off peak energy usage. This network tariff is also for general domestic usage such as lights and power. It is the cheapest network tariff available for storage space heating (off-peak hot water units and heating).

The tariff includes a fixed standing charge, peak and off-peak energy charge. The peak charge applies between 7pm and 11am, Monday to Friday. Off-peak periods, such as the weekend and overnight, have a very low rate relative to the peak charge.

4.1.3 DD1 – Dedicated circuit

This network tariff relates mainly to customers with off-peak hot water but also includes storage heating. The network tariff includes a fixed standing charge and an off peak energy charge.

From 2003 this network tariff will not be available to customers whose site is being connected to the distribution network for the first time.

4.1.4 D1.CS - Climate saver

This network tariff applies to domestic customers who are using approved energy efficient reverse cycle heaters/air conditioners. From 2003 the D1.CS network tariff will only be available to customers whose site is being connected to the distribution network for the first time.

This is a seasonal tariff with no standing charge. The peak charge applies to the hotter months (November to March) when the network is heavily used. The off-peak charge applies to colder months (April to October) when the network is less utilised. This structure enables Powercor Australia to offer very competitive rates during winter for heating.

4.1.5 D2.DK – Small two rate - Docklands region

The D2.DK network tariff applies to domestic customers located in the Docklands region, who have a meter capable of measuring peak and off peak energy usage. This network tariff is for general usage such as lights and power.

The network tariff includes a fixed standing charge, peak and off-peak energy charge. The peak charge applies between 7pm and 11am, Monday to Friday. Off-peak periods, such as the weekend and overnight, have a very low rate relative to the peak charge.

The following table illustrates the domestic network tariff offering for 2003:

DOMESTIC CUSTOMERS - 2002 Network Tariffs (GST Exclusive)							
Network Tariffs	Network Tariff Category	Standing charges \$/cust pa	Peak charges				Off Peak charges
			Block1 c/kWh	Block 2 c/kWh	Block 3 c/kWh	Block 4 c/kWh	Block 1 c/kWh
Small single rate	D1	\$ 31.802	\$5.924	\$ 6.923	\$ 7.922	\$ 8.921	\$ -
ClimateSaver	D1.CS	\$ -	\$5.924	\$ 6.923	\$ 7.922	\$ 8.921	\$ 4.837
Small two rate	D2	\$ 40.072	\$8.262	\$ 8.684	\$ 9.347	\$10.176	\$ 0.809
Small two rate - Bulk	D2.DK	\$ 36.953	\$7.693	\$ 8.684	\$ 9.347	\$10.176	\$ 0.803
Dedicated circuit	DD1	\$ 12.981	\$ -	\$ -	\$ -	\$ -	\$ 0.811

4.2 Medium customers

Medium customers are those customers consuming less than 400 MWh per annum and a maximum demand less than 120 kW. Examples of this customer class include restaurants, farms and small business.

Medium tariffs are now comparable with small customer tariffs based on the principle that very little cost differential exists between the costs to serve these two customer groups. Medium tariffs have remained uniform across Powercor Australia's distribution area, except for a selection of heavy off peak users in Sunraysia who, for reasons discussed below, are proposed to have their own network tariff.

Only the ND2 tariff remains open to new medium customers.

A specific network tariff has been developed for heavy off-peak users in the Sunraysia area to relieve congestion during off peak periods. A combination of low off peak rates and limited off peak periods has resulted in the Sunraysia network being heavily utilised during off peak periods. Local spikes in demand have required Powercor Australia to expend significantly more capital in the affected area than it otherwise would, given the level of consumption in the area.

The following is a list of network tariffs available to medium customers:

4.2.1 ND1 – Medium single rate

This network tariff is for business customers with little overnight or weekend usage. This network tariff is similar to the standard domestic network tariff (D1), having both a fixed standing charge and a peak energy charge that applies 24 hours per day, 7 days per week.

4.2.2 ND2 – Medium two rate, 5 day

This network tariff is suited to customers with some overnight or weekend usage. Customers will benefit through lower charges during off-peak periods that extend both overnight and into the weekend. The network tariff includes a fixed standing charge, peak and off-peak charge. The peak charge applies between 7pm and 11am, Monday to Friday. The off-peak period includes overnight and into the weekend.

4.2.3 ND3 – Medium two rate, 7 day

The network tariff includes a fixed standing charge, peak and off-peak energy charge. The peak charge applies between 7pm and 11am, Monday to Sunday. Customers are charged lower off-peak rates during the remaining period.

4.2.4 ND1.R – Bridge heating

This network tariff has been specifically designed for bridge heaters installed in the Powercor network. These bridges only operate in the winter months, making this tariff unique. This network tariff is similar to the standard domestic network tariff (D1), having both a fixed standing charge and a peak energy charge that applies 24 hours per day, 7 days per week.

4.2.5 ND2.BS – Business Sunraysia

This tariff is offered to heavy off peak users in the Sunraysia area. A combination of low off peak rates and limited off peak periods allows Powercor Australia to relieve congestion during off peak periods. The network tariff includes a fixed standing charge, peak and off-peak charge. The peak charge generally applies between 7pm and 11am, 5 days a week. The peak days are dependent on the planning of the off peak times.

The following table illustrates the medium network tariff offering for 2003:

MEDIUM CUSTOMERS - 2002 Network Tariffs (GST Exclusive)							
Network Tariffs	Network Tariff Category	Standing charges \$/cust pa	Peak charges				Off Peak charges
			Block1 c/kWh	Block 2 c/kWh	Block 3 c/kWh	Block 4 c/kWh	Block 1 c/kWh
Medium single rate	ND1	\$ 31.802	\$ 5.924	\$ 6.923	\$ 7.922	\$ 8.921	\$ -
Medium single rate (R)	ND1.R	\$ 31.821	\$ 5.928	\$ 6.927	\$ 7.926	\$ 8.926	\$ -
Medium two rate-5d	ND2	\$ 40.072	\$ 8.262	\$ 8.684	\$ 9.347	\$10.176	\$ 0.809
Business Sunraysia	ND2.BS	\$ 40.072	\$ 8.262	\$ 8.684	\$ 9.347	\$10.176	\$ 0.809
Medium two rate-7d	ND3	\$ 42.399	\$ 7.447	\$ 8.059	\$ 9.189	\$10.251	\$ 0.856

4.3 Large customers

Large customers include large industrial sites, commercial buildings, large hospitals, and any other customer using a large amount of energy. A large customer can be identified by the size of consumption. Any customer with a demand of 120 kW (150 kVA) or annual energy consumption greater than 400 MWh is considered a 'large customer'.

Large customers are divided into three segments, based on the customer's voltage. The criteria for each of the three categories are listed below:

	Minimum Demand	Consumption
Large low voltage	120 kW	<6.6 kV
High voltage	1,000 kW	>6.6 kV
Subtransmission	10,000 kW	>66 kV

4.3.1 Low voltage demand tariffs

Large low voltage customers are those customers receiving supply at less than 6.6 kV that have a maximum demand of at least 120 kW. Examples of this customer class include commercial buildings, department stores, supermarkets, large fast food outlets and small factories.

The following table lists the network tariffs available to low voltage demand customers.

LARGE CUSTOMERS - 2002 Network Tariffs (GST Exclusive)					
Network Tariffs	Network Tariff Category	Standing charges \$/cust pa	Demand charges	Peak charges	Off Peak charges
			kW \$/kW pa	Block1 c/kWh	Block 1 c/kWh
Large Tariff (kW)	DL	\$ 2,801.109	\$ 84.254	\$ 2.507	\$ 1.225
Large Tariff A (kW)	DL.A	\$ 2,697.123	\$ 82.184	\$ 2.515	\$ 1.141
Large Tariff C (kW)	DL.C	\$ 2,697.123	\$ 82.184	\$ 2.515	\$ 1.141
Large Tariff S (kW)	DL.S	\$ 2,801.109	\$ 84.254	\$ 2.507	\$ 1.225
Large Tariff DK (kW)	DL.DK	\$ 4,121.241	\$ 56.119	\$ 1.532	\$ 0.904
Large Tariff X (kW)	DL.CXX	\$ 2,801.109	\$ 175.540	\$ 2.507	\$ 1.225

4.3.2 High voltage demand tariffs

High voltage customers are those customers receiving supply at 6.6 kV or above that have a maximum demand of at least 1 MW. Examples of this customer class include manufacturers, cold stores, food processors, refineries and other large industrial companies.

The following table lists the tariffs available for high voltage customers:

HIGH VOLTAGE CUSTOMERS - 2002 Network Tariffs (GST Exclusive)					
			Demand charges	Peak charges	Off Peak charges
Network Tariffs	Network Tariff Category	Standing charges \$/cust pa	kW \$/kW pa	Block1 c/kWh	Block 1 c/kWh
High voltage (kW)	DH	\$ 1,651.165	\$ 74.302	\$ 1.895	\$ 0.375
High voltage A (kW)	DH.A	\$ 1,425.660	\$ 48.831	\$ 1.396	\$ 0.244
High voltage C (kW)	DH.C	\$ 1,415.408	\$ 70.986	\$ 1.825	\$ 0.361
High voltage D1 (kW)	DH.D1	\$ 1,662.882	\$ 55.974	\$ 0.901	\$ 0.100
High voltage D2 (kW)	DH.D2	\$ 1,640.772	\$ 60.114	\$ 1.023	\$ 0.168
High Voltage DH.DK (kW)	DH.DK	\$ 1,650.955	\$ 38.389	\$ 1.608	\$ 0.361


4.3 Average bill by customer class

This section presents the average yearly charge that Powercor Australia's customers are estimated to receive in 2003. All of the following graphs use an average consumption level to determine the average yearly charge for 2003.

The illustrations below have been set out in the four main customer groups domestic, medium, large low voltage and high voltage.

4.4.1 Domestic customers

Figure 1



4.4.2 Medium customers





Figure 2

4.4.3 Large low voltage customers

Figure 3



4.4.4 High voltage customers





Figure 4

4.4.5 Subtransmission customers

Figure 5



5. CONCLUSION

Powercor Australia's 2003 tariffs ensure a fair and equitable outcome for its entire customer base, with significant discounts offered to small and medium customers.

Powercor Australia has recognised the needs of customers in relation to fixed and variable charges with the continuation of low standing charges for small and medium customers. This low level of fixed charges will allow customers to more effectively control their bill through management of consumption levels.

The existence of a peak block structure acts as an effective demand management tool. As tariffs progressively rise at the commencement of each block a graduating incentive to reduce consumption is provided.

Powercor Australia has ensured that the gains of electricity reform continue to be shared equitably between rural and urban customers. The adoption of common domestic and business network tariffs across the Powercor Australia region allows a domestic customer in Ouyen to continue to receive network services at the same rate as a customer in Sunshine. This is a continuation of Powercor Australia's commitment to providing reliable electricity supply at an affordable rate.

Appendix A



NETWORK TARIFF SCHEDULE (GST EXCLUSIVE) JANUARY 2003 – DECEMBER 2003

Table 2: Network tariffs effective 1 January 2003

NUoS Tariff	Code	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand KW	Peak charges c/kWh				Off peak energy c/kWhr
					First 4 MWh/yr	Next 16 MWh/yr	Next 50 MWh/yr	Balance	
Small single rate	D1	31.802			5.924	6.923	7.922	8.921	
ClimateSaver	D1.CS				5.924	6.923	7.922	8.921	4.837
Small two rate	D2	40.072			8.262	8.684	9.347	10.176	0.809
Small two rate - Bulk	D2.DK	36.953			7.693	8.684	9.347	10.176	0.803
Dedicated circuit	DD1	12.981							0.811
Medium single rate	ND1	31.802			5.924	6.923	7.922	8.921	
Medium single rate (R)	ND1.R	31.821			5.928	6.927	7.926	8.926	
Medium two rate-5d	ND2	40.072			8.262	8.684	9.347	10.176	0.809
Business Sunraysia	ND2.BS	40.072			8.262	8.684	9.347	10.176	0.809
Medium two rate-7d	ND3	42.399			7.447	8.059	9.189	10.251	0.856
Unmetered supplies	PL2				9.166				2.060
Large Tariff (kW)	DL	2801.109	84.254	250 kW	2.507				1.225
Large Tariff A (kW)	DL.A	2697.123	82.184	250 kW	2.515				1.141
Large Tariff C (kW)	DL.C	2697.123	82.184	250 kW	2.515				1.141
Large Tariff S (kW)	DL.S	2801.109	84.254	120 kW	2.507				1.225
Large Tariff DK (kW)	DL.DK	4121.241	56.119	120 kW	1.532				0.904
Large Tariff X (kW)	DL.CXX	2801.109	175.54	120 kW	2.507				1.225
High voltage (kW)	DH	1651.165	74.302	1,000 kW	1.895				0.375
High voltage A (kW)	DH.A	1425.66	48.831	1,000 kW	1.396				0.244
High voltage C (kW)	DH.C	1415.408	70.986	1,000 kW	1.825				0.361
High voltage D1 (kW)	DH.D1	1662.882	55.974	20,000 kW	0.901				0.100
High voltage D2 (kW)	DH.D2	1640.772	60.114	8,000 kW	1.023				0.168
High Voltage DH.DK (kW)	DH.DK	1650.955	38.389	1,000 kW	1.608				0.361
Subtransmission A	DS.A	12164.627	10.195	10,000 kW	1.410				0.030
Subtransmission G	DS.G	12164.627	10.195	10,000 kW	1.410				0.030
Subtransmission S	DS.S	12038.395	10.229	10,000 kW	1.430				0.029

Some Tariffs apply to specific customer groups in specific areas within the Powercor distribution network only. Powercor will provide specific information on request.



TRANSMISSION TARIFF SCHEDULE

(GST EXCLUSIVE)

JANUARY 2003 – DECEMBER 2003

Table 3: Transmission tariffs effective 1 January 2003

TUoS Tariff	Code	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand KW	Peak charges c/kWh				Off peak energy c/kWhr
					First 4 MWh/yr	Next 16 MWh/yr	Next 50 MWh/yr	Balance	
Small single rate	D1				0.396	0.396	0.396	0.396	
ClimateSaver	D1.CS				0.396	0.396	0.396	0.396	
Small two rate	D2				0.396	0.396	0.396	0.396	
Small two rate - Bulk	D2.DK				0.396	0.396	0.396	0.396	
Dedicated circuit	DD1								0.488
Medium single rate	ND1				0.396	0.396	0.396	0.396	
Medium single rate (R)	ND1.R				0.396	0.396	0.396	0.396	
Medium two rate-5d	ND2				0.396	0.396	0.396	0.396	
Business Sunraysia	ND2.BS				0.396	0.396	0.396	0.396	
Medium two rate-7d	ND3				0.396	0.396	0.396	0.396	
Unmetered supplies	PL2				0.396				
Large Tariff (kW)	DL		14.724	250 kW	0.484				
Large Tariff A (kW)	DL.A		14.724	250 kW	0.484				
Large Tariff C (kW)	DL.C		14.724	250 kW	0.484				
Large Tariff S (kW)	DL.S		14.724	120 kW	0.484				
Large Tariff DK (kW)	DL.DK		14.724	120 kW	0.484				
Large Tariff X (kW)	DL.CXX		30.686	120 kW	0.484				
High voltage (kW)	DH		12.971	1,000 kW	0.482				
High voltage A (kW)	DH.A		14.931	1,000 kW	0.555				
High voltage C (kW)	DH.C		12.971	1,000 kW	0.482				
High voltage D1 (kW)	DH.D1		23.416	20,000 kW	0.590				
High voltage D2 (kW)	DH.D2		22.100	8,000 kW	0.810				
High Voltage DH.DK (kW)	DH.DK		14.931	1,000 kW	0.555				
Subtransmission A	DS.A		4.839	10,000 kW	0.739				
Subtransmission G	DS.G		4.839	10,000 kW	0.739				
Subtransmission S	DS.S		4.839	10,000 kW	0.739				

Some Tariffs apply to specific customer groups in specific areas within the Powercor distribution network only. Powercor will provide specific information on request.



DISTRIBUTION TARIFF SCHEDULE

(GST EXCLUSIVE)

JANUARY 2003 – DECEMBER 2003

Table 4: Distribution tariffs effective 1 January 2003

DUoS Tariff	Code	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand KW	Peak charges c/kWh				Off peak energy c/kWhr
					First 4 MWh/yr	Next 16 MWh/yr	Next 50 MWh/yr	Balance	c/kWh
Small single rate	D1	31.802			5.528	6.527	7.526	8.525	
ClimateSaver	D1.CS				5.528	6.527	7.526	8.525	4.837
Small two rate	D2	40.072			7.866	8.288	8.951	9.780	0.809
Small two rate - Bulk	D2.DK	36.953			7.297	8.288	8.951	9.780	0.803
Dedicated circuit	DD1	12.981							0.323
Medium single rate	ND1	31.802			5.528	6.527	7.526	8.525	
Medium single rate (R)	ND1.R	31.821			5.532	6.531	7.530	8.530	
Medium two rate-5d	ND2	40.072			7.866	8.288	8.951	9.780	0.809
Business Sunraysia	ND2.BS	40.072			7.866	8.288	8.951	9.780	0.809
Medium two rate-7d	ND3	42.399			7.051	7.663	8.793	9.855	0.856
Unmetered supplies	PL2				8.770				2.060
Large Tariff (kW)	DL	2,801.109	69.530	250 kW	2.023				1.225
Large Tariff A (kW)	DL.A	2,697.123	67.460	250 kW	2.031				1.141
Large Tariff C (kW)	DL.C	2,697.123	67.460	250 kW	2.031				1.141
Large Tariff S (kW)	DL.S	2,801.109	69.530	120 kW	2.023				1.225
Large Tariff DK (kW)	DL.DK	4,121.241	41.395	120 kW	1.048				0.904
Large Tariff X (kW)	DL.CXX	2,801.109	144.854	120 kW	2.023				1.225
High voltage (kW)	DH	1,651.165	61.331	1,000 kW	1.413				0.375
High voltage A (kW)	DH.A	1,425.660	33.900	1,000 kW	0.841				0.244
High voltage C (kW)	DH.C	1,415.408	58.015	1,000 kW	1.343				0.361
High voltage D1 (kW)	DH.D1	1,662.882	32.558	20,000 kW	0.311				0.100
High voltage D2 (kW)	DH.D2	1,640.772	38.014	8,000 kW	0.213				0.168
High Voltage DH.DK (kW)	DH.DK	1,650.955	23.458	1,000 kW	1.053				0.361
Subtransmission A	DS.A	12,164.627	5.356	10,000 kW	0.671				0.030
Subtransmission G	DS.G	12,164.627	5.356	10,000 kW	0.671				0.030
Subtransmission S	DS.S	12,038.395	5.390	10,000 kW	0.691				0.029

Some Tariffs apply to specific customer groups in specific areas within the Powercor distribution network only. Powercor will provide specific information on request.

ADDITIONAL TERMS

The following terms apply:

- (a) The “Climate Saver” is a seasonal tariff that applies to approved reverse cycle air conditioners. The peak rate applies between 1 November – 31 March and the off peak rate applies between 1 April – 31 October. It is only available to customers whose site is being connected to the distribution network for the first time.
- (b) Tariff DH.D1 applies to customers with a maximum demand in excess of 20,000 kW connected with dual parallel dedicated high voltage jumbo feeders at 22kV supplied from Brooklyn Terminal Station.
- (c) Tariff DH.D2 applies to customers with a high load factor (80 %) and a maximum demand of 8,000 kW connected to high voltage feeders with interruptible supply at 11kV supplied from Laverton North zone substation.
- (d) Tariff ND2.BS applies to customers who have an off-peak load factor above 70% and are supplied from Red Cliffs Terminal Station.
- (e) Tariff DL.S is a tariff for customers using less than 400 MWh per annum and a demand less than 250 kW who were on Reatil Tariffs “L” and “V” as at 1 April 1998.
- (f) Tariff ND1.R is a seasonal tariff which applies to approved electrically heated bridge decks on the Calder Highway.
- (g) Tariffs DH.DK, DL.DK , D2.DK apply to customers supplied by feeders at 22kV from Fishermans Bend Terminal Station.
- (h) DD1 is only available to customers who have an existing DD1 configuration.

Table 2 provides an indication of the allocation of customers to the feeder specific tariffs (ND2.BS, D2.DK, DL.DK, DL.A, DL.C, DH.A, DH.C, DH.DK, DS.A, DS.G and DS.S). Powercor will provide specific information on request.

Table 2 - Feeder Based Tariff Application

	DL.C						DH.C			DH.A	DL.A	DS.A	DS.G	DS.S	ND1.BS		DL.DK D2.DK DH.DK
F E D E R N U M B E R	AL002	DDL011	GCY012	GLE011	MLN011	SU001	AL007	GB014	DLF4	AC024	AC031	Supplied by the Altona Brooklyn 66 kV Loops	Geelong	Directly	RCT23	MBN12	DLF1
	AL007	DDL012	GCY013	GLE012	MLN012	SU002	AL012	GB031	DLF5	AC026	AL006		66kV loops	supplied	RCT21	OYN5	DLF2
	AL012	DDL013	GCY014	GLE013	MLN021	SU003	BLT017	GB032		AC031				from	RCT11	OYN7	DLF3
		BLT016	DDL022	GCY021	GLE021	MLN024	SU005	BLT020	GCY024		AC032			both	RCT13	MBN13	DLF4
		BLT017	DDL023	GCY022	GLE024	S014	SU008	BLT022	GL015		AC033			Altona	RCT14	MBN14	DLF5
		BLT020	DDL024	GCY023	GLE031	S016	SU009	BLT023	GLE012		AL004			and	RCT15	MBN22	
		BLT021	FNS011	GCY024	GLE032	S021	SU010	BLT030	GLE023		AL006			Brooklyn	WMN1	RVL1	
		BLT022	FNS012	GL011	GLE033	S022	WBE031	CRO021	LV003		AL005			Terminal	RWC1	RVL4	
		BLT030	FNS021	GL012	LV001	S023	WBE032	CRO023	LV007		AL013			Stations	RWC2	RVL6	
		BLT031	FNS022	GL014	LV002	S026	WBE033	CRO024	SA001		AL014			at	MDA22	RVL8	
		CRO013	FNS032	GL021	LV003	SA001	WBE034	CRO031	SA005					66 kV	MDA23	MBN21	
		CRO021	GB011	GL022	LV004	SA002		CRO032	SU001						MDA24		
		CRO022	GB012	GL023	LV005	SA003		CRO033	SU003						MDA31		
		CRO023	GB014	GL024	LV006	SA004		DDL023	SU004						MDA32		
		CRO032	GB032		LV007	SA005		FNS013	SU008						MDA33		
		CRO034			LV008	SA006		FNS021	SU010						OYN1		
					LV009	SA007		FNS022	WBE033						OYN3		
						SA008		FNS032	WPD021								
							DLF1	WPD033									
							DLF2	DLF3									