



***2004 Network Tariff Report***

***1 March 2004***

**Powercor Australia**  
40 Market Street  
Melbourne 3000

## Contents

|           |                                                               |           |
|-----------|---------------------------------------------------------------|-----------|
| <b>1.</b> | <b>INTRODUCTION</b>                                           | <b>3</b>  |
| <b>2.</b> | <b>NETWORK TARIFFS</b>                                        | <b>3</b>  |
| 2.1       | NETWORK TARIFF COMPONENTS                                     | 3         |
| 2.1.1     | <i>Distribution tariffs</i>                                   | 3         |
| 2.1.2     | <i>Transmission tariffs</i>                                   | 3         |
| 2.2       | CUSTOMER TYPES                                                | 3         |
| <b>3.</b> | <b>POLICY FRAMEWORK</b>                                       | <b>4</b>  |
| 3.1       | PRICING OBJECTIVES                                            | 4         |
| 3.2       | FIXED CHARGE TARIFFS                                          | 4         |
| 3.3       | BLOCK TARIFFS                                                 | 5         |
| 3.4       | TIME OF USE TARIFFS                                           | 5         |
| 3.5       | LOCATION BASED TARIFFS                                        | 5         |
| 3.6       | TARIFF EQUALISATION                                           | 6         |
| 3.7       | TRANSMISSION USE OF SYSTEM CHARGE ALLOCATION                  | 6         |
| <b>4.</b> | <b>2004 TARIFFS</b>                                           | <b>8</b>  |
| 4.1       | DOMESTIC CUSTOMERS                                            | 8         |
| 4.1.1     | <i>D1 – Small single rate</i>                                 | 8         |
| 4.1.2     | <i>D2 – Small two rate</i>                                    | 8         |
| 4.1.3     | <i>DD1 – Dedicated circuit</i>                                | 8         |
| 4.1.4     | <i>D1.CS - Climate saver</i>                                  | 8         |
| 4.1.5     | <i>D2.DK – Small two rate - Docklands region</i>              | 9         |
| 4.2       | MEDIUM CUSTOMERS                                              | 9         |
| 4.2.1     | <i>ND1 – Medium single rate</i>                               | 9         |
| 4.2.2     | <i>ND2 – Medium two rate, 5 day</i>                           | 9         |
| 4.2.3     | <i>ND3 – Medium two rate, 7 day</i>                           | 10        |
| 4.2.4     | <i>ND1.R – Bridge heating</i>                                 | 10        |
| 4.2.5     | <i>ND2.BS – Business Sunraysia</i>                            | 10        |
| 4.3       | LARGE CUSTOMERS                                               | 10        |
| 4.3.1     | <i>Low voltage demand tariffs</i>                             | 11        |
| 4.3.2     | <i>High voltage demand tariffs</i>                            | 11        |
| 4.3.2     | <i>Sub-transmission demand tariffs</i>                        | 11        |
| 4.3       | AVERAGE BILL BY CUSTOMER CLASS                                | 13        |
| 4.4.1     | <i>Domestic customers</i>                                     | 13        |
| 4.4.2     | <i>Medium customers</i>                                       | 13        |
| 4.4.3     | <i>Large low voltage customers</i>                            | 14        |
| 4.4.4     | <i>High voltage customers</i>                                 | 14        |
| <b>5.</b> | <b>CONCLUSION</b>                                             | <b>15</b> |
|           | <i>Table 1. Distribution tariffs effective 1 January 2004</i> | <i>16</i> |
|           | <i>Table 2. Transmission tariffs effective 1 January 2004</i> | <i>17</i> |
|           | <i>Table 3. Network tariffs effective 1 January 2004</i>      | <i>18</i> |

## **1. INTRODUCTION**

This document outlines the principles and policies adopted by Powercor Australia during the setting of network tariffs for the 2004 calendar year. Network tariffs are a charge for the services associated with using the network to transport electricity from the generator gate to the end-use customer.

## **2. NETWORK TARIFFS**

### **2.1 Network tariff components**

Network tariffs consist of two primary components, a transmission tariff and a distribution tariff. Both transmission and distribution tariffs have a fixed and variable component. A variable component can vary by day or time in addition to varying depending on the level of consumption.

#### **2.1.1 Distribution tariffs**

Powercor Australia has designed its distribution tariffs to be reflective of the costs that each customer segment imposes on the distribution system. The principle cost drivers in the distribution system are the voltage at which customers receive supply, the location of the customer and the connection characteristics of the customer.

Distribution tariffs are regulated by the Essential Services Commission (“ESC”) and are required to satisfy the constraints set out in the *Electricity Distribution Price Determination 2001-05 Volume II Price Controls (“Determination”)*. For 2004, the Commission’s Determination requires Powercor Australia to deliver an average real decrease in distribution tariffs of 1 per cent. Individual distribution tariffs are also constrained such that they can not increase by more than 2 per cent in real terms (adjusted for S-Factor).

#### **2.1.2 Transmission tariffs**

Transmission use of system charges are levied on Powercor Australia by Vencorp and SPI Powernet. As with distribution charges, transmission charges passed through to Powercor Australia and in turn to customers, are regulated. The quantum of transmission charges is regulated by the Australian Competition and Consumer Commission and subject to review every five years.

Transmission costs are subsidised through a mechanism known as the Grid Equalisation Scheme. The Grid Equalisation Scheme transfers transmission charges from rural and remote customers to urban customers thus reducing the transmission tariffs paid by rural and remote customers. For the period 1994-2000 the Grid Equalisation Scheme transferred \$19 million per annum to Powercor Australia customers to offset transmission tariffs. For the period 2001-06 the amount transferred to Powercor Australia’s customers is \$15 million per annum.

### **2.2 Customer types**

Network tariffs are priced based on five distinct customer segments, determined by the voltage at which they receive supply, their level of consumption and their maximum demand. The chart below defines Powercor Australia’s customer groups.

**Table 1: Network Tariffs Grouped by Customer Type**

| CUSTOMER          | CONSUMPTION (MWh pa) | DEMAND (kW)         | VOLTAGE         | SEGMENT                                      |
|-------------------|----------------------|---------------------|-----------------|----------------------------------------------|
| Domestic          | Less than 70         |                     | Below 1 kV      | Residential                                  |
| Business          | Less than 400        |                     | Below 1 kV      | Commercial / Small Industrial                |
| Large low voltage | Greater than 400     | Greater than 120 kW | Below 6.6 kV    | Small to Medium Industrial/ Large Commercial |
| High voltage      | Greater than 400     | Greater than 1 MW   | 6.6 kV or above | Industrial                                   |
| Subtransmission   | Greater than 400     | Greater than 10 MW  | > 66 kV         | Industrial                                   |

### 3. POLICY FRAMEWORK

#### 3.1 Pricing objectives

Preparation of network tariffs requires a robust set of objectives that can be used to evaluate the suitability of network tariffs. The objectives employed by Powercor Australia in setting both distribution and transmission tariffs can be summarised as follows:

- **Economic signals:** Ensure there is appropriate signaling to customers of their impact on the distribution and transmission system;
- **Stability:** Distribution and transmission tariffs should be stable and predictable through time;
- **Simplicity:** Distribution and transmission tariffs should be readily understood by customers and easy to apply;
- **Equity:** Distribution and transmission tariffs should avoid undue discrimination between customers; and
- **Regulatory compliance:** Distribution and transmission tariffs should comply with the requirements set out in *Electricity Distribution Price Determination 2001-05 Volume II Price Controls*.

Distribution and transmission tariffs can be designed to include a number of tariff components. Typically a distribution or transmission tariff will consist of 3 or more components. How tariff components are included will have a significant impact on the economic signals provided by the tariff to the customer and how a customer is impacted by a tariff.

#### 3.2 Fixed charge tariffs

Approximately two thirds of a distribution businesses costs are fixed. A consequence of a predominantly fixed cost business is that a customer's consumption pattern will only impact on costs when the distribution assets servicing that customer fall due for renewal.

Levying a customer a variable charge where costs are fixed will result in large energy users subsidising small energy users. Hence where suitable metering is available Powercor Australia has sought to closely align the recovery of fixed costs through fixed charges ie. through minimum demand charges. At present the minimum demand thresholds are 10,000 kW, 1,000 kW, 250 kW and 120 kW.

For domestic and small customers a standing charge is applied as a proxy for the recovery of fixed costs. In the interests of not disadvantaging small customers, Powercor Australia has placed a relatively low reliance on standing charges.

### **3.3 Block Tariffs**

In 2001, Powercor introduced a block tariff structure designed for pricing small and medium tariff customers. The block tariff works as a demand management tool by increasing price as consumption increases. The tariffs progressively rise at the commencement of each block providing a graduated incentive to reduce consumption.

The number of blocks has been chosen to reflect discrete steps in a customer's consumption. 4,000 kWh represents the average consumption of a domestic customer. 20,000 kWh represents the point where a customer shifts from domestic to more general use. Finally 70,000 kWh represents the point where a customer becomes a medium usage customer. Off peak tariffs will remain uniform.

### **3.4 Time of use tariffs**

The purpose of a time of use tariff is to provide pricing signals to customers to encourage usage during periods of low demand on the network and discourage use during times when the network is heavily utilised. Correctly specified, time of use tariffs create an incentive for customers to use the network in an optimal manner. Optimal usage of the network benefits customers through reduced expenditure on capital and operating expenditure whilst also providing valuable environmental signals.

Most Powercor Australia distribution tariffs contain variable time of use charges, typically based on a peak/off peak split where the definition off peak depends on the tariff. The major restriction on the introduction of time of use tariffs has been the lack of adequate metering technology, particularly for domestic and small business customers. The gradual introduction of meters with a capacity for multiple registers and half-hourly readings will enable the further introduction of time of use tariffs.

### **3.5 Location based tariffs**

Many of the costs incurred in operating a distribution network are location based. The majority of cost drivers such as customer density, line length from zone sub station, vegetation control, storm activity, corrosion, bush fire, and alike are all dependent on a customer's location.

Powercor Australia has reviewed closely the introduction of location based tariffs. Indeed, many of Powercor Australia's present large customer tariffs have a location basis. Introducing customers in the domestic and medium segments to location based pricing would impact significantly on rural customers resulting in many cases, major increases in these customer's bills. Introduction of location based pricing to medium and domestic customers would also prove administratively difficult to manage and would result in a significant increase in complexity, confusing customers and creating a potential for dispute.

Powercor Australia will continue to provide location based signals to large customers to ensure development occurs where it is most appropriate, and that Powercor Australia's network remains competitive with other available alternatives. No introduction of location based tariffs is proposed for medium or domestic customer tariffs at this time.

### **3.6 Tariff equalisation**

Domestic and small business customers do not see network tariffs as bundled retail electricity prices have remained broadly equalised throughout Victoria. However, with the introduction of full retail competition, domestic customers will be exposed to network tariffs as some retailers disaggregate network and energy components.

As Powercor Australia's network tariffs are generally higher than other businesses' network tariffs (due to the inherent higher cost structure of Powercor Australia's network), Powercor Australia customers will for the first time begin to see relatively higher electricity bills. In other words, Powercor Australia's domestic customers will pay more than their equivalent urban neighbours in other business territories. Many of Powercor Australia's customers and their representatives have indicated that they would prefer uniform prices across the State and that urban-rural price differentials should be kept to a minimum.

The current network tariffs already have a declining cross subsidy from users outside Powercor's network. From 2001, the annual grid subsidy received by Powercor Australia declined from \$19m to \$15m per annum. The grid subsidy represents a commitment from the previous Victorian Government to transition rural and remote customers to cost reflective prices. Powercor Australia notes the Victorian Government has introduced the Special Power Payment to maintain some degree of urban/rural parity. The future of the Special Power Payment is however uncertain.

Given these issues, Powercor Australia supports an extension of the existing grid equalisation scheme to deliver a uniform postage stamp network tariffs across Victoria. The extension of the established Victorian-wide equalisation scheme is however an issue outside the control of Powercor Australia. Powercor Australia unsuccessfully advocated through the Electricity Distribution Price Review with both the former Office of the Regulator-General and the Victorian Government for an extension to the existing equalisation scheme. Powercor Australia continues to seek the Victorian Government and the Essential Services Commission's co-operation in developing an equalisation scheme that ensures rural customers are not penalised through the reform process.

### **3.7 Transmission use of system charge allocation**

Powercor Australia is required, through the *Victorian Electricity Industry Tariff Order*, to collect transmission use of system fees on behalf of Vencorp and a connection charge for SPI Powernet. The transmission charges applied to Powercor Australia are as follows:

- A TUOS Usage Charge (Summer Demand) based on the average of the ten highest peaks during weekdays (between 7am and 11pm) for each of Powercor Australia's 11 terminal stations during the extended summer period from November to March.
- A TUOS General Charge This price is based on the total actual energy supplied to each terminal station for the billing period from the previous financial year.
- A Common Service Charge that includes costs for planning and operating the network and the costs related to reactive plant; and
- A fixed connection charge levied by SPI Powernet.

In addition to these charges, Powercor Australia also receives the grid equalisation payment as a fixed quantity.

Powercor Australia's transmission tariffs reflect the incurrence of fixed and variable charges except in the case of domestic and medium customers, where adequate metering is not available. Details of Powercor Australia's transmission charges are contained in Section 4.

## **4. 2004 TARIFFS**

The following chapter outlines, in detail, the tariffs developed by Powercor Australia for the calendar year 2004.

### **4.1 Domestic customers**

Domestic customers include all residential customers plus multiple occupancy dwellings such as boarding houses and special accommodation houses.

Standing charges have been reduced significantly in the domestic sector. This will offer domestic customers the opportunity to minimise their electricity bill through management of their consumption.

Following is a description of the network tariffs available to domestic customers:

#### **4.1.1 D1 – *Small single rate***

This is the basic network tariff for general domestic usage such as lights and power. This is the network tariff under which most domestic customers are supplied. This tariff has a fixed standing charge and an energy charge that applies 24 hours per day, 7 days per week. There is no off-peak charge associated with this tariff.

#### **4.1.2 D2 – *Small two rate***

This network tariff applies to domestic customers who have a meter capable of measuring peak and off peak energy usage. This network tariff is also for general domestic usage such as lights and power. It is the cheapest network tariff available for storage space heating (off-peak hot water units and heating).

The tariff includes a fixed standing charge, peak and off-peak energy charge. The peak charge applies between 7am and 11pm, Monday to Friday. Off-peak periods, such as the weekend and overnight, have a very low rate relative to the peak charge.

#### **4.1.3 DD1 – *Dedicated circuit***

This network tariff relates mainly to customers with off-peak hot water but also includes storage heating. The network tariff includes a fixed standing charge and an off peak energy charge.

DD1 is only available to customers who have an existing DD1 configuration or where a retailer has specifically requested a DD1 configuration.

#### **4.1.4 D1.CS - *Climate saver***

This network tariff applies to domestic customers who are using approved energy efficient reverse cycle heaters/air conditioners. The D1.CS network tariff is only available to customers whose site is being connected to the distribution network for the first time.

This is a seasonal tariff with no standing charge. The peak charge applies to the hotter months (November to March) when the network is heavily used. The off-peak charge applies to colder months (April to October) when the network is less utilised. This structure enables Powercor Australia to offer very competitive rates during winter for heating.

#### **4.1.5 D2.DK – Small two rate - Docklands region**

The D2.DK network tariff applies to domestic customers located in the Docklands region, who have a meter capable of measuring peak and off peak energy usage. This network tariff is for general usage such as lights and power.

The network tariff includes a fixed standing charge, peak and off-peak energy charge. The peak charge applies between 7am and 11pm, Monday to Friday. Off-peak periods, such as the weekend and overnight, have a very low rate relative to the peak charge.

The following table illustrates the domestic network tariff offering for 2004:

| DOMESTIC CUSTOMERS - 2004 Network Tariffs (GST Exclusive) |                         |                             |                  |                  |                  |                  |                  |
|-----------------------------------------------------------|-------------------------|-----------------------------|------------------|------------------|------------------|------------------|------------------|
| Network Tariffs                                           | Network Tariff Category | Standing charges \$/cust pa | Peak charges     |                  |                  |                  | Off Peak charges |
|                                                           |                         |                             | Block 1<br>c/kWh | Block 2<br>c/kWh | Block 3<br>c/kWh | Block 4<br>c/kWh | Block 1<br>c/kWh |
| Small Single Rate                                         | D1                      | 35.239                      | 6.57             | 7.677            | 8.785            | 9.892            | -                |
| Climate Saver                                             | D1.CS                   | -                           | 6.57             | 7.677            | 8.785            | 9.892            | 3.256            |
| Small Two Rate                                            | D2                      | 44.403                      | 9.161            | 9.629            | 10.364           | 11.282           | 0.895            |
| Small Two Rate - Bulk                                     | D2.DK                   | 40.947                      | 8.531            | 9.629            | 10.364           | 11.282           | 0.895            |
| Dedicated Circuit                                         | DD1                     | 14.256                      | -                | -                | -                | -                | 0.895            |

#### **4.2 Medium customers**

Medium customers are those customers consuming less than 400 MWh per annum and a maximum demand less than 120 kW. Examples of this customer class include restaurants, farms and small business.

Medium tariffs are comparable with small customer tariffs based on the principle that very little cost differential exists between the costs to serve these two customer groups. Medium tariffs have remained uniform across Powercor Australia's distribution area, except for a selection of heavy off peak users in Sunraysia who, for reasons discussed below, have their own network tariff.

Only the ND2 tariff remains open to new medium customers.

The following is a list of network tariffs available to medium customers:

##### **4.2.1 ND1 – Medium single rate**

This network tariff is for business customers with little overnight or weekend usage. This network tariff is similar to the standard domestic network tariff (D1), having both a fixed standing charge and a peak energy charge that applies 24 hours per day, 7 days per week. This tariff is not available to new medium customers.

##### **4.2.2 ND2 – Medium two rate, 5 day**

This network tariff is suited to customers with some overnight or weekend usage. Customers will benefit through lower charges during off-peak periods that extend both overnight and into the weekend. The network tariff includes a fixed standing charge, peak and off-peak charge. The peak charge applies between 7am and 11pm, Monday to Friday. The off-peak period includes overnight and into the weekend.

#### 4.2.3 ND3 – Medium two rate, 7 day

The network tariff includes a fixed standing charge, peak and off-peak energy charge. The peak charge applies between 7am and 11pm, Monday to Sunday. Customers are charged lower off-peak rates during the remaining period. This tariff is not available to new medium customers.

#### 4.2.4 ND1.R – Bridge heating

This network tariff has been specifically designed for bridge heaters installed in the Powercor network. These bridges only operate in the winter months, making this tariff unique. This network tariff is similar to the standard medium network tariff (ND1), having both a fixed standing charge and a peak energy charge that applies 24 hours per day, 7 days per week. This tariff is not available to new medium customers.

#### 4.2.5 ND2.BS – Business Sunraysia

This tariff was designed for heavy off peak users in the Sunraysia area. A combination of low off peak rates and limited off peak periods allowed Powercor Australia to relieve congestion during off peak periods. The network tariff includes a fixed standing charge, peak and off-peak charge. The peak charge generally applies between 7am and 11pm, 5 days a week. The peak days are dependent on the planning of the off peak times. This tariff is not available to new medium customers.

The following table illustrates the medium network tariffs for 2004:

| MEDIUM CUSTOMERS - 2004 Network Tariffs (GST Exclusive) |                         |                             |                  |                  |                  |                  |                  |
|---------------------------------------------------------|-------------------------|-----------------------------|------------------|------------------|------------------|------------------|------------------|
| Network Tariffs                                         | Network Tariff Category | Standing charges \$/cust/pa | Peak charges     |                  |                  |                  | Off Peak charges |
|                                                         |                         |                             | Block 1<br>c/kWh | Block 2<br>c/kWh | Block 3<br>c/kWh | Block 4<br>c/kWh | Block 1<br>c/kWh |
| Medium Single Rate                                      | ND1                     | 35.239                      | 6.570            | 7.677            | 8.785            | 9.892            | -                |
| Medium Single Rate (R)                                  | ND1.R                   | 35.239                      | 6.570            | 7.677            | 8.785            | 9.892            | -                |
| Medium Two Rate - 5d                                    | ND2                     | 44.403                      | 9.161            | 9.629            | 10.364           | 11.282           | 0.895            |
| Business Sunraysia                                      | ND2.BS                  | 44.403                      | 9.161            | 9.629            | 10.364           | 11.282           | 0.895            |
| Medium Two Rate - 7d                                    | ND3                     | 47.201                      | 8.258            | 8.936            | 10.189           | 11.263           | 0.895            |

### 4.3 Large customers

Large customers include large industrial sites, commercial buildings, large hospitals, and any other customer using a large amount of energy. A large customer can be identified by the size of consumption. Any customer with a demand of 120 kW (150 kVA) or annual energy consumption greater than 400 MWh is considered a 'large customer'.

Large customers are divided into three segments, based on the customer's voltage. The criteria for each of the three categories are listed below:

|                   | Minimum Demand | Consumption |
|-------------------|----------------|-------------|
| Large low voltage | 120 kW         | <6.6 kV     |
| High voltage      | 1,000 kW       | >6.6 kV     |
| Subtransmission   | 10,000 kW      | >66 kV      |

#### 4.3.1 Low voltage demand tariffs

Large low voltage customers are those customers receiving supply at less than 6.6 kV that have a minimum demand of at least 120 kW. Examples of this customer class include commercial buildings, department stores, supermarkets, large fast food outlets and small factories.

The following table lists the network tariffs available to low voltage demand customers.

| LARGE CUSTOMERS - 2004 Network Tariffs (GST Exclusive) |                         |                                |                |                 |                  |
|--------------------------------------------------------|-------------------------|--------------------------------|----------------|-----------------|------------------|
| Network Tariffs                                        | Network Tariff Category | Standing charges<br>\$/cust/pa | Demand charges | Peak charges    | Off Peak charges |
|                                                        |                         |                                | kW<br>\$/kW pa | Block1<br>c/kWh | Block 1<br>c/kWh |
| Large Tariff (kW)                                      | DL                      | 2,784.523                      | 86.020         | 2.553           | 1.237            |
| Large Tariff A (kW)                                    | DL.A                    | 2,715.922                      | 84.491         | 2.581           | 1.164            |
| Large Tariff C (kW)                                    | DL.C                    | 2,742.812                      | 84.827         | 2.591           | 1.170            |
| Large Tariff S (kW)                                    | DL.S                    | 2,792.706                      | 85.881         | 2.553           | 1.237            |
| Large Tariff DK (kW)                                   | DL.DK                   | 4,149.965                      | 57.825         | 1.581           | 0.922            |
| Large Tariff CXX (kW)                                  | DL.CXX                  | 2,784.523                      | 86.020         | 2.553           | 1.237            |

#### 4.3.2 High voltage demand tariffs

High voltage customers are those customers receiving supply at 6.6 kV or above that have a minimum demand of at least 1 MW. Examples of this customer class include manufacturers, cold stores, food processors and other large industrial companies.

The following table lists the tariffs available for high voltage customers:

| HIGH VOLTAGE CUSTOMERS - 2004 Network Tariffs (GST Exclusive) |                         |                                |                |                 |                  |
|---------------------------------------------------------------|-------------------------|--------------------------------|----------------|-----------------|------------------|
| Network Tariffs                                               | Network Tariff Category | Standing charges<br>\$/cust/pa | Demand charges | Peak charges    | Off Peak charges |
|                                                               |                         |                                | kW<br>\$/kW pa | Block1<br>c/kWh | Block 1<br>c/kWh |
| High Voltage (kW)                                             | DH                      | 1,624.845                      | 76.175         | 1.948           | 0.383            |
| High Voltage A (kW)                                           | DH.A                    | 1,417.106                      | 50.015         | 1.436           | 0.246            |
| High Voltage C (kW)                                           | DH.C                    | 1,624.845                      | 76.175         | 1.948           | 0.383            |
| High Voltage D1 (kW)                                          | DH.D1                   | 1,443.936                      | 51.728         | 0.861           | 0.087            |
| High Voltage D2 (kW)                                          | DH.D2                   | 1,703.699                      | 62.498         | 1.067           | 0.175            |
| High Voltage DH.DK (kW)                                       | DH.DK                   | 1,754.333                      | 41.720         | 1.433           | 0.384            |
| High Voltage DH.D3 (KW)                                       | DH.D3                   | 1,753.889                      | 58.948         | 0.953           | 0.106            |
| High Voltage DH.D5 (kW)                                       | DH.D5                   | 1,183.290                      | 41.127         | 1.181           | 0.202            |

#### 4.3.2 Sub-transmission demand tariffs

Sub-transmission customers are those customers receiving supply at 66 kV that have a minimum demand of at least 10 MW. Examples of this customer class include large manufacturers, refineries and other large industrial companies.

The following table lists the tariffs available for sub-transmission customers:

| SUBTRANSMISSION CUSTOMERS - 2004 Network Tariffs (GST Exclusive) |                         |                                |                |              |                  |
|------------------------------------------------------------------|-------------------------|--------------------------------|----------------|--------------|------------------|
| Network Tariffs                                                  | Network Tariff Category | Standing charges<br>\$/cust/pa | Demand charges | Peak charges | Off Peak charges |
|                                                                  |                         |                                | kW             | Block1       | Block 1          |
|                                                                  |                         |                                | \$/kW pa       | c/kWh        | c/kWh            |
| ission (Voltage > 22 000 volts                                   | DS.A                    | 12,906.669                     | 11.022         | 1.528        | 0.033            |
| ission (Voltage > 22 000 volts                                   | DS.G                    | 12,906.669                     | 11.022         | 1.528        | 0.033            |
| ission (Voltage > 22 000 volts                                   | DS.S                    | 12,760.699                     | 11.058         | 1.548        | 0.032            |


### 4.3 Average bill by customer class

This section presents the average yearly charge that Powercor Australia's customers are estimated to receive in 2004. All of the following graphs use an average consumption level to determine the average yearly charge for 2004.

The illustrations below have been set out in the four main customer classes: domestic, medium, large low voltage and high voltage.


#### 4.4.1 Domestic customers

Figure 1




#### 4.4.2 Medium customers

Figure 2




#### 4.4.3 Large low voltage customers

Figure 3



#### 4.4.4 High voltage customers

Figure 4



## **5. CONCLUSION**

Powercor Australia's 2004 tariffs ensure a fair and equitable outcome for its entire customer base, with significant discounts offered to small and medium customers.

Powercor Australia has recognised the needs of customers in relation to fixed and variable charges with the continuation of low standing charges for small and medium customers. This low level of fixed charges will allow customers to more effectively control their bill through management of consumption levels.

The existence of an inverse block structure acts as an effective demand management tool. As tariffs progressively rise at the commencement of each block a graduating incentive to reduce consumption is provided.

Powercor Australia has ensured that the gains of electricity reform continue to be shared equitably between rural and urban customers. The adoption of common domestic and business network tariffs across the Powercor Australia region allows a domestic customer in Ouyen to continue to receive network services at the same rate as a customer in Sunshine. This is a continuation of Powercor Australia's commitment to providing reliable electricity supply at an affordable rate.



# DISTRIBUTION TARIFF SCHEDULE

## (GST EXCLUSIVE)

1 JANUARY 2004 – 31 DECEMBER 2004

**Table 1. Distribution tariffs effective 1 January 2004**

| DUoS Tariff                                      | Code   | Standing charges<br>\$/cust/pa | Demand charges<br>\$/kW/pa | Minimum Demand kW | Peak charges<br>c/kWh |                   |                   |         | Off peak charges<br>c/kWh |
|--------------------------------------------------|--------|--------------------------------|----------------------------|-------------------|-----------------------|-------------------|-------------------|---------|---------------------------|
|                                                  |        |                                |                            |                   | First 4<br>MWh/yr     | Next 16<br>MWh/yr | Next 50<br>MWh/yr | Balance |                           |
| Small Single Rate                                | D1     | 35.239                         |                            |                   | 6.125                 | 7.232             | 8.340             | 9.447   |                           |
| Climate Saver                                    | D1.CS  |                                |                            |                   | 6.125                 | 7.232             | 8.340             | 9.447   | 3.256                     |
| Small Two Rate                                   | D2     | 44.403                         |                            |                   | 8.716                 | 9.184             | 9.919             | 10.837  | 0.895                     |
| Small Two Rate - Bulk                            | D2.DK  | 40.947                         |                            |                   | 8.086                 | 9.184             | 9.919             | 10.837  | 0.895                     |
| Dedicated Circuit                                | DD1    | 14.256                         |                            |                   |                       |                   |                   |         | 0.344                     |
| Medium Single Rate                               | ND1    | 35.239                         |                            |                   | 6.125                 | 7.232             | 8.340             | 9.447   |                           |
| Medium Single Rate (R)                           | ND1.R  | 35.239                         |                            |                   | 6.125                 | 7.232             | 8.340             | 9.447   |                           |
| Medium Two Rate - 5d                             | ND2    | 44.403                         |                            |                   | 8.716                 | 9.184             | 9.919             | 10.837  | 0.895                     |
| Business Sunraysia                               | ND2.BS | 44.403                         |                            |                   | 8.716                 | 9.184             | 9.919             | 10.837  | 0.895                     |
| Medium Two Rate - 7d                             | ND3    | 47.201                         |                            |                   | 7.813                 | 8.491             | 9.744             | 10.818  | 0.895                     |
| Unmetered Supplies                               | PL2    |                                |                            |                   | 9.744                 |                   |                   |         | 2.288                     |
| Large Tariff (kW)                                | DL     | 2,784.523                      | 69.460                     | 250 kW            | 2.009                 |                   |                   |         | 1.237                     |
| Large Tariff A (kW)                              | DL.A   | 2,715.922                      | 67.931                     | 250 kW            | 2.037                 |                   |                   |         | 1.164                     |
| Large Tariff C (kW)                              | DL.C   | 2,742.812                      | 68.267                     | 250 kW            | 2.047                 |                   |                   |         | 1.170                     |
| Large Tariff S (kW)                              | DL.S   | 2,792.706                      | 69.321                     | 120 kW            | 2.009                 |                   |                   |         | 1.237                     |
| Large Tariff DK (kW)                             | DL.DK  | 4,149.965                      | 41.265                     | 120 kW            | 1.037                 |                   |                   |         | 0.922                     |
| Large Tariff CXX (kW)                            | DL.CXX | 2,784.523                      | 69.460                     | 120 kW            | 2.009                 |                   |                   |         | 1.237                     |
| High Voltage (kW)                                | DH     | 1,624.845                      | 61.591                     | 1,000 kW          | 1.406                 |                   |                   |         | 0.383                     |
| High Voltage A (kW)                              | DH.A   | 1,417.106                      | 33.222                     | 1,000 kW          | 0.812                 |                   |                   |         | 0.246                     |
| High Voltage C (kW)                              | DH.C   | 1,624.845                      | 61.591                     | 1,000 kW          | 1.406                 |                   |                   |         | 0.383                     |
| High Voltage D1 (kW)                             | DH.D1  | 1,443.936                      | 28.271                     | 20,000 kW         | 0.270                 |                   |                   |         | 0.087                     |
| High Voltage D2 (kW)                             | DH.D2  | 1,703.699                      | 38.172                     | 8,000 kW          | 0.176                 |                   |                   |         | 0.175                     |
| High Voltage DH.DK (kW)                          | DH.DK  | 1,754.333                      | 24.927                     | 1,000 kW          | 0.809                 |                   |                   |         | 0.384                     |
| High Voltage DH.D3 (kW)                          | DH.D3  | 1,753.889                      | 35.585                     | 10,000 kW         | 0.848                 |                   |                   |         | 0.106                     |
| High Voltage DH.D5 (kW)                          | DH.D5  | 1,183.290                      | 27.318                     | 12,000 kW         | 0.668                 |                   |                   |         | 0.202                     |
| Subtransmission (Voltage > 22 000 volts) A# (kW) | DS.A   | 12,906.669                     | 5.580                      | 10,000 kW         | 0.697                 |                   |                   |         | 0.033                     |
| Subtransmission (Voltage > 22 000 volts) G# (kW) | DS.G   | 12,906.669                     | 5.580                      | 10,000 kW         | 0.697                 |                   |                   |         | 0.033                     |
| Subtransmission (Voltage > 22 000 volts) S# (kW) | DS.S   | 12,760.699                     | 5.616                      | 10,000 kW         | 0.717                 |                   |                   |         | 0.032                     |

Some Tariffs apply to specific customer groups in specific areas within the Powercor distribution network only. Powercor will provide specific information on request.



# TRANSMISSION TARIFF SCHEDULE

## (GST EXCLUSIVE)

1 JANUARY 2004 – 31 DECEMBER 2004

Table 2. Transmission tariffs effective 1 January 2004

| TUoS Tariff                                      | Code   | Standing charges<br>\$/cust/pa | Demand charges<br>\$/kW/pa | Minimum Demand kW | Peak charges<br>c/kWh |                   |                   |         | Off peak charges<br>c/kWhr |
|--------------------------------------------------|--------|--------------------------------|----------------------------|-------------------|-----------------------|-------------------|-------------------|---------|----------------------------|
|                                                  |        |                                |                            |                   | First 4<br>MWh/yr     | Next 16<br>MWh/yr | Next 50<br>MWh/yr | Balance |                            |
| Small Single Rate                                | D1     |                                |                            |                   | 0.445                 | 0.445             | 0.445             | 0.445   |                            |
| Climate Saver                                    | D1.CS  |                                |                            |                   | 0.445                 | 0.445             | 0.445             | 0.445   |                            |
| Small Two Rate                                   | D2     |                                |                            |                   | 0.445                 | 0.445             | 0.445             | 0.445   |                            |
| Small Two Rate - Bulk                            | D2.DK  |                                |                            |                   | 0.445                 | 0.445             | 0.445             | 0.445   |                            |
| Dedicated Circuit                                | DD1    |                                |                            |                   |                       |                   |                   |         | 0.551                      |
| Medium Single Rate                               | ND1    |                                |                            |                   | 0.445                 | 0.445             | 0.445             | 0.445   |                            |
| Medium Single Rate (R)                           | ND1.R  |                                |                            |                   | 0.445                 | 0.445             | 0.445             | 0.445   |                            |
| Medium Two Rate - 5d                             | ND2    |                                |                            |                   | 0.445                 | 0.445             | 0.445             | 0.445   |                            |
| Business Sunraysia                               | ND2.BS |                                |                            |                   | 0.445                 | 0.445             | 0.445             | 0.445   |                            |
| Medium Two Rate - 7d                             | ND3    |                                |                            |                   | 0.445                 | 0.445             | 0.445             | 0.445   |                            |
| Unmetered Supplies                               | PL2    |                                |                            |                   | 0.445                 |                   |                   |         |                            |
| Large Tariff (kW)                                | DL     |                                | 16.560                     | 250 kW            | 0.544                 |                   |                   |         |                            |
| Large Tariff A (kW)                              | DL.A   |                                | 16.560                     | 250 kW            | 0.544                 |                   |                   |         |                            |
| Large Tariff C (kW)                              | DL.C   |                                | 16.560                     | 250 kW            | 0.544                 |                   |                   |         |                            |
| Large Tariff S (kW)                              | DL.S   |                                | 16.560                     | 120 kW            | 0.544                 |                   |                   |         |                            |
| Large Tariff DK (kW)                             | DL.DK  |                                | 16.560                     | 120 kW            | 0.544                 |                   |                   |         |                            |
| Large Tariff CXX (kW)                            | DL.CXX |                                | 16.560                     | 120 kW            | 0.544                 |                   |                   |         |                            |
| High Voltage (kW)                                | DH     |                                | 14.584                     | 1,000 kW          | 0.542                 |                   |                   |         |                            |
| High Voltage A (kW)                              | DH.A   |                                | 16.793                     | 1,000 kW          | 0.624                 |                   |                   |         |                            |
| High Voltage C (kW)                              | DH.C   |                                | 14.584                     | 1,000 kW          | 0.542                 |                   |                   |         |                            |
| High Voltage D1 (kW)                             | DH.D1  |                                | 23.457                     | 20,000 kW         | 0.591                 |                   |                   |         |                            |
| High Voltage D2 (kW)                             | DH.D2  |                                | 24.326                     | 8,000 kW          | 0.891                 |                   |                   |         |                            |
| High Voltage DH.DK (kW)                          | DH.DK  |                                | 16.793                     | 1,000 kW          | 0.624                 |                   |                   |         |                            |
| High Voltage DH.D3 (kW)                          | DH.D3  |                                | 23.363                     | 10,000 kW         | 0.105                 |                   |                   |         |                            |
| High Voltage DH.D5 (kW)                          | DH.D5  |                                | 13.809                     | 12,000 kW         | 0.513                 |                   |                   |         |                            |
| Subtransmission (Voltage > 22 000 volts) A# (kW) | DS.A   |                                | 5.442                      | 10,000 kW         | 0.831                 |                   |                   |         |                            |
| Subtransmission (Voltage > 22 000 volts) G# (kW) | DS.G   |                                | 5.442                      | 10,000 kW         | 0.831                 |                   |                   |         |                            |
| Subtransmission (Voltage > 22 000 volts) S# (kW) | DS.S   |                                | 5.442                      | 10,000 kW         | 0.831                 |                   |                   |         |                            |

Some Tariffs apply to specific customer groups in specific areas within the Powercor distribution network only. Powercor will provide specific information on request.



# NETWORK TARIFF SCHEDULE (GST EXCLUSIVE)

1 JANUARY 2004 – 31 DECEMBER 2004

**Table 3. Network tariffs effective 1 January 2004**

| NUoS Tariff                                      | Code   | Standing charges<br>\$/cust/pa | Demand charges<br>\$/kW/pa | Minimum Demand kW | Peak charges<br>c/kWh |                   |                   |         | Off peak charges<br>c/kWhr |
|--------------------------------------------------|--------|--------------------------------|----------------------------|-------------------|-----------------------|-------------------|-------------------|---------|----------------------------|
|                                                  |        |                                |                            |                   | First 4<br>MWh/yr     | Next 16<br>MWh/yr | Next 50<br>MWh/yr | Balance |                            |
| Small Single Rate                                | D1     | 35.239                         |                            |                   | 6.570                 | 7.677             | 8.785             | 9.892   |                            |
| Climate Saver                                    | D1.CS  |                                |                            |                   | 6.570                 | 7.677             | 8.785             | 9.892   | 3.256                      |
| Small Two Rate                                   | D2     | 44.403                         |                            |                   | 9.161                 | 9.629             | 10.364            | 11.282  | 0.895                      |
| Small Two Rate - Bulk                            | D2.DK  | 40.947                         |                            |                   | 8.531                 | 9.629             | 10.364            | 11.282  | 0.895                      |
| Dedicated Circuit                                | DD1    | 14.256                         |                            |                   |                       |                   |                   |         | 0.895                      |
| Medium Single Rate                               | ND1    | 35.239                         |                            |                   | 6.570                 | 7.677             | 8.785             | 9.892   |                            |
| Medium Single Rate (R)                           | ND1.R  | 35.239                         |                            |                   | 6.570                 | 7.677             | 8.785             | 9.892   |                            |
| Medium Two Rate - 5d                             | ND2    | 44.403                         |                            |                   | 9.161                 | 9.629             | 10.364            | 11.282  | 0.895                      |
| Business Sunraysia                               | ND2.BS | 44.403                         |                            |                   | 9.161                 | 9.629             | 10.364            | 11.282  | 0.895                      |
| Medium Two Rate - 7d                             | ND3    | 47.201                         |                            |                   | 8.258                 | 8.936             | 10.189            | 11.263  | 0.895                      |
| Unmetered Supplies                               | PL2    |                                |                            |                   | 10.189                |                   |                   |         | 2.288                      |
| Large Tariff (kW)                                | DL     | 2,784.523                      | 86.020                     | 250 kW            | 2.553                 |                   |                   |         | 1.237                      |
| Large Tariff A (kW)                              | DL.A   | 2,715.922                      | 84.491                     | 250 kW            | 2.581                 |                   |                   |         | 1.164                      |
| Large Tariff C (kW)                              | DL.C   | 2,742.812                      | 84.827                     | 250 kW            | 2.591                 |                   |                   |         | 1.170                      |
| Large Tariff S (kW)                              | DL.S   | 2,792.706                      | 85.881                     | 120 kW            | 2.553                 |                   |                   |         | 1.237                      |
| Large Tariff DK (kW)                             | DL.DK  | 4,149.965                      | 57.825                     | 120 kW            | 1.581                 |                   |                   |         | 0.922                      |
| Large Tariff CXX (kW)                            | DL.CXX | 2,784.523                      | 86.020                     | 120 kW            | 2.553                 |                   |                   |         | 1.237                      |
| High Voltage (kW)                                | DH     | 1,624.845                      | 76.175                     | 1,000 kW          | 1.948                 |                   |                   |         | 0.383                      |
| High Voltage A (kW)                              | DH.A   | 1,417.106                      | 50.015                     | 1,000 kW          | 1.436                 |                   |                   |         | 0.246                      |
| High Voltage C (kW)                              | DH.C   | 1,624.845                      | 76.175                     | 1,000 kW          | 1.948                 |                   |                   |         | 0.383                      |
| High Voltage D1 (kW)                             | DH.D1  | 1,443.936                      | 51.728                     | 20,000 kW         | 0.861                 |                   |                   |         | 0.087                      |
| High Voltage D2 (kW)                             | DH.D2  | 1,703.699                      | 62.498                     | 8,000 kW          | 1.067                 |                   |                   |         | 0.175                      |
| High Voltage DH.DK (kW)                          | DH.DK  | 1,754.333                      | 41.720                     | 1,000 kW          | 1.433                 |                   |                   |         | 0.384                      |
| High Voltage DH.D3 (kW)                          | DH.D3  | 1,753.889                      | 58.948                     | 10,000 kW         | 0.953                 |                   |                   |         | 0.106                      |
| High Voltage DH.D5 (kW)                          | DH.D5  | 1,183.290                      | 41.127                     | 12,000 kW         | 1.181                 |                   |                   |         | 0.202                      |
| Subtransmission (Voltage > 22 000 volts) A# (kW) | DS.A   | 12,906.669                     | 11.022                     | 10,000 kW         | 1.528                 |                   |                   |         | 0.033                      |
| Subtransmission (Voltage > 22 000 volts) G# (kW) | DS.G   | 12,906.669                     | 11.022                     | 10,000 kW         | 1.528                 |                   |                   |         | 0.033                      |
| Subtransmission (Voltage > 22 000 volts) S# (kW) | DS.S   | 12,760.699                     | 11.058                     | 10,000 kW         | 1.548                 |                   |                   |         | 0.032                      |

Some Tariffs apply to specific customer groups in specific areas within the Powercor distribution network only. Powercor will provide specific information on request.



## ADDITIONAL TERMS

The following terms apply:

- (a) The “Climate Saver” is a seasonal tariff that applies to approved reverse cycle air conditioners. The peak rate applies between 1 November – 31 March and the off peak rate applies between 1 April – 31 October.
- (b) Tariff DH.D1 applies to customers with a maximum demand in excess of 20,000 kW connected with dual parallel dedicated high voltage jumbo feeders at 22kV supplied from Brooklyn Terminal Station.
- (c) Tariff DH.D2 applies to customers with a high load factor (80 %) and a maximum demand of 8,000 kW connected to high voltage feeders with interruptible supply at 11kV supplied from Laverton North zone substation.
- (d) Tariff ND2.BS applies to customers who have an off-peak load factor above 70% and are supplied from Red Cliffs Terminal Station.
- (e) Tariff DL.S is a tariff for customers using less than 400 MWh per annum and a demand less than 250 kW who were on Retail Tariffs “L” and “V” as at 1 April 1998.
- (f) Tariff ND1.R is a seasonal tariff which applies to approved electrically heated bridge decks on the Calder Highway.
- (g) Tariffs DH.DK, DL.DK , D2.DK apply to customers supplied by feeders at 22kV from Fishermans Bend Terminal Station.
- (h) DD1 is only available to customers who have an existing DD1 configuration or where a retailer has specifically requested a DD1 configuration.
- (i) Tariff DH.D3 applies to customers with maximum demand greater than 10,000KW who are connected at 22kV via a dedicated feeder of length less than 50 metres.
- (j) Tariff DH.D5 applies to customers with a maximum demand greater than 12,000kW who are connected at 11kV via a single dedicated underground feeder and a single shared overhead feeder and less than 1km from Powercor Australia supply point.
- (k) PL2 is restricted to supply points with a demand less than 500 Watts.



## ADDITIONAL TERMS

Table 2 provides an indication of the allocation of customers to the feeder specific tariffs (ND2.BS, D2.DK, DL.DK, DL.A, DL.C, DH.A, DH.C, DH.DK, DS.A, DS.G and DS.S). Powercor will provide specific information on request.

**Table 2 - Feeder Based Tariff Application**

|                                                          | DL.C   |        |        |        |        |        | DH.C   |        |      | DH.A  | DL.A  | DS.A                                                       | DS.G       | DS.S                                                                             | ND2.BS |       | DL.DK<br>D2.DK<br>DH.DK |
|----------------------------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|------|-------|-------|------------------------------------------------------------|------------|----------------------------------------------------------------------------------|--------|-------|-------------------------|
| F<br>E<br>E<br>D<br>E<br>R<br>N<br>U<br>M<br>B<br>E<br>R | AL002  | DDL011 | GCY012 | GLE011 | MLN011 | SU001  | AL007  | GB014  | DLF4 | AC024 | AC031 | Supplied<br>by<br>the Altona<br>Brooklyn<br>66 kV<br>Loops | Geelong    | Directly                                                                         | RCT23  | MBN12 | DLF1                    |
|                                                          | AL007  | DDL012 | GCY013 | GLE012 | MLN012 | SU002  | AL012  | GB031  | DLF5 | AC026 | AL006 |                                                            | 66kV loops | supplied                                                                         | RCT21  | OYN5  | DLF2                    |
|                                                          | AL012  | DDL013 | GCY014 | GLE013 | MLN021 | SU003  | BLT017 | GB032  |      | AC031 |       |                                                            |            | from<br>both<br>Altona<br>and<br>Brooklyn<br>Terminal<br>Stations<br>at<br>66 kV | RCT11  | OYN7  | DLF3                    |
|                                                          | BLT016 | DDL022 | GCY021 | GLE021 | MLN024 | SU005  | BLT020 | GCY024 |      | AC032 |       |                                                            |            |                                                                                  | RCT13  | MBN13 | DLF4                    |
|                                                          | BLT017 | DDL023 | GCY022 | GLE024 | S014   | SU008  | BLT022 | GL015  |      | AC033 |       |                                                            |            |                                                                                  | RCT14  | MBN14 | DLF5                    |
|                                                          | BLT020 | DDL024 | GCY023 | GLE031 | S016   | SU009  | BLT023 | GLE012 |      | AL004 |       |                                                            |            |                                                                                  | RCT15  | MBN22 |                         |
|                                                          | BLT021 | FNS011 | GCY024 | GLE032 | S021   | SU010  | BLT030 | GLE023 |      | AL006 |       |                                                            |            |                                                                                  | WMN1   | RVL1  |                         |
|                                                          | BLT022 | FNS012 | GL011  | GLE033 | S022   | WBE031 | CRO021 | LV003  |      | AL005 |       |                                                            |            |                                                                                  | RWC1   | RVL4  |                         |
|                                                          | BLT030 | FNS021 | GL012  | LV001  | S023   | WBE032 | CRO023 | LV007  |      | AL013 |       |                                                            |            |                                                                                  | RWC2   | RVL6  |                         |
|                                                          | BLT031 | FNS022 | GL014  | LV002  | S026   | WBE033 | CRO024 | SA001  |      | AL014 |       |                                                            |            |                                                                                  | MDA22  | RVL8  |                         |
|                                                          | CRO013 | FNS032 | GL021  | LV003  | SA001  | WBE034 | CRO031 | SA005  |      | MDA23 |       |                                                            |            |                                                                                  | MBN21  |       |                         |
|                                                          | CRO021 | GB011  | GL022  | LV004  | SA002  |        | CRO032 | SU001  |      | MDA24 |       |                                                            |            |                                                                                  |        |       |                         |
|                                                          | CRO022 | GB012  | GL023  | LV005  | SA003  |        | CRO033 | SU003  |      | MDA31 |       |                                                            |            |                                                                                  |        |       |                         |
|                                                          | CRO023 | GB014  | GL024  | LV006  | SA004  |        | DDL023 | SU004  |      | MDA32 |       |                                                            |            |                                                                                  |        |       |                         |
|                                                          | CRO032 | GB032  |        | LV007  | SA005  |        | FNS013 | SU008  |      | MDA33 |       |                                                            |            |                                                                                  |        |       |                         |
|                                                          | CRO034 |        |        | LV008  | SA006  |        | FNS021 | SU010  |      | OYN1  |       |                                                            |            |                                                                                  |        |       |                         |
|                                                          |        |        |        | LV009  | SA007  |        | FNS022 | WBE033 |      | OYN3  |       |                                                            |            |                                                                                  |        |       |                         |
|                                                          |        |        |        |        | SA008  |        | FNS032 | WPD021 |      |       |       |                                                            |            |                                                                                  |        |       |                         |
|                                                          |        |        |        |        |        |        | DLF1   | WPD033 |      |       |       |                                                            |            |                                                                                  |        |       |                         |
|                                                          |        |        |        |        |        |        | DLF2   | DLF3   |      |       |       |                                                            |            |                                                                                  |        |       |                         |