



2007 Annual Tariff Report

November 2006

Powercor Australia
40 Market Street
Melbourne 3000

TABLE OF CONTENTS

1. CURRENT TARIFFS.....	3
1.1 REGULATORY ARRANGEMENTS	3
1.1.1 Distribution Tariffs	3
1.1.2 Transmission Tariffs	3
1.1.3 Excluded Services and Prescribed Metering	3
1.2 TARIFFS.....	4
1.2.1 Distribution Tariffs	4
1.2.2 Transmission Tariffs	4
1.2.3 Network Tariffs	4
1.2.4 Prescribed Metering Tariffs	4
1.2.5 Eligibility of Each Tariff.....	4
1.3 PARENT TARIFFS	11
1.4 2007 TARIFF CHANGES.....	11
1.4.1 Embedded Network Tariffs	11
1.4.2 Reactive Demand Tariffs	11
1.5 UPPER AND LOWER BOUNDS ON TARIFFS	11
1.6 DEMONSTRATION OF HOW PRICES ACCOUNT FOR FUTURE INVESTMENT REQUIREMENTS	12
1.7 EXCLUDED SERVICE CHARGES AND PRESCRIBED METERING SERVICE CHARGES	12
1.7.1 Prescribed Metering Service Tariffs	12
1.7.1.1 Meter Provision.....	13
1.7.1.2 Meter Data Services.....	13
1.8 REASSIGNMENTS.....	13
1.9 DEMAND RESETS	13
2. USAGE/QUANTITY INFORMATION.....	13
2.1 QUANTITIES AND USAGE	13
2.2 NETWORK CONSTRAINTS.....	13
3. ANNUAL ADJUSTMENT VARIABLES.....	14
3.1 ADJUSTMENT VARIABLES.....	14
3.2 IMPACT ON TARIFFS	14
4. RATIONALE FOR AMENDMENT	14
4.1 COMPARISON WITH TARIFF STRATEGY REPORT	14
5. CONSULTATION	14

LIST OF TABLES

Table 1: Eligibility of Network Tariffs	5
Table 2: Closed Tariffs	9
Table 3: Parent Tariffs	11
Table 4: Annual Adjustment Variables.....	14
Table 5: 2005 Actual Quantities by Tariff	15
Table 6: 2007 Forecast Quantities by Tariff	16
Table 7: DUOS and TUOS Rebalancing Constraints.....	17
Table 8: Distribution Tariffs Effective 1 January 2007	18
Table 9: Transmission Tariffs Effective 1 January 2007.....	19
Table 10: Network Tariffs Effective 1 January 2007	20
Table 11: Prescribed Metering Service Tariffs Effective 1 January 2007	21
Table 12: Proposed Embedded Networks Tariffs	22

1. CURRENT TARIFFS

This document provides distribution customers information on current and closed tariffs, annual adjustment variables and the differences with respect to the tariff strategy report.

1.1 Regulatory Arrangements

Use of Powercor Australia's distribution systems and a number of other excluded services are regulated by the Essential Services Commission (ESC). Distribution tariffs are required to satisfy the constraints set out in the *Electricity Distribution Price Review 2006-10 Final Decision Volume 2 Price Determination* ("Determination").

1.1.1 Distribution Tariffs

Distribution tariff structures must conform to price controls and rebalancing controls set out in the *Determination*. The *Determination* provides an overarching price control formula that specifies a maximum limit on annual tariff changes. The maximum limit is based on four control levers:

- *X-factor*: the X-factor accounts for the expectation that distributors will achieve year-on-year efficiency gains and that these gains will be passed on to consumers. For 2007, the *Determination* requires Powercor to deliver an average real decrease in distribution tariffs of 2.5 percent.
- *S-factor*: the S-factor provides an incentive for distributors to meet service obligations. It allows tariff augmentation where service targets are exceeded and compensates customers by reducing tariffs where service levels do not meet the required standards.
- *L-factor*: Distributors must pay a licence fee, which is factored into distribution tariffs. The L-factor ensures that tariffs accurately reflect licence fee levels.
- *CPI*: tariffs may be indexed to account for inflation.

The price control formula ensures that aggregate tariff revenue increases do not exceed the limit allowed by these four factors. In addition, the *Determination* specifies a rebalancing control that prohibits individual tariff increases by more than CPI + 2 per cent (adjusted for S-Factor and L-Factor).

1.1.2 Transmission Tariffs

Transmission use of system charges are levied on Powercor Australia by Vencorp and SPI Ausnet. Powercor Australia recovers those costs through transmission tariffs regulated by the ESC. Transmission tariffs are required to satisfy the constraints set out in the *Determination*. Individual transmission tariffs are also constrained such that they can not increase by more than the average increase in transmission costs plus 2 per cent in real terms, where the average increase in transmission costs is capped at 18 per cent in any one year.

1.1.3 Excluded Services and Prescribed Metering

From 1 January 2006, Powercor Australia will be exclusively responsible for providing metering services to distribution customers with annual consumption less than 160 MWh/pa who do not have an interval meter that is remotely read. Metering services comprise of meter provision and meter data services. These meter services will be regulated as a prescribed service similar to the tariff basket approach for distribution and transmission tariffs for calendar years 2007-10. Prescribed metering services are required to satisfy the constraints set out in the *Determination*. For 2006, the Commission's *Determination* requires Powercor Australia to set tariffs to meet a revenue constraint of \$15.8M (\$2004). For 2007-10, the prescribed metering service tariffs increase 20% per annum in real terms adjusted for a metering incentive mechanism (M-factor). Individual prescribed metering provision and meter data services tariffs for 2007-10 are also constrained as provided in the *Determination* 4.6.6.

1.2 Tariffs.

The following distribution, transmission and prescribed metering tariffs are available to Powercor customers:

1.2.1 Distribution Tariffs

Powercor Australia's 2007 distribution tariffs are shown in Table 8 of the Appendix.

1.2.2 Transmission Tariffs

Powercor Australia's 2007 transmission tariffs are shown in Table 9 in the Appendix.

1.2.3 Network Tariffs

Powercor Australia's 2007 network tariffs are shown in Table 10 in the Appendix.

1.2.4 Prescribed Metering Tariffs

Powercor Australia's 2007 prescribed metering provision and prescribed meter data service tariffs are shown in Table 11 in the Appendix.

1.2.5 Eligibility of Each Tariff

In determining which distribution tariff a distribution customer will be assigned, Powercor Australia takes into account the customer's load and connection characteristics. Criteria used in assigning tariffs include: whether the customer is a residential or non-residential user, whether the customer has an interval meter installed, coincident demand requirements and whether the customer requires a High or Low Voltage supply.

Table 1 outlines Powercor Australia's network tariffs and defines the connection characteristics associated with customers eligible to use each tariff.

Table 1: Eligibility of Network Tariffs

Tariffs Available to New and Existing Customers -2007

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (kW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
RESIDENTIAL CUSTOMERS							
D1	Residential Single Rate	<1,000	<120	7 days, 24 hrs	N/A	– 1-phase non-interval metered residential customers Note: tariff only open to new customers if a suitable interval meter is not installed	None
D2.DK	Docklands Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	– 1-phase residential customers with a controlled load connected to nominated feeders supplying the Docklands area. – Residential customers without a controlled load connected to nominated feeders supplying the Docklands area	1-phase electric hot water service with a total load of <30Amps. <u>Switching Times:</u> Mon-Sun 2300-0700
D3	Residential Interval	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	– Interval metered residential customers	None
D3.CS	ClimateSaver Interval	<1,000	<120	01 Nov – 31 Mar	01 Apr – 31 Oct	– Interval metered residential customers on D3 tariff with dedicated circuit connected to a reverse-cycle air-conditioning load Notes: Dedicated circuit must include a primary reverse-cycle air-conditioner (RCAC) load with the following specification: - must be split system and have a minimum output capacity of 4.0kW on the heating cycle - must have a minimum 3 star rating according to the Australian Energy labelling program OR - Ducted system or inverter technology system, regardless of star rating or whether they are a split system Provided primary RCAC meets requirements, any additional hard-wired RCAC or hard-wired electric heater may be connected to the dedicated circuit	None

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (kW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
D3.HW	Hot Water Interval	<1,000	<120	N/A	7 days	- Interval metered 1-phase residential customers on D3 tariff with dedicated circuit connected to a controlled load	1-phase electric hot water service with a total load of <30Amps. <u>Switching Times:</u> Any 7-day switching configuration (at Powercor's discretion) providing a total of up to 8 hours supply daily between 2100-0700 only.
NON-RESIDENTIAL CUSTOMERS							
ND1	Non-Residential Single Rate	<1,000	<120	7 days, 24 hrs	N/A	- 1-phase non-interval metered non-residential customers - 1-phase, non-interval metered, builder's temporary supplies Note: tariff only open to new customers if a suitable interval meter is not available	None
ND5	Non-Residential Interval	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Interval metered non-residential customers - Interval metered builder's temporary supply	None
D2.DK	Docklands Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Non-residential customers connected to nominated feeders supplying the Docklands area	None
PL2	Unmetered Supplies	<1,000	N/A	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Customers with an approved unmetered load Note: New customer connections are required to install a load-limiting device	None
LARGE LOW VOLTAGE CONTRACT DEMAND CUSTOMERS							
DL	Large Low Voltage Demand	<1,000	≥250	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Large Customers	None
DL.A	Large Low Voltage Demand A	<1,000	≥250	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Large Customers connected to nominated feeders	None
DL.C	Large Low Voltage Demand C	<1,000	≥250	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Large Customers connected to nominated feeders	None
DL.DK	Large Low Voltage Demand Docklands	<1,000	≥120	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Large Customers connected to nominated feeders in Docklands area	None
DL.CXX	Large Low Voltage Demand CXX	<1,000	≥120	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Large Customers with demands up to 250kW	None

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (kW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
DL.CXXER	Large Low Voltage Demand Embedded Network Residential	<1,000	≥120	Mon-Sun 0700-2300	Mon-Sun 0700-2300	- Large customers with demand up to 250kW either registered by the ESC or AER as an Embedded Network or have an exemption from holding a distribution licence - Connection points within the Embedded Network will be predominantly residential	None
DL.CXXENR	Large Low Voltage Demand Embedded Network Non-Residential	<1,000	≥120	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Large customers with demands up to 250kW either registered by the ESC or AER as an Embedded Network or have an exemption from holding a distribution licence - Connection points within the Embedded Network will be predominantly non-residential	None
DL.ER	Large Low Voltage Demand Embedded Network Residential	<1,000	≥250	Mon-Sun 0700-2300	Mon-Sun 0700-2300	- Large customers either registered by the ESC or AER as an Embedded Network or have an exemption from holding a distribution licence - Connection points within the Embedded Network will be predominantly residential	None
DL.ENR	Large Low Voltage Demand Embedded Network Non-Residential	<1,000	≥250	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Large customers either registered by the ESC or AER as an Embedded Network or have an exemption from holding a distribution licence - Connection points within the Embedded Network will be predominantly non-residential	None
HIGH VOLTAGE CONTRACT DEMAND CUSTOMERS							
DH	High Voltage Demand	≥1,000 and ≤22,000	≥1,000	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- High voltage customers	None
DH.A	High Voltage Demand A	≥1,000 and ≤22,000	≥1,000	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- High voltage customers connected to nominated feeders	None
DH.C	High Voltage Demand C	≥1,000 and ≤22,000	≥1,000	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- High voltage customers connected to nominated feeders	None
DH.D1	High Voltage Demand D1	≥1,000 and ≤22,000	≥20,000	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- High voltage customers with dual parallel dedicated 22kV jumbo feeders connected to Brooklyn zone substation (BLT)	None
DH.D2	High Voltage Demand D2	≥1,000 and ≤22,000	≥8,000	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- High voltage customers with a high load factor (>80%) connected to 11kV high voltage feeders with interruptible supply from Laverton North (LVN) zone substation	None

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (kW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
DH.D3	High Voltage Demand D3	$\geq 1,000$ and $\leq 22,000$	$\geq 10,000$	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- High voltage customers with a dedicated feeder of length less than 50m.	None
DH.D4	High Voltage Demand D4	$\geq 1,000$ and $\leq 22,000$	$\geq 10,000$	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- High voltage customers with 2 shared overhead feeders of less than 1km from the Powercor Supply point	None
DH.D5	High Voltage Demand D5	$\geq 1,000$ and $\leq 22,000$	$\geq 12,000$	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- High voltage customers with a single dedicated underground feeder and a single shared overhead feeders and less than 1km from Powercor Australia supply point	None
DH.DK	High Voltage Demand Docklands	$\geq 1,000$ and $\leq 22,000$	$\geq 1,000$	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- High voltage customers connected to nominated feeders in the Docklands Area	None
DH.ER	High Voltage Demand Embedded Network Residential	$\geq 1,000$ and $\leq 22,000$	$\geq 1,000$	Mon-Sun 0700-2300	Mon-Sun 0700-2300	- High voltage customers either registered by the ESC or AER as an Embedded Network or have an exemption from holding a distribution licence - Connection points within the Embedded Network will be predominantly residential	None
DH.ENR	High Voltage Demand Embedded Network Non-Residential	$\geq 1,000$ and $\leq 22,000$	$\geq 1,000$	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- High voltage customers either registered by the ESC or AER as an Embedded Network or have an exemption from holding a distribution licence - Connection points within the Embedded Network will be predominantly non-residential	None
SUBTRANSMISSION VOLTAGE DEMAND CUSTOMERS							
DS.A	Subtransmission Demand A	$> 22,000$	$\geq 10,000$	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Subtransmission voltage customers supplied by a Altona terminal station - Brooklyn terminal station 66kV loop	None
DS.G	Subtransmission Demand G	$> 22,000$	$\geq 10,000$	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Subtransmission voltage customer	None
DS.S	Subtransmission Demand S	$> 22,000$	$\geq 10,000$	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Subtransmission voltage customer directly supplied from both Altona terminal station and Brooklyn terminal station	None

Table 2: Closed Tariffs**Tariffs Only Available to Existing Customers Already Assigned this Tariff @1 January 2007. (ie closed to new customers)**

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
RESIDENTIAL CUSTOMERS							
D1	Residential Single Rate	<1,000	<120	7 days, 24 hours	N/A	- Residential multi-phase customers	None
D2	Residential Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Residential customers without a controlled load who requested a 2-rate tariff - Residential customers with a controlled load - Residential customers with embedded generation (ie solar cells)	
DD1	Dedicated Circuit	<1,000	<120	N/A	7 days	- Residential customers on D1 tariff with dedicated circuit connected to a controlled load	Electric hot water service Slab heating / heat banks
D1.CS	ClimateSaver	<1,000	<120	01 Nov – 31 Mar	01 Apr – 31 Oct	- Residential customers on D1 tariff with dedicated circuit connected to a reverse-cycle air-conditioning load Notes: Dedicated circuit must include a primary reverse-cycle air-conditioner (RCAC) load with the following specification: - must be split system and have a minimum output capacity of 4.0kW on the heating cycle - must have a minimum 3 star rating according to the Australian Energy labelling program OR - Ducted system or inverter technology system, regardless of star rating or whether they are a split system - Provided primary RCAC meets requirements, any additional hard-wired RCAC or hard-wired electric heater may be connected to the dedicated circuit	None
NON-RESIDENTIAL CUSTOMERS							
ND1	Non-Residential Single Rate	<1,000	<120	7 days, 24 hours	N/A	- Non-residential multi-phase customers	None
ND1.R	Non-Residential Single Rate (R)	<1,000	<120	7 days, 24 Hours	N/A	- Non-residential road bridge heating	None

TARIFF CODE	TARIFF DESCRIPTION	SUPPLY VOLTAGE (V)	DEMAND (KW)	PEAK PERIODS	OFF-PEAK PERIODS	ELIGIBLE CUSTOMERS	ALLOWED CONTROLLED LOADS
ND2	Non-Residential Two Rate 5d	<1,000	<120	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Non-residential customers who requested a 2 rate tariff - Non-residential customers with a controlled load	
ND2.BS	Business Sunraysia	<1,000	<120	Mon-Thurs 2300-0700 Fri 2300 – Mon 0700	Mon-Sun 0700-2300	- Non-residential customers connected to nominated feeders supplying the Sunraysia area	None
ND3	Non-Residential Two Rate 7d	<1,000	<120	Mon-Sun 0700-2300	Mon-Sun 2300-0700	- Non-residential customers	None
DD1	Dedicated Circuit	<1,000	<120	N/A	7 days	- Non-residential customers with dedicated circuit connected to a controlled load	Electric hot water service Slab heating / heat banks
LARGE LOW VOLTAGE CONTRACT DEMAND CUSTOMERS							
DL.S	Large Low Voltage Demand S	<1,000	≥120	Mon-Fri 0700-2300	Mon-Thurs 0700-2300 Fri 2300 - Mon 0700	- Large customers who were on retail tariff "L", or "V" as at 1st April 1998	None

1.3 Parent Tariffs

Details of the parent tariff categories to sub categories for each sub tariff are shown in the table below.

Table 3: Parent Tariffs

SUB TARIFF DESCRIPTION	TARIFF CODE	PARENT TARIFF DESCRIPTION	PARENT TARIFF CODE
Climate Saver	D1.CS	Residential single rate	D1
Climate Saver Interval	D3.CS	Residential Interval	D3
Dedicated Circuit	DD1	Residential single rate	D1
Dedicated Circuit	DD1	Non-Residential Single Rate	ND1
Hot Water Interval	D3.HW	Residential Interval	D3

1.4 2007 Tariff Changes

In accordance with the price controls and rebalancing constraints set by the Commission, Powercor's network tariffs rose uniformly across most tariff classes. Despite Powercor having achieved real reductions in distribution tariffs, network tariff increases resulted from the large increase in transmission costs. Powercor passes these transmission costs through from the transmission provider in accordance with the Commission's price controls.

1.4.1 Embedded Network Tariffs

On September 26, in accordance with the Powercor Tariff Strategy Report, Powercor Australia submitted a proposal to implement new Embedded Network tariffs. These tariffs have been devised in response to the rapid growth in Embedded Networks. The series of new tariffs have been proposed to allow Powercor Australia to proactively respond to this change in connection characteristics. A schedule of the proposed new charges may be found in Table 12.

Under the new tariffs, a customer applying for a new connection on or after January 1 2007 will be assigned one of the new Embedded Network Tariffs where:

- The customer has an exemption from holding a distribution licence or is registered as an Embedded Network as recognised by the Essential Services Commission or Australian Energy Regulator; and
- The customer is seeking a demand based tariff.

The tariff at the network connection point will be based on one of the demand steps in accordance with existing demand assessment criteria. The customer will be assigned a "Residential" type tariff if the number of child points within the Embedded Network is predominantly residential and a "Business" Embedded Network tariff otherwise. Peak Times for "Residential" type tariffs will be 7am to 11pm Monday to Sunday and for "Business" type tariffs will be 7am to 11pm Monday to Friday.

1.4.2 Reactive Demand Tariffs

Powercor Australia's 2006-10 Tariff Strategy Report outlined Powercor's intention to implement Reactive Demand Tariffs as an Excluded Service, however these tariffs will now be deferred until 2008.

1.5 Upper and Lower Bounds on Tariffs

Under clauses 2.3.16 and 3.3.6 of the *Determination*, Distributors are required to set distribution tariffs and transmission tariffs with regard to the following principles:

- *Lower Bound* each tariff should be above the avoidable cost of serving customers assigned to that tariff;
- *Upper Bound* each tariff should be below the cost of providing the service on a stand alone basis to customers assigned to that tariff; and

- *Impact* each tariff should signal the impact of additional usage on future investment costs.

Powercor Australia engaged Harding Katz to undertake a detailed study to ensure all distribution tariffs were within the efficient cost window set by these upper and lower bounds. The Harding Katz report defined the cost of serving customers as the cost attributable to an 'average' customer within the class of customers covered by each tariff. Cost per customer was established net of fixed costs, sunk costs and general overheads and formulated as the sum of average usage costs and an allocation of fixed costs per customer.

The upper bound for tariffs was established by estimating the costs likely to be incurred by a notional efficient competitor to the network business. This approach was taken as economies of scale dictate that the stand-alone cost of providing for a single customer would set the upper bound so high as to provide no meaningful limit. The cost of providing for customers on a stand alone basis was then established as the networks and usage costs of providing for an 'average' customer within the class of customers covered by each tariff.

Powercor Australia's tariffs fall within the efficient window established by these bounds, implying that tariffs are sufficient to allow a reasonable return on regulated assets without exceeding a level that may indicate the entity was taking advantage of its status as a regulated monopoly. Powercor Australia will continue to monitor its existing tariffs and all proposed new tariffs to ensure they remain efficient.

The requirement that tariffs signal the impact of additional usage on future investment costs are reflected in Powercor Australia's use of block tariffs. Incrementally increasing rates for high-demand users reflects the additional investment required for increased usage. Demand charges for larger customers reflect the network capacity requirements of these customers and enable investment to meet their needs.

1.6 Demonstration of How Prices Account for Future Investment Requirements

Under clauses 2.3.16 and 3.3.6 of the *Determination* distributors are required to, in the setting of distribution and transmission tariffs, have regard to the principle that each tariff should signal the impact of additional usage on future investment costs.

Powercor Australia notes that the present state of metering technology has practical limitations on the extent of pricing signals that can be provided to customers. Data from the rollout of interval meters will provide Powercor Australia with a more accurate profile of customer demand. To date this profiling has been limited due to an insufficient number of installed interval meters and insufficient data on usage patterns over time. Data made available from interval meters is expected to lead to more accurate predictions of future investment requirements. When more data is available for modelling Powercor Australia will reassess tariffs accordingly.

1.7 Excluded Service Charges and Prescribed Metering Service Charges

Powercor Australia's current schedule of Excluded Service charges can be found at: http://www.powercor.com.au/infocentre/std_services_prices.htm. Excluded Service charges are updated from time to time to reflect increasing business costs. Price changes are submitted to the Commission for review and approval prior to taking effect.

1.7.1 Prescribed Metering Service Tariffs

Prescribed metering service tariffs are a charge for the provision of interval meters and meter data services where the customer does not have a remotely read interval meter and either of the following conditions is met:

- The customer is a first tier customer and consumes less than 160MWh per annum; or
- The customer is a second tier customer who (subject to the National Electricity Rules) has a manually read interval meter, basic supply metering installation or unmetered supply installation

Powercor Australia's metering tariff structure for 2007 is provided in sections 1.7.1.1 and 1.7.1.2.

1.7.1.1 Meter Provision

The capital and operating costs of providing metering services will, from 1 January 2006, be funded via new meter provision charges. There are four types of charges to reflect differing costs to serve different meter classes:

- Single Phase Non-off peak
- Single Phase Off peak
- Poly Phase Direct Connect
- Three Phase CT

Powercor Australia will levy these to customers on a per NMI basis. The 2007 charges consist of a flat charge per NMI per annum. Customers receive the same charge regardless of the type of meter (interval or accumulation) that they have.

1.7.1.2 Meter Data Services

The capital and operating costs of providing meter data services are funded through meter provision charges. There are three types of charges to reflect differing costs:

- Quarterly read meter
- Monthly read meter
- Unmetered supplies

Powercor Australia will levy the first two charges to customers on a per NMI basis and the third on a per light basis. The 2007 charges consist of a flat charge per NMI (or light) per annum. Customers receive the same charge regardless of the type of meter (interval or accumulation) that they have.

1.8 Reassignments

Powercor Australia does not intend to reassign customers between tariffs in 2007.

1.9 Demand Resets

Powercor Australia processed demand resets for 95 customers between January 1 and December 31 2005.

2. USAGE/QUANTITY INFORMATION

2.1 Quantities and Usage

Powercor Australia's actual usage and quantities associated with each tariff for 2005 are shown in Table 5 of the Appendix.

Powercor Australia's forecast usage and quantities associated with each tariff for 2007 are shown in Table 6 of the Appendix.

2.2 Network Constraints

Powercor Australia produces a Distribution System Planning Report each year which details network capacity issues and future network investment requirements at a zone substation and subtransmission level. Network capacity constraints are a significant business driver for Powercor Australia and a key driver of distribution costs. For more detailed network constraint information, please refer to Powercor Australia's Network Planning Report. The most recent report can be found at: http://www.powercor.com.au/infocentre/fs_electricity.html

It is anticipated that future developments in the variable tariff components of Powercor Australia's interval meter tariffs will have regard to the long run marginal costs of consumption.

3. ANNUAL ADJUSTMENT VARIABLES

3.1 Adjustment Variables

Table 4: Annual Adjustment Variables

Variable	%
CPI	3.94%
X Factor	(2.5%)
L Factor	0.4%
M Factor	0%
S-Factor	(0.73551%)

3.2 Impact on Tariffs

The individual distribution and transmission tariff rebalancing constraints as calculated by the Commission's tariff approval model are shown in Table 7. The allowable annual movement of individual tariffs is constrained to within these bounds. The impact of the Commission's distribution and transmission rebalancing constraints on each customer segment is shown in the table below.

4. RATIONALE FOR AMENDMENT

4.1 Comparison with Tariff Strategy Report

As outlined in section 1.4 and in the tariff strategy report, the key impact scheduled for 2007 is the introduction of embedded network tariffs. Additionally the tariff strategy report discusses the introduction of reactive demand excluded service for 2007 however this has been deferred pending the development of an overall demand management strategy.

5. CONSULTATION

Powercor Australia has undertaken the following process in the development of the 2007 Annual Tariff Report:

- Regular updates and consultation regarding tariff issues with the Powercor and CitiPower Customer Consultative Committee (PACCCC), including extensive consultation regarding new Embedded Network tariffs
- Tariff Strategy Report made available to all stakeholders via the Powercor Australia website
- Establishment of the Powercor Australia stakeholder register
- Informal consultation on with larger retailers on tariff development ant structure

Any customers, retailers or other interested parties who would like to be included on the stakeholder register are requested to email their details to register@powercor.com.au.

Powercor Australia intends to consult with the PACCCC and other key stakeholders on the Annual Tariff Report each year as part of its tariff development process. Further information regarding the future development of the Annual Tariff Reports will be provided to all parties on the stakeholder register.

Table 5: 2005 Actual Quantities by Tariff

			Max Demand	Peak Consumption				Off Peak Consumption
Network Tariffs	Network Tariff Category	Customer No	kW	Block1 kWh	Block 2 kWh	Block 3 kWh	Block 4 kWh	Block 1 kWh
Small single rate	D1	490,952	-	1,518,245,457	639,034,053	18,076,015	5,526,151	-
ClimateSaver	D1.CS	18,318	-	7,993,289	1,273,161	8,097	1,203	23,883,101
Small two rate	D2	50,382	-	122,943,297	23,793,803	1,018,656	330,782	279,530,158
Small two rate - Bulk	D2.DK	653	-	1,703,598	326,363	92,693	104,072	2,247,712
Dedicated circuit	DD1	186,624	-	-	-	-	-	608,671,540
Medium single rate	ND1	48,162	-	89,080,914	108,920,758	56,553,290	21,567,100	-
Medium two rate-5d	ND2	35,874	-	106,596,298	240,312,592	247,820,276	162,521,047	611,208,203
Medium two rate-7d	ND3	10,419	-	27,358,694	52,102,440	44,363,832	51,553,335	77,431,321
Unmetered supplies	PL2	6,054	-	24,396,644	-	-	-	63,045,205
Large Tariff (kW)	DL	645,4274	288,002	461,851,618	-	-	-	343,552,393
Large Tariff A (kW)	DL.A	3	1,443	3,815,552	-	-	-	3,556,388
Large Tariff C (kW)	DL.C	456	210,126	387,299,349	-	-	-	271,372,592
Large Tariff S (kW)	DL.S	78	21,339	22,830,653	-	-	-	14,259,967
Large Tariff DK (kW)	DL.DK	8	1,601	3,824,047	-	-	-	3,926,441
Large Tariff CXX (kw)	DL.CXX	304	56,603	87,308,260	-	-	-	60,710,285
High voltage (kW)	DH	90	204,744	477,797,128	-	-	-	431,901,086
High voltage A (kW)	DH.A	4	8,074	15,572,335	-	-	-	16,130,761
High voltage C (kW)	DH.C	46	119,451	280,626,527	-	-	-	253,223,116
High voltage D1 (kW)	DH.D1	1	22,422	74,050,028	-	-	-	81,012,706
High voltage D2 (kW)	DH.D2	1	12,385	36,418,190	-	-	-	41,612,236
High Voltage DH.DK (kW)	DH.DK	1	1,031	1,028,622	-	-	-	504,955
High Voltage DH.D3 (KW)	DH.D3	1	14,491	33,732,952	-	-	-	16,127,746
High Voltage DH.D4 (kW)	DH.D4	1	11,000	31,190,664	-	-	-	34,353,410
Subtransmission (voltage > 22kV) A# (kW)	DS.A	3	49,124	111,288,091	-	-	-	102,151,850
Subtransmission (voltage > 22kV) G# (kW)	DS.G	3	64,452	180,091,563	-	-	-	190,090,946
Subtransmission (voltage > 22kV) S# (kW)	DS.S	2	91,389	187,868,576	-	-	-	235,424,201
Total		644,143	1,177,675	4,294,912,347	1,065,763,170	367,932,859	241,603,691	3,765,928,318

Table 6: 2007 Forecast Quantities by Tariff

			Max Demand	Peak Consumption				Off Peak Consumption
Network Tariffs	Network Tariff Category	Customer No	kW	Block1 kWh	Block 2 kWh	Block 3 kWh	Block 4 kWh	Block 1 kWh
Small single rate	D1	509,327	-	1,458,514,818	712,965,844	22,592,825	4,925,755	-
ClimateSaver	D1.CS	19,928	-	10,658,779	2,805,239	64,385	307	29,293,071
ClimateSaver Interval	D3.CS	3,090	-	1,539,634	347,947	19,011	52	3,385,180
Small two rate	D2	51,977	-	123,781,683	29,584,667	907,568	350,575	282,008,543
Small two rate - Bulk	D2.DK	778	-	2,393,239	503,534	148,976	123,445	3,076,448
Small Customer Interval	D3	3,708	-	10,409,597	2,824,180	469,357	684,611	10,799,300
Dedicated circuit	DD1	181,514	-	-	-	-	-	627,353,583
Hot Water Interval	D3.HW	2,950	-	142,337	18,172	2,208	-	893,619
Medium single rate	ND1	47,616	-	89,693,025	115,534,037	62,055,686	25,132,665	-
Medium two rate-5d	ND2	36,279	-	105,393,531	240,910,304	251,741,825	166,269,990	629,215,505
Medium customer interval	ND5	2,501	-	7,398,063	16,181,795	16,678,367	10,412,863	49,307,168
Medium two rate-7d	ND3	10,166	-	24,597,570	47,594,412	40,979,919	46,733,287	68,629,231
Unmetered supplies	PL2	6,240	-	26,240,342	-	-	-	65,459,296
Large Tariff (kW)	DL	669	302,561	530,080,418	-	-	-	387,985,972
Large Tariff A (kW)	DL.A	4	1,656	4,240,812	-	-	-	3,888,770
Large Tariff C (kW)	DL.C	460	216,373	402,037,554	-	-	-	281,050,055
Large Tariff S (kW)	DL.S	73	20,804	23,036,963	-	-	-	14,609,814
Large Tariff DK (kW)	DL.DK	8	1,654	4,454,995	-	-	-	4,561,988
Large Tariff CXX (kW)	DL.CXX	409	70,283.39	121,054,848	-	-	-	84,639,083
High voltage (kW)	DH	92	227,097	479,446,701	-	-	-	421,733,222
High voltage A (kW)	DH.A	2	5,634	7,860,431	-	-	-	7,820,130
High voltage C (kW)	DH.C	48	126,227	300,973,893	-	-	-	267,702,411
High voltage D1 (kW)	DH.D1	1	21,799	80,660,412	-	-	-	87,802,609
High voltage D2 (kW)	DH.D2	1	12,551	36,781,979	-	-	-	41,205,129
High Voltage DH.DK (kW)	DH.DK	2	1,022	1,103,467	-	-	-	483,256
High Voltage DH.D3 (KW)	DH.D3	1	14,691	28,050,932	-	-	-	19,207,413
High Voltage DH.D4 (kW)	DH.D4	1	11,152	26,377,623	-	-	-	28,678,346
Subtransmission (voltage > 22kV) A# (kW)	DS.A	3	50,963	116,517,649	-	-	-	104,265,137
Subtransmission (voltage > 22kV) G# (kW)	DS.G	3	67,995	198,537,154	-	-	-	204,609,882
Subtransmission (voltage > 22kV) S# (kW)	DS.S	2	92,685	192,330,636	-	-	-	239,894,908
Total		670,374	1,245,146	4,414,309,083	1,169,270,130	395,655,710	254,633,549	3,969,559,070

Table 7: DUOS and TUOS Rebalancing Constraints

Network Tariff Category	Network Tariffs	DUOS Rebal	TUOS Rebal
D1	Small single rate	101.42%	121.95%
D1.CS	ClimateSaver	99.99%	121.95%
D3.CS	ClimateSaver Interval	-	121.95%
D2	Small two rate	101.87%	121.95%
D2.DK	Small two rate - Bulk	101.14%	121.95%
D3	Small Customer Interval	-	121.95%
DD1	Dedicated circuit	69.65%	121.95%
D3.HW	Hot Water Interval	-	121.95%
ND1	Medium single rate	100.56%	121.95%
ND1.R	Medium single rate (R)	-	121.95%
ND2	Medium two rate-5d	102.42%	121.95%
ND2.BS	Business Sunraysia	-	121.95%
ND5	Medium customer interval	-	121.95%
ND3	Medium two rate-7d	101.48%	121.95%
PL2	Unmetered supplies	100.94%	121.95%
DL	Large Tariff (kW)	99.56%	121.95%
DL.A	Large Tariff A (kW)	99.50%	121.95%
DL.C	Large Tariff C (kW)	99.55%	121.95%
DL.S	Large Tariff S (kW)	99.59%	121.95%
DL.DK	Large Tariff DK (kW)	101.92%	121.95%
DL.CXX	Large Tariff CXX (kw)	102.88%	121.95%
DL.R	Large Tariff EN.R (kW)	-	119.56%
DL.NR	Large Tariff EN.NR (kW)	-	119.56%
DL.CXXR	Large Tariff EN.R CXX (kw)	-	119.56%
DL.CXXNR	Large Tariff EN.NR CXX (kw)	-	119.56%
	New Tariff 10	-	119.56%
	New Tariff 11	-	119.56%
DH	High voltage (kW)	99.20%	121.95%
DH.A	High voltage A (kW)	99.22%	121.95%
DH.C	High voltage C (kW)	99.19%	121.95%
DH.D1	High voltage D1 (kW)	102.87%	121.95%
DH.D2	High voltage D2 (kW)	102.93%	121.95%
DH.DK	High Voltage DH.DK (kW)	99.36%	121.95%
DH.D3	High Voltage DH.D3 (KW)	103.91%	121.95%
DH.D4	High Voltage DH.D4 (kW)	103.98%	121.95%
DH.D5	High Voltage DH.D5 (kW)	-	121.95%
DH.R	High voltage EN.R (kW)	-	119.56%
DH.NR	High voltage EN.NR (kW)	-	119.56%
DS.A	Subtransmission (voltage > 22 000 volts) A# (kW)	98.91%	121.95%
DS.G	Subtransmission (voltage > 22 000 volts) G# (kW)	98.85%	121.95%
DS.S	Subtransmission (voltage > 22 000 volts) S# (kW)	98.91%	121.95%



DISTRIBUTION TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2007 – 31 DECEMBER 2007

Table 8: Distribution Tariffs Effective 1 January 2007

DUoS Tariff	Code	Available to new customers?	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
						First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Residential Single Rate	D1	Yes	24.020			5.719	6.753	7.788	8.821	
ClimateSaver	D1.CS	No				5.719	6.753	7.788	8.821	2.814
ClimateSaver Interval	D3.CS	Yes				5.719	6.753	7.788	8.821	2.814
Residential Two Rate 5d	D2	No	30.267			8.273	8.717	9.414	10.286	0.833
Docklands Two Rate 5d	D2.DK	Yes	32.329			8.733	9.919	10.713	11.705	0.988
Residential Interval	D3	Yes	30.267			8.192	8.632	9.323	10.186	0.824
Dedicated circuit	DD1	No								0.260
Hot Water Interval	D3.HW	Yes								0.260
Non-Residential Single Rate	ND1	Yes	24.020			5.663	6.687	7.711	8.735	
Non-Residential Single Rate (R)	ND1.R	No	24.020			5.719	6.753	7.788	8.821	
Non-Residential Two Rate 5d	ND2	No	30.267			8.273	8.717	9.414	10.286	0.833
Business Sunraysia	ND2.BS	No	30.573			8.032	8.463	9.140	9.986	0.824
Non-Residential Interval	ND5	Yes	30.267			8.192	8.632	9.323	10.186	0.824
Non-Residential Two Rate 7d	ND3	No	32.174			7.095	7.710	8.848	9.823	0.926
Unmetered supplies	PL2	Yes			-	8.991				2.066
Large Low Voltage Demand	DL	Yes		60.379	250	1.916				1.168
Large Low Voltage Demand A	DL.A	Yes		58.926	250	1.815				1.027
Large Low Voltage Demand C	DL.C	Yes		58.167	250	1.942				1.099
Large Low Voltage Demand S	DL.S	No		63.241	120	2.125				1.295
Large Low Voltage Demand Docklands	DL.DK	Yes		49.251	120	1.238				1.068
Large Low Voltage Demand CXX	DL.CXX	Yes		65.903	120	2.155				1.288
Large Low Voltage Demand EN.R	DL.R	Yes		63.509	250	2.041				1.257
Large Low Voltage Demand EN.NR	DL.NR	Yes		63.509	250	2.041				1.257
Large Low Voltage Demand EN.R CXX	DL.CXXR	Yes		66.652	120	2.041				1.655
Large Low Voltage Demand EN.NR CXX	DL.CXXNR	Yes		66.652	120	2.041				1.655
High Voltage Demand	DH	Yes		51.691	1,000	1.213				0.327
High Voltage Demand A	DH.A	Yes		28.164	1,000	0.709				0.213
High Voltage Demand C	DH.C	Yes		50.647	1,000	1.200				0.326
High Voltage Demand D1	DH.D1	Yes		30.076	20,000	0.288				0.091
High Voltage Demand D2	DH.D2	Yes		34.372	8,000	0.160				0.159
High Voltage Demand Docklands	DH.DK	Yes		27.222	1,000	0.875				0.411
High Voltage Demand D3	DH.D3	Yes		32.674	10,000	0.782				0.098
High Voltage Demand D4	DH.D4	Yes		25.083	10,000	0.616				0.187
High Voltage Demand D5	DH.D5	Yes		25.083	12,000	0.616				0.187
High Voltage Demand EN.R	DH.R	Yes		54.371	1,000	1.306				0.356
High Voltage Demand EN.NR	DH.NR	Yes		54.371	1,000	1.306				0.356
Subtransmission Demand A	DS.A	Yes		4.826	10,000	0.629				0.029
Subtransmission Demand G	DS.G	Yes		4.826	10,000	0.622				0.029
Subtransmission Demand S	DS.S	Yes		4.857	10,000	0.631				0.028



TRANSMISSION TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2007 – 31 DECEMBER 2007

Table 9: Transmission Tariffs Effective 1 January 2007

TUoS Tariff	Code	Available to new customers?	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
						First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Residential Single Rate	D1	Yes	7.847			0.755	0.755	0.755	0.755	
ClimateSaver	D1.CS	No				0.755	0.755	0.755	0.755	0.358
ClimateSaver Interval	D3.CS	Yes				0.755	0.755	0.755	0.755	0.358
Residential Two Rate 5d	D2	No	9.343			0.584	0.584	0.584	0.584	0.324
Docklands Two Rate 5d	D2.DK	Yes	9.489			1.659	1.659	1.659	1.659	0.358
Residential Interval	D3	Yes	9.343			0.584	0.584	0.584	0.584	0.324
Dedicated circuit	DD1	No								0.979
Hot Water Interval	D3.HW	Yes								0.979
Non-Residential Single Rate	ND1	Yes	7.692			0.755	0.755	0.755	0.755	
Non-Residential Single Rate (R)	ND1.R	No	7.692			0.755	0.755	0.755	0.755	
Non-Residential Two Rate 5d	ND2	No	9.158			0.584	0.584	0.584	0.584	0.324
Business Sunraysia	ND2.BS	No	9.251			0.584	0.584	0.584	0.584	0.324
Non-Residential Interval	ND5	Yes	9.158			0.584	0.584	0.584	0.584	0.324
Non-Residential Two Rate 7d	ND3	No	10.218			0.829	0.829	0.829	0.829	0.341
Unmetered supplies	PL2	Yes			-	0.874				0.322
Large Low Voltage Demand	DL	Yes		26.025	250	0.855				0.344
Large Low Voltage Demand A	DL.A	Yes		26.864	250	0.883				0.344
Large Low Voltage Demand C	DL.C	Yes		26.125	250	0.858				0.344
Large Low Voltage Demand S	DL.S	No		24.884	120	0.817				0.344
Large Low Voltage Demand Docklands	DL.DK	Yes		26.533	120	0.872				0.358
Large Low Voltage Demand CXX	DL.CXX	Yes		25.862	120	0.850				0.344
Large Low Voltage Demand EN.R	DL.R	Yes		25.397	250	0.845				0.339
Large Low Voltage Demand EN.NR	DL.NR	Yes		25.397	250	0.845				0.339
Large Low Voltage Demand EN.R CXX	DL.CXXR	Yes		26.500	120	0.840				0.339
Large Low Voltage Demand EN.NR CXX	DL.CXXNR	Yes		26.500	120	0.840				0.339
High Voltage Demand	DH	Yes		21.608	1,000	0.803				0.315
High Voltage Demand A	DH.A	Yes		24.387	1,000	0.906				0.308
High Voltage Demand C	DH.C	Yes		22.017	1,000	0.818				0.315
High Voltage Demand D1	DH.D1	Yes		24.387	20,000	0.906				0.308
High Voltage Demand D2	DH.D2	Yes		24.382	8,000	0.893				
High Voltage Demand Docklands	DH.DK	Yes		25.977	1,000	0.965				0.358
High Voltage Demand D3	DH.D3	Yes		19.878	10,000	0.089				0.312
High Voltage Demand D4	DH.D4	Yes		14.113	10,000	0.836				0.311
High Voltage Demand D5	DH.D5	Yes		14.113	12,000	0.836				0.311
High Voltage Demand EN.R	DH.R	Yes		21.087	1,000	0.794				0.311
High Voltage Demand EN.NR	DH.NR	Yes		21.087	1,000	0.794				0.311
Subtransmission Demand A	DS.A	Yes		9.165	10,000	1.399				0.344
Subtransmission Demand G	DS.G	Yes		9.179	10,000	1.402				0.344
Subtransmission Demand S	DS.S	Yes		9.119	10,000	1.392				0.344



NETWORK TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2007 – 31 DECEMBER 2007

Table 10: Network Tariffs Effective 1 January 2007

NUoS Tariff	Code	Available to new customers?	Standing charges \$/cust/pa	Demand charges \$/kW/pa	Minimum Demand kW	Peak charges (c/kWh)				Off peak charges c/kWh
						First 333 kWh/month	Next 1334 kWh/month	Next 4166 kWh/month	Balance	
Residential Single Rate	D1	Yes	31.867			6.474	7.508	8.543	9.576	
ClimateSaver	D1.CS	No				6.474	7.508	8.543	9.576	3.172
ClimateSaver Interval	D3.CS	Yes				6.474	7.508	8.543	9.576	3.172
Residential Two Rate 5d	D2	No	39.610			8.857	9.301	9.998	10.870	1.157
Docklands Two Rate 5d	D2.DK	Yes	41.818			10.392	11.578	12.372	13.364	1.346
Residential Interval	D3	Yes	39.610			8.776	9.216	9.907	10.770	1.148
Dedicated circuit	DD1	No								1.239
Hot Water Interval	D3.HW	Yes								1.239
Non-Residential Single Rate	ND1	Yes	31.712			6.418	7.442	8.466	9.490	
Non-Residential Single Rate (R)	ND1.R	No	31.712			6.474	7.508	8.543	9.576	
Non-Residential Two Rate 5d	ND2	No	39.425			8.857	9.301	9.998	10.870	1.157
Business Sunraysia	ND2.BS	No	39.824			8.616	9.047	9.724	10.570	1.148
Non-Residential Interval	ND5	Yes	39.425			8.776	9.216	9.907	10.770	1.148
Non-Residential Two Rate 7d	ND3	No	42.392			7.924	8.539	9.677	10.652	1.267
Unmetered supplies	PL2	Yes			-	9.865				2.388
Large Low Voltage Demand	DL	Yes		86.404	250	2.771				1.512
Large Low Voltage Demand A	DL.A	Yes		85.790	250	2.698				1.371
Large Low Voltage Demand C	DL.C	Yes		84.292	250	2.800				1.443
Large Low Voltage Demand S	DL.S	No		88.125	120	2.942				1.639
Large Low Voltage Demand Docklands	DL.DK	Yes		75.784	120	2.110				1.426
Large Low Voltage Demand CXX	DL.CXX	Yes		91.765	120	3.005				1.632
Large Low Voltage Demand EN.R	DL.R	Yes		88.906	250	2.886				1.596
Large Low Voltage Demand EN.NR	DL.NR	Yes		88.906	250	2.886				1.596
Large Low Voltage Demand EN.R CXX	DL.CXXR	Yes		93.152	120	2.881				1.994
Large Low Voltage Demand EN.NR CXX	DL.CXXNR	Yes		93.152	120	2.881				1.994
High Voltage Demand	DH	Yes		73.299	1,000	2.016				0.642
High Voltage Demand A	DH.A	Yes		52.551	1,000	1.615				0.521
High Voltage Demand C	DH.C	Yes		72.664	1,000	2.018				0.641
High Voltage Demand D1	DH.D1	Yes		54.463	20,000	1.194				0.399
High Voltage Demand D2	DH.D2	Yes		58.754	8,000	1.053				0.159
High Voltage Demand Docklands	DH.DK	Yes		53.199	1,000	1.840				0.769
High Voltage Demand D3	DH.D3	Yes		52.552	10,000	0.871				0.410
High Voltage Demand D4	DH.D4	Yes		39.196	10,000	1.452				0.498
High Voltage Demand D5	DH.D5	Yes		39.196	12,000	1.452				0.498
High Voltage Demand EN.R	DH.R	Yes		75.458	1,000	2.100				0.667
High Voltage Demand EN.NR	DH.NR	Yes		75.458	1,000	2.100				0.667
Subtransmission Demand A	DS.A	Yes		13.991	10,000	2.028				0.373
Subtransmission Demand G	DS.G	Yes		14.005	10,000	2.024				0.373
Subtransmission Demand S	DS.S	Yes		13.976	10,000	2.023				0.372



PRESCRIBED METERING SERVICE TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2007 – 31 DECEMBER 2007

Table 11: Prescribed Metering Service Tariffs Effective 1 January 2007

Prescribed metering Service Tariff	\$/NMI/pa	\$/light/pa
Metering data service - monthly read NMI	48.872	
Metering data service - quarterly read NMI	17.325	
Metering data service - unmetered supplies		1.072
Meter provision - single phase non-off peak meter	5.479	
Meter provision - single phase off peak meter	14.095	
Meter provision - two or three phase direct connected NMI	41.691	
Meter provision - three phase current transformer connected NMI	66.622	

ADDITIONAL TERMS

The same charge applies to interval and accumulation meters.

These charges only apply to customers consuming less than 160MWh/pa who do not have a remotely read interval meter.

A single phase non off peak NMI is defined as a NMI serviced by a single phase single element single register meter. All other single phase NMIs are single phase off peak.



EMBEDDED NETWORK TARIFF SCHEDULE

(GST EXCLUSIVE)

1 JANUARY 2007 – 31 DECEMBER 2007

Table 12: Proposed Embedded Networks Tariffs

Powercor - Embedded Network Tariffs (GST exclusive)

Tariff Code	Large Low Voltage 120MW			Large Low Voltage 250MW			High Voltage		
	Parent Tariff*	New Tariff	New Tariff	Parent Tariff*	New Tariff	New Tariff	Parent Tariff*	New Tariff	New Tariff
	DL.CXX	DL.CXXER	DL.CXXENR	DL	DL.ER	DL.ENR	DH	DH.ER	DH.ENR
Customer Characteristics	Commercial	Residential	Non-Residential	Commercial	Residential	Non-Residential	Commercial	Residential	Non-Residential
Minimum Demand (KW/pa)	120	120	120	250	250	250	1000	1000	1000
DUOS									
Peak - Block 1 (c/KWh)	2.653	2.687	2.687	2.015	2.041	2.041	1.289	1.306	1.306
Peak - Block 2 (c/KWh)	2.653	2.687	2.687	2.015	2.041	2.041	1.289	1.306	1.306
Peak - Block 3 (c/KWh)	2.653	2.687	2.687	2.015	2.041	2.041	1.289	1.306	1.306
Peak - Block 4 (c/KWh)	2.653	2.687	2.687	2.015	2.041	2.041	1.289	1.306	1.306
Off Peak (c/KWh)	1.634	1.655	1.655	1.241	1.257	1.257	0.351	0.356	0.356
Demand (\$/KW/pa)	68.652	68.652	68.652	63.509	63.509	63.509	54.371	54.371	54.371
Standing Charge (\$/pa)		178.024	178.024		342.353	342.353		794.259	794.259
TUOS									
Peak - Block 1 (c/KWh)	0.829	0.840	0.840	0.834	0.845	0.845	0.784	0.794	0.794
Peak - Block 2 (c/KWh)	0.829	0.840	0.840	0.834	0.845	0.845	0.784	0.794	0.794
Peak - Block 3 (c/KWh)	0.829	0.840	0.840	0.834	0.845	0.845	0.784	0.794	0.794
Peak - Block 4 (c/KWh)	0.829	0.840	0.840	0.834	0.845	0.845	0.784	0.794	0.794
Off Peak (c/KWh)	0.335	0.339	0.339	0.335	0.339	0.339	0.307	0.311	0.311
Demand (\$/KW/pa)	25.238	26.500	26.500	25.397	25.397	25.397	21.087	21.087	21.087
Standing Charge (\$/pa)		178.023	178.023		342.353	342.353		794.259	794.259
NUOS									
Peak - Block 1 (c/KWh)	3.482	3.527	3.527	2.849	2.886	2.886	2.073	2.100	2.100
Peak - Block 2 (c/KWh)	3.482	3.527	3.527	2.849	2.886	2.886	2.073	2.100	2.100
Peak - Block 3 (c/KWh)	3.482	3.527	3.527	2.849	2.886	2.886	2.073	2.100	2.100
Peak - Block 4 (c/KWh)	3.482	3.527	3.527	2.849	2.886	2.886	2.073	2.100	2.100
Off Peak (c/KWh)	1.969	1.994	1.994	1.576	1.596	1.596	0.658	0.667	0.667
Demand (\$/KW/pa)	93.890	95.152	95.152	88.906	88.906	88.906	75.458	75.458	75.458
Standing Charge (\$/pa)		356.047	356.047		684.706	684.706		1588.518	1588.518